


2073



1A
40
J3
591p
949
ables
ery2

GENERAL HEADQUARTERS
SUPREME COMMANDER for the ALLIED POWERS
PUBLIC HEALTH and WELFARE SECTION



Public Health and Welfare
in
Japan
Tables

1945/48,
pt. 3

W1

570

3330

939/p

1043

Table

W2

MS9

P9P

Aug. 1945/Dec. 1948

pt. 3

TABLE 1. - POPULATION BY PREFECTURE: JAPAN, 1920 - 1948

Prefecture	1948	1947	1946	1945	1944	1943	1942	1941	1940
All Japan	80,200,000	78,000,000	75,300,000	72,500,000	73,600,000	73,700,000	73,200,000	72,600,000	71,535,729
Aichi	3,226,000	3,118,900	3,006,000	2,877,321	3,330,526	3,387,513	3,252,875	3,194,973	3,122,939
Akita	1,283,000	1,255,800	1,232,000	1,220,438	1,064,858	1,011,690	1,037,943	1,039,571	1,037,769
Amori	1,218,000	1,178,700	1,122,000	1,090,826	1,029,029	989,359	997,584	994,033	986,716
Chiba	2,140,000	2,110,200	2,069,000	1,980,629	1,687,222	1,602,976	1,582,151	1,578,521	1,566,528
Ehime	1,481,000	1,452,000	1,422,000	1,371,006	1,204,692	1,198,106	1,170,509	1,170,950	1,162,456
Fukui	733,000	725,300	716,000	729,925	631,398	642,744	635,531	635,952	635,027
Fukuoka	3,312,000	3,174,000	2,994,000	2,766,066	3,113,513	3,177,795	3,159,750	3,137,977	3,051,478
Fukushima	2,026,000	1,989,900	1,976,000	1,971,045	1,623,931	1,603,947	1,614,163	1,613,687	1,603,112
Gifu	1,524,000	1,491,700	1,487,000	1,529,270	1,285,447	1,315,586	1,260,654	1,257,087	1,247,585
Gumma	1,609,000	1,570,700	1,570,000	1,556,894	1,339,759	1,327,237	1,305,137	1,296,797	1,281,119
Hiroshima	2,046,000	2,008,900	1,958,000	1,898,657	1,992,555	2,023,381	1,879,295	1,867,356	1,843,732
Hokkaido	4,020,000	3,847,800	3,592,000	3,542,996	3,317,074	3,325,374	3,311,008	3,280,419	3,227,632
Hyogo	3,156,000	3,053,500	2,911,000	2,841,628	3,273,840	3,305,957	3,315,525	3,256,514	3,176,826
Ibaraki	2,044,000	2,011,100	1,999,000	1,958,173	1,682,092	1,690,551	1,623,688	1,616,156	1,597,667
Ishikawa	942,000	926,500	903,000	893,717	755,080	748,573	748,065	748,464	747,231
Iwate	1,294,000	1,261,100	1,254,000	1,236,375	1,120,986	1,106,840	1,096,959	1,092,222	1,080,687
Kagawa	934,000	916,500	898,000	869,592	724,071	713,620	713,696	709,323	720,325
Kanagawa	1,766,000	1,744,000	1,679,000	1,549,225	1,618,462	1,524,332	1,560,155	1,571,211	1,567,555
Kanagawa	2,317,000	2,215,200	2,080,000	1,878,715	2,512,337	2,628,259	2,311,067	2,242,329	2,158,798
Kochi	866,000	847,200	822,000	781,002	703,685	716,533	698,279	700,950	699,508
Kumamoto	1,786,000	1,763,400	1,681,000	1,567,236	1,392,037	1,311,702	1,341,862	1,349,744	1,349,318
Kyoto	1,784,000	1,736,800	1,670,000	1,615,014	1,660,618	1,723,849	1,723,568	1,720,568	1,706,144
Mie	1,451,000	1,414,700	1,413,000	1,404,037	1,227,817	1,238,884	1,188,970	1,189,817	1,182,257
Miyagi	1,596,000	1,564,800	1,506,000	1,471,536	1,292,301	1,243,738	1,259,672	1,260,051	1,253,713
Miyazaki	1,052,000	1,024,400	986,000	920,077	852,435	830,130	835,657	836,181	828,772

TABLE 1. - POPULATION BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Prefecture	1948	1947	1946	1945	1944	1943	1942	1941	1940
Cont'd:									
Nagano	2,079,000	2,057,300	2,089,000	2,135,783	1,675,830	1,644,725	1,680,741	1,688,958	1,687,146
Nagasaki	1,565,000	1,529,700	1,460,000	1,327,811	1,513,771	1,459,281	1,384,087	1,372,463	1,351,176
Nara	778,000	778,900	767,000	785,138	616,097	631,093	612,160	614,122	611,955
Niigata	2,435,000	2,415,100	2,396,000	2,406,366	2,025,100	2,056,392	2,054,871	2,052,077	2,035,943
Oita	1,245,000	1,232,100	1,184,000	1,132,378	988,644	954,407	956,930	961,633	955,562
Okayama	1,650,000	1,617,500	1,585,000	1,575,569	1,353,753	1,368,986	1,315,349	1,318,628	1,311,032
Osaka	3,515,000	3,330,300	3,065,000	2,820,547	4,480,650	4,479,789	4,558,950	4,860,125	4,726,893
Saga	931,000	916,600	882,000	836,238	716,476	706,824	697,591	696,999	691,846
Saitama	2,132,000	2,097,700	2,089,000	2,061,407	1,672,000	1,653,463	1,617,011	1,605,982	1,585,871
Shiga	873,000	857,300	856,000	866,932	702,387	703,911	688,754	693,048	693,978
Shimane	903,000	893,100	874,000	866,292	741,019	754,399	728,818	731,869	730,726
Shizuoka	2,407,000	2,350,000	2,328,000	2,235,887	2,058,964	2,040,857	2,019,226	2,010,984	1,990,043
Tochigi	1,558,000	1,532,300	1,349,000	1,557,170	1,222,153	1,168,978	1,189,952	1,193,867	1,190,023
Tokushima	869,000	853,700	854,000	841,608	714,050	707,795	704,858	705,149	708,809
Tokyo	5,417,000	4,994,300	4,308,000	3,512,680	7,383,054	7,457,385	7,696,782	7,499,258	7,253,579
Tottori	593,000	586,800	574,000	567,159	483,590	483,514	474,390	477,903	477,712
Toyama	998,000	978,000	961,000	960,505	832,187	836,926	823,971	819,092	811,229
Wakayama	980,000	958,800	961,000	942,552	860,391	887,414	854,216	856,629	853,149
Yamagata	1,346,000	1,333,900	1,334,000	1,335,626	1,100,191	1,062,178	1,096,370	1,102,791	1,103,907
Yamaguchi	1,505,000	1,477,300	1,417,000	1,366,027	1,378,191	1,514,623	1,323,500	1,305,688	1,276,400
Yamanashi	815,000	806,200	821,000	844,925	644,637	646,627	657,429	657,882	653,886

See footnotes at end of this table.

TABLE 1. - POPULATION BY PREFECTURE: JAPAN 1920 - 1948 - Cont'd

Prefecture	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930
All Japan	70,900,000	70,600,000	70,400,000	69,600,000	68,661,654	67,700,000	66,800,000	65,800,000	64,800,000	63,872,496
Aichi	3,026,729	3,001,793	2,974,763	2,921,772	2,862,701	2,768,424	2,720,237	2,668,121	2,616,202	2,567,413
Akita	1,055,083	1,053,467	1,054,793	1,047,258	1,037,744	1,029,997	1,020,402	1,009,170	997,929	987,706
Aomori	1,013,292	1,006,446	999,791	984,515	967,129	934,458	921,579	907,331	893,105	879,914
Chiba	1,573,452	1,570,786	1,572,425	1,560,896	1,546,394	1,528,622	1,515,519	1,499,936	1,484,241	1,470,121
Ehime	1,159,659	1,162,194	1,170,176	1,168,649	1,164,898	1,180,215	1,171,844	1,161,576	1,151,265	1,142,122
Fukui	655,515	654,831	656,132	652,014	646,699	635,123	631,525	626,951	622,243	618,144
Fukuoka	2,872,611	2,855,804	2,840,647	2,801,081	2,755,804	2,710,239	2,666,516	2,618,954	2,571,591	2,527,119
Fukushima	1,605,825	1,603,710	1,606,302	1,595,465	1,581,563	1,566,477	1,553,404	1,537,887	1,522,250	1,508,150
Gifu	1,237,552	1,237,210	1,241,021	1,234,590	1,225,799	1,216,568	1,208,226	1,198,026	1,187,573	1,178,405
Gumma	1,260,508	1,259,093	1,261,347	1,253,073	1,242,453	1,241,304	1,228,672	1,214,048	1,199,476	1,186,080
Hiroshima	1,854,022	1,847,879	1,845,140	1,826,857	1,804,916	1,753,849	1,740,126	1,723,639	1,706,993	1,692,136
Hokkaido	3,199,290	3,180,410	3,163,383	3,118,996	3,068,282	3,066,056	3,004,678	2,939,189	2,873,961	2,812,335
Ihyogo	3,072,543	3,050,291	3,027,573	2,978,421	2,923,249	2,802,674	2,765,940	2,725,098	2,684,217	2,646,301
Ibaraki	1,565,309	1,564,576	1,569,037	1,560,496	1,548,991	1,531,455	1,536,767	1,519,763	1,502,646	1,487,097
Ishikawa	762,348	764,544	770,419	770,107	768,416	762,709	762,119	760,232	758,174	756,835
Iwate	1,078,235	1,074,069	1,071,532	1,059,847	1,046,111	1,036,707	1,022,306	1,006,466	990,528	975,771
Kagawa	746,161	747,590	752,484	751,324	748,656	759,704	753,801	746,513	739,270	732,816
Kagoshima	1,386,990	1,590,008	1,600,125	1,597,263	1,591,466	1,626,164	1,610,333	1,591,960	1,573,462	1,556,690
Kanagawa	1,968,115	1,948,031	1,924,753	1,884,405	1,840,005	1,783,392	1,743,533	1,701,309	1,659,382	1,619,606
Kochi	699,072	702,837	711,133	713,658	714,980	713,581	737,965	731,192	724,267	718,152
Kumamoto	1,385,195	1,387,437	1,395,762	1,392,747	1,387,054	1,402,038	1,391,439	1,378,571	1,365,614	1,353,993
Kyoto	1,780,839	1,769,413	1,758,453	1,732,242	1,702,508	1,671,630	1,643,207	1,612,388	1,581,664	1,552,832
Mie	1,165,055	1,168,306	1,177,450	1,177,141	1,174,595	1,198,642	1,189,682	1,178,499	1,173,368	1,157,407
Miyagi	1,279,441	1,273,288	1,268,521	1,252,873	1,234,801	1,222,978	1,203,916	1,183,106	1,162,267	1,142,784
Miyazaki	856,133	851,684	847,939	837,047	824,431	816,787	803,312	788,670	774,178	760,467

TABLE 1. - POPULATION BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Prefecture	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930
Cont'd:										
Nagano	1,679,107	1,687,695	1,706,540	1,711,860	1,714,000	1,789,601	1,773,100	1,753,880	1,734,599	1,717,118
Nagasaki	1,319,271	1,317,055	1,318,541	1,309,023	1,296,883	1,290,376	1,277,282	1,262,313	1,247,187	1,233,362
Nara	626,343	626,343	628,332	624,938	620,471	606,982	604,965	601,917	598,738	596,225
Niigata	2,004,118	2,005,401	2,014,529	2,006,995	1,995,777	2,002,611	1,987,183	1,968,672	1,950,048	1,933,326
Oita	987,491	987,619	991,322	986,812	980,458	971,512	966,079	959,101	951,919	945,771
Okayama	1,343,305	1,343,276	1,348,034	1,341,593	1,332,647	1,322,022	1,313,864	1,303,569	1,293,097	1,283,962
Osaka	4,775,586	4,697,078	4,595,613	4,451,396	4,297,174	3,927,509	3,832,947	3,733,267	3,634,336	3,540,017
Saga	669,063	672,969	681,440	684,384	686,117	697,914	697,073	695,143	693,059	691,565
Saitama	1,551,379	1,549,494	1,552,198	1,542,013	1,528,854	1,512,999	1,500,986	1,486,618	1,472,139	1,459,172
Shiga	712,610	713,384	717,112	714,957	711,436	715,840	710,503	704,056	697,460	691,631
Shimane	738,607	741,084	747,602	748,027	747,119	754,196	751,295	747,214	742,971	739,507
Shizuoka	2,008,042	1,998,698	1,991,811	1,967,830	1,939,860	1,901,163	1,876,934	1,849,911	1,822,819	1,797,805
Tochigi	1,211,849	1,210,496	1,212,822	1,205,116	1,195,057	1,184,221	1,174,750	1,163,379	1,151,965	1,141,737
Tokushima	723,892	725,805	731,161	730,643	728,748	738,874	734,056	727,988	721,866	716,544
Tokyo	6,959,917	6,864,635	6,745,454	6,564,896	6,369,919	6,151,040	5,968,365	5,778,042	5,589,485	5,408,678
Tottori	482,071	484,198	489,234	490,259	490,161	503,532	500,429	496,574	492,713	489,266
Toyama	798,449	799,637	804,297	802,378	796,890	803,768	798,301	791,674	784,880	778,953
Nakayama	872,320	872,089	874,842	870,317	864,067	866,359	858,236	848,852	839,393	830,748
Yamagata	1,122,871	1,123,257	1,128,029	1,123,490	1,116,822	1,123,533	1,113,713	1,102,196	1,090,551	1,080,034
Yamaguchi	1,208,514	1,207,046	1,209,036	1,200,920	1,190,542	1,170,001	1,162,623	1,153,265	1,143,863	1,135,637
Yamanashi	645,999	647,044	650,950	649,416	646,727	656,154	650,467	643,774	637,046	631,042

See footnotes at end of this table.

TABLE 1. - POPULATION BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Prefecture	1929	1928	1927	1926	1925	1924	1923	1922	1921	1920
All Japan	62,900,000	62,100,000	61,100,000	60,200,000	59,179,200	58,300,000	57,600,000	56,800,000	56,100,000	55,391,481
Aichi	2,534,856	2,485,779	2,429,026	2,376,502	2,319,494	2,209,144	2,174,854	2,154,380	2,117,562	2,089,762
Akita	976,379	968,513	957,553	947,971	936,408	928,080	918,064	910,623	905,074	898,537
Aomori	867,904	855,958	841,215	827,906	812,977	787,842	777,757	769,585	763,344	756,454
Chiba	1,464,619	1,451,408	1,433,565	1,417,890	1,399,257	1,368,713	1,340,576	1,337,119	1,337,549	1,336,155
Ehime	1,147,763	1,137,345	1,123,262	1,111,002	1,096,366	1,073,696	1,065,436	1,056,537	1,052,093	1,046,720
Fukui	601,655	602,207	600,695	599,923	597,899	601,987	598,642	597,792	598,758	599,155
Fukuoka	2,417,408	2,393,698	2,362,058	2,334,338	2,301,668	2,431,653	2,371,085	2,305,371	2,245,517	2,188,249
Fukushima	1,513,312	1,497,599	1,477,003	1,458,849	1,437,596	1,432,159	1,409,137	1,392,260	1,378,371	1,362,750
Gifu	1,194,943	1,181,822	1,164,991	1,149,953	1,132,557	1,108,058	1,095,587	1,085,700	1,078,343	1,070,407
Gumma	1,184,660	1,170,627	1,152,925	1,137,003	1,118,858	1,110,747	1,091,109	1,077,539	1,065,069	1,052,610
Hiroshima	1,695,684	1,679,845	1,658,499	1,639,749	1,617,680	1,577,775	1,565,664	1,555,693	1,549,245	1,541,905
Hokkaido	2,638,291	2,609,024	2,571,206	2,537,525	2,498,679	2,819,797	2,703,243	2,582,868	2,467,794	2,359,183
Hyogo	2,605,426	2,573,120	2,532,594	2,496,165	2,454,679	2,483,943	2,430,591	2,384,798	2,343,531	2,301,799
Ibaraki	1,470,769	1,458,568	1,441,609	1,426,825	1,409,092	1,415,426	1,392,221	1,376,534	1,363,998	1,350,400
Ishikawa	759,933	759,541	756,450	754,522	750,854	758,426	751,785	748,882	748,472	747,360
Iwate	955,713	944,005	929,298	916,047	900,984	878,678	868,807	860,160	853,173	845,540
Kagawa	725,253	720,611	713,615	707,740	700,308	670,213	675,065	671,944	675,212	677,852
Kagoshima	1,532,568	1,520,897	1,504,152	1,485,769	1,472,193	1,490,326	1,471,131	1,451,582	1,433,666	1,415,582
Kanagawa	1,508,171	1,488,422	1,463,931	1,441,783	1,416,792	1,392,379	1,372,220	1,354,737	1,339,545	1,323,390
Kochi	707,308	703,970	698,231	693,486	687,478	684,158	680,040	676,224	673,915	670,895
Kumamoto	1,360,378	1,347,224	1,329,695	1,314,289	1,296,086	1,256,563	1,248,929	1,242,364	1,238,138	1,231,233
Kyoto	1,519,764	1,494,473	1,464,333	1,436,763	1,406,382	1,383,355	1,355,204	1,330,948	1,309,502	1,287,147
Mie	1,149,577	1,141,681	1,129,999	1,120,037	1,107,692	1,086,046	1,071,277	1,073,358	1,071,556	1,069,270
Miyagi	1,122,861	1,105,373	1,084,449	1,065,225	1,044,036	988,039	976,475	970,641	966,656	961,768
Miyazaki	730,898	722,527	711,704	702,119	691,094	697,504	685,214	673,337	662,037	651,097

TABLE 1. POPULATION BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Prefecture	1929	1928	1927	1926	1925	1924	1923	1922	1921	1920
Cont'd:										
Nagano	1,699,313	1,685,493	1,666,241	1,649,387	1,629,217	1,636,839	1,612,234	1,594,112	1,579,188	1,562,722
Nagasaki	1,197,161	1,191,605	1,182,085	1,174,247	1,163,945	1,181,763	1,169,621	1,157,364	1,147,212	1,136,182
Nara	604,982	601,097	595,165	590,085	583,828	573,501	569,586	566,937	566,220	564,607
Niigata	1,927,555	1,912,417	1,890,873	1,872,350	1,849,807	1,819,805	1,798,116	1,788,698	1,783,399	1,776,474
Oita	969,524	957,923	943,275	930,101	915,136	871,108	866,817	863,146	862,255	860,282
Okayama	1,266,319	1,262,304	1,253,979	1,247,631	1,238,447	1,241,025	1,232,610	1,225,842	1,222,468	1,217,698
Osaka	3,487,747	3,386,316	3,274,867	3,169,874	3,059,502	2,984,536	2,875,492	2,775,463	2,680,288	2,587,847
Saga	699,747	697,616	693,203	689,771	684,831	673,699	671,582	671,446	672,817	673,895
Seitama	1,469,458	1,453,727	1,433,263	1,415,481	1,394,461	1,368,813	1,347,144	1,336,622	1,328,466	1,319,533
Shiga	677,568	675,327	670,881	667,384	662,412	655,871	652,277	650,942	651,457	651,050
Shimane	734,830	733,520	729,603	726,814	722,402	702,982	703,922	706,282	710,744	714,712
Shizuoka	1,788,130	1,762,546	1,731,298	1,702,894	1,671,217	1,649,588	1,618,304	1,594,411	1,572,700	1,550,387
Tochigi	1,136,875	1,127,763	1,114,917	1,103,874	1,090,428	1,104,771	1,084,143	1,070,273	1,058,781	1,046,479
Tokushima	712,147	708,205	701,850	696,597	689,814	677,783	674,766	672,740	671,519	670,212
Tokyo	5,194,016	5,024,810	4,841,059	4,666,569	4,485,144	3,970,784	4,030,685	3,915,807	3,806,341	3,699,428
Tottori	491,063	487,433	482,246	477,750	472,230	462,546	459,928	457,750	456,629	454,675
Toyama	776,668	771,543	763,891	757,332	749,243	739,934	731,685	728,279	726,614	724,276
Wakayama	825,663	817,936	807,430	798,291	787,511	775,292	768,204	761,623	756,357	750,411
Yamagata	1,085,560	1,073,301	1,057,502	1,043,440	1,027,297	994,414	984,933	978,802	974,242	968,925
Yamaguchi	1,149,275	1,138,051	1,123,061	1,109,998	1,094,544	1,061,346	1,052,798	1,048,973	1,045,406	1,041,013
Yamanashi	620,306	616,830	611,253	606,649	600,675	608,859	599,040	593,512	588,777	583,453

See footnotes at end of this table.

TABLE 1. - POPULATION BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES:

Population data refer to the total population including military personnel in Japan Proper each year. Estimates are as of 1 October for the period 1920 - 1945 and as of 1 July for 1946-1948.

The total population was estimated for each year, based upon census data, net natural increase and migration. Censuses were taken on 1 October 1920, 1925, 1930, 1935 and 1940, 22 February 1944, 1 November 1945, 26 April 1946 and 1 October 1947 and a ration count was made on 1 August 1948. The population counts of 1920, 1925, 1930 and 1935 were accepted as enumerated. Adjustments were made in the 1940 enumeration to exclude military personnel outside the country and adjustments for underenumeration were made in the figures for 1945 and 1946.

The estimated annual total populations for the period of 1920-1944 were distributed by prefecture according to the prefectural distribution at the last previous census. The estimated total population as of 1 October 1945 was distributed according to the census of 1 November and the estimated population as of 1 July 1946 was distributed according to the census of 26 April 1946. The estimated population as of 1 July 1947 was distributed by prefecture according to the census of October 1947. The estimated population as of 1 July 1948 was distributed by prefecture according to the ration count of 1 August 1948.

It should be noted that the estimated total population in Japan as of 1 October 1945 is the same as the estimated average total population for the year. This is not true of the estimated civilian population or the estimated military personnel in the country taken separately as of 1 October, 1 November or "on the average" due to the cessation of hostilities and demobilization during October.

Population for all Japan for 1941-1945 differ slightly from those published in July 1948 by the Economic and Scientific Section, GHQ, SCAP, due to differences in estimating annual migration.

TABLE 2. - $\frac{1}{2}$ POPULATION BY AGE: JAPAN, 1920 - 1947

Year	All Ages	0 - 4	5 - 9	10 - 14	15 - 19	20 - 24	25 - 29	30 - 34	35 - 39
1947	78,627,000	9,727,000	9,160,000	8,672,000	8,319,000	7,109,000	5,525,000	5,183,000	4,915,000
1946	76,155,000	NA	NA	NA	NA	NA	NA	NA	NA
1945	72,410,000	NA	NA	NA	NA	NA	NA	NA	NA
1944	73,865,000	NA	NA	NA	NA	NA	NA	NA	NA
1943	73,980,000	9,470,000	8,815,000	8,551,000	7,954,000	5,669,000	4,862,000	5,226,000	4,426,000
1942	72,450,000	9,306,000	8,876,000	8,464,000	7,800,000	5,585,000	5,176,000	5,215,000	4,366,000
1941	72,750,000	9,115,000	8,834,000	8,391,000	7,594,000	5,621,000	5,396,000	5,148,000	4,328,000
1940	71,540,000	9,049,000	8,758,000	8,335,000	7,365,000	5,437,000	5,406,000	4,864,000	4,375,000
1939	70,930,000	9,012,000	8,721,000	8,353,000	7,438,000	5,355,000	4,974,000	4,762,000	4,392,000
1938	70,590,000	9,224,000	8,687,000	8,189,000	7,166,000	5,466,000	5,196,000	4,657,000	4,340,000
1937	70,360,000	9,300,000	8,590,000	8,045,000	6,924,000	5,805,000	5,435,000	4,585,000	4,275,000
1936	69,990,000	9,312,000	8,525,000	7,935,000	6,722,000	5,976,000	5,368,000	4,551,000	4,142,000
1935	69,254,448	9,328,501	8,531,419	7,865,247	6,640,917	6,071,071	5,240,083	4,632,637	4,045,846
1934	68,272,300	9,255,400	8,436,800	7,624,200	6,412,300	6,032,300	5,101,000	4,602,000	3,955,300
1933	67,318,400	9,195,400	8,293,400	7,356,400	6,480,600	5,985,700	4,930,000	4,540,000	3,888,100
1932	66,264,500	9,049,000	8,177,600	7,107,700	6,520,500	5,862,100	4,845,100	4,464,100	3,761,600
1931	65,371,100	9,038,000	7,986,200	6,913,200	6,564,300	5,760,900	4,783,900	4,336,400	3,699,200
1930	64,450,005	9,011,135	7,767,085	6,801,045	6,539,604	5,531,506	4,835,634	4,213,665	3,584,833
1929	63,563,800	8,974,000	7,712,900	6,585,600	6,471,600	5,384,800	4,794,000	4,128,300	3,511,300
1928	62,629,800	8,820,500	7,444,200	6,698,300	6,376,700	5,202,500	4,732,300	4,051,800	3,508,700
1927	61,677,600	8,660,000	7,222,400	6,751,700	6,252,400	5,106,000	4,656,500	3,916,600	3,506,800
1926	60,718,500	8,484,500	7,037,300	6,785,000	6,106,100	5,021,300	4,522,200	3,847,400	3,472,500
1925	59,736,822	8,264,583	6,924,432	6,735,030	5,885,277	5,060,527	4,393,471	3,716,087	3,449,377
1924	58,937,300	8,251,900	6,666,600	6,678,300	5,721,200	5,047,300	4,292,800	3,656,300	3,412,000
1923	58,267,300	8,015,900	6,793,600	6,592,000	5,520,600	4,991,900	4,222,500	3,662,200	3,354,700
1922	57,449,200	7,764,700	6,86,000	6,472,900	5,419,500	4,903,000	4,103,700	3,666,100	3,327,700
1921	56,687,500	7,581,700	6,906,600	6,325,900	5,357,200	4,755,400	4,045,000	3,696,200	3,325,800
1920	55,965,053	7,457,715	6,856,920	6,101,567	5,419,057	4,609,310	3,923,949	3,609,450	3,410,728

See footnotes at end of table.

TABLE 2. - 1/ POPULATION BY AGE: JAPAN, 1920 - 1947 - Cont'd.

Year	40 - 44	45 - 49	50 - 54	55 - 59	60 & Over
1947	4,220,000	3,885,000	3,153,000	2,662,000	5,853,000
1946	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA
1943	4,120,000	3,468,000	2,936,000	2,567,000	5,922,000
1942	4,052,000	3,349,000	2,929,000	2,489,000	5,843,000
1941	3,921,000	3,288,000	2,888,000	2,480,000	5,745,000
1940	3,799,000	3,175,000	2,859,000	2,536,000	5,622,000
1939	3,775,000	3,174,000	2,869,000	2,576,000	5,529,000
1938	3,704,000	3,165,000	2,867,000	2,584,000	5,417,000
1937	3,576,000	3,157,000	2,772,000	2,579,000	5,317,000
1936	3,503,000	3,118,000	2,753,000	2,560,000	5,225,000
1935	3,406,611	3,112,834	2,832,875	2,571,137	5,155,570
1934	3,347,700	3,072,200	2,837,100	2,545,900	5,050,100
1933	3,346,400	3,042,600	2,851,400	2,487,500	4,951,600
1932	3,343,500	2,983,700	2,852,700	2,428,000	4,857,900
1931	3,314,200	2,975,300	2,842,900	2,351,200	4,803,400
1930	3,286,478	3,046,263	2,830,694	2,216,103	4,785,960
1929	3,251,200	3,050,700	2,807,700	2,109,300	4,782,400
1928	3,191,400	3,049,900	2,746,300	2,092,700	4,748,500
1927	3,169,400	3,075,200	2,684,900	2,033,400	4,694,300
1926	3,157,700	3,064,500	2,605,400	1,987,500	4,626,100
1925	3,221,765	3,055,149	2,450,903	1,990,617	4,569,404
1924	3,235,700	3,026,600	2,336,800	2,063,400	4,528,400
1923	3,257,300	2,960,600	2,263,500	2,085,600	4,485,500
1922	3,269,100	2,898,300	2,261,500	1,969,200	4,514,500
1921	3,251,500	2,819,200	2,221,900	1,918,800	4,549,300
1920	3,243,764	2,658,567	2,234,762	1,846,053	4,597,161

See footnotes next page.

TABLE 2. - 1/ POPULATION BY AGE: JAPAN, 1920 - 1947 - Cont'd.

FOOTNOTES:-

1/ All data are as of 1 October each year. Estimates by age are provisional. Years 1920-1935: Includes the population, both military and civilian, residing in the four main islands and the small outlying islands and Okinawa. Years 1936-1947: Includes the population, both military and civilian, residing in the four main islands and the small outlying islands and excludes Okinawa. Totals for the population data shown on Tables No. 1 and No. 3 differ from those shown in this table for the years 1941-1945, because of certain adjustments contained in the estimates made and published by the Research and Programs Division, Economic and Scientific Section. Population estimates contained in Tables No. 1 and No. 3 are as originally computed and first used in August, 1947 by the Health Statistics Division, Public Health and Welfare Section.

2/ Census enumeration adjusted.

3/ Census enumeration excluding estimated overseas military population of one million.

4/ Census enumeration unadjusted.

"NA" indicates data are not available.

SOURCES:-

Totals (all ages) for years 1936-1947: Research and Programs Division, ESS, GHQ, SCAP.

Totals (all ages) for years 1920-1935 and estimates by age-group 1920-1943 and 1947: Institute of Population Problems, Ministry of Welfare.

TABLE 3. - POPULATION, LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS, MARRIAGES AND DIVORCES:
JAPAN, 1872 - 1948

Year	1/Population	2/Live Births	3/Deaths	4/5/Infant Deaths	5/Stillbirths	5/Marriages	5/Divorces
1948	80,260,000	2,709,871	956,092	166,649	144,095	960,275	79,115
1947	78,000,000	2,724,786	1,138,238	206,877	124,075	945,207	80,612
1946	75,300,000	1,905,809	1,326,592	NA	80,262	NA	NA
1945	72,500,000	1,685,583	2,113,796	NA	NA	NA	NA
1944	73,600,000	2,149,843	1,279,639	NA	NA	NA	NA
1943	73,700,000	2,235,431	1,204,802	194,551	92,882	736,183	48,832
1942	73,200,000	2,216,271	1,157,845	190,162	95,446	671,680	45,529
1941	72,600,000	2,260,270	1,140,428	190,780	103,393	763,858	48,605
1940	71,599,729	2,100,164	1,176,517	189,809	102,033	660,184	47,804
1939	70,900,000	1,885,957	1,258,534	201,291	98,347	548,118	45,178
1938	70,600,000	1,911,966	1,250,093	215,543	99,527	532,103	43,832
1937	70,400,000	2,164,949	1,198,400	229,911	111,481	668,336	45,719
1936	69,600,000	2,086,355	1,220,023	244,558	111,050	543,518	45,399
1935	68,661,654	2,174,291	1,152,371	232,821	115,592	551,032	47,721
1934	67,700,000	2,028,289	1,225,402	254,213	113,039	506,937	47,806
1933	66,800,000	2,106,260	1,184,546	256,395	114,135	481,012	48,546
1932	65,800,000	2,168,026	1,166,167	255,701	119,575	510,603	50,728
1931	64,800,000	2,088,608	1,231,154	275,644	116,505	492,694	49,887
1930	63,872,496	2,070,765	1,161,504	257,646	117,729	501,631	50,516
1929	62,980,600	2,061,720	1,251,041	294,057	116,967	491,988	50,310
1928	62,100,000	2,120,493	1,227,570	293,026	120,166	494,345	48,235
1927	61,100,000	2,045,828	1,204,847	291,609	116,916	462,907	49,689
1926	60,200,000	2,089,237	1,151,163	288,301	124,036	497,559	49,224
1925	59,179,200	2,071,560	1,199,936	295,666	124,394	516,639	50,741

TABLE 3. - POPULATION, LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS, MARRIAGES AND DIVORCES:
JAPAN, 1872 - 1948 - Continued

Year	1/Population	2/Live Births	3/Deaths	4/5/Infant Deaths	5/Stillbirths	5/Marriages	5/Divorces
1924	58,300,000	1,984,326	1,245,343	311,357	125,831	508,660	50,904
1923	57,800,000	2,026,955	1,363,648	333,120	133,855	508,100	50,344
1922	57,800,000	1,953,560	1,276,120	326,664	132,430	510,365	52,062
1921	56,100,000	1,976,055	1,279,219	334,352	130,294	514,823	52,643
1920	55,391,481	2,011,634	1,409,371	334,381	144,035	541,542	54,671
1919	56,253,200	1,778,685	1,281,965	303,202	132,939	480,136	56,812
1918	55,662,500	1,791,952	1,493,162	337,919	142,507	500,580	56,474
1917	56,035,100	1,812,413	1,199,669	313,672	140,328	447,970	55,812
1916	55,235,000	1,804,822	1,187,832	307,283	139,998	453,680	60,254
1915	54,448,200	1,795,326	1,093,793	288,694	141,301	445,210	59,943
1914	53,675,700	1,808,402	1,101,815	286,678	145,692	452,932	59,992
1913	52,917,600	1,757,441	1,027,257	267,281	147,769	431,287	59,536
1912	52,167,000	1,737,674	1,037,016	266,025	147,545	430,422	59,143
1911	51,435,400	1,747,803	1,043,906	276,798	155,319	433,117	58,067
1910	50,504,900	1,712,857	1,064,234	276,136	157,392	441,222	59,432
1909	49,904,500	1,693,850	1,091,264	289,436	161,576	437,882	58,936
1908	49,316,300	1,662,815	1,029,447	262,601	162,674	461,254	60,228
1907	48,745,400	1,614,472	1,016,768	244,300	158,614	432,949	61,058
1906	48,187,500	1,394,295	955,256	214,148	149,731	352,657	65,398
1905	47,641,500	1,452,770	1,004,661	220,450	142,092	350,696	60,061
1904	47,108,300	1,440,371	955,400	218,756	147,058	398,930	63,913
1903	46,587,700	1,469,616	931,000	226,882	153,920	370,911	65,392
1902	45,990,000	1,510,835	959,126	232,652	157,708	394,165	64,199
1901	45,404,700	1,501,591	945,610	235,107	155,489	376,457	63,442
1900	44,831,300	1,420,534	910,744	220,211	157,987	346,528	63,628

TABLE 3. - POPULATION, LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS, MARRIAGES AND DIVORCES
JAPAN, 1872 - 1948 - Cont'd.

Year	1/Population	2/Live Births	3/Deaths	4/5/Infant Deaths	5/Stillbirths	5/Marriages	5/Divorces
1899	44,269,900	1,386,981	932,087	213,359	135,727	297,372	66,545
1898	43,760,815	1,369,622	894,503	NA	125,841	471,298	99,464
1897	43,228,863	1,335,125	876,837	NA	130,237	365,207	124,075
1896	42,708,264	1,282,178	912,822	NA	127,213	501,777	115,654
1895	42,270,620	1,246,427	892,422	NA	117,215	365,693	110,898
1894	41,813,215	1,208,983	840,768	NA	113,168	361,319	114,436
1893	41,388,313	1,178,428	937,644	NA	108,871	358,389	116,775
1892	41,089,940	1,207,034	886,988	NA	105,552	349,489	112,498
1891	40,718,677	1,086,775	853,139	NA	91,389	325,651	112,411
1890	40,453,461	1,145,374	823,718	NA	91,752	325,141	109,088
1889	40,072,020	1,209,910	808,680	NA	85,251	340,445	107,478
1888	39,607,234	1,172,729	792,834	NA	77,495	330,246	109,175
1887	39,069,691	1,058,137	753,456	NA	60,865	334,149	110,859
1886	38,507,177	1,050,617	938,343	NA	58,350	315,311	117,964
1885	37,868,987	1,024,574	886,824	NA	NA	259,497	113,565
1884	37,451,764	975,252	705,126	NA	NA	287,743	109,896
1883	37,017,302	1,004,989	676,369	NA	NA	337,456	127,162
1882	36,700,118	922,715	668,342	NA	NA	NA	NA
1881	36,358,994	941,343	666,064	NA	NA	NA	NA
1880	35,925,313	883,584	603,055	NA	NA	NA	NA
1879	35,768,556	876,529	720,969	NA	NA	NA	NA
1878	34,898,540	874,883	603,277	NA	NA	NA	NA
1877	34,620,328	890,516	620,306	NA	NA	NA	NA
1876	34,338,404	902,946	613,022	NA	NA	NA	NA
1875	33,997,149	869,126	654,562	NA	NA	NA	NA
1874	33,625,678	836,113	696,653	NA	NA	NA	NA
1873	33,300,675	795,233	649,715	NA	NA	NA	NA
1872	33,110,825	569,034	405,404	NA	NA	NA	NA

TABLE 3.- POPULATION, LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS, MARRIAGES AND DIVORCES: JAPAN, 1872 - 1948

* All 1948 data are provisional. All 1947 data are provisional except for deaths of all ages. Death data for 1947 have been corrected by the Final Annual Report, Ministry of Welfare.

- 1/ Data refer to the total population, including military personnel in the country. Data are for Japan Proper, 1872-1878 and for Japan Proper and Okinawa for the period 1879-1919. Data refer only to Japan Proper, 1920-1948. Population data for the period 1872-1878 are as of the beginning of each year, except for 1872, which is as of 28 January by the Lunar Calendar. From 1878 to 1898 they are based upon the population according to Honseki records. From 1899 to 1919 the populations were obtained from the customary additions and subtractions to the Honseki population and are stated as of the end of each year. Populations 1920-1948 are estimates based upon census data, not natural increase and migration to and from Japan Proper. Data for 1920-1945 are as of 1 October. Estimates for 1946-1948 are as of 1 July. Populations for 1941-1945 differ slightly from those published in July 1948 by the Economic and Scientific Section, GHQ, SCAP, due to differences in estimating annual migration.
- 2/ Data for the period 1872-1878 include births of Japanese nationals in Japan Proper and outside Japanese territory in so far as they were reported. Data for the period 1879-1898 include births of Japanese nationals in Japan Proper, Okinawa and outside Japanese territory. Data for 1899-1919 include births of Japanese nationals in Japan Proper and Okinawa. Data for 1920-1948 refer only to births of Japanese nationals in Japan Proper except as follows. A small number of births of Japanese nationals outside Japan is included in the tabulations for 1945. A small number of births of foreigners in Japan Proper is included from January through July 1945.
- 3/ Data for 1872-1878 refer to deaths of Japanese nationals in Japan Proper and outside Japanese territory in so far as they were reported. Data for the period 1879-1898 refer to deaths of Japanese nationals in Japan Proper, Okinawa and outside Japanese territory. Data for 1899 to 1919 refer to deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1920 to 1948 refer only to deaths of Japanese nationals in Japan Proper except for the period January through July 1945 when a small number of deaths of foreigners in Japan and Japanese nationals outside Japan was included.
- 4/ Deaths under 1 year of age.
- 5/ Available data for the period 1893-1908 refer to events to Japanese nationals in Japan Proper, Okinawa and outside Japanese territory. Data for 1899 to 1919 refer to events to Japanese nationals in Japan Proper and Okinawa. Data for 1920 to 1948 refer only to events to Japanese nationals in Japan Proper. Prior to 1925, data include all stillbirths reported. Data for 1925-1948 refer to stillbirths after the third month.

NA indicates data are not available.

SOURCES:

1872-1919: Annual Report, Cabinet Bureau of Statistics, 1943.
1920-1943: Annual Reports, Cabinet Bureau of Statistics.

Footnotes Continued

TABLE 3. - POPULATION, LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS, MARRIAGES AND DIVORCES; JAPAN, 1872 - 1948.

Footnotes - Cont'd.

- 1944: Unpublished tabulations, Cabinet Bureau of Statistics.
- 1945: January-July: Unpublished tabulations Cabinet Bureau of Statistics.
- 1945: August-December: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare, CHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan.
- 1946: January-June: Unpublished tabulations Cabinet Bureau of Statistics. Corrected by Public Health and Welfare, CHQ, SCAP to exclude estimated births and deaths of Japanese nationals outside Japan Proper.
- 1946: July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare, CHQ, SCAP to exclude estimated births and deaths of Japanese nationals outside Japan.
- 1946: October-December; 1947, January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.
- 1947: July-December; 1948: Monthly Schedule Report, Ministry of Welfare.
- 1947death data: Final Annual Report, Ministry of Welfare.

TABLE 4. - 1/ LIVE BIRTH, DEATH, INFANT DEATH, STILLBIRTH, MARRIAGE AND DIVORCE RATES:
JAPAN, 1872 - 1948

Year	Live Births	Deaths	2/Infant Deaths	Stillbirths	Marriages	Divorces
*1948	33.8	12.0	61.5	53.2	12.0	1.0
1947	34.8	14.6	76.2	45.7	12.1	1.0
1946	25.3	17.6	NA	42.1	NA	NA
1945	23.2	29.2	NA	NA	NA	NA
1944	29.2	17.4	NA	NA	NA	NA
1943	30.3	16.3	87.0	41.5	10.0	0.7
1942	30.3	15.8	85.8	43.1	9.2	0.6
1941	31.1	15.7	84.4	45.7	10.8	0.7
1940	29.4	16.4	90.4	48.6	9.2	0.7
1939	26.6	17.8	106.7	52.1	7.7	0.6
1938	27.1	17.7	115.0	52.1	7.5	0.6
1937	30.8	17.0	106.2	51.5	9.5	0.6
1936	30.0	17.5	117.2	53.2	7.8	0.7
1935	31.7	16.8	107.1	53.2	8.0	0.7
1934	30.0	16.1	125.3	55.7	7.5	0.7
1933	31.5	17.7	121.7	54.2	7.2	0.7
1932	32.9	17.7	117.9	55.2	7.8	0.8
1931	32.2	19.0	132.0	55.8	7.6	0.8
1930	32.4	18.2	124.5	56.9	7.9	0.8
1929	32.8	19.9	142.6	56.7	7.8	0.8
1928	34.1	19.8	138.2	56.7	8.0	0.8
1927	33.5	19.7	142.3	57.1	7.9	0.8
1926	34.7	19.1	138.0	59.4	8.3	0.8
1925	35.0	20.3	142.8	60.0	8.7	0.9

TABLE 4. - 1/ LIVE BIRTH, DEATH, INFANT DEATH, STILLBIRTH, MARRIAGE AND DIVORCE RATES:
JAPAN: 1872 - 1948 - Cont'd.

Year	Live Births	Deaths	2/ Infant Deaths	Stillbirths	Marriages	Divorces
1874	34.0	21.4	156.9	63.4	8.7	0.9
1873	35.2	23.0	164.2	66.0	8.8	0.9
1872	34.4	22.5	167.2	67.7	9.0	0.9
1871	35.2	22.8	169.2	70.0	9.2	0.9
1870	36.3	25.4	166.2	71.6	9.8	1.0
1869	31.6	22.8	170.5	74.7	8.5	1.0
1868	32.2	26.8	188.6	79.5	9.0	1.0
1867	32.3	21.4	173.2	77.4	8.0	1.0
1866	32.7	21.5	170.3	77.6	7.9	1.1
1865	33.1	20.1	160.4	78.5	8.2	1.1
1864	33.7	20.5	158.5	80.6	8.4	1.1
1863	33.2	19.4	152.1	84.1	8.2	1.1
1862	33.3	19.9	154.2	84.9	8.3	1.1
1861	34.0	20.3	158.4	88.9	8.4	1.1
1860	33.9	21.1	161.2	91.9	8.7	1.2
1859	33.9	21.9	167.3	95.4	8.8	1.2
1858	33.7	20.9	158.0	97.8	9.4	1.2
1857	33.1	20.9	151.3	98.4	8.9	1.3
1856	28.9	19.8	153.6	107.4	7.3	1.4
1855	30.5	21.1	151.7	97.8	7.4	1.3
1854	30.6	20.3	151.9	102.1	8.5	1.4
1853	32.0	20.0	152.4	103.3	8.0	1.4
1852	32.9	20.9	154.0	104.4	8.6	1.4
1851	33.1	20.4	149.9	103.5	8.3	1.4
1850	31.7	20.3	155.0	97.1	7.7	1.4

TABLE 4. - $\frac{1}{2}$ LIVE BIRTH, DEATH, INFANT DEATH, STILLBIRTH, MARRIAGES AND DIVORCE RATES:
JAPAN, 1872 - 1948 - Cont'd.

Year	Live Births	Deaths	2/Infant Deaths	Stillbirths	Marriages	Divorces
1899	31.3	21.1	153.8	97.9	6.7	1.5
1898	31.3	20.4	NA	91.9	10.8	2.3
1897	30.9	20.3	NA	97.5	8.5	2.9
1896	30.0	21.4	NA	99.2	11.8	2.7
1895	29.5	20.2	NA	94.0	8.7	2.6
1894	28.9	20.1	NA	93.6	8.6	2.7
1893	28.5	22.7	NA	92.4	8.7	2.8
1892	29.4	21.6	NA	87.4	8.5	2.8
1891	26.7	21.0	NA	84.1	8.0	2.8
1890	28.3	20.4	NA	80.1	8.0	2.7
1889	30.2	20.2	NA	70.5	8.5	2.7
1888	29.6	19.0	NA	66.1	8.3	2.8
1887	27.1	19.3	NA	57.5	8.6	2.8
1886	27.3	24.4	NA	55.5	8.2	3.1
1885	27.1	23.4	NA	NA	6.9	3.0
1884	26.0	18.8	NA	NA	7.7	2.9
1883	27.2	18.3	NA	NA	9.1	3.4
1882	25.1	18.2	NA	NA	NA	NA
1881	25.9	18.9	NA	NA	NA	NA
1880	24.6	16.8	NA	NA	NA	NA
1879	24.5	20.2	NA	NA	NA	NA
1878	25.1	17.3	NA	NA	NA	NA
1877	25.7	17.9	NA	NA	NA	NA
1876	26.3	17.9	NA	NA	NA	NA
1875	25.6	19.3	NA	NA	NA	NA
1874	24.9	20.7	NA	NA	NA	NA
1873	23.9	19.5	NA	NA	NA	NA
1872	17.2	12.2	NA	NA	NA	NA

See footnotes on next page.

TABLE 4. - 1/ LIVE BIRTH, DEATH, INFANT DEATH, STILLBIRTH, MARRIAGE AND DIVORCE RATES: JAPAN, 1872 - 1948 - Continued.

* All 1948 data are provisional. All 1947 data are provisional except deaths. Death data for 1947 have been corrected by the Final Annual Report, Ministry of Welfare.

1/ Birth, death, marriage and divorce rates are the number of events per 1,000 population. Infant deaths and stillbirth rates are the number of events per 1,000 live births in the corresponding period.

Population data refer to the total population including military personnel in the country. Data are for Japan Proper, 1872-1878; Japan Proper and Okinawa, 1879-1919; Japan Proper, 1920-1948.

Tabulations of births, deaths, infant deaths, stillbirths, marriages and divorces include events to Japanese nationals in Japan Proper, and outside Japanese territory, 1879-1908; to Japanese nationals in Japan Proper and Okinawa, 1899-1919; to Japanese nationals outside Japan Proper, 1920-1948 except as follows. A small number of births and deaths of foreigners in Japan Proper and of Japanese nationals outside Japan is included. January through July, 1945. A small number of births of Japanese nationals outside Japan is also included, August through December, 1945.

2/ Deaths under 1 year of age.

"NA" indicates that data are not available.

SOURCES:

Rates for the period 1920-1948 were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data are as follows:

1872-1919: Annual Report, Cabinet Bureau of Statistics, 1943.

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1944: Unpublished tabulations, Cabinet Bureau of Statistics.

1945, January-July: Unpublished tabulations Cabinet Bureau of Statistics.

1945, August-December: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan.

1946, January-June: Unpublished tabulations Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated births and deaths of Japanese nationals outside Japan Proper.

1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated births and deaths of Japanese nationals outside Japan.

1946, October-December: 1947, January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.

1947, July-December: 1948: Monthly Schedule Report, Ministry of Welfare.

1947 death data: Final Annual Report, Ministry of Welfare.

TABLE 5 - LIVE BIRTHS BY MONTH, JAPAN, 1920-1943

Year	Total Births	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
1918	2,709,871	314,700	260,481	257,373	224,293	231,575	187,732	205,602	215,083	215,088	218,017	219,476	190,451
1919	2,714,786	294,363	227,260	238,616	211,188	201,070	197,747	230,086	240,709	235,896	232,559	213,186	192,106
1916	1,905,809	154,302	140,101	136,375	121,785	132,692	124,564	160,798	175,423	192,171	188,798	184,891	193,029
1915	1,695,583	161,644	177,999	176,192	150,876	135,037	109,525	123,029	140,616	132,361	138,261	118,021	115,022
1914	2,149,843	287,988	228,286	222,372	190,640	164,078	145,768	157,087	165,575	168,115	163,847	148,513	127,576
1913	2,235,431	253,553	207,592	217,563	176,012	141,434	111,475	168,224	189,766	192,207	192,063	184,658	165,884
1912	2,216,271	205,871	217,385	217,925	173,269	154,365	147,694	169,299	176,726	175,561	174,172	169,898	154,106
1911	2,260,270	268,203	238,016	214,430	165,911	152,945	150,952	176,047	185,479	182,491	190,271	194,089	171,436
1910	2,100,164	258,945	197,722	268,721	160,180	142,878	140,922	153,282	160,722	171,286	172,681	179,205	154,040
1909	1,885,957	245,668	179,701	188,036	135,450	123,170	116,527	133,017	144,914	154,811	160,123	170,762	133,778
1908	1,911,966	266,549	200,548	213,568	155,871	133,557	115,584	131,332	138,549	138,541	143,239	149,559	125,069
1907	2,164,949	287,576	206,140	230,910	161,776	150,133	134,792	148,582	164,430	173,449	183,523	189,598	154,040
1906	2,086,355	281,504	210,962	222,847	158,073	146,460	133,268	153,366	160,354	160,212	158,969	162,930	137,010
1905	2,174,291	264,667	212,295	235,046	155,739	145,293	130,154	147,086	164,496	182,247	185,231	199,171	152,866
1904	2,028,289	251,918	198,212	230,952	151,651	143,470	129,883	145,426	156,553	159,131	159,796	164,823	136,474
1903	2,106,260	277,127	205,425	239,689	152,493	142,099	128,667	146,903	156,493	160,768	171,155	173,748	150,693
1902	2,168,026	274,962	208,319	234,133	159,222	145,192	138,751	152,827	161,938	170,421	184,740	191,915	140,606
1901	2,088,608	271,488	203,340	248,052	150,241	143,659	134,746	153,307	159,990	162,321	162,159	162,355	136,950
1900	2,070,765	246,218	198,598	240,845	145,512	135,552	129,830	148,399	159,228	173,430	169,061	182,399	141,753
1929	2,061,720	261,393	207,449	248,145	145,022	141,523	127,969	144,209	153,784	157,378	162,956	170,292	141,600
1928	2,120,493	252,914	206,511	254,685	143,463	141,528	135,082	154,857	161,654	171,307	176,487	181,495	140,480
1927	2,405,828	239,968	207,895	248,982	143,687	141,549	125,727	140,152	155,574	162,095	164,200	166,397	129,602
1926	2,009,237	249,006	203,349	236,453	146,470	136,039	131,319	141,625	153,500	158,442	168,881	179,175	142,278
1925	2,071,560	258,511	199,849	250,857	136,982	127,794	126,807	142,828	153,790	179,770	166,222	163,992	154,158
1924	1,984,326	237,038	206,821	243,573	123,519	122,726	110,962	134,628	152,253	156,467	169,333	170,550	136,456
1923	2,028,955	251,155	204,701	263,687	136,291	131,130	120,568	137,667	149,813	158,990	167,972	171,323	135,658
1922	1,953,560	250,081	202,565	249,293	129,173	130,368	118,218	132,572	145,004	155,318	159,104	156,916	125,008
1921	1,976,055	244,793	198,491	250,934	125,784	128,754	119,928	137,875	147,023	153,905	163,859	170,352	134,357
1920	2,011,634	252,060	205,910	258,405	133,905	136,834	124,888	140,520	153,673	174,586	144,041	157,800	129,012

See footnotes on next page.

TABLE 5 - LIVE BIRTHS BY MONTH; JAPAN, 1920-1948 - Cont'd.

Footnotes

*Data for 1947 and 1948 are provisional.

Data refer only to births of Japanese nationals in Japan Proper except as follows. A small number of births of Japanese nationals outside Japan is included in the tabulations for 1945. A small number of births of foreigners in Japan Proper is included from January through July 1945.

Sources:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1944: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon detailed tabulation of schedules transmitted by Koseki Offices, and refers only to Japanese nationals in Japan.

1945, January-July: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki Offices and refers to Japanese nationals in Japan, foreigners in Japan and Japanese nationals outside Japan.

1945, August-December: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki Offices and refers to Japanese nationals in Japan and outside Japan.

1946, January-June: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon Numeric Reports transmitted by Koseki Offices and refers to Japanese nationals in Japan and outside Japan. Corrected by Public Health and Welfare Section, CHA, SCAP, to exclude estimated births of Japanese nationals outside Japan Proper.

1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section to exclude estimated births of Japanese nationals outside Japan Proper.

1946, October-December; 1947, January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.

1947, July-December; 1948: Monthly Schedule Report, Ministry of Welfare.

TABLE 6 - LIVE BIRTH RATES BY MONTH: JAPAN, 1920-1948
(Rates per 1,000 population)

Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
1948	33.8	46.3	41.0	37.9	34.1	29.7	28.6	30.3	31.7	32.7	32.1	33.4	28.0
1947	34.8	44.4	38.0	36.0	32.9	30.4	30.3	34.7	36.3	36.8	35.1	33.3	29.0
1946	25.3	24.1	24.3	21.3	19.7	19.3	21.7	25.1	27.4	31.1	29.5	31.5	28.6
1945	25.2	26.3	32.0	28.6	25.3	21.9	18.4	20.0	22.8	23.4	22.5	19.8	18.7
1944	29.2	43.0	39.1	35.7	31.6	26.3	24.2	25.2	26.6	27.9	26.3	24.6	20.5
1943	30.3	40.5	36.7	34.8	29.1	23.6	23.4	26.9	30.2	31.7	30.7	30.5	26.5
1942	30.3	46.0	38.7	35.1	28.8	24.8	24.5	27.2	28.4	29.2	28.0	28.2	24.8
1941	31.1	43.5	37.4	34.8	27.8	24.8	25.3	28.6	30.1	30.6	30.9	32.5	27.8
1940	29.4	42.7	34.9	34.4	27.3	23.5	24.0	25.3	26.5	29.2	28.5	30.6	25.4
1939	26.6	40.8	33.0	31.2	23.2	20.5	20.0	22.1	24.1	26.6	26.6	29.3	22.2
1938	27.1	44.5	37.0	35.6	26.9	22.3	19.9	21.9	23.1	23.9	23.9	25.8	20.9
1937	30.8	44.8	38.2	38.6	28.0	25.1	23.3	24.8	27.5	30.0	30.7	32.8	25.8
1936	30.0	47.8	38.3	37.8	27.7	24.8	23.4	26.0	28.2	28.1	27.0	28.6	23.2
1935	31.7	45.4	40.3	40.3	27.6	24.9	23.1	25.2	28.2	32.3	31.8	35.3	26.2
1934	30.0	43.8	38.2	40.2	27.3	25.0	23.3	25.3	27.2	28.6	27.8	29.6	23.7
1933	31.5	48.8	40.1	42.2	27.8	25.0	23.6	25.9	27.6	29.3	30.2	31.6	26.6
1932	32.9	44.9	40.0	45.6	29.5	27.8	25.7	27.4	29.1	31.6	33.1	35.6	25.2
1931	32.2	49.3	40.9	45.1	28.2	26.1	25.3	27.9	29.1	30.5	29.5	30.5	24.9
1930	32.4	45.4	40.5	44.4	27.7	25.0	24.7	27.4	29.4	33.0	31.2	34.7	26.1
1929	32.8	48.9	43.0	46.5	28.1	26.5	24.8	27.0	28.8	30.4	30.5	32.9	26.5
1928	34.1	48.1	42.0	48.4	28.2	26.9	26.5	29.4	30.7	33.7	33.6	35.7	26.7
1927	33.5	50.1	44.4	48.0	28.6	27.3	25.0	27.0	30.0	32.3	31.6	33.1	25.0
1926	34.7	48.7	44.0	50.2	29.6	30.5	27.1	27.7	30.0	32.0	33.0	36.2	27.8
1925	35.0	51.4	44.0	49.9	28.2	27.4	26.1	28.4	30.6	37.0	33.1	33.8	30.7
1924	34.0	52.1	44.8	49.3	25.8	24.9	23.2	27.3	30.8	32.7	34.3	35.7	27.6
1923	35.2	51.3	46.3	53.9	28.8	26.8	25.5	28.1	30.6	33.6	34.3	36.2	27.7
1922	34.4	51.8	46.5	51.7	27.7	27.0	26.3	27.5	30.1	33.3	33.0	33.6	25.9
1921	35.2	51.4	46.1	52.7	27.3	27.0	26.0	28.9	30.9	33.4	34.4	36.9	28.2
1920	36.3	53.7	46.9	55.1	29.5	29.2	27.5	30.0	32.8	38.5	30.7	34.8	27.5

See footnotes on next page.

TABLE 6 - LIVE BIRTH RATES BY MONTH; JAPAN, 1920-1948 - Cont'd.

Footnotes

*Data for 1947 and 1948 are provisional.

Rates are the number of births per 1,000 population and are computed on an annual basis. Birth data refer to births to Japanese nationals in Japan Proper, except in 1945. A small number of births to Japanese nationals outside Japan Proper is included for the year 1945 and a small number of births to foreigners in Japan Proper is included, January through July, 1945. Population data refer to the total population, including military personnel, in Japan Proper.

Sources:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Populations were estimated by Public Health and Welfare Section, GHQ, SCAP. Estimates were based upon census data, not natural increase and migration to and from Japan Proper. Data for 1920-1945 are as of 1 October. Estimates for 1946-1948 are as of 1 July.

Sources of birth statistics are as follows:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1944: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon detailed tabulation of schedules transmitted by Koseki Offices, and refers only to Japanese nationals in Japan.

1945, January-July: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki Offices and refers to Japanese nationals in Japan, foreigners in Japan and Japanese nationals outside Japan.

1945, August-December: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki Offices and refers to Japanese nationals in Japan and outside Japan.

1946, January-June: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon Numeric Reports transmitted by Koseki Offices and refers to Japanese nationals in Japan and outside Japan. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated births of Japanese nationals outside Japan Proper.

1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section to exclude estimated births of Japanese nationals outside Japan Proper.

1946, October-December; 1947, January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.

1947, July-December; 1948: Monthly Schedule Report, Ministry of Welfare.

TABLE 7. - LIVE BIRTHS BY PREFECTURES: JAPAN, 1920 - 1948

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ehime	Fukui	Fukuoka	Fukushima	Osaka
1948	2,709,871	110,905	44,005	47,064	67,326	53,501	26,106	119,550	72,032	53,319
1947	2,714,786	105,110	48,212	49,242	74,706	53,195	25,543	111,508	72,361	51,626
1946	1,905,809	77,774	35,611	34,099	54,405	38,979	15,191	80,165	47,796	34,347
1945	1,685,583	71,448	33,828	31,770	40,553	36,772	14,978	60,547	47,103	34,841
1944	2,149,843	99,625	35,166	36,610	51,739	38,693	19,577	87,674	53,863	40,569
1943	2,235,431	98,621	36,761	38,566	50,557	34,899	20,291	87,192	53,894	39,110
1942	2,216,271	100,428	38,201	38,121	49,375	36,524	20,376	87,536	51,892	39,604
1941	2,260,270	98,730	36,794	37,409	48,675	38,679	19,389	95,111	52,886	39,385
1940	2,100,164	93,519	36,128	36,292	46,394	35,780	18,045	85,833	54,290	40,305
1939	1,885,957	82,235	33,787	32,191	43,532	33,367	16,338	77,801	48,270	35,485
1938	1,911,966	80,507	37,470	36,559	43,178	32,674	16,982	73,619	51,421	36,380
1937	2,164,949	90,905	39,669	41,898	50,890	39,000	20,399	85,722	56,596	42,270
1936	2,086,355	87,859	40,737	37,949	49,272	36,341	20,606	78,941	53,045	40,176
1935	2,174,291	89,574	41,722	41,046	50,917	38,367	20,550	83,422	56,059	41,446
1934	2,028,289	85,909	39,401	38,542	47,241	35,822	19,246	77,296	53,686	40,365
1933	2,106,260	86,140	40,185	39,367	49,171	36,291	21,132	79,060	54,202	40,172
1932	2,168,026	89,095	41,745	40,101	49,430	39,630	21,093	82,360	57,226	43,103
1931	2,088,608	83,333	40,277	37,756	51,206	36,304	21,056	79,887	53,739	40,063
1930	2,070,765	83,762	41,753	38,483	47,721	38,066	20,580	74,807	55,117	41,951
1929	2,061,720	83,811	38,190	36,291	48,097	38,523	20,784	76,955	54,433	41,804
1928	2,120,493	86,570	40,844	38,950	50,497	39,320	21,553	78,012	55,256	42,430
1927	2,045,828	80,869	40,866	37,225	48,710	37,594	20,870	73,708	54,490	41,911
1926	2,089,237	83,588	39,547	36,157	50,893	39,281	22,052	75,607	56,281	43,042
1925	2,071,560	80,979	39,754	36,778	50,544	38,560	21,781	74,958	54,679	42,289
1924	1,984,326	78,598	39,435	35,321	47,384	36,611	22,001	71,405	52,693	41,047
1923	2,028,955	80,087	39,367	36,184	49,403	39,931	21,814	73,726	54,062	40,602
1922	1,952,560	74,274	37,272	33,936	45,742	37,182	21,799	70,469	50,398	39,931
1921	1,976,055	74,655	37,678	35,170	46,208	37,646	22,323	70,341	52,089	40,612
1920	2,011,634	77,301	39,762	37,071	48,520	38,521	24,243	70,370	54,268	43,305

TABLE 7. - LIVE BIRDS BY PREFECTURE, JAPAN, 1920 - 1948 - Cont'd.

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ibikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
1948	62,385	154,763	103,478	67,624	34,501	47,301	33,968	63,746	73,661	27,460	61,264	54,783
1947	68,311	143,372	99,289	70,358	37,504	46,655	34,616	59,793	76,110	28,980	62,135	54,471
1946	48,453	114,773	65,821	51,895	23,796	35,216	22,976	44,541	48,179	21,005	46,235	33,243
1945	46,397	93,415	60,429	45,005	20,923	32,348	20,895	39,898	38,525	18,692	39,204	29,726
1944	56,321	109,367	89,996	51,817	24,647	38,754	22,895	46,437	65,486	20,237	41,954	42,088
1943	54,273	118,626	90,780	51,556	24,032	40,505	21,131	48,668	74,661	18,703	41,067	45,269
1942	55,453	112,690	91,881	50,729	24,938	38,938	22,420	47,931	70,107	19,695	40,599	45,820
1941	55,366	114,429	93,749	51,712	23,463	39,771	22,290	52,338	70,810	20,162	42,892	46,897
1940	49,336	107,897	79,719	51,929	21,279	39,993	20,771	49,691	62,232	17,936	39,847	41,745
1939	42,818	98,146	69,165	45,148	19,398	35,503	19,303	48,505	53,062	16,917	37,306	35,965
1938	44,515	105,309	69,424	47,305	19,664	38,628	19,789	46,480	50,026	16,876	38,179	36,982
1937	51,934	107,609	81,145	53,391	22,862	40,860	24,165	53,652	55,113	19,896	44,140	43,636
1936	49,875	103,311	79,053	50,166	24,386	40,394	23,022	49,062	53,926	18,473	41,059	43,106
1935	53,426	109,941	82,133	53,532	23,958	40,429	24,502	52,386	55,404	20,867	43,424	44,449
1934	47,794	104,782	74,065	48,926	23,133	39,586	22,080	50,476	48,807	19,370	42,130	41,112
1933	52,434	103,074	79,658	50,346	25,520	38,157	25,295	51,765	52,278	21,468	43,650	43,098
1932	54,498	107,303	82,889	52,253	25,540	40,565	25,791	52,536	51,009	21,717	44,647	45,211
1931	52,424	103,478	79,111	50,860	25,115	37,462	25,315	51,100	51,904	21,153	43,006	42,588
1930	50,694	105,205	77,506	50,445	24,786	38,445	24,164	50,227	49,837	21,461	42,945	41,765
1929	52,871	100,005	77,459	51,015	24,920	37,804	24,900	51,048	49,423	22,000	43,364	42,313
1928	53,726	103,510	81,444	52,247	25,863	38,118	25,788	51,262	50,911	22,841	44,207	43,369
1927	52,696	99,544	76,452	50,439	25,468	37,489	24,346	51,528	48,362	22,077	43,203	40,547
1926	54,873	98,669	80,668	53,465	26,262	38,088	26,350	46,619	47,065	22,905	43,898	42,920
1925	54,559	98,182	77,232	50,937	26,851	37,017	24,485	51,247	50,549	22,715	43,602	41,654
1924	52,386	97,852	76,176	50,739	26,375	35,631	24,526	48,831	41,962	22,204	41,716	40,743
1923	54,614	97,222	78,991	51,506	25,376	36,810	26,069	50,498	43,093	23,338	43,360	40,860
1922	53,870	97,024	75,931	49,668	25,713	34,903	25,254	49,996	44,610	21,554	41,137	40,434
1921	54,714	95,208	78,292	49,439	28,550	35,281	25,982	46,661	45,300	21,765	40,559	39,615
1920	55,035	97,496	77,552	52,291	28,673	37,492	27,554	48,301	44,087	22,935	41,874	40,788

TABLE 7. - LIVE BIRTHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Saitama
1948	47,459	56,699	41,261	60,594	57,903	23,534	82,482	43,923	52,899	113,163	33,027	70,898
1947	46,574	56,050	38,988	62,723	53,892	24,308	86,685	42,803	54,051	107,854	32,301	77,626
1946	32,561	37,046	27,193	46,273	40,368	15,640	59,466	32,250	40,023	65,982	24,590	56,544
1945	30,437	35,506	21,783	47,873	31,212	13,623	60,106	29,402	36,200	57,445	21,773	44,127
1944	38,246	41,640	27,040	51,711	43,175	16,359	63,302	31,129	39,427	110,372	21,800	53,387
1943	35,049	42,766	26,595	48,444	41,307	16,265	65,423	29,814	39,346	128,118	20,693	54,099
1942	34,941	41,748	26,686	50,218	42,956	16,313	64,451	28,909	37,540	126,294	21,592	51,047
1941	35,980	41,562	28,505	49,180	44,995	16,471	63,825	31,346	39,351	136,884	22,462	52,126
1940	35,163	42,219	26,063	51,236	41,348	16,521	63,899	28,756	34,063	113,912	21,003	49,211
1939	30,441	39,385	24,769	45,720	39,107	13,884	60,619	26,841	30,210	99,364	20,132	45,509
1938	32,627	41,323	25,172	47,859	37,924	14,644	63,459	27,449	32,051	95,184	19,050	45,960
1937	37,377	46,068	29,115	52,614	41,880	17,604	70,135	33,285	38,924	106,339	23,262	51,690
1936	36,744	43,922	26,759	50,891	39,876	17,260	69,946	29,989	37,389	103,130	21,211	50,777
1935	37,796	45,039	28,450	53,314	41,373	18,026	71,303	32,262	38,499	105,202	23,041	53,679
1934	36,409	44,812	26,080	51,351	39,138	17,340	66,071	30,587	34,322	94,505	21,963	47,860
1933	37,730	43,103	27,624	52,472	39,919	17,909	70,303	32,350	38,870	97,112	23,034	50,606
1932	39,344	46,126	27,349	55,324	41,483	18,871	71,798	32,025	40,557	102,608	24,037	50,731
1931	36,827	43,361	25,991	52,317	39,610	17,992	70,596	32,197	38,573	93,253	23,786	51,042
1930	38,797	43,118	25,515	55,193	33,310	18,028	71,021	30,778	37,447	92,973	22,856	49,640
1929	39,009	43,278	25,695	54,304	40,058	17,930	68,494	31,892	38,168	91,229	23,860	49,311
1928	39,625	43,195	24,949	55,451	38,663	19,531	71,458	31,607	38,772	96,194	24,030	51,455
1927	37,720	42,848	24,215	54,300	38,589	18,435	68,859	30,823	36,698	88,603	25,888	50,936
1926	40,082	43,267	24,612	56,908	38,368	19,760	70,399	32,169	39,861	92,384	24,084	53,467
1925	39,350	42,693	23,854	54,546	38,675	19,065	70,171	32,334	37,783	86,494	25,359	51,954
1924	37,296	40,967	22,721	54,061	37,345	19,070	68,787	30,423	36,631	85,284	23,369	49,857
1923	39,644	42,292	22,876	52,888	38,544	20,330	68,894	31,902	38,055	86,555	25,194	52,036
1922	37,744	38,757	22,479	51,902	37,623	19,278	67,571	28,855	36,710	82,128	23,604	48,935
1921	37,699	39,958	21,744	51,347	37,400	19,370	70,005	29,851	38,198	79,837	23,884	50,078
1920	39,297	41,325	23,162	55,201	37,167	20,494	70,141	30,936	39,726	78,622	24,811	51,375

TABLE 7. - LIVE BIRDS BY PREFECTURE, JAPAN, 1920 - 1948 - Cont'd.

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
*1948	27,474	36,638	82,600	54,397	32,233	164,867	20,011	25,962	30,101	42,286	48,224	25,140
*1947	26,066	32,710	82,305	55,732	31,659	161,070	19,478	24,867	31,127	44,260	49,813	26,771
1946	19,561	21,579	56,164	41,109	21,172	102,630	13,432	25,871	20,001	33,051	36,991	18,719
1945	17,745	20,557	53,455	35,846	19,801	75,475	13,227	24,810	19,157	34,223	29,547	18,915
1944	19,613	21,947	66,459	38,506	22,515	170,711	13,896	29,441	23,349	35,173	35,582	15,901
1943	15,724	21,556	63,613	38,171	21,106	236,061	13,462	27,666	22,448	35,089	35,467	20,258
1942	17,721	22,301	63,080	37,474	23,189	223,583	13,063	28,406	23,489	35,744	36,269	20,210
1941	18,946	21,967	63,893	38,739	23,173	223,337	14,316	27,647	23,885	35,393	37,130	20,463
1940	19,222	20,161	63,516	36,842	21,193	198,555	12,980	25,805	21,253	36,364	33,002	20,714
1939	16,311	15,496	55,357	34,671	21,079	165,548	11,710	23,110	19,599	34,297	28,690	19,148
1938	17,590	15,489	56,902	36,107	20,594	157,466	12,799	23,052	20,519	36,442	28,794	19,652
1937	21,193	23,694	63,720	41,126	24,942	172,171	14,702	26,892	24,135	40,387	34,114	21,831
1936	20,521	22,292	63,244	39,735	23,513	170,680	14,584	28,231	23,397	39,214	32,041	20,342
1935	21,305	24,019	65,427	44,799	24,382	175,690	14,625	27,737	24,490	39,273	34,241	21,594
1934	20,349	22,219	63,624	39,219	23,473	154,044	13,907	26,636	23,084	39,438	31,881	20,372
1933	20,613	23,220	63,043	40,388	25,043	164,067	14,839	29,041	25,065	40,186	33,703	20,817
1932	21,984	24,264	65,150	41,235	25,284	161,178	15,483	29,296	25,952	42,179	34,656	21,599
1931	21,173	23,116	65,023	39,825	24,232	156,235	15,152	28,454	24,479	39,275	33,782	21,249
1930	21,334	22,276	62,301	40,726	24,132	151,493	14,900	28,399	24,744	42,403	32,287	20,925
1929	20,825	23,027	63,173	40,134	24,676	147,889	15,265	28,161	24,319	40,062	33,642	21,202
1928	22,319	22,372	66,374	41,308	24,926	152,251	14,994	29,032	26,350	41,824	34,068	21,694
1927	21,315	22,558	62,082	40,778	23,881	145,653	15,234	28,794	24,876	41,112	32,983	21,878
1926	21,948	23,542	64,655	41,500	25,932	137,856	15,817	29,305	25,977	42,584	34,342	19,772
1925	21,698	23,698	64,976	41,766	24,215	144,230	15,641	29,625	24,980	41,133	34,194	22,429
1924	21,513	22,173	61,061	40,155	23,530	123,526	15,387	29,006	24,333	40,931	31,957	21,276
1923	22,215	23,551	62,887	41,334	25,436	117,705	15,706	28,525	26,344	41,395	33,295	21,141
1922	21,674	22,735	58,355	40,703	23,525	120,670	15,345	27,963	24,890	38,653	32,292	20,386
1921	22,015	23,667	60,289	39,986	24,223	120,742	15,486	29,783	25,023	40,115	33,062	20,965
1920	22,924	23,753	59,318	41,337	25,378	110,131	15,428	30,201	26,267	40,685	33,639	21,909

See footnotes next page.

TABLE 7. - LIVE BIRTHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES

* Data for 1947 and 1948 are provisional.

Data refer only to births of Japanese nationals in Japan Proper except as follows. A small number of births of Japanese nationals outside Japan is included in the tabulations for 1945. A small number of births of foreigners in Japan Proper is included from January through July 1945.

Sources:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.

1944 - 1945: Unpublished tabulations, Cabinet Bureau of Statistics.

1946, January - June: Unpublished tabulation, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated births of Japanese nationals outside Japan Proper.

1946, July - September: Monthly Numeric Reports, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated births of Japanese nationals outside Japan Proper.

1946, October - December; 1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947, July - December; 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 8 - LIVE BIRTH RATES BY PREFECTURE, JAPAN, 1920 - 1948
(Rates per 1,000 population)

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ehime	Fukui	Fukuoka	Fukushima	Gifu	Gunma
*1948	33.8	34.4	34.3	38.6	31.5	36.1	35.6	36.1	35.6	35.0	32.6
*1947	34.8	33.7	38.4	41.8	35.4	36.6	35.2	35.1	36.4	34.6	35.1
1946	25.3	25.9	28.9	26.3	26.3	27.4	22.2	26.8	24.2	23.1	27.8
1945	23.2	24.8	27.7	29.1	20.5	26.8	20.5	21.9	23.9	22.8	23.2
1944	29.2	29.9	33.0	35.6	30.7	32.1	31.0	28.2	33.2	31.6	31.1
1943	30.3	29.1	36.3	39.0	31.5	29.1	31.6	27.4	33.6	29.7	32.1
1942	30.3	30.9	36.8	38.2	31.2	31.2	32.1	27.4	32.1	31.4	32.8
1941	31.1	30.9	35.4	37.6	31.5	33.0	30.5	30.4	32.8	31.3	32.8
1940	29.4	29.9	34.8	36.8	29.6	30.8	28.4	28.1	33.9	32.3	33.0
1939	26.6	27.2	32.0	31.8	27.7	28.8	24.9	27.1	30.1	29.0	28.8
1938	27.1	26.8	35.6	36.3	27.5	28.1	25.9	25.8	32.1	29.4	30.1
1937	30.6	30.6	37.6	41.9	32.3	33.3	31.1	30.2	35.2	34.1	33.3
1936	30.0	30.1	38.9	38.5	31.6	31.1	31.6	28.2	33.3	32.5	31.9
1935	31.7	31.3	40.2	42.4	32.9	32.9	31.8	30.3	35.4	33.8	33.9
1934	30.0	31.0	38.3	41.2	30.9	30.4	30.3	28.5	34.3	33.2	32.1
1933	31.5	31.7	39.4	42.7	32.4	32.7	33.5	29.6	34.9	33.7	32.7
1932	32.9	33.4	41.4	44.2	33.0	34.1	33.6	31.4	37.2	36.0	34.4
1931	32.2	31.9	40.4	42.3	34.5	33.3	33.8	31.1	35.3	33.7	33.3
1930	32.4	32.6	42.3	43.7	32.5	33.3	33.3	29.6	36.5	35.6	35.0
1929	32.8	33.1	39.1	41.8	32.8	33.6	34.5	31.8	36.0	35.0	33.9
1928	34.1	34.4	42.2	45.5	34.8	34.6	35.8	32.6	36.9	35.9	35.1
1927	33.5	33.3	42.7	44.3	34.0	33.4	34.7	31.2	36.9	36.0	35.1
1926	34.7	35.2	41.7	43.7	35.9	35.4	36.8	32.4	38.6	37.4	37.4
1925	35.0	34.9	42.5	45.2	36.1	35.2	36.4	32.6	38.0	37.3	37.0
1924	34.0	35.6	42.5	44.8	34.6	34.1	36.5	29.4	36.8	37.0	35.7
1923	35.2	36.8	42.9	46.5	36.9	37.5	36.4	31.1	38.4	38.7	37.2
1922	34.4	34.5	40.9	44.1	34.2	35.2	36.5	30.6	36.2	36.8	36.4
1921	35.2	35.3	42.7	46.1	36.8	36.0	39.0	31.3	37.8	37.7	35.9
1920	36.3	37.0	44.3	49.0	36.3	36.8	40.5	32.2	39.8	40.5	39.5

TABLE 8 - LIVE BIRTH RATES BY PREFECTURE, JAPAN, 1920 - 1948 - Cont'd
(rates per 1,000 population)

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
*1948	30.5	38.5	32.8	33.1	36.6	36.6	36.4	36.1	31.8	31.7	34.3	30.7
*1947	34.0	37.3	32.5	35.0	40.5	37.0	37.8	34.3	34.4	34.1	35.2	31.4
1946	24.7	32.0	22.6	26.0	26.4	28.1	25.6	26.5	23.2	25.6	27.5	19.9
1945	24.4	26.4	21.3	23.0	23.4	26.2	24.0	25.8	20.5	23.9	25.0	18.4
1944	28.3	33.0	27.5	30.8	32.6	34.6	31.5	28.7	26.1	28.8	30.1	25.3
1943	26.8	35.7	27.5	31.2	32.1	36.6	28.4	31.9	28.4	26.1	31.3	24.9
1942	29.5	34.0	27.7	31.2	33.4	35.5	31.4	30.7	30.3	28.2	30.3	26.6
1941	29.6	34.9	28.8	32.0	31.3	36.4	31.0	33.3	31.6	28.8	31.7	27.3
1940	26.8	33.4	25.1	32.5	28.5	37.0	28.8	31.7	28.8	25.6	29.5	24.5
1939	23.1	30.7	22.5	28.8	25.4	32.9	25.9	30.6	27.0	24.2	26.9	20.2
1938	24.1	33.1	22.8	30.2	25.7	36.0	26.5	29.2	25.7	24.0	27.5	20.9
1937	28.1	34.0	26.8	34.0	29.7	38.1	32.1	33.5	28.6	28.0	31.6	24.8
1936	27.3	33.1	26.5	32.1	31.7	38.1	30.6	30.7	28.6	25.9	29.5	24.9
1935	29.6	35.8	28.1	34.6	31.2	38.6	32.7	32.9	30.1	29.2	31.3	26.1
1934	27.3	34.2	26.4	31.5	30.3	38.2	29.1	31.0	27.4	26.0	30.0	24.6
1933	34.3	34.3	38.8	32.8	33.5	37.3	33.6	32.1	30.0	29.1	31.4	26.2
1932	31.6	36.5	30.4	34.4	33.6	40.3	34.5	33.0	30.0	29.7	32.4	28.0
1931	30.7	36.0	29.5	33.8	33.1	37.8	34.2	32.5	31.3	29.2	31.5	26.9
1930	30.0	37.4	29.3	33.9	32.7	39.4	33.0	32.3	30.8	29.9	31.7	26.9
1929	31.2	37.9	29.7	34.7	32.8	39.6	34.3	33.3	32.8	31.1	31.9	27.8
1928	32.0	36.7	31.7	35.8	34.1	40.4	35.8	33.7	34.2	32.4	32.8	29.0
1927	31.8	38.7	30.2	35.0	33.7	40.3	34.1	34.3	33.0	32.4	32.5	27.7
1926	33.5	38.9	32.3	37.5	34.8	41.6	37.2	31.3	32.6	33.0	33.4	29.9
1925	33.7	39.3	31.5	36.1	35.8	41.1	35.0	34.8	35.7	33.0	33.6	29.6
1924	33.2	34.7	30.7	35.8	34.8	40.6	36.6	32.8	32.2	32.5	33.2	29.5
1923	34.9	36.0	32.5	37.0	33.8	42.4	38.6	34.3	31.4	34.3	34.7	30.2
1922	34.6	37.6	31.8	36.1	34.3	40.6	37.6	34.4	32.9	31.9	33.1	30.4
1921	35.3	38.6	33.4	36.2	38.1	41.4	38.5	32.5	33.8	32.3	32.8	30.3
1920	35.7	41.3	33.7	38.7	38.4	44.3	40.6	34.1	33.3	34.2	34.0	31.7

TABLE 8 - LIVE BIRTH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd
(Rates per 1,000 population)

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Settsuna
*1948	32.7	35.5	39.2	29.1	37.0	30.2	33.9	35.3	32.1	32.2	35.5	33.2
*1947	32.9	35.8	38.1	30.5	35.2	31.2	35.9	34.7	33.4	32.4	35.2	37.0
1946	29.0	24.6	27.6	22.2	27.7	20.4	24.8	27.2	25.3	21.5	27.9	27.1
1945	21.7	24.1	23.7	22.4	23.5	17.4	24.9	26.0	23.0	20.4	26.0	21.4
1944	31.1	32.2	31.7	30.9	28.5	26.6	31.3	31.5	29.1	24.6	30.4	31.9
1943	28.3	34.4	32.0	29.5	28.3	28.3	31.2	31.2	28.0	28.6	29.2	32.7
1942	29.4	33.1	31.9	29.9	31.0	26.6	31.4	31.3	28.5	25.5	31.0	31.6
1941	30.2	33.0	35.3	29.1	32.8	28.1	32.0	32.6	29.8	28.2	32.2	32.6
1940	29.7	33.7	31.4	30.4	30.6	27.0	31.3	30.0	26.0	24.1	30.4	31.0
1939	26.1	30.8	28.9	27.2	29.6	22.2	30.2	27.2	23.9	20.8	30.1	29.3
1938	27.9	32.5	29.6	28.4	28.8	23.3	31.6	27.8	23.9	20.3	28.3	29.7
1937	31.7	36.3	34.3	30.8	31.8	28.1	34.8	33.6	28.9	23.1	34.1	33.3
1936	31.2	35.1	32.0	29.7	30.5	27.6	34.9	30.4	27.9	23.2	31.0	32.9
1935	32.2	36.5	34.5	31.1	31.9	29.1	35.7	32.9	28.9	24.5	33.6	35.1
1934	30.4	36.6	31.9	28.7	30.3	28.6	33.0	31.5	26.0	24.1	31.5	31.6
1933	31.7	35.8	34.4	29.6	31.3	29.6	35.4	33.5	29.6	25.3	33.0	33.7
1932	33.4	39.0	34.7	31.5	32.9	31.4	36.5	33.4	31.1	27.5	34.6	34.1
1931	31.5	37.3	33.6	30.2	31.8	30.0	36.2	33.8	29.8	25.7	34.3	34.7
1930	33.5	37.7	33.6	32.1	27.0	30.2	36.7	32.5	29.2	26.3	33.0	34.0
1929	33.9	38.5	35.1	32.0	33.5	29.6	35.5	32.9	30.1	26.2	34.1	33.6
1928	34.7	39.1	34.5	32.9	32.4	32.5	37.4	33.0	30.7	28.4	34.4	35.4
1927	33.4	39.5	34.0	32.6	32.6	31.0	36.4	32.7	29.3	27.1	34.5	35.5
1926	35.8	40.6	35.1	34.5	32.7	33.5	37.6	34.6	31.9	29.1	34.9	37.8
1925	35.5	40.9	34.5	33.5	33.2	32.7	37.9	35.3	30.5	28.3	37.0	37.3
1924	34.3	41.5	32.6	33.0	31.6	33.3	37.8	34.9	29.5	28.6	34.7	36.4
1923	36.8	43.3	33.4	32.8	33.0	33.7	38.3	36.8	31.6	30.1	37.5	38.6
1922	35.1	39.9	33.4	32.6	32.5	34.0	37.8	34.6	29.9	29.6	35.2	36.6
1921	35.2	41.3	32.8	32.4	32.6	34.2	39.3	34.6	31.2	29.8	35.5	37.7
1920	36.8	43.0	35.6	35.3	32.7	36.3	39.5	36.0	32.6	30.4	36.8	38.9

TABLE 8 - LIVE BIRTH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd
(Rates per 1,000 population)

Year	Shiga	Shirano	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
*1948	31.5	33.9	34.7	34.9	37.1	30.4	33.7	36.0	30.7	31.4	32.0	30.8
*1947	30.4	35.0	36.6	36.4	37.3	36.3	33.2	42.6	32.5	33.7	33.7	32.2
1946	22.5	24.7	24.1	26.5	24.8	23.7	23.4	26.9	20.8	24.6	26.1	22.8
1945	20.5	23.7	23.9	23.0	23.5	21.5	23.3	25.8	20.3	25.6	21.6	22.4
1944	27.9	29.6	32.3	31.5	31.5	23.1	28.6	35.4	27.1	32.0	25.8	30.9
1943	28.0	29.0	31.2	32.7	29.8	31.8	27.8	33.1	25.3	33.0	23.4	31.3
1942	28.6	30.6	31.2	31.5	32.9	29.0	27.5	34.5	27.5	32.6	27.4	30.7
1941	27.3	30.0	31.8	32.4	32.7	29.8	30.0	34.0	27.8	32.1	28.4	31.1
1940	27.7	27.6	31.9	32.6	29.9	28.5	27.2	31.8	24.9	33.0	25.9	31.7
1939	22.9	26.4	27.6	28.6	29.1	23.8	24.3	28.9	22.5	30.5	23.7	29.6
1938	24.7	26.3	28.5	29.8	28.4	22.9	26.4	28.8	23.5	32.4	23.9	30.4
1937	29.6	31.7	32.0	33.9	34.1	25.5	30.1	33.4	27.6	35.8	28.2	33.5
1936	28.7	29.8	32.1	33.0	32.2	26.0	29.7	35.2	26.9	34.9	26.7	31.3
1935	29.9	32.1	33.7	35.0	33.5	27.6	29.8	34.7	28.3	36.8	28.8	33.4
1934	28.4	29.5	33.5	33.1	31.8	25.0	27.6	33.1	26.6	35.1	27.2	31.0
1933	29.0	30.9	33.6	34.4	34.1	27.5	29.7	36.4	29.2	36.1	29.0	32.0
1932	31.2	32.5	35.2	35.4	34.7	27.9	31.2	37.0	30.6	38.3	30.1	33.6
1931	30.4	31.1	35.7	34.6	33.6	28.3	30.8	36.3	29.2	36.0	29.5	33.4
1930	30.8	30.1	34.7	35.7	33.7	28.0	30.5	36.5	29.8	39.3	28.4	33.2
1929	30.7	31.3	35.3	35.3	34.7	28.5	31.1	36.3	29.5	36.9	29.3	34.2
1928	33.0	31.9	37.7	36.6	35.2	30.3	30.8	37.7	32.3	39.0	30.0	35.2
1927	31.8	30.9	35.9	36.6	34.0	30.1	31.6	37.7	30.8	38.9	29.4	35.8
1926	32.9	32.4	38.0	37.6	37.2	29.5	33.1	38.7	32.5	40.8	30.9	32.6
1925	32.7	32.8	38.9	38.3	35.1	32.2	33.1	39.5	31.7	40.0	31.2	37.3
1924	33.4	31.5	37.0	36.3	34.7	31.1	33.3	39.2	31.4	41.2	30.1	34.9
1923	34.1	33.5	38.9	38.1	37.8	29.2	34.1	39.0	34.3	42.0	31.6	35.3
1922	33.3	32.0	36.6	38.0	35.0	30.8	33.5	37.6	32.7	39.5	30.8	34.3
1921	33.6	33.0	36.3	37.8	36.1	31.7	33.9	41.0	33.1	41.2	31.6	35.6
1920	35.2	33.2	38.3	39.5	37.9	29.8	33.9	41.7	35.0	42.0	31.7	37.6

See footnotes next page.

TABLE 8 - LIVE BIRTH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

FOOTNOTES:

*Data for 1947 and 1948 are provisional.

Rates are the number of births per 1,000 population.

Population data refer to the total population of Japan Proper including military personnel in the country.

Birth data refer only to births of Japanese nationals in Japan Proper except as follows. A small number of births to Japanese nationals outside Japan is included in the tabulations for 1945. A small number of births to foreigners in Japan Proper is included from January through July 1945.

Sources:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original birth data are as follows:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.

1944 - 1945: Unpublished tabulations, Cabinet Bureau of Statistics.

1946, January - June: Unpublished tabulation, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated births of Japanese nationals outside Japan Proper.

1946, July - September: Monthly Numeric Reports, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated births of Japanese nationals outside Japan Proper.

1946, October - December; 1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947, July - December, 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 9. - DEATHS BY MONTH, JAPAN, 1920-1948

Year	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
*1948	959,092	93,681	89,283	92,428	79,756	75,314	73,604	80,494	81,085	73,132	70,467	71,946	77,902	-
1947	1,138,238	109,940	115,405	116,996	99,403	92,456	84,516	96,451	95,290	79,305	77,592	76,563	92,232	89
1946	1,326,592	121,493	114,052	128,849	112,764	112,720	105,824	127,632	112,342	112,632	87,742	84,028	99,882	-
1945	2,113,798	142,512	166,329	181,235	184,418	176,952	163,260	186,805	232,214	215,130	178,130	147,546	139,267	-
1944	1,279,639	116,073	113,115	116,490	106,898	99,262	95,807	111,481	112,263	99,259	98,999	94,426	115,626	-
1943	1,204,802	114,328	104,561	120,129	106,169	98,981	92,691	100,298	99,472	89,152	89,165	88,585	101,391	-
1942	1,157,845	112,340	107,964	110,023	95,694	91,425	83,943	101,683	96,844	86,819	88,365	85,998	97,247	-
1941	1,140,428	105,781	103,890	103,370	92,402	90,361	88,915	100,763	98,700	89,762	87,949	83,711	94,824	-
1940	1,176,517	116,199	111,720	110,832	95,473	91,625	87,953	104,341	105,436	91,421	86,606	82,160	92,751	-
1939	1,258,514	118,247	108,129	123,933	102,418	96,257	93,832	107,044	113,653	100,491	97,462	90,957	106,060	31
1938	1,250,093	123,449	117,479	113,685	96,071	91,970	90,585	108,299	112,047	105,863	97,006	92,449	101,234	16
1937	1,198,400	103,363	94,909	103,155	95,296	93,382	91,671	103,990	115,949	101,110	97,309	90,313	107,935	18
1936	1,220,023	127,151	121,929	114,276	93,569	90,195	88,783	103,685	105,842	97,395	94,919	87,081	93,187	11
1935	1,152,371	104,184	96,372	100,852	91,408	90,117	89,470	100,620	106,838	94,429	91,749	86,834	99,474	24
1934	1,225,402	121,096	111,512	121,584	99,273	93,853	91,403	104,640	104,092	96,352	96,365	89,593	95,629	10
1933	1,184,546	106,735	102,267	113,868	93,855	91,775	90,904	104,597	108,235	96,321	92,943	86,320	96,111	15
1932	1,166,167	99,708	100,345	109,295	98,141	92,127	89,450	103,734	107,132	95,301	90,933	85,325	94,697	9
1931	1,231,154	114,720	114,199	118,770	101,892	98,178	94,068	101,795	106,696	98,352	98,330	88,010	96,129	15
1930	1,161,504	106,496	95,852	102,241	92,317	92,549	90,128	104,283	109,947	96,966	89,919	86,578	94,215	13
1929	1,251,041	112,657	107,105	119,641	104,341	97,883	94,807	111,366	121,468	102,431	96,146	90,987	92,200	9
1928	1,227,570	105,956	106,983	116,816	99,725	91,002	88,129	104,646	110,073	105,158	103,577	93,170	102,321	14
1927	1,204,648	108,977	104,753	115,092	95,667	95,926	91,278	106,498	114,684	102,886	94,128	85,190	93,032	20
1926	1,151,163	102,061	92,841	102,657	93,475	92,234	89,991	96,956	105,471	97,707	94,707	86,749	96,267	47
1925	1,199,936	111,047	121,948	121,313	97,095	93,566	90,931	102,327	99,441	93,943	93,515	82,950	91,828	52
1924	1,245,343	111,014	106,211	117,256	95,673	95,320	92,131	108,087	127,278	106,412	97,843	90,982	97,086	50
1923	1,323,648	108,977	101,132	108,917	96,841	93,113	96,073	112,995	125,307	168,517	115,894	95,403	100,410	69
1922	1,278,120	109,839	117,565	125,359	95,648	92,296	91,029	106,978	124,286	112,493	102,000	91,663	98,923	41
1921	1,279,219	104,331	100,223	110,314	95,640	93,597	91,768	110,944	127,570	122,380	113,880	104,098	104,673	31
1920	1,409,371	185,491	158,571	138,277	110,078	96,132	88,538	109,274	122,999	113,117	98,953	88,059	99,840	42

See footnotes on next page.

TABLE 9. - DEATHS BY MONTH: JAPAN, 1920-1948

FOOTNOTES,

* Data for 1948 are provisional.

Data refers to deaths of Japanese nationals in Japan Proper except for the period January through July 1945 when a small number of deaths of foreigners in Japan and Japanese nationals outside Japan was included.

SOURCES:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1944: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon detailed tabulation of schedules transmitted by Koseki offices and refers only to Japanese nationals in Japan.

1945, January-July: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki offices and refers to Japanese nationals in Japan, foreigners in Japan and Japanese nationals outside Japan.

1945, August-December: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki offices and refers to Japanese nationals in Japan and outside Japan. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan.

1946, January-June: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon numeric reports transmitted by Koseki offices and refers to Japanese nationals in Japan and outside Japan. Corrected by Public Health and Welfare Section to exclude estimated deaths of Japanese nationals outside Japan Proper.

1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan Proper.

1946, October-December: Monthly Schedule Report, Cabinet Bureau of Statistics.

1947: Final Annual Report, Ministry of Welfare.

1948: Monthly Schedule Report, Ministry of Welfare.

TABLE 10. - DEATH RATES BY MONTH; JAPAN, 1920-1948
(Rates per 1,000 population)

Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1948	12.0	13.8	14.1	13.6	12.1	11.1	11.2	11.8	11.9	11.1	10.4	10.9	11.5
1947	14.6	16.6	19.3	17.7	15.5	14.0	13.2	14.6	14.4	12.4	11.7	12.3	13.9
1946	17.6	19.0	19.7	19.8	18.2	17.6	17.1	20.0	19.0	18.2	15.6	15.6	15.6
1945	29.2	23.1	29.9	29.4	30.9	28.7	27.4	30.3	37.7	36.1	28.9	24.8	22.6
1944	17.4	18.6	19.4	18.7	17.7	15.9	15.9	17.9	18.0	16.5	15.9	15.7	18.5
1943	16.3	18.3	18.5	19.2	17.5	15.8	15.3	16.0	15.9	14.7	14.2	14.6	16.2
1942	15.8	18.1	19.2	17.7	15.9	14.7	14.0	16.4	15.6	14.4	14.2	14.2	15.6
1941	15.7	17.2	18.7	16.8	15.5	14.7	14.9	16.3	16.0	15.0	14.3	14.0	15.4
1940	16.4	19.2	19.7	18.3	16.3	15.1	15.0	17.2	17.4	15.6	14.3	14.0	15.3
1939	17.8	19.6	19.9	20.6	17.6	16.0	16.1	17.8	18.9	17.2	16.2	15.6	17.6
1938	17.7	20.6	21.7	19.0	16.6	15.3	15.6	18.1	18.7	18.2	16.2	15.9	16.9
1937	17.0	17.3	17.6	17.3	16.5	15.6	15.8	17.4	19.4	17.5	16.3	15.6	18.1
1936	17.5	21.6	22.1	19.4	16.8	15.3	15.6	17.6	18.0	17.1	16.1	15.3	15.8
1935	16.8	17.9	18.3	17.3	16.2	15.5	15.9	17.3	18.3	16.7	15.7	15.4	17.1
1934	18.1	21.1	21.5	21.1	17.8	16.3	16.4	18.2	18.1	17.3	16.8	16.1	16.6
1933	17.7	18.8	20.0	20.1	17.1	16.2	16.6	18.4	19.1	17.5	16.4	15.8	16.9
1932	17.7	17.9	19.2	19.6	18.2	16.5	16.6	18.6	19.2	17.7	16.3	15.8	17.0
1931	19.0	20.8	23.0	21.6	19.1	17.8	17.7	18.5	19.4	18.5	17.9	16.5	17.5
1930	18.2	19.6	19.6	18.8	17.6	17.1	17.2	19.2	20.3	18.5	16.6	16.5	17.4
1929	19.9	21.1	22.2	22.4	20.2	18.3	18.3	20.8	22.7	19.8	18.0	17.6	17.3
1928	19.8	20.1	21.7	22.2	19.6	17.3	17.3	19.9	20.9	20.7	19.7	18.3	19.3
1927	19.7	20.4	22.3	22.2	20.5	18.5	18.2	20.5	22.1	20.5	18.1	17.0	17.9
1926	19.1	20.0	20.1	20.1	18.9	18.0	18.2	19.0	20.6	19.7	18.5	17.5	18.8
1925	20.3	22.1	26.9	24.1	20.0	18.6	18.7	20.4	19.8	19.3	18.6	17.1	18.3
1924	21.4	22.5	23.0	23.7	20.0	19.3	19.3	21.9	25.8	22.3	19.8	19.0	19.7
1923	23.0	22.3	22.9	22.3	20.5	19.0	20.3	23.1	25.6	23.7	20.2	20.5	20.5
1922	22.5	24.8	27.0	26.0	20.5	19.1	19.5	22.2	25.8	24.1	21.1	19.6	20.5
1921	22.1	21.9	23.3	23.2	20.7	19.6	19.9	23.3	26.8	26.5	23.9	22.6	22.0
1920	25.4	32.5	36.1	29.5	24.2	20.5	19.5	23.3	26.2	24.9	21.1	19.4	21.3

See footnotes on next page.

TABLE 10. - DEATH RATES BY MONTH; JAPAN, 1920-1948 - Cont'd.
(Rates per 1,000 population)

FOOTNOTES:

* Data for 1948 are provisional.

Rates are the number of deaths per 1,000 population and are computed on an annual basis. Deaths refer to deaths of Japanese nationals in Japan Proper except for the period January through July 1945 when a small number of deaths of foreigners in Japan and Japanese nationals outside Japan was included. Population data refers to the total population, including military personnel, in Japan Proper.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Populations were estimated by Public Health and Welfare Section, GHQ, SCAP. Estimates were based upon census data, not natural increase and migration to and from Japan Proper. Data for 1920-1945 are as of 1 October. Estimates for 1946-1948 are as of 1 July.

Sources of death statistics are as follows:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1944: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon detailed tabulation of schedules transmitted by Koseki offices and refers only to Japanese nationals in Japan.

1945, January-July: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki offices and refers to Japanese nationals in Japan, foreigners in Japan and Japanese nationals outside Japan.

1945, August-December: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki offices and refers to Japanese nationals in Japan and outside Japan. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan.

1946, January-June: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon numeric reports transmitted by Koseki offices and refers to Japanese nationals in Japan and outside Japan. Corrected by Public Health and Welfare Section to exclude estimated deaths of Japanese nationals outside Japan Proper.

1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics, Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan Proper.

1946, October-December: Monthly Schedule Report, Cabinet Bureau of Statistics.

TABLE 10. - DEATH RATES BY MONTH, JAPAN, 1920-1948
(Rates per 1,000 population)

FOOTNOTES - Cont'd

1947: Final Annual Report, Ministry of Welfare.

1948: Monthly Schedule Report, Ministry of Welfare.

TABLE 11. - DEATHS BY PREFECTURE: JAPAN, 1920 - 1948

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ehime	Fukui	Fukushima	Gifu	Gunma
1948	959,092	35,519	18,599	18,161	26,337	17,439	13,685	37,500	18,584	18,481
1947	1,138,238	42,987	19,952	18,092	30,760	22,133	11,965	48,082	22,199	21,908
1946	1,326,592	49,259	23,281	20,006	34,170	23,616	14,616	53,722	26,798	24,948
1945	2,113,798	89,688	31,503	28,182	49,432	39,988	21,296	75,005	44,224	35,792
1944	1,279,699	49,823	21,952	21,637	29,903	20,890	13,672	52,044	24,740	22,380
1943	1,204,802	51,406	20,210	19,519	28,105	20,413	12,716	47,868	23,136	22,495
1942	1,157,845	45,788	19,973	18,976	28,332	15,041	11,932	47,418	26,186	19,929
1941	1,140,428	46,773	19,430	18,305	28,504	18,676	13,120	47,571	25,545	20,180
1940	1,176,517	48,918	21,408	19,462	29,044	19,634	14,090	46,443	23,332	21,837
1939	1,258,534	49,432	20,937	20,259	30,221	21,627	13,850	53,760	23,191	22,580
1938	1,250,093	52,344	19,580	19,415	31,697	21,057	14,722	53,874	28,549	22,465
1937	1,198,400	49,313	19,870	19,075	28,980	20,616	14,893	51,619	27,460	22,053
1936	1,220,023	49,454	20,427	21,714	29,344	21,282	15,480	52,092	27,381	24,842
1935	1,152,371	44,878	15,527	16,237	29,063	20,130	13,832	46,608	26,455	20,382
1934	1,225,402	53,546	20,173	19,356	29,577	21,281	16,295	47,236	28,257	22,450
1933	1,164,546	45,957	20,202	18,062	29,917	21,350	14,716	45,972	23,264	20,163
1932	1,166,167	46,936	20,695	19,396	29,578	20,499	15,192	45,031	23,395	20,939
1931	1,231,154	49,783	20,309	18,991	31,088	21,398	15,674	51,444	25,032	20,533
1930	1,161,504	45,732	20,164	19,556	29,752	20,901	14,824	47,390	23,744	20,735
1929	1,251,041	50,365	22,792	20,252	32,292	22,356	15,600	50,523	24,477	22,855
1928	1,227,570	52,733	20,958	19,674	33,270	21,402	15,069	47,827	26,318	23,419
1927	1,204,847	48,601	21,062	18,937	34,169	21,475	15,288	45,455	24,350	23,686
1926	1,151,163	45,213	21,870	18,570	30,002	21,698	14,526	45,695	22,604	20,643
1925	1,199,936	47,982	21,534	18,872	31,316	21,198	15,187	44,868	24,559	23,538
1924	1,245,343	48,981	22,752	19,439	32,242	23,601	15,458	46,770	24,840	23,701
1923	1,323,448	51,574	25,493	20,757	36,235	22,130	16,520	46,618	26,395	24,354
1922	1,276,120	46,855	24,796	23,298	34,311	23,011	17,480	45,502	25,199	24,194
1921	1,275,219	52,258	23,089	19,529	35,328	23,621	16,485	49,062	25,449	23,192
1920	1,409,371	54,561	23,439	22,215	38,218	25,925	17,669	56,407	27,638	25,837

See footnotes at end of table.

TABLE 11. - DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
1948	24,093	47,900	35,600	24,403	13,549	19,196	11,584	21,861	22,892	12,765	21,320	20,146
1947	30,212	51,472	44,814	28,475	15,185	19,619	13,986	26,721	26,826	12,988	26,458	25,666
1946	37,198	55,178	54,411	32,110	16,628	25,455	16,275	33,335	30,685	15,092	34,092	28,425
1945	96,426	67,564	83,465	48,436	27,498	32,089	28,515	56,796	48,146	22,834	49,430	47,677
1944	36,259	54,612	59,312	29,552	16,396	22,783	14,149	30,940	34,547	12,647	26,292	33,675
1943	32,967	50,573	52,763	26,586	16,091	22,642	13,317	32,669	32,439	11,383	24,039	26,369
1942	30,895	50,188	48,541	26,398	15,351	21,037	12,975	29,830	31,883	11,960	23,696	26,029
1941	29,283	48,577	47,035	26,751	15,659	20,128	12,069	26,307	30,961	12,139	23,102	25,937
1940	30,306	51,389	46,853	28,588	16,953	22,025	13,050	28,144	30,346	11,626	23,045	26,332
1939	34,697	55,566	53,140	29,101	17,559	21,443	14,677	26,837	31,844	12,468	24,600	28,285
1938	33,727	52,077	51,522	29,725	18,168	21,375	14,302	26,874	30,776	13,327	25,542	26,604
1937	30,686	51,828	49,466	27,334	18,322	21,613	13,190	27,270	28,465	12,902	24,921	26,924
1936	33,440	51,177	50,337	27,979	19,095	21,478	14,167	27,975	27,985	13,228	25,149	29,314
1935	29,892	48,878	47,639	27,274	17,698	19,194	13,155	26,654	27,877	12,320	23,738	26,262
1934	31,731	51,732	48,827	29,116	20,016	21,108	14,683	27,799	28,432	13,862	25,235	28,927
1933	30,627	50,934	49,431	27,596	17,711	22,648	14,398	25,911	28,011	13,669	24,288	27,889
1932	31,282	47,654	47,713	27,526	18,327	20,936	13,518	26,144	26,890	13,555	24,174	27,496
1931	31,519	48,494	49,037	29,916	18,829	19,753	14,821	27,804	27,523	13,307	26,809	29,941
1930	30,332	48,820	46,337	27,308	17,778	20,244	13,716	27,490	25,602	13,196	25,340	27,346
1929	31,920	50,545	50,797	30,081	19,924	21,781	15,310	27,183	29,145	14,501	26,431	26,739
1928	31,784	48,298	48,560	31,128	19,147	21,363	14,184	26,505	28,068	14,740	25,649	28,145
1927	32,983	49,904	48,434	29,304	19,663	20,251	14,912	25,689	26,712	14,133	24,931	30,994
1926	32,233	43,303	46,871	27,381	18,667	19,139	14,295	26,822	24,770	14,215	25,692	26,967
1925	33,252	48,053	48,412	31,034	19,062	20,362	13,864	26,445	27,259	14,238	24,363	27,943
1924	37,634	46,806	52,729	31,226	20,461	22,087	17,581	27,083	26,427	14,616	26,178	28,602
1923	35,590	48,624	51,281	32,597	21,368	20,979	14,949	26,956	45,213	15,385	25,344	36,949
1922	35,354	45,772	52,043	32,318	22,587	23,565	16,607	28,281	26,867	15,209	26,186	29,196
1921	34,661	45,059	51,175	31,743	20,329	21,262	15,664	27,738	30,142	14,940	26,300	32,009
1920	39,927	51,722	62,557	35,960	21,566	22,313	17,855	28,191	31,214	16,572	28,683	34,161

See footnotes at end of table.

TABLE 11 - DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 -Cont'd.

Year	Wak	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Settsu
*1948	17,704	18,801	12,252	23,787	19,674	9,775	32,895	16,907	21,309	37,624	12,715	24,832
1947	22,210	20,703	15,376	27,744	24,003	12,200	36,442	21,120	25,583	48,379	15,546	30,268
1946	28,017	24,763	17,434	36,560	28,319	14,376	40,186	22,417	29,849	56,228	16,970	32,402
1945	44,623	33,989	28,260	50,969	58,534	23,308	65,663	35,519	40,915	92,454	27,617	49,284
1944	23,215	21,671	14,807	28,704	26,850	13,021	40,869	19,867	26,260	78,775	14,195	30,136
1943	21,234	21,077	14,216	27,588	23,930	11,316	38,341	19,786	24,296	72,425	12,583	27,525
1942	21,074	20,379	13,907	26,047	23,735	10,477	36,272	18,988	22,301	65,134	12,591	28,484
1941	21,631	19,451	12,978	26,169	22,035	10,789	34,776	18,036	22,083	63,348	12,529	28,106
1940	20,963	20,793	13,008	27,310	23,691	10,613	38,098	18,400	22,865	64,299	12,480	30,463
1939	22,183	20,971	15,352	28,998	25,005	11,608	39,329	19,931	25,652	75,078	13,035	30,924
1938	24,413	20,826	14,351	28,532	25,258	11,437	38,299	20,014	25,458	76,409	13,601	31,027
1937	22,319	20,919	13,907	27,730	24,046	11,336	37,865	20,442	24,024	65,822	13,318	28,927
1936	23,347	21,004	14,114	28,787	24,432	11,780	38,965	20,354	25,309	63,821	14,603	28,222
1935	21,595	20,569	13,558	27,422	22,011	11,778	36,382	18,835	23,318	63,569	12,607	27,998
1934	24,293	20,778	13,180	29,164	22,550	12,690	41,669	19,990	24,586	64,268	13,606	29,863
1933	22,696	20,912	13,460	27,708	22,337	11,637	38,303	19,525	24,918	62,657	13,824	28,937
1932	22,157	20,403	13,423	28,246	22,899	11,728	38,085	20,154	23,368	58,600	14,040	29,191
1931	24,692	20,418	13,780	29,346	23,753	12,058	41,125	20,523	24,433	63,223	14,674	31,925
1930	22,104	21,104	12,882	28,841	22,764	11,094	37,989	19,045	22,813	57,411	14,816	27,897
1929	23,339	21,695	13,837	30,240	23,424	12,397	42,241	21,583	25,864	63,563	14,815	31,503
1928	25,366	21,809	12,449	30,454	23,008	11,479	40,786	19,944	24,322	59,105	14,264	32,106
1927	22,718	21,251	12,441	29,692	22,034	11,961	39,861	19,428	25,290	61,343	14,103	30,872
1926	21,723	20,347	12,244	28,365	20,999	11,153	40,267	19,655	24,506	55,736	14,540	27,880
1925	25,325	20,972	11,926	30,966	20,595	12,267	41,257	18,653	23,469	50,722	13,870	31,127
1924	23,462	22,420	12,566	32,043	22,034	12,385	44,747	20,094	26,902	61,387	14,567	31,444
1923	25,063	23,156	12,511	31,440	21,679	12,246	43,155	19,562	26,503	62,229	14,999	33,521
1922	24,129	23,213	12,702	32,821	22,685	12,214	46,665	20,304	26,411	64,227	15,333	32,090
1921	26,724	22,184	12,552	31,516	24,269	13,002	43,737	21,859	27,212	62,757	16,200	33,095
1920	27,949	25,047	13,026	36,723	25,693	14,820	49,899	22,482	28,823	69,268	16,892	36,778

See footnotes at end of table.

TABLE 11 - DEATHS BY PREFECTURE: JAPAN, 1920 - 1943 - Cont'd.

Year	Shiga	Shimane	Shizuoka	Toeiigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
* 1948	11,323	12,178	21,844	17,624	11,400	52,923	7,706	14,102	11,185	18,290	18,646	9,071
1947	14,675	14,768	30,574	21,329	14,628	58,723	9,149	16,259	13,804	20,871	22,869	10,970
1946	17,006	17,157	42,536	24,645	17,094	68,732	11,194	17,729	19,464	23,530	26,650	13,119
1945	27,809	27,698	63,440	38,879	28,034	127,830	17,202	31,775	27,779	32,680	43,746	22,807
1944	15,031	15,478	32,897	21,579	13,978	85,409	9,697	17,315	15,730	21,600	24,622	11,103
1943	13,654	14,254	30,423	19,238	13,871	95,069	9,861	17,384	14,526	20,093	22,228	9,893
1942	12,702	13,901	30,140	19,802	13,155	91,962	8,452	16,446	14,107	19,292	22,826	10,320
1941	12,777	14,285	30,293	19,468	13,142	89,122	8,774	15,682	13,096	10,923	21,054	10,285
1940	13,403	14,747	30,839	20,338	13,573	89,584	8,450	17,886	13,839	20,807	20,926	10,402
1939	12,903	17,060	32,599	21,899	15,266	95,813	9,555	17,651	15,037	21,132	24,045	10,944
1938	14,428	16,430	33,931	21,315	14,755	94,202	9,344	18,487	14,554	20,673	24,198	11,320
1937	13,421	14,976	31,829	20,290	14,611	87,380	8,897	18,506	13,988	20,681	22,494	10,420
1936	14,205	15,962	33,847	20,353	14,614	85,312	9,077	17,723	14,627	20,941	23,436	10,757
1935	13,047	14,854	31,984	19,613	14,285	82,143	8,825	16,990	15,290	20,316	21,667	11,102
1934	15,333	15,931	33,223	21,409	15,134	84,108	9,571	19,601	15,059	21,932	21,835	10,882
1933	14,119	15,710	32,733	20,809	14,363	86,141	8,806	17,503	14,554	21,293	21,433	11,132
1932	13,614	16,386	31,918	19,890	14,679	78,575	9,231	17,445	14,542	21,312	21,061	10,822
1931	15,096	16,175	32,307	22,166	16,135	85,016	9,597	19,144	15,241	21,719	22,847	11,212
1930	13,605	17,153	32,056	20,021	13,823	76,697	9,409	17,293	14,357	21,804	22,104	10,828
1929	14,608	18,019	33,239	21,564	15,271	86,097	10,064	18,974	14,976	23,089	23,085	11,280
1928	14,332	16,399	34,175	21,773	15,339	84,759	9,069	18,205	15,061	22,387	21,675	11,749
1927	16,456	16,456	31,069	21,702	15,266	79,425	9,519	18,570	14,585	22,620	22,409	11,183
1926	13,812	16,175	30,459	19,437	14,496	72,933	8,989	19,099	14,076	22,574	22,039	10,829
1925	15,003	16,084	33,667	21,743	15,051	79,129	9,414	17,875	15,037	22,056	21,146	11,815
1924	14,623	17,519	32,510	21,264	16,670	75,136	9,964	20,022	15,119	22,446	24,207	12,477
1923	16,854	18,441	35,368	23,290	16,546	110,085	10,190	21,215	14,884	23,589	23,675	11,729
1922	15,572	17,332	33,196	22,713	16,536	81,105	9,773	20,412	16,924	24,909	22,924	12,976
1921	16,900	16,834	34,523	22,187	16,238	81,201	9,581	19,395	16,392	22,790	23,625	12,495
1920	18,655	17,928	37,913	25,368	20,109	88,572	10,745	20,776	16,479	26,374	25,481	15,290

See footnotes next page.

TABLE 11 - DEATHS BY PRECINCTURE: JAPAN, 1920 - 1948 -Cont'd.

FOOTNOTES:

* Data for 1948 are provisional.

Data refer only to deaths of Japanese nationals in Japan Proper except for the period January through July 1945 when a small number of deaths of foreigners in Japan and Japanese nationals outside Japan was included.

SOURCES:

- 1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.
- 1944: Unpublished tabulations, Cabinet Bureau of Statistics.
- 1945, January - July: Unpublished tabulations, Cabinet Bureau of Statistics.
- 1945, August - December: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan.
- 1946, January - June: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan Proper.
- 1946, July - September: Monthly Numeric Reports, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan.
- 1946, October - December: Monthly Schedule Reports, Cabinet Bureau of Statistics.
- 1947: Final Annual Report, Ministry of Welfare.
- 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 12. - DEATH RATES BY PREFECTURE: JAPAN, 1920 - 1948
(Rates per 1,000 Population)

Year	All Japan	Aichi	Akita	Aomori	Chiba	Shire	Fukui	Fukuoka	Fukushima	Gifu	Gunma
*1948	12.0	11.0	14.5	14.9	12.3	11.8	18.7	11.3	11.8	12.2	11.5
1947	14.6	13.8	15.9	15.3	14.6	15.3	16.5	15.1	14.2	14.9	13.9
1946	17.6	16.4	18.9	17.8	16.5	16.7	20.4	17.9	16.6	18.0	15.9
1945	29.2	31.2	25.8	25.8	25.0	29.2	25.2	27.1	23.4	28.9	23.0
1944	17.4	15.0	20.6	21.0	17.7	17.3	21.7	16.7	17.6	19.2	16.7
1943	16.3	15.2	20.0	19.7	17.5	17.0	19.8	15.1	16.6	17.6	15.4
1942	15.8	14.1	19.2	19.0	17.9	16.3	18.8	14.8	16.2	16.6	15.3
1941	15.7	15.3	18.7	18.4	18.1	15.9	20.6	15.2	15.8	17.9	15.6
1940	16.4	15.7	20.6	19.7	18.5	16.9	22.2	15.2	17.0	18.5	17.0
1939	17.8	16.3	19.8	20.0	19.2	18.6	21.1	18.7	17.7	18.7	17.9
1938	17.7	17.4	18.6	19.3	20.2	18.1	22.5	18.9	17.8	20.3	17.8
1937	17.0	16.5	18.8	19.1	18.4	17.6	22.7	18.2	17.1	19.1	17.5
1936	17.5	16.9	19.5	22.1	18.8	18.2	23.7	18.6	17.2	20.1	16.8
1935	16.8	15.7	18.8	18.9	18.8	17.3	21.4	16.9	16.7	18.3	16.4
1934	18.1	19.3	19.6	20.7	19.3	18.0	25.7	17.4	18.0	21.3	18.1
1933	17.7	16.9	19.8	19.6	19.7	18.2	23.3	17.2	17.0	19.3	16.4
1932	17.7	17.6	20.4	21.4	19.7	17.6	24.2	17.2	18.0	19.5	17.2
1931	19.0	19.0	20.4	21.3	20.9	18.6	25.2	20.0	19.0	21.1	18.8
1930	18.2	17.8	20.4	22.2	20.2	18.3	24.0	18.8	18.2	20.1	17.5
1929	19.9	19.9	23.3	23.3	22.0	19.5	25.9	20.9	19.5	20.5	19.3
1928	19.8	21.2	21.6	23.0	22.9	18.8	25.0	20.0	19.4	22.3	20.0
1927	19.7	20.0	22.0	22.5	21.0	19.3	26.0	19.2	19.7	20.9	20.5
1926	19.1	19.0	23.1	22.4	21.2	19.5	24.2	19.6	18.8	19.7	18.2
1925	20.3	20.7	23.0	23.2	22.4	19.3	25.4	19.5	19.8	21.7	21.0
1924	21.4	22.2	24.5	24.7	23.6	22.0	25.7	19.2	21.0	22.4	21.3
1923	23.0	23.7	27.8	26.7	28.5	20.8	27.6	19.7	21.8	24.1	22.3
1922	22.5	21.7	27.2	30.3	25.7	21.8	29.2	19.7	22.9	23.2	22.5
1921	22.8	24.7	25.5	25.6	26.4	22.5	28.1	21.8	21.9	23.6	21.8
1920	25.4	26.1	26.1	29.4	28.6	24.8	29.8	25.8	26.0	25.8	24.5

See footnotes at end of table.

TABLE 12. - DEATH RATES BY PREFECTURE, JAPAN 1920-1948 - Cont'd.
(Rates per 1,000 population)

Year	Hiroshima	Hokkaido	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
1946	11.8	11.9	14.4	14.8	12.4	12.4	9.9	12.4	11.9	11.3
1947	15.0	13.4	16.4	15.6	15.3	15.3	12.1	15.3	15.0	14.8
1946	19.0	15.4	18.7	20.3	18.4	19.9	14.8	18.4	20.3	17.0
1945	51.8	19.1	29.5	26.0	32.8	36.7	25.6	29.2	31.7	29.5
1944	18.2	16.5	18.1	20.3	19.5	19.1	13.8	18.0	18.9	20.3
1943	16.3	15.2	21.7	20.5	18.7	18.5	12.4	16.6	18.3	15.6
1942	16.4	15.2	20.5	18.2	18.2	19.1	13.6	17.1	17.7	15.1
1941	15.7	14.8	20.9	18.4	16.8	16.7	13.8	17.3	17.1	15.1
1940	16.4	15.9	22.7	20.4	18.1	18.0	14.1	16.6	17.1	15.4
1939	18.7	17.4	23.0	19.9	19.7	18.2	16.2	17.8	17.8	15.9
1938	16.3	16.4	23.8	19.9	19.1	18.2	15.8	19.0	18.4	16.2
1937	16.6	16.3	23.8	20.2	17.5	17.0	14.8	18.1	17.9	15.3
1936	18.3	16.4	24.8	20.3	18.9	17.5	14.9	18.5	18.1	16.9
1935	16.6	15.9	23.0	18.3	17.6	16.7	15.2	17.9	17.1	15.4
1934	18.1	16.9	26.2	20.4	19.3	17.1	16.0	17.6	18.0	17.3
1933	17.6	17.0	23.2	22.2	19.0	16.1	16.1	18.5	17.5	17.0
1932	18.1	16.2	24.1	20.8	18.1	16.4	15.8	18.5	17.5	17.1
1931	18.5	16.9	24.8	19.9	20.0	17.7	16.6	18.4	19.6	18.9
1930	17.9	17.4	23.5	20.7	18.7	17.7	15.8	18.4	18.7	17.6
1929	18.8	19.2	26.2	20.7	21.1	17.7	19.3	20.5	19.4	18.9
1928	18.9	16.5	25.2	22.6	19.7	17.4	18.9	20.9	19.2	18.8
1927	19.9	19.4	26.0	21.8	20.9	17.1	18.2	20.2	18.7	21.2
1926	19.7	17.1	24.7	20.9	20.2	18.0	17.2	20.5	19.5	18.8
1925	20.6	19.2	25.4	22.6	19.8	18.0	19.2	20.7	18.8	19.9
1924	23.9	16.6	21.2	22.1	26.2	18.2	20.3	21.4	20.8	20.7
1923	22.7	18.0	28.4	24.1	22.1	18.3	33.0	22.6	20.3	22.8
1922	22.7	17.7	30.2	27.4	24.7	19.0	20.9	22.5	21.6	21.9
1921	22.4	16.3	23.3	27.2	23.2	19.3	22.5	22.2	22.9	24.4
1920	25.9	21.9	28.9	26.4	26.3	19.9	23.6	24.7	23.3	26.6

See footnotes at end of table.

TABLE 12. - DEATH RATES BY PREFECTURE: JAPAN, 1920-1948 - Cont'd.
(Rates per 1,000 population)

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Osaka	Okayama	Saga	Saitama
1948	12.2	11.8	11.6	11.4	12.6	12.6	13.5	10.7	12.9	13.7	11.6
1947	15.7	13.2	15.0	13.5	15.7	15.7	15.1	14.5	15.9	17.0	14.4
1946	18.4	16.4	17.7	17.5	19.4	18.7	16.8	18.3	18.8	19.2	15.5
1945	31.8	23.1	30.7	23.9	44.1	29.7	27.3	32.8	26.0	33.0	23.9
1944	18.9	16.8	17.4	17.1	17.7	21.1	20.2	17.6	19.4	19.8	18.0
1943	17.1	16.9	17.1	16.8	16.0	17.9	18.6	16.2	17.7	17.8	16.6
1942	17.7	16.2	16.6	15.5	17.1	17.1	17.7	13.1	17.0	18.0	16.6
1941	16.2	15.4	15.5	15.5	16.1	17.6	16.9	13.0	16.7	18.0	17.5
1940	17.7	16.6	15.7	16.2	17.1	17.3	18.7	13.6	17.4	18.0	19.2
1939	19.0	16.4	17.9	17.3	19.0	18.5	19.6	15.7	19.1	19.5	19.9
1938	20.9	16.4	16.9	16.9	19.2	18.3	19.1	14.1	19.0	20.2	20.0
1937	19.0	16.5	16.4	16.2	18.2	18.0	18.8	14.3	17.8	19.5	18.6
1936	19.8	16.8	16.9	16.8	18.7	18.8	19.4	14.3	18.9	21.3	18.3
1935	16.4	16.7	16.4	16.0	17.0	19.0	18.2	14.8	17.5	18.4	16.3
1934	20.3	17.0	16.1	16.3	17.5	20.9	20.8	16.4	18.6	19.5	19.7
1933	19.1	17.4	16.8	15.6	17.5	19.2	19.3	16.3	19.0	19.8	19.3
1932	18.8	17.2	17.0	16.1	18.1	19.5	19.3	15.7	17.9	20.2	19.6
1931	21.2	17.6	17.8	16.9	19.0	20.1	21.1	17.4	18.9	21.2	21.7
1930	19.1	18.5	16.9	16.8	18.5	18.6	19.6	16.2	17.8	21.4	19.1
1929	20.3	19.3	18.9	17.8	19.6	20.5	22.3	18.2	20.4	21.2	21.4
1928	22.2	19.7	17.2	18.1	19.3	19.1	21.3	17.5	19.3	20.4	22.1
1927	20.1	19.6	17.5	17.8	18.6	20.1	20.8	18.7	20.2	20.3	21.5
1926	19.4	19.1	17.4	17.2	17.9	18.9	21.5	17.6	19.6	21.1	19.7
1925	22.9	20.1	17.3	19.0	17.7	21.0	22.3	19.5	19.0	20.3	22.3
1924	21.6	22.7	18.0	19.6	18.6	21.6	24.6	20.6	21.7	21.6	23.0
1923	23.3	23.7	18.3	19.3	18.5	21.5	24.0	21.6	21.5	22.3	24.9
1922	22.5	23.9	18.9	20.6	19.6	23.5	26.1	23.1	21.5	22.8	24.0
1921	24.9	22.8	19.0	20.0	21.2	23.0	25.4	23.4	22.3	25.1	24.9
1920	26.1	26.0	20.0	23.5	22.6	26.2	26.1	26.8	23.7	25.1	27.9

See footnotes at end of table.

TABLE 12. - DEATH RATES BY PREFECTURE, JAPAN, 1920-1948 - Cont'd.
(Rates per 1,000 population)

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
1946	13.0	13.5	10.3	11.3	13.1	9.8	13.8	14.1	11.4	13.6	12.4	13.1
1947	17.1	16.5	13.0	13.9	17.1	11.8	15.6	16.6	14.4	15.6	12.8	13.6
1948	19.9	18.3	15.9	15.9	20.0	16.0	19.5	18.4	20.3	17.6	18.8	16.0
1949	32.1	32.0	28.4	25.0	33.3	36.4	30.3	33.1	29.5	24.5	32.0	27.0
1944	21.4	20.9	16.0	17.7	19.6	11.6	20.1	20.8	18.3	19.6	17.9	17.2
1943	19.5	18.9	14.9	16.5	19.6	12.7	20.4	20.8	16.4	18.9	14.7	15.3
1942	18.4	19.1	14.9	16.6	18.7	11.9	17.8	20.0	16.5	17.6	17.2	15.7
1941	18.4	19.5	15.1	16.3	18.5	11.9	18.4	19.1	15.3	18.0	16.1	15.6
1940	16.8	20.2	15.5	17.1	18.9	12.4	17.7	22.0	16.2	18.9	16.4	15.9
1939	18.1	23.1	16.2	18.1	21.1	13.8	19.8	22.1	17.2	18.8	19.9	16.9
1938	20.2	22.2	17.0	17.6	20.3	13.7	19.3	23.1	16.7	18.4	20.0	17.5
1937	18.7	20.0	16.0	16.7	20.0	13.0	18.2	23.0	16.0	18.3	18.6	16.0
1936	19.9	21.3	17.2	16.9	20.0	13.0	18.5	22.1	16.8	18.6	19.5	16.6
1935	18.3	19.9	16.5	16.4	19.6	12.9	18.0	21.3	17.6	18.2	18.2	17.2
1934	21.4	21.1	17.5	18.1	20.5	13.7	19.0	24.4	17.4	19.5	18.7	16.6
1933	19.9	20.9	17.4	17.7	19.6	14.4	17.6	21.9	17.0	19.1	18.4	17.1
1932	19.3	21.9	17.3	17.0	20.2	13.6	18.6	22.0	17.1	19.3	18.3	16.8
1931	21.6	22.7	17.7	19.2	22.4	15.4	19.5	24.4	18.2	19.9	20.0	17.6
1930	19.7	23.2	17.8	17.5	19.3	14.2	19.2	22.2	17.3	20.2	19.5	17.2
1929	21.6	24.5	18.6	19.0	21.4	16.7	20.5	24.4	18.1	21.3	20.1	18.2
1928	21.2	22.3	15.4	15.3	21.7	16.9	18.6	23.6	18.4	20.2	19.0	19.1
1927	21.4	22.6	17.9	17.9	21.8	16.4	19.7	24.3	18.1	21.4	20.0	18.3
1926	20.7	22.3	18.0	17.6	20.8	15.6	18.8	25.2	17.6	21.6	19.9	17.9
1925	22.6	22.3	20.1	19.9	21.8	17.6	19.9	23.9	19.1	21.5	19.3	19.7
1924	22.3	24.9	19.7	19.2	24.6	18.9	21.5	27.1	19.5	22.6	22.9	20.5
1923	25.8	26.2	21.9	21.5	24.5	27.3	22.2	29.0	19.4	24.0	22.5	19.6
1922	23.9	24.5	20.8	21.2	24.6	20.7	21.4	28.0	21.1	25.4	21.9	21.7
1921	25.9	23.7	22.0	21.2	24.2	21.3	21.0	26.7	21.7	23.4	22.6	21.2
1920	28.7	23.1	24.5	24.2	30.0	23.9	23.6	26.7	22.0	27.2	24.5	26.2

See footnotes next page.

TABLE 12. - DEATH RATES BY PRESENTURE: JAPAN, 1920-1948 - Cont'd.

FOOTNOTES:

a Data for 1948 are provisional.

Rates are the number of deaths per 1,000 population.

Population data refer to the total population of Japan Proper including military personnel in the country.

Birth data refer only to deaths of Japanese nationals in Japan Proper except for the period January through July 1945 when a small number of deaths of foreigners in Japan and Japanese nationals outside Japan was included.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original death data are as follows:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.

1944: Unpublished tabulations, Cabinet Bureau of Statistics.

1945, January - July: Unpublished tabulations, Cabinet Bureau of Statistics.

1945, August - December: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan.

1946, January - June: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan Proper.

1946, July - September: Monthly Numeric Reports, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan.

1946, October - December: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947: Final Annual Report, Ministry of Welfare.

1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948

Year	All Causes	2/Typhoid fever (1)	Paratyphoid fever (2)	Plague (3)	Cholera (4)	Cerebrospinal (meningococcus) meningitis (6)	Anthrax (7)	3/Scarlet fever (8)	Whooping cough (9)	4/Diphtheria (10)
*1948	999,092	1,481	171	-	-	661	-	42	4,793	1,920
1947	1,138,238	2,926	316	-	-	1,187	2	71	17,001	3,390
*1946	1,326,592	5,388	474	-	528	424	NA	100	NA	3,891
1945	2,113,798	7,999	526	-	-	1,072	NA	82	NA	7,840
1944	1,279,639	7,844	564	-	-	396	NA	114	NA	6,192
1943	1,219,073	8,858	535	1	1	572	9	197	9,407	7,122
1942	1,166,630	6,432	282	-	-	443	15	217	9,510	5,153
1941	1,149,559	6,913	309	-	-	534	9	268	10,740	5,004
1940	1,186,595	7,117	315	-	5	725	15	389	8,792	4,744
1939	1,268,760	6,957	295	-	1	894	19	476	10,103	5,272
1938	1,259,805	7,819	297	-	10	580	10	398	8,871	4,135
1937	1,207,899	7,124	264	-	11	479	17	454	10,985	4,253
1936	1,230,278	6,871	277	-	-	604	18	467	9,751	4,332
1935	1,161,936	7,240	238	-	-	701	14	489	12,216	4,462
1934	1,234,684	8,149	322	-	-	603	16	505	8,520	5,235
1933	1,193,987	7,652	334	-	-	244	18	401	6,157	5,437
1932	1,175,344	6,954	372	-	1	165	9	336	14,657	4,522
1931	1,240,891	8,176	312	-	-	165	8	327	8,260	4,586
1930	1,170,867	8,350	373	-	2	169	12	303	7,437	4,079
1929	1,261,228	8,032	353	2	114	209	12	248	9,822	4,712
1928	1,236,711	8,780	453	-	1	171	17	220	11,440	4,410
1927	1,214,323	7,843	490	-	3	214	18	219	9,147	3,922
1926	1,160,734	9,783	433	6	13	236	11	300	7,312	3,631
1925	1,210,706	10,033	443	-	363	275	8	284	8,456	3,608
1924	1,254,946	14,063	597	3	-	1,334	15	130	10,256	3,561
1923	1,332,485	12,939	677	1	31	396	30	104	8,484	3,388
1922	1,286,941	12,439	767	67	542	592	13	107	6,273	3,539
1921	1,288,570	11,953	703	2	39	466	1	93	6,952	3,866
1920	1,422,096	12,106	784	14	3,426	533	6	102	7,922	3,827

See footnotes at end of table.

TABLE 13. - DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1943 - CONT'D.

Year	Tetanus (12)	5/Tuberculosis (all forms) (13-22)	Leprosy (23)	Glanders (26a)	Dysentery (27)	Malaria (28)	6/ Syphilis (30)	Influenza (33)	Smallpox (34)	Measles (35)
*1948	2,157	145,256	148	-	5,258	233	4,382	516	22	5,670
1947	2,221	146,241	189	-	9,573	456	4,444	1,903	85	20,939
*1946	NA	198,900	NA	NA	13,198	NA	NA	NA	2,823	NA
1945	NA	203,000	NA	NA	20,107	NA	NA	NA	253	NA
1944	NA	176,800	NA	NA	11,208	NA	NA	NA	44	NA
1943	1,984	171,473	131	-	12,641	245	7,834	3,412	74	21,881
1942	1,843	161,484	169	-	14,283	220	7,930	3,981	61	6,794
1941	1,778	154,344	208	-	16,325	153	7,772	4,351	92	14,616
1940	1,841	153,154	264	-	22,032	224	7,706	3,164	60	5,101
1939	1,702	154,371	312	-	24,907	222	8,067	5,848	33	14,680
1938	1,775	148,827	337	-	21,966	207	8,749	7,646	6	4,997
1937	1,926	144,620	400	-	19,726	65	9,440	2,991	8	10,889
1936	1,989	145,160	451	-	16,721	76	9,402	8,670	20	5,264
1935	2,127	132,151	482	1	15,921	51	9,323	3,070	16	9,816
1934	2,192	131,525	482	2	15,490	53	9,367	10,142	35	9,787
1933	2,296	126,703	514	-	14,880	74	9,553	4,765	55	8,442
1932	2,445	119,196	541	-	13,550	68	9,540	5,370	44	6,220
1931	2,430	121,875	669	1	13,005	63	9,868	15,673	8	13,691
1930	2,501	119,635	640	1	13,019	60	9,797	5,207	4	5,965
1929	2,668	123,490	637	-	13,427	97	10,313	8,480	11	16,070
1928	2,774	119,632	717	-	12,044	164	10,956	9,669	100	11,122
1927	2,756	119,439	759	-	10,217	172	10,884	8,151	90	13,472
1926	2,864	113,045	779	1	8,530	190	11,110	4,610	158	10,510
1925	2,901	115,956	789	5	7,515	122	10,722	10,806	69	15,438
1924	2,986	114,229	823	16	8,658	150	10,920	6,512	294	11,986
1923	3,183	118,216	920	21	9,400	169	11,410	6,520	399	13,277
1922	2,894	125,506	976	1	9,116	191	9,282	12,688	120	9,658
1921	3,059	120,719	1,094	2	7,879	219	10,416	10,304	203	13,894
1920	3,096	125,165	1,118	-	8,155	243	10,170	108,428	729	7,502

See footnotes at end of table.

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	Japanese "B" encephalitis (37b)	Yellow fever (38a)	Rabies (38b)	1/ Typhus fever and typhus-like diseases (39)	Cancer and other malignant tumors (45-55)	Diabetes mellitus (61)	Berberi (68)	2/ Simple Meningitis (81a)
*1948	2,621	-	40	110	55,933	1,804	6,362	10,485
1947	228	-	16	173	53,047	1,827	8,596	14,143
*1946	NA	NA	NA	2,909	NA	NA	NA	NA
1945	NA	NA	NA	259	NA	NA	NA	NA
1944	NA	NA	NA	622	NA	NA	NA	NA
1943	NA	7	6	183	52,678	2,477	6,480	30,088
1942	NA	1	3	66	52,936	2,619	6,684	29,723
1941	NA	-	4	37	51,972	2,657	6,677	30,014
1940	NA	-	6	41	50,940	2,762	7,186	31,609
1939	NA	-	2	38	51,129	2,795	9,567	35,631
1938	NA	-	3	39	50,447	3,043	12,712	36,748
1937	NA	1	4	32	50,648	2,812	10,627	36,188
1936	NA	-	3	25	49,212	2,629	11,097	36,905
1935	NA	-	4	38	49,111	2,527	10,062	37,615
1934	NA	-	2	47	47,972	2,718	11,494	39,924
1933	NA	1	3	47	46,879	2,589	13,828	42,546
1932	NA	-	4	33	45,258	2,331	11,805	43,586
1931	NA	1	1	22	44,541	2,209	17,767	46,296
1930	NA	2	4	16	44,902	2,247	15,419	47,532
1929	NA	1	12	18	43,734	2,300	15,456	54,097
1928	NA	-	22	14	44,534	2,171	19,036	53,388
1927	NA	2	30	31	42,835	2,173	12,058	55,420
1926	NA	-	80	20	42,588	2,046	12,109	56,759
1925	NA	-	143	26	41,744	1,979	13,909	58,540
1924	NA	2	235	14	41,312	1,963	18,333	68,466
1923	NA	5	174	39	41,810	1,873	26,796	73,489
1922	NA	NA	79	43	40,813	1,904	19,162	69,585
1921	NA	NA	54	77	40,578	1,890	22,675	68,293
1920	NA	NA	48	90	40,328	1,725	14,239	69,207

See footnotes at end of table.

TABLE 13. - DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	9/Intracranial lesions of vascular origin (83)	10/Diseases of the heart (90-95)	11/ Bronchitis (106)	12/ Pneumonia (all forms) (107-109)	Pleurisy not specified as tuberculosis (110)	13/ Ulcer of stomach or duodenum (117)
*1948	94,906	45,254	26,024	53,428	7,733	20,802
1947	101,095	48,575	34,923	101,601	10,822	25,908
*1946	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA
1943	120,985	45,428	23,268	116,494	17,929	17,106
1942	125,349	43,487	22,416	106,022	18,049	14,911
1941	125,124	42,543	22,047	104,073	18,081	12,900
1940	127,847	45,542	22,572	111,077	20,059	12,923
1939	130,826	47,442	25,115	131,542	21,681	13,222
1938	126,861	47,461	26,178	118,153	20,980	13,279
1937	118,761	42,822	24,030	108,256	18,842	12,322
1936	118,152	42,910	26,120	112,204	18,036	11,977
1935	114,554	39,902	24,240	105,078	17,025	11,276
1934	114,447	42,519	27,024	124,117	17,811	11,329
1933	110,719	40,111	25,397	106,247	17,577	10,524
1932	107,378	38,973	27,628	112,681	17,560	10,056
1931	107,352	41,867	30,364	129,380	17,677	9,701
1930	104,942	41,138	27,950	101,046	16,581	9,190
1929	108,439	41,532	31,875	121,181	17,189	8,689
1928	102,985	39,907	32,672	125,787	16,144	8,610
1927	101,705	38,971	33,308	119,960	16,003	8,030
1926	98,688	37,949	31,341	108,106	15,179	7,837
1925	96,293	36,895	35,520	129,129	16,278	7,769
1924	102,810	40,676	35,797	123,403	16,755	7,391
1923	94,615	42,184	36,188	119,263	16,115	7,142
1922	91,433	37,312	51,759	112,642	16,111	6,386
1921	90,523	37,420	52,049	113,709	14,903	6,704
1920	88,186	35,540	52,656	175,674	14,008	6,245

See footnotes at end of table.

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	14/ Diarrhea, enteritis and ulceration of intestines (all ages) (119-120)	15/ Diarrhea, enteritis and ulceration of intestines (under 2 years) (119)	16/ Diarrhea, enteritis and ulceration of intestines (2 years and over) (120)	A-rendicitis (121)	17/ Nephritis (130-132)
*1948	83,979	48,813	35,136	3,828	36,824
1947	101,454	55,485	45,969	4,424	45,017
*1946	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA
1943	105,811	53,057	52,754	2,291	49,708
1942	96,801	48,657	48,144	2,360	51,108
1941	96,724	47,098	49,626	2,237	49,900
1940	108,367	45,212	59,155	2,577	54,703
1939	112,828	52,965	59,863	2,701	58,799
1938	116,956	58,465	58,491	2,672	61,996
1937	119,991	66,698	53,293	2,695	56,285
1936	121,133	70,539	50,594	2,553	57,771
1935	112,113	64,298	47,815	2,440	56,026
1934	127,853	74,812	53,041	2,609	59,553
1933	130,751	79,914	50,837	2,532	59,986
1932	137,351	82,422	54,929	2,648	61,360
1931	140,062	83,482	56,580	2,530	64,241
1930	142,583	85,652	56,931	2,598	63,435
1929	156,736	93,500	63,236	2,661	65,391
1928	146,359	86,978	59,381	2,586	62,884
1927	149,793	91,087	58,706	2,646	60,034
1926	141,200	87,280	53,920	2,559	59,581
1925	142,161	84,857	57,304	2,626	59,873
1924	151,718	87,597	64,121	2,692	62,227
1923	165,082	92,172	71,910	2,763	62,574
1922	153,321	87,273	66,048	2,817	60,870
1921	154,679	87,991	66,688	2,879	59,788
1920	142,091	79,325	62,766	2,624	55,546

See footnotes at end of table

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

YEAR	18/ Diseases of pregnancy, childbirth, puerperium (140-150)	Conceutal malformations (157)	Conceutal debility (158)	Premature birth (159)	Injury et birth (160)	19/ Senility (162)	Suicide (163-164)
*1948	4,480	5,781	38,323	13,754	1,007	64,503	12,921
1947	4,488	4,990	41,751	14,597	885	78,953	12,262
*1946	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA
1943	4,542	3,781	51,941	5,084	447	99,636	8,784
1942	4,586	3,897	52,096	5,152	459	96,488	9,393
1941	4,929	3,670	52,376	5,284	443	90,215	9,713
1940	5,070	3,507	54,939	5,267	291	90,098	9,677
1939	4,818	3,718	57,124	5,165	314	95,466	10,785
1938	4,877	3,916	60,568	5,410	381	98,772	12,223
1937	5,444	4,295	63,387	5,929	441	84,766	14,295
1936	5,384	4,308	67,986	6,328	407	91,936	15,423
1935	5,698	4,333	64,369	5,685	425	79,240	14,172
1934	5,709	4,198	68,604	5,654	401	87,323	14,554
1933	5,763	4,381	67,498	5,071	361	83,197	14,805
1932	5,530	2,785	59,389	NA	NA	77,529	14,746
1931	5,667	2,823	61,448	NA	NA	85,650	14,353
1930	5,681	2,815	59,288	NA	NA	76,591	13,942
1929	5,867	3,018	65,424	NA	NA	79,181	12,740
1928	5,997	3,070	63,901	NA	NA	77,251	13,032
1927	5,765	3,002	64,132	NA	NA	74,664	12,845
1926	5,721	3,353	67,227	NA	NA	67,576	12,484
1925	6,309	3,075	67,019	NA	NA	70,065	12,249
1924	6,273	2,797	69,551	NA	NA	74,003	11,261
1923	6,897	2,177	73,748	NA	NA	76,579	11,488
1922	6,565	1,284	NA	NA	NA	75,957	11,546
1921	7,181	1,306	NA	NA	NA	75,654	11,358
1920	7,158	1,251	NA	NA	NA	73,468	10,630

See footnotes at end of table.

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948-Cont'd.

Year	Homicide (165-168)	Accidental deaths (169-195)	20/ Ill-defined and unknown (200a and c)	All other causes
*1948	1,594	39,529	17,646	132,711
1947	1,314	38,471	20,147	157,587
*1946	NA	NA	NA	NA
1945	NA	NA	NA	NA
1944	NA	NA	NA	NA
1943	226	33,476	31,638	142,182
1942	282	31,087	31,738	140,100
1941	238	28,742	30,931	134,612
1940	299	28,328	33,008	142,092
1939	253	29,262	35,180	149,198
1938	435	31,637	36,255	151,173
1937	450	30,095	32,819	148,010
1936	468	30,080	37,838	149,320
1935	427	28,874	33,600	144,784
1934	423	31,830	37,339	146,805
1933	461	29,953	37,955	147,280
1932	451	26,637	40,992	144,643
1931	491	25,165	44,611	147,555
1930	395	26,176	41,137	147,723
1929	395	26,529	45,486	154,580
1928	422	25,939	45,485	151,845
1927	444	29,215	42,958	150,503
1926	457	25,526	39,115	149,711
1925	429	24,893	40,787	152,202
1924	419	25,699	43,243	161,373
1923	371	71,298	45,867	164,383
1922	441	25,436	72,611	234,093
1921	330	24,438	72,450	237,768
1920	365	26,056	73,809	237,736

See footnotes on next page.

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES:

*Data for 1946 and 1948 are provisional.

1/ Data for 1920-1942 refer to deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to deaths of Japanese nationals in Japan Proper, Okinawa and Karafuto. Total deaths for the period 1944-1946 refer to deaths of Japanese nationals in Japan. Data for specific causes of death, 1944-1946, refer to deaths among Japanese nationals and foreigners in Japan Proper and are limited to the civilian population only. All other death statistics include military personnel in the country. Data for 1947 and 1948 refer to Japanese nationals in Japan Proper.

All data for 1920-1943, 1947 and 1948 are based upon tabulations of death certificates. Total deaths for the years 1944-1946 are also based upon death certificates. Specific cause data (except tuberculosis) for 1944-1946 are based upon follow-up reports on communicable disease cases. Data for tuberculosis deaths 1944-1946 are estimates prepared by the Ministry of Welfare.

2/ Typhoid fever. 1920-1943: includes typhoid pneumonia. 1944-1946, unknown whether typhoid pneumonia is included. 1947 and 1948, excludes typhoid pneumonia.

3/ Scarlet fever. 1920-1943: includes puerperal scarlet fever. 1944-1946: unknown whether puerperal scarlet fever is included. 1947 and 1948 excludes puerperal scarlet fever.

4/ Diphtheria. 1920-1922 and 1933-1943: excludes diphtheric endocarditis; includes croupous bronchitis and laryngeal croup. 1923-1932: excludes diphtheric endocarditis and croupous bronchitis; includes laryngeal croup. 1944-1946: unknown whether diphtheric endocarditis, croupous bronchitis, and laryngeal croup are included. 1947 and 1948 includes diphtheric endocarditis; excludes croupous bronchitis and laryngeal croup.

5/ Tuberculosis (all forms). 1920-1943: includes chronic pleuro pneumonia and all adenopathy; excludes spondylitis. 1947 and 1948: excludes chronic pleuro pneumonia and nontubercular adenopathy; includes spondylitis. 1944-1946: are estimates of the Ministry of Welfare.

6/ Syphilis. 1920-1922: excludes general paralysis of the insane and aneurysm of the aorta. 1923-1932: includes general paralysis of the insane, a small amount of non-syphilitic paralytic psychosis, aneurysm of the aorta and a small amount of non-syphilitic aneurysm. 1933-1943: includes general paralysis of the insane, aneurysm of the aorta and a small amount of non-syphilitic aneurysm. 1947 and 1948: includes general paralysis of the insane and aneurysm of the aorta.

7/ Typhus fever and typhus-like diseases. 1920-1943 and 1947 and 1948: includes typhus-like diseases. 1944-1946: excludes typhus-like diseases.

8/ Simple meningitis. 1920-1943: includes acute cerebrospinal meningitis not due to meningococcus. 1947-1948: excludes acute cerebrospinal meningitis not due to meningococcus.

9/ Intracranial lesions of vascular origin. 1920-1932: includes alcoholic cerebral apoplexy congestion and a small amount of paralysis not due to intracranial lesions of vascular origin. 1933-1943: includes alcoholic cerebral apoplexy and congestion. 1947 and 1948: excludes alcoholic apoplexy and congestion.

TABLE 13. 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920-1948 - Cont'd.

- 10/ Diseases of the heart. 1920-1943: includes diphtheric endocarditis. 1947 and 1948: excludes diphtheric endocarditis.
11/ Bronchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947 and 1948: includes croupous pneumonia.
12/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia. 1947 and 1948: includes typhoid pneumonia.
13/ Ulcer of stomach or duodenum. 1920-1922: excludes ulcer of duodenum. 1923-1943; 1947 and 1948: includes ulcer of duodenum.
14/ Diarrhea, enteritis and ulceration of the intestines (all ages). 1920-1943: includes malnutrition 1 year of age and over. 1947 and 1948: excludes malnutrition 1 year of age and over.
15/ Diarrhea, enteritis and ulceration of the intestines (under 2 years). 1920-1943: includes malnutrition 1 to 2 years of age. 1947 and 1948: excludes malnutrition 1 to 2 years of age.
16/ Diarrhea, enteritis and ulceration of the intestines (2 years and over). 1920-1943: includes malnutrition, 2 years of age and over. 1947 and 1948 excludes malnutrition, 2 years of age and over.
17/ Nephritis. 1920-1943: includes alcoholic nephritis. 1947 and 1948: excludes alcoholic nephritis.
18/ Diseases of pregnancy, childbirth and the puerperium. 1920-1943: excludes puerperal scarlet fever. 1947 and 1948: includes puerperal scarlet fever.
19/ Senility. 1920-1922: excludes senility with mention of senile dementia, psychosis and paresis. 1923-1943 1947-1948: includes senility with mention of senile dementia.
20/ Ill-defined and unknown. 1920-1922: excludes malnutrition 1 year of age and over. Includes sudden death and found dead. 1923-1943, excludes malnutrition 1 year of age and over. Excludes sudden death and found dead. 1947 and 1948 includes malnutrition 1 year of age and over. Excludes sudden death and found dead.

"NM" indicates data are not available.

A dash (-) indicates no deaths were reported.

SOURCES:

Total deaths and deaths from selected causes:-
 1920-1943: Annual Reports, Cabinet Bureau of Statistics.
 1947: Final Annual Report, Ministry of Welfare.
 1948: Monthly Schedule Reports, Ministry of Welfare.

Total deaths:-
 1944: Unpublished tabulations, Cabinet Bureau of Statistics.
 1945 (Jan-Jul): Unpublished tabulation, Cabinet Bureau of Statistics.

TABLE 13. 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920-1948 - Cont'd.

Total deaths:- Cont'd.

1945 (Aug-Dec): Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, CHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan and of foreigners in Japan Proper.

1946 (Jan-Jun): Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, CHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan Proper.

1946 (Jul-Sep): Monthly Numeric Reports, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, CHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan Proper.

1946 (Oct-Dec): Monthly Schedule Reports, Cabinet Bureau of Statistics.

Deaths from Selected Causes:-

1944 and 1945: Unpublished Annual Reports, Ministry of Welfare.

1946: Weekly Reports, Ministry of Welfare.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948
(Per 100,000 population)

Year	All Causes	2/Typhoid Fever (1)	Paratyphoid Fever (2)	Plague (3)	Cholera (4)	Cerebrospinal Meningitis (6)	Anthrax (7)	2/Scarlet Fever (8)	Whooping Cough (9)	Diphtheria (10)
*1946	1,195.9	1.8	0.2	-	-	0.8	-	0.1	6.0	2.4
1947	1,459.3	3.8	0.4	-	-	1.5	0.0	0.1	21.8	4.3
*1946	1,761.7	7.2	0.6	-	0.7	0.6	NA	0.1	NA	5.2
1945	2,891.7	11.4	0.8	-	-	1.5	NA	0.1	NA	11.2
1944	1,738.6	10.8	0.8	-	-	0.5	NA	0.2	NA	8.5
1943	1,640.8	11.9	0.7	0.0	0.0	0.6	0.0	0.3	12.7	9.6
1942	1,580.8	8.7	0.4	-	-	0.6	0.0	0.3	12.9	7.0
1941	1,570.4	9.4	0.4	-	-	0.7	0.0	0.4	14.7	6.8
1940	1,645.4	9.9	0.4	-	0.0	1.0	0.0	0.5	12.2	6.6
1939	1,774.5	9.7	0.4	-	0.0	1.3	0.0	0.7	14.1	7.4
1938	1,766.4	11.0	0.4	-	0.0	0.8	0.0	0.6	12.5	5.8
1937	1,701.3	10.0	0.4	-	0.0	0.7	0.0	0.6	15.5	6.0
1936	1,752.5	9.8	0.4	-	-	0.9	0.0	0.7	13.9	6.2
1935	1,677.8	10.5	0.3	-	-	1.0	0.0	0.7	17.6	6.4
1934	1,807.7	11.9	0.5	-	-	0.9	0.0	0.7	12.5	7.7
1933	1,771.5	11.4	0.5	-	-	0.4	0.0	0.6	9.1	8.1
1932	1,770.1	10.5	0.6	-	0.0	0.2	0.0	0.5	22.1	6.8
1931	1,897.4	12.5	0.5	-	-	0.3	0.0	0.5	12.6	7.0
1930	1,816.7	13.0	0.6	-	0.0	0.3	0.0	0.5	11.5	6.3
1929	1,986.2	12.6	0.6	0.0	0.2	0.3	0.0	0.4	15.5	7.4
1928	1,972.4	14.0	0.7	-	0.0	0.3	0.0	0.4	18.2	7.0
1927	1,968.1	12.7	0.8	-	0.0	0.3	0.0	0.4	14.8	6.4
1926	1,909.1	16.1	0.7	0.0	0.0	0.4	0.0	0.5	12.0	6.0
1925	2,026.7	16.8	0.7	-	0.6	0.5	0.0	0.5	14.2	6.0
1924	2,130.6	23.9	1.0	0.0	-	2.3	0.0	0.2	17.4	6.0
1923	2,289.5	22.2	1.2	0.0	0.1	0.7	0.1	0.2	14.6	5.8
1922	2,242.1	21.7	1.3	0.1	0.9	1.0	0.0	0.2	10.9	6.2
1921	2,272.6	21.1	1.2	0.0	0.1	0.8	0.0	0.2	12.3	6.8
1920	2,541.1	21.6	1.4	0.0	6.1	1.0	0.0	0.2	14.2	6.6

See footnotes at end of table.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd

(Per 100,000 population)

Year	Tuberculosis (all forms)		Leprosy		Glanders		Dysentery		Malaria		Syphilis		Influenza		Smallpox		Measles	
	(13-22)	(13-22)	(23)	(23)	(26 a)	(26 a)	(27)	(27)	(28)	(28)	(30)	(30)	(33)	(33)	(34)	(34)	(35)	(35)
*1948	2.7	181.1	0.2	0.2	-	-	6.6	6.6	0.3	0.3	5.5	5.5	0.6	0.6	0.0	0.0	7.1	7.1
1947	2.8	187.5	0.2	0.2	-	-	12.3	12.3	0.6	0.6	5.7	5.7	2.4	2.4	0.1	0.1	26.8	26.8
*1946	NA	264.2	NA	NA	NA	NA	17.6	17.6	NA	NA	NA	NA	NA	NA	3.8	3.8	NA	NA
1945	NA	280.0	NA	NA	NA	NA	28.8	28.8	NA	NA	NA	NA	NA	NA	0.4	0.4	NA	NA
1944	NA	240.2	NA	NA	NA	NA	15.4	15.4	NA	NA	NA	NA	NA	NA	0.1	0.1	NA	NA
1943	2.7	230.8	0.2	0.2	-	-	17.0	17.0	0.3	0.3	10.6	10.6	4.6	4.6	0.1	0.1	29.4	29.4
1942	2.5	218.8	0.2	0.2	-	-	19.4	19.4	0.3	0.3	10.7	10.7	5.4	5.4	0.1	0.1	9.2	9.2
1941	2.4	210.9	0.3	0.3	-	-	22.3	22.3	0.2	0.2	10.6	10.6	5.9	5.9	0.1	0.1	20.0	20.0
1940	2.6	212.4	0.4	0.4	-	-	30.6	30.6	0.3	0.3	10.7	10.7	4.4	4.4	0.1	0.1	7.1	7.1
1939	2.4	215.9	0.4	0.4	-	-	34.8	34.8	0.3	0.3	11.3	11.3	8.2	8.2	0.0	0.0	20.5	20.5
1938	2.5	209.0	0.5	0.5	-	-	30.9	30.9	0.3	0.3	12.3	12.3	10.7	10.7	0.0	0.0	7.0	7.0
1937	2.7	203.7	0.6	0.6	-	-	27.8	27.8	0.1	0.1	13.3	13.3	4.2	4.2	0.0	0.0	15.3	15.3
1936	2.8	206.8	0.6	0.6	-	-	23.8	23.8	0.1	0.1	13.4	13.4	12.4	12.4	0.0	0.0	7.5	7.5
1935	3.1	190.8	0.7	0.7	0.0	0.0	23.0	23.0	0.1	0.1	13.5	13.5	4.4	4.4	0.0	0.0	14.2	14.2
1934	3.2	192.6	0.7	0.7	0.0	0.0	22.7	22.7	0.1	0.1	13.7	13.7	14.8	14.8	0.1	0.1	14.3	14.3
1933	3.4	188.0	0.8	0.8	-	-	22.1	22.1	0.1	0.1	14.2	14.2	7.1	7.1	0.1	0.1	12.5	12.5
1932	3.7	179.5	0.8	0.8	-	-	20.4	20.4	0.1	0.1	14.4	14.4	8.1	8.1	0.1	0.1	9.4	9.4
1931	3.7	186.4	1.0	1.0	0.0	0.0	19.9	19.9	0.1	0.1	15.1	15.1	24.0	24.0	0.0	0.0	20.9	20.9
1930	3.9	185.6	1.0	1.0	0.0	0.0	20.2	20.2	0.1	0.1	15.2	15.2	8.1	8.1	0.0	0.0	9.3	9.3
1929	4.2	194.5	1.0	1.0	-	-	21.1	21.1	0.2	0.2	16.2	16.2	13.4	13.4	0.0	0.0	25.3	25.3
1928	4.4	190.8	1.1	1.1	-	-	19.2	19.2	0.3	0.3	17.5	17.5	15.4	15.4	0.2	0.2	17.7	17.7
1927	4.5	193.6	1.2	1.2	-	-	16.6	16.6	0.3	0.3	17.6	17.6	13.2	13.2	0.1	0.1	21.8	21.8
1926	4.7	185.9	1.3	1.3	0.0	0.0	14.0	14.0	0.3	0.3	18.3	18.3	7.6	7.6	0.3	0.3	17.3	17.3
1925	4.9	194.1	1.3	1.3	0.0	0.0	12.6	12.6	0.2	0.2	17.9	17.9	18.1	18.1	0.1	0.1	25.8	25.8
1924	5.1	193.9	1.4	1.4	0.0	0.0	14.7	14.7	0.3	0.3	18.5	18.5	11.1	11.1	0.5	0.5	20.3	20.3
1923	5.5	203.1	1.6	1.6	0.0	0.0	16.2	16.2	0.3	0.3	19.6	19.6	11.2	11.2	0.7	0.7	22.8	22.8
1922	5.0	218.7	1.7	1.7	0.0	0.0	15.9	15.9	0.3	0.3	16.2	16.2	22.1	22.1	0.2	0.2	16.8	16.8
1921	5.4	212.9	1.9	1.9	0.0	0.0	13.9	13.9	0.4	0.4	18.4	18.4	18.2	18.2	0.4	0.4	24.5	24.5
1920	5.5	223.7	2.0	2.0	-	-	14.6	14.6	0.4	0.4	18.2	18.2	193.7	193.7	1.3	1.3	13.4	13.4

See footnotes at end of table.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES, JAPAN, 1920 - 1948 - Cont'd
(Per 100,000 population)

Year	Japanese B ^a encephalitis (37b)	Yellow fever (38a)	Rabies (38b)	7/ Typhus Fever & typhus-like diseases (39)	Cancer & other malignant tumors (45-55)	Diabetes (61)	Beriberi (68)	Simple Meningitis (81a)	2/ Intracranial lesions of vascular origin (83)	Diseases of the heart (90-95)
*1948	3.3	-	0.0	0.1	69.7	2.2	7.9	13.1	118.3	61.4
1947	0.3	-	0.0	0.2	68.0	2.3	11.0	18.1	129.6	62.3
*1946	NA	NA	NA	3.9	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	0.4	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	0.9	NA	NA	NA	NA	NA	NA
1943	NA	0.0	0.0	0.2	70.9	3.3	8.7	40.5	162.8	61.1
1942	NA	0.0	0.0	0.1	71.7	3.5	9.1	40.3	169.8	58.9
1941	NA	-	0.0	0.1	71.0	3.6	9.1	41.0	170.9	58.1
1940	NA	-	0.0	0.1	70.6	3.8	10.0	43.8	177.3	63.2
1939	NA	-	0.0	0.1	71.5	3.9	13.4	49.8	183.0	66.4
1938	NA	-	0.0	0.1	70.9	4.3	17.9	51.6	178.2	66.7
1937	NA	0.0	0.0	0.0	71.3	4.0	15.0	51.0	167.3	60.3
1936	NA	-	0.0	0.0	70.1	3.7	15.8	52.6	168.3	61.1
1935	NA	-	0.0	0.1	70.9	3.6	14.5	54.3	165.4	57.6
1934	NA	-	0.0	0.1	70.2	4.0	16.8	58.5	167.6	62.3
1933	NA	0.0	0.0	0.1	69.6	3.8	20.5	63.1	164.3	59.5
1932	NA	-	0.0	0.0	68.2	3.5	17.8	65.6	161.7	58.7
1931	NA	0.0	0.0	0.0	68.1	3.4	27.2	70.8	164.1	64.0
1930	NA	0.0	0.0	0.0	69.7	3.5	23.9	73.8	162.8	63.8
1929	NA	0.0	0.0	0.0	68.9	3.6	24.3	85.2	170.8	65.4
1928	NA	-	0.0	0.0	71.0	3.5	30.4	85.1	164.3	63.6
1927	NA	0.0	0.0	0.1	69.4	3.5	19.5	89.8	164.8	63.2
1926	NA	-	0.1	0.0	70.0	3.4	19.9	93.4	162.3	62.4
1925	NA	-	0.2	0.0	69.9	3.3	23.3	98.0	161.2	66.8
1924	NA	0.0	0.4	0.0	70.1	3.3	31.1	116.2	174.5	69.1
1923	NA	0.0	0.3	0.1	71.8	3.2	46.0	126.3	162.6	72.5
1922	NA	NA	0.1	0.1	71.1	3.3	33.4	121.2	159.3	65.0
1921	NA	NA	0.1	0.1	71.6	3.3	40.0	120.4	159.7	66.0
1920	NA	NA	0.1	0.2	72.1	3.1	25.4	123.7	157.6	65.5

See footnotes at end of table.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd
(Per 100,000 population)

Year	11/ Bronchitis (106)	12/ Pneumonia (all forms) (107-109) (110)	13/ Pleurisy(not specified as tuberculosis) (110)	14/ Ulcer of the stomach or duo- denum (117)	15/ Diarrhea, enteritis & ulceration of intes- tines (all ages)(119-120)(under 2 years)(119)	16/ Diarrhea, enteritis & ulceration of intes- tines (2 yrs. & over) (120)
1948	32.4	66.6	9.6	25.9	104.7	43.8
1947	44.8	130.3	13.9	33.2	130.1	58.9
*1946	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA
1943	31.3	156.8	24.1	23.0	142.4	71.4
1942	30.4	143.7	24.5	20.2	131.2	65.2
1941	30.1	142.2	24.7	17.6	132.1	64.3
1940	31.3	154.0	27.8	17.9	150.3	68.2
1939	35.1	184.0	30.3	18.5	157.8	74.1
1938	36.8	165.9	29.5	18.7	164.3	82.2
1937	33.8	152.5	26.5	17.4	169.0	93.9
1936	37.2	159.8	25.7	17.1	172.6	100.5
1935	35.0	151.7	24.6	16.3	161.9	92.8
1934	39.6	181.7	26.1	16.6	187.2	109.5
1933	37.7	176.6	26.1	15.6	194.0	118.6
1932	41.6	169.7	26.4	15.1	206.9	124.1
1931	46.4	157.8	27.0	14.8	214.2	127.6
1930	43.3	156.8	25.7	14.3	221.2	132.9
1929	50.2	190.8	27.1	13.7	246.8	147.2
1928	52.1	200.6	25.7	13.7	233.4	138.7
1927	54.0	194.4	25.9	13.0	242.8	147.6
1926	51.5	177.8	25.0	12.9	232.2	143.6
1925	59.5	216.2	27.2	13.0	238.0	142.1
1924	60.8	209.5	28.4	12.5	257.6	148.7
1923	62.2	204.9	27.7	12.3	283.6	160.1
1922	90.2	196.2	28.1	11.1	267.1	152.0
1921	91.8	200.5	26.3	11.8	272.8	155.2
1920	94.1	313.9	25.0	11.2	253.9	141.7

See footnotes at end of table.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd

Year	Appendicitis (121)	Nephritis (130-132)	18/Diseases of pregnancy, childbirth, puerperium (140-150)	Congenital malformations (157)	Congenital Debility (158)	Premature Birth (159)	Injury at Birth (160)	19/ Senility (162)
*1948	4.8	45.9	5.6	7.2	47.8	17.1	1.3	80.4
1947	5.7	57.7	5.8	6.4	53.5	18.7	1.1	101.2
*1946	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA
1943	3.1	66.9	6.1	5.1	69.9	6.8	0.6	134.1
1942	3.2	69.3	6.2	5.3	70.6	7.0	0.6	130.7
1941	3.1	68.2	6.7	5.0	71.6	7.2	0.6	123.2
1940	3.6	75.9	7.0	4.9	76.2	7.3	0.4	124.9
1939	3.8	82.2	6.7	5.2	79.9	7.2	0.4	133.5
1938	3.8	87.1	6.8	5.5	85.1	7.6	0.5	136.7
1937	3.8	79.3	7.7	6.0	89.3	8.4	0.6	119.4
1936	3.6	82.3	7.7	6.1	96.8	9.0	0.6	131.0
1935	3.5	80.9	8.2	6.3	92.9	8.2	0.6	114.4
1934	3.8	87.2	8.4	6.1	100.4	8.3	0.6	127.9
1933	3.8	89.0	8.6	6.5	100.1	7.5	0.5	123.4
1932	4.0	92.4	8.3	4.2	89.4	NA	NA	116.8
1931	3.9	98.2	8.7	4.3	94.0	NA	NA	131.0
1930	4.0	98.4	8.8	4.4	92.0	NA	NA	118.8
1929	4.2	103.0	9.2	4.8	103.0	NA	NA	124.7
1928	4.1	100.3	9.6	4.9	101.9	NA	NA	123.2
1927	4.3	97.3	9.3	4.9	103.9	NA	NA	121.0
1926	4.2	98.0	9.4	5.5	110.6	NA	NA	111.1
1925	4.4	100.2	10.6	5.1	112.2	NA	NA	117.3
1924	4.6	105.6	10.7	4.7	118.1	NA	NA	125.6
1923	4.7	107.5	11.9	3.7	126.7	NA	NA	131.6
1922	4.9	106.0	11.4	2.2	NA	NA	NA	132.3
1921	5.1	105.4	12.7	2.3	NA	NA	NA	133.4
1920	4.7	99.3	12.8	2.2	NA	NA	NA	133.3

See footnotes at end of table.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd
(Per 100,000 population)

Year	Suicide	Homicide (165-168)	Accidental Deaths (169-195)	20/ Un-defined and unknown (200 a and e)	All other causes
* 1948	16.1	2.0	49.3	22.0	165.5
1947	15.7	1.7	49.3	25.8	202.0
* 1946	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA
1943	11.8	0.3	45.1	42.6	191.4
1942	12.7	0.4	42.1	43.0	189.8
1941	13.3	0.3	39.3	42.3	183.9
1940	13.7	0.4	39.3	45.8	197.0
1939	15.1	0.4	40.9	49.2	208.7
1938	17.2	0.6	44.4	50.9	212.3
1937	20.1	0.6	42.4	46.2	208.5
1936	22.0	0.7	42.8	53.9	212.7
1935	20.5	0.6	41.7	48.5	209.1
1934	21.3	0.6	46.6	54.7	214.9
1933	22.0	0.7	44.4	56.3	218.5
1932	22.2	0.7	40.1	61.7	217.8
1931	21.9	0.8	38.5	68.2	225.6
1930	21.6	0.6	40.6	63.8	229.2
1929	20.1	0.6	41.8	71.6	243.4
1928	20.8	0.7	41.4	72.5	242.2
1927	20.8	0.7	47.4	69.6	243.9
1926	20.5	0.8	42.0	64.3	246.2
1925	20.5	0.7	41.7	68.3	254.8
1924	19.1	0.7	43.6	73.4	274.0
1923	19.7	0.6	42.5	78.8	282.4
1922	20.1	0.8	44.3	126.5	407.8
1921	20.0	0.6	43.1	127.8	419.3
1920	15.0	0.7	46.6	132.0	424.8

See footnotes on next page.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Footnotes:

* Data for 1946 and 1948 are provisional.

- 1/ Rates are the number of deaths per 100,000 population, estimated as of 1 October 1920-1945 and 1 July 1946, 1947 and 1948. Estimated populations include civilian and military in Japan and Okinawa, 1920-1943. Death rates for "all causes", 1944-1945 are based upon the estimated total population (including military personnel) in Japan Proper. Rates for specific causes of death, 1944-1945 are based upon the estimated civilian population only. Rates for "all causes" and specific causes, 1946-1948 are based upon the estimated total population in Japan Proper. (There were no military personnel during this period).
- 2/ Typhoid fever, 1920-1943; includes typhoid pneumonia. 1944-1946, unknown whether typhoid pneumonia is included. 1947 and 1948 excludes typhoid pneumonia.
- 3/ Scarlet fever. 1920-1943; includes puerperal scarlet fever. 1944-1946; unknown whether puerperal scarlet fever is included. 1947 and 1948 excludes puerperal scarlet fever.
- 4/ Diphtheria. 1920-1922 and 1933-1943; excludes diphtheric endocarditis; includes croupous bronchitis and laryngeal group. 1923-1932; excludes diphtheric endocarditis and croupous bronchitis; includes laryngeal group. 1944-1946; unknown whether diphtheric endocarditis, croupous bronchitis and laryngeal group are included. 1947 and 1948; includes diphtheric endocarditis; excludes croupous bronchitis and laryngeal group.
- 5/ Tuberculosis (all forms). 1920-1943; includes chronic pleuro pneumonia; includes spondylitis; includes all adenopathy. 1947 and 1948; excludes chronic pleuro pneumonia; includes spondylitis; excludes nontubercular adenopathy. 1944-1946; are estimates of the Ministry of Welfare.
- 6/ Syphilis. 1920-1922; excludes general paralysis of the insane; excludes aneurysm of the aorta. 1923-1932; includes general paralysis of the insane, a small amount of non-syphilitic paralytic psychosis, aneurysm of the aorta and a small amount of non-syphilitic aneurysm. 1933-1943; includes general paralysis of the insane, aneurysm of the aorta and a small amount of non-syphilitic aneurysm. 1947 and 1948; includes general paralysis of the insane and aneurysm of the aorta.
- 7/ Typhus fever and typhus-like diseases. 1920-1943 and 1947 and 1948; includes typhus-like diseases. 1944-1946; excludes typhus-like diseases.
- 8/ Simple meningitis. 1920-1943; includes acute cerebrospinal meningitis not due to meningococcus. 1947-1948; excludes acute cerebrospinal meningitis not due to meningococcus.
- 9/ Intracranial lesions of vascular origin. 1920-1932; includes alcoholic cerebral apoplexy and congestion and a small amount of paralysis not due to intracranial lesions of vascular origin. 1933-1943; includes alcoholic cerebral apoplexy and congestion. 1947 and 1948; includes alcoholic apoplexy and congestion.
- 10/ Diseases of the heart. 1920-1943; includes diphtheric endocarditis. 1947 and 1948; excludes diphtheric endocarditis.

Footnotes - Cont'd.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920-1948

- 11/ Bronchitis. 1920-1922 and 1939-1943: excludes croupous bronchitis. 1923-1932 and 1947-1948: includes croupous bronchitis.
- 12/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia. 1947 and 1948: includes typhoid pneumonia.
- 13/ Ulcer of stomach or duodenum. 1920-1922: excludes ulcer of duodenum. 1923-1943; 1947-1948: includes ulcer of duodenum.
- 14/ Diarrhea, enteritis and ulceration of the intestines (all ages). 1920-1943: includes malnutrition 1 year of age and over. 1947 and 1948: excludes malnutrition 1 year of age and over.
- 15/ Diarrhea, enteritis and ulceration of the intestines (under 2 years). 1920-1943: includes malnutrition 1 to 2 years of age. 1947 and 1948: excludes malnutrition 1 to 2 years of age.
- 16/ Diarrhea, enteritis and ulceration of the intestines (2 years and over). 1920-1943: includes malnutrition, 2 years of age and over. 1947 and 1948: excludes malnutrition, 2 years of age and over.
- 17/ Nephritis. 1920-1943: includes alcoholic nephritis. 1947 and 1948: excludes alcoholic nephritis.
- 18/ Diseases of pregnancy, childbirth and the puerperium. 1920-1943: excludes puerperal scarlet fever. 1947 and 1948: includes puerperal scarlet fever.
- 19/ Senility. 1920-1922: excludes senility with mention of senile dementia, psychosis and paresis. 1923-1943 and 1947-1948: includes senility with mention of senile dementia.
- 20/ Ill-defined and unknown. 1920-1922: excludes malnutrition 1 year of age and over. Includes sudden death and found dead. 1923-1943, excludes malnutrition 1 year of age and over. Excludes sudden death and found dead. 1947 and 1948: includes malnutrition 1 year of age and over. Excludes sudden death and found dead.

*N/A indicates data are not available.

Δ dash (-) indicates that no deaths were reported.

Δ rate of 0.0 indicates that there were some deaths but that the rate was less than 0.1.

Sources:

Rates computed by Public Health and Welfare Section, CHQ, SCAP.

Sources of original data are as follows:

Total deaths:-

1944: Unpublished tabulations, Cabinet Bureau of Statistics.

1945 (Jan-Jul): Unpublished tabulations, Cabinet Bureau of Statistics.

1945 (Aug-Dec): Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare

Section, CHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan and of foreigners in Japan Proper.

1946 (Jan-Jun): Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare

Section, CHQ, SCAP to exclude deaths of Japanese nationals outside Japan Proper.

Footnotes - Cont'd.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920-1948

Total deaths - Cont'd.

1946 (Jul-Sep): Monthly Numeric Reports, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, CHQ, SCAP to exclude deaths of Japanese nationals outside Japan Proper.
1946 (Oct-Dec): Monthly Schedule Reports, Cabinet Bureau of Statistics.

Total deaths and deaths from selected causes:-

1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1947: Final Annual Report, Ministry of Welfare
1948: Monthly Schedule Reports, Ministry of Welfare.

Deaths from selected causes:-

1944 and 1945: Unpublished Annual Reports, Ministry of Welfare.
1946: Weekly Reports, Ministry of Welfare.

TABLE 15. - 1/ DEATHS FROM THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948*

List No.	Cause	1948	1947	1943	1942	1941	1940	1939	1938	1937
13-22	2/ Tuberculosis (all forms)	145,256	146,241	171,473	161,484	154,344	153,154	154,371	148,827	144,620
83	3/ Intracranial lesions of vascular origin	94,906	101,095	120,985	125,349	125,124	127,847	130,826	126,861	118,761
119-120	4/ Diarrhea, enteritis and ulceration of intestines	83,979	101,454	105,811	96,801	96,724	108,367	112,828	116,956	119,991
162	5/ Senility	64,503	78,953	99,636	96,488	90,215	90,098	95,466	98,772	84,766
45-55	Cancer and other malignant tumors	55,933	53,047	52,678	52,936	51,972	50,940	51,129	50,447	50,648
107-109	6/ Pneumonia (all forms)	53,428	101,601	116,494	106,022	104,073	111,077	131,542	118,153	108,256
90-95	7/ Diseases of the heart	49,254	48,575	45,428	43,487	42,543	45,542	47,442	47,461	42,822
169-195	Accidental deaths	39,529	38,471	33,476	31,087	28,742	28,328	29,262	31,637	30,095
158	Congenital debility	38,323	41,751	51,941	52,096	52,376	54,939	57,124	60,568	63,387
130-132	8/ Nephritis (all forms)	36,824	45,017	49,708	51,108	49,900	54,703	58,799	61,996	56,285
200a &c	9/ Ill-defined and unknown causes	17,646	20,147	31,638	31,738	30,931	33,008	35,180	36,255	32,819
81a	10/ Simple meningitis	10,485	14,143	30,086	29,723	30,014	31,609	35,631	36,748	36,188
106	11/ Bronchitis	26,024	34,923	23,268	22,416	22,047	22,572	25,115	26,178	24,030
33	Influenza	516	1,503	3,412	3,981	4,351	3,164	5,848	7,646	2,991

See footnotes at end of table.

TABLE 15. - 1/ DEATHS FROM THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948 - Cont'd.

List No.	Cause	1936	1935	1934	1933	1932	1931	1930	1929	1928
13-22	2/Tuberculosis(all forms)	145,160	132,151	131,525	126,703	119,196	121,875	119,635	123,490	119,632
83	3/Intracranial lesions of vascular origin	118,152	114,554	114,447	110,719	107,378	107,352	104,942	108,439	102,985
119-120	4/Diarrhea, enteritis and ulceration of intestine	121,133	112,113	127,853	130,751	137,351	140,062	142,583	156,736	146,359
162	5/Senility	91,936	79,240	87,323	83,197	77,529	85,650	76,591	79,181	77,251
45-55	Cancer and other malignant tumors	49,212	49,111	47,972	46,879	45,258	44,541	44,902	43,734	44,534
107-109	6/Pneumonia(all forms)	112,204	105,078	124,117	106,247	112,681	129,380	101,046	121,181	125,787
90-95	7/Diseases of the heart	42,910	39,902	42,519	40,111	38,973	41,867	41,138	41,532	39,907
169-195	Accidental deaths	30,080	28,874	31,890	29,953	26,637	25,165	26,176	26,529	25,939
158	Congenital debility	67,986	64,369	68,604	67,498	59,389	61,448	59,288	65,424	63,901
130-132	8/Nephritis (all forms)	57,771	56,026	59,553	59,986	61,360	64,241	63,435	65,391	62,884
200a-c	9/ill-defined and unknown causes	37,838	33,600	37,339	37,955	40,992	44,611	41,137	45,486	45,185
81a	10/Simple meningitis	36,905	37,615	39,924	42,546	43,586	46,296	47,532	54,097	53,388
106	11/Bronchitis	26,120	24,240	27,024	25,397	27,628	30,364	27,930	31,875	32,672
33	Influenza	8,670	3,070	10,142	4,765	5,370	15,673	5,207	8,480	9,669

See footnotes at end of table.

TABLE 15. - 1/ DEATHS FROM THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948* - Cont'd.

List No.	Cause	1927	1926	1925	1924	1923	1922	1921	1920
13-22	2/Tuberculosis(all forms)	119,439	113,045	115,956	114,229	118,216	125,506	120,719	125,165
83	3/Intracranial lesions of vascular origin	101,705	98,688	96,293	102,810	94,615	91,433	90,523	88,186
119-120	4/Diarrhea, enteritis and ulceration of intestine	149,793	141,200	142,161	151,718	165,082	153,321	154,679	142,091
162	5/Septic	74,664	67,576	70,065	74,003	76,579	75,957	75,654	73,468
45-55	Cancer and other malignant tumors	42,835	42,588	41,744	41,312	41,810	40,813	40,578	40,328
107-109	6/Pneumonia (all forms)	119,960	108,106	129,129	123,403	119,263	112,642	113,709	175,674
90-95	7/Diseases of the heart	38,971	37,949	39,895	40,676	42,184	37,312	37,420	35,540
169-195	Accidental deaths	29,215	25,526	24,893	25,699	71,298	25,436	24,438	26,056
158	Congenital debility	64,132	67,227	67,019	69,551	73,748	NA	NA	NA
130-132	8/Nephritis (all forms)	60,034	59,581	59,873	62,227	62,574	60,870	59,788	55,546
200a &c	9/ill-defined and unknown causes	42,958	39,115	40,787	43,243	45,867	72,611	72,450	73,899
81a	10/Simple meningitis	55,420	56,759	58,540	68,466	73,489	69,585	68,293	69,207
106	11/Bronchitis	33,308	31,341	35,520	35,797	36,188	51,759	52,049	52,656
33	Influenza	8,151	4,610	10,806	6,512	6,520	12,688	10,304	108,428

See footnotes on next page.

TABLE 15. - 1/ DEATHS FROM THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948*

FOOTNOTES:

* Data for 1944-1946 are not available.

** Data for 1948 are provisional.

- 1/ Data for 1920-1942 refer to deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to deaths of Japanese nationals in Japan Proper, Okinawa and Karafuto. Data for 1947 and 1948 refer to Japanese nationals in Japan Proper.
- 2/ Tuberculosis (all forms). 1920-1943: includes chronic pleuro pneumonia and all adenopathy; excludes spondylitis. 1947 and 1948: excludes chronic pleuro pneumonia and nontubercular adenopathy; includes spondylitis.
- 3/ Intracranial lesions of vascular origin. 1920-1922: includes alcoholic cerebral apoplexy and congestion and a small amount of paralysis not due to intracranial lesions of vascular origin. 1933-1943: includes alcoholic cerebral apoplexy and congestion. 1947 and 1948: excludes alcoholic apoplexy and congestion.
- 4/ Diarrhea, enteritis and ulceration of intestines (all ages). 1920-1943: includes malnutrition 1 year of age and over. 1947 and 1948: excludes malnutrition 1 year of age and over.
- 5/ Senility. 1920-1922: excludes senility with mention of senile dementia, psychosis and paresis. 1923-1943 and 1947-1948: includes senility with mention of senile dementia.
- 6/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia. 1947 and 1948: includes typhoid pneumonia.
- 7/ Diseases of the heart. 1920-1943: includes diphtheric endocarditis. 1947 and 1948: excludes diphtheric endocarditis.
- 8/ Nephritis. 1920-1943: includes alcoholic nephritis. 1947 and 1948: excludes alcoholic nephritis.
- 9/ Ill-defined and unknown. 1920-1922: excludes malnutrition 1 year of age and over. Includes sudden death and found dead. 1923-1943: excludes malnutrition 1 year of age and over, sudden death and found dead. 1947 and 1948: includes malnutrition 1 year of age and over. Excludes sudden death and found dead.
- 10/ Simple meningitis. 1920-1943: includes acute cerebrospinal meningitis not due to meningococcus. 1947 and 1948: excludes acute cerebrospinal meningitis not due to meningococcus.
- 11/ Franchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947-1948: includes croupous bronchitis.

*NA indicates data are not available.

SOURCES:

- 1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1947: Final Annual Report, Ministry of Welfare.
1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 16 - ^{1/}DEATH RATES FOR THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948*
(Rates per 100,000 Population)

List No.	Cause	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937
13-22	2/Tuberculosis (all forms)	181.1	187.5	230.8	218.8	210.9	212.4	215.9	209.0	203.7	
83	3/Intracranial lesions of vascular origin	118.3	129.6	162.8	169.8	170.9	177.3	183.0	178.2	167.3	
119-120	4/Diarrhea, enteritis and ulceration of intestines	104.7	130.1	142.4	131.2	132.1	150.3	157.8	164.3	169.0	
162	5/Senility	80.4	101.2	134.1	130.7	123.2	124.9	133.5	138.7	119.4	
45-55	Cancer and other malignant tumors	69.7	68.0	70.9	71.7	71.0	70.6	71.5	70.9	71.3	
107-109	6/Pneumonia (all forms)	66.6	130.3	156.8	143.7	142.2	154.0	184.0	165.9	152.5	
90-95	7/Diseases of the heart	61.4	62.3	61.1	58.9	58.1	63.2	66.4	66.7	60.3	
169-195	Accidental deaths	49.3	49.3	45.1	42.1	39.3	39.3	40.9	44.4	42.4	
158	Congenital debility	47.8	53.5	69.9	70.6	71.6	76.2	79.9	85.1	89.3	
130-132	8/Nephritis (all forms)	45.9	57.7	66.9	69.3	68.2	75.9	82.2	87.1	79.3	
200 a & c	9/All-defined and unknown causes	22.0	25.8	42.6	43.0	42.3	45.8	49.2	50.9	46.2	
81a	10/Simple Meningitis	13.1	18.1	40.5	40.3	41.0	43.8	49.8	51.6	51.0	
106	11/Bronchitis	32.4	44.8	31.3	30.4	30.1	31.3	35.1	36.8	33.8	
33	Influenza	0.6	2.4	4.6	5.4	5.9	4.4	8.2	10.7	4.2	

See footnotes at end of table

TABLE 16 - 1/DEATH RATES FOR THE TEN LEADING CAUSES OF DEATH, JAPAN, 1920 - 1948* - Cont'd
(Rates per 100,000 Population)

List No.	Cause	1936	1935	1934	1933	1932	1931	1930	1929	1928
13-22	2/Tuberculosis (all forms)	206.8	190.8	192.6	188.0	179.5	186.4	185.6	194.5	190.8
83	3/Intracranial lesions of vascular origin	168.3	165.4	167.6	164.3	161.7	164.1	162.8	170.8	164.3
119-120	4/Diarrhea, enteritis and ulceration of intestines	172.0	161.9	167.2	194.0	206.9	214.2	221.2	246.8	233.4
162	5/Senility	131.0	114.4	127.9	123.4	116.8	131.0	118.8	124.7	123.2
45-55	Cancer and other malignant tumors	70.1	70.9	70.2	69.6	68.2	68.1	69.7	68.9	71.0
107-109	6/Pneumonia (all forms)	159.8	151.7	181.7	157.6	169.7	197.8	156.8	190.8	200.6
90-95	7/Diseases of the heart	61.1	57.6	62.3	59.5	58.7	64.0	63.8	65.4	63.6
169-195	Accidental deaths	42.8	41.7	46.6	44.4	46.1	38.5	40.6	41.8	41.4
158	Congenital debility	96.8	92.9	100.4	100.1	89.4	94.0	92.0	103.0	101.9
130-132	8/Nephritis (all forms)	82.3	80.9	87.2	89.0	92.4	98.2	98.4	103.0	100.3
200a & c	9/ill-defined and unknown causes	53.9	48.5	54.7	56.3	61.7	68.2	63.8	71.6	72.5
81a	10/Simple meningitis	52.6	54.3	58.5	63.1	65.6	70.8	73.8	85.2	85.1
106	11/Bronchitis	37.2	35.0	39.6	37.7	41.6	46.4	43.3	50.2	52.1
33	Influenza	12.4	4.4	14.8	7.1	8.1	24.0	8.1	13.4	15.4

See footnotes at end of table

TABLE 16 - 1/DEATH RATES FOR THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948* Cont'd
(Rates per 100,000 Population)

List No.	Cause	1927	1926	1925	1924	1923	1922	1921	1920
13-22	2/Tuberculosis (all forms)	193.6	185.9	194.1	193.9	203.1	218.7	212.9	223.7
83	3/Intracranial lesions of vascular origin	164.8	162.3	161.2	174.5	162.6	159.3	159.7	157.6
119-120	4/Diarrhea, enteritis and ulceration of intestines	242.8	232.2	238.0	257.6	283.6	267.1	272.8	253.9
162	5/Senility	121.0	111.1	117.3	125.6	131.6	132.3	133.4	131.3
45-55	Cancer and other malignant tumors	69.4	70.0	69.9	70.1	71.8	71.1	71.6	72.1
107-109	6/Pneumonia (all forms)	194.4	177.8	216.2	209.5	204.9	196.2	200.5	313.9
90-95	7/Diseases of the heart	63.2	62.4	66.8	69.1	72.5	65.0	66.0	63.5
169-195	Accidental deaths	47.4	42.0	41.7	43.6	122.5	44.3	43.1	46.6
158	8/Congenital debility	103.9	110.6	112.2	118.1	126.7	NA	NA	NA
130-132	9/Nephritis (all forms)	97.3	98.0	100.2	105.6	107.5	106.0	105.4	99.3
200a & c	9/ill-defined and unknown causes	69.6	64.3	68.3	73.4	78.8	126.5	127.8	132.0
81a	10/Simple meningitis	89.8	93.4	98.0	116.2	126.3	121.2	120.4	123.7
106	11/Bronchitis	54.0	51.5	59.5	60.8	62.2	90.2	91.8	94.1
33	Influenza	13.2	7.6	18.1	11.1	11.2	22.1	18.2	193.7

See footnotes on next page

TABLE 16. - 1/DEATH RATES FOR THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948* Cont'd.
(rates per 100,000 Population)

FOOTNOTES:

* Data for 1944-1946 are not available.

** Data for 1948 are provisional.

- 1/ Rates are the number of deaths per 100,000 population, estimated as of 1 October 1920-1943 and 1 July 1947 and 1948. Estimated populations include civilian and military in Japan and Okinawa, 1920-1943: Civilian population in Japan Proper, 1947 and 1948.
- 2/ Tuberculosis (all forms). 1920-1943: includes chronic pleuro pneumonia and all adenopathy; excludes spondylitis. 1947 and 1948: excludes chronic pleuro pneumonia and nontubercular adenopathy; includes spondylitis.
- 3/ Intracranial lesions of vascular origin. 1920-1932: includes alcoholic cerebral apoplexy and congestion and a small amount of paralysis not due to intracranial lesions of vascular origin. 1933-1943: includes alcoholic cerebral apoplexy and congestion. 1947 and 1948: excludes alcoholic apoplexy and congestion.
- 4/ Diarrhea, enteritis and ulceration of intestines (all ages). 1920-1943: includes malnutrition 1 year of age and over. 1947 and 1948: excludes malnutrition 1 year of age and over.
- 5/ Senility. 1920-1922: excludes senility with mention of senile dementia, psychosis and paresis. 1923-1943 and 1947-1948: includes senility with mention of senile dementia.
- 6/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia. 1947 and 1948: includes typhoid pneumonia.
- 7/ Diseases of the heart. 1920-1943: includes diphtheric endocarditis. 1947 and 1948: excludes diphtheric endocarditis.
- 8/ Nephritis. 1920-1943: includes alcoholic nephritis. 1947 and 1948: excludes alcoholic nephritis.
- 9/ Ill-defined and unknown. 1920-1922: excludes malnutrition 1 year of age and over. Includes sudden death and found dead. 1923-1943, excludes malnutrition 1 year of age and over, sudden death and found dead. 1947 and 1948: includes malnutrition 1 year of age and over. Excludes sudden death and found dead.
- 10/ Simple meningitis. 1920-1943: includes acute cerebrospinal meningitis not due to meningococcus. 1947 and 1948: excludes acute cerebrospinal meningitis not due to meningococcus.
- 11/ Bronchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947-1948: includes croupous bronchitis. "NM" indicates data are not available.

SOURCES:

Rates computed by Public Health and Welfare Section, CHQ, SCAP.
Sources of original data are as follows:
1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1947: Final Annual Report, Ministry of Welfare.
1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 17. - RANK ORDER OF THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948*

List No.	**	1948	1947	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1922	1921	1920
13-22		1	1	1	1	1	1	1	1	1	1	1	1	2	2	3	2	2	3	3	2	3	3	3	2	2	3
83		2	4	2	2	2	2	3	2	3	3	2	4	3	4	4	3	4	4	4	4	4	4	4	4	4	5
119-120		3	3	4	4	4	4	4	4	2	2	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2
162		4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	7
45-55		5	6	6	6	7	8	8	8	8	8	8	8	8	8	8	9	10	10	10	9	9	10	10	10	10	10
107-109		6	2	3	3	3	3	2	3	4	4	4	3	4	3	2	4	3	2	2	3	2	2	2	3	3	1
90-95		7	7	9	9	9	9	9	9	9	9	9	9	10		10											
169-195		8	10	10																							
158		9	9	7	7	6	6	7	7	6	6	6	6	6	7	7	7	6	6	6	6	6	6	6	6	6	6
130-132		10	8	8	8	8	7	6	6	7	7	7	7	7	6	6	6	7	7	7	7	7	8	9	8	8	9
200a & c					10	10	10				10				10	9		9	9	9	10	10	9	10	6	6	6
81a								10	10	10		10	10	9	9	8	8	8	8	8	8	8	7	7	7	7	8
106																									9	9	10
33																											4

See footnotes on next page.

TABLE 17. - RANK ORDER OF THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948* - Cont'd.

FOOTNOTES:

*Data for 1944-1946 are not available.

**Data for 1948 are provisional.

"NA" indicates data are not available.

TABLE 18. - DEATHS BY AGE: JAPAN, 1920-1947

Year	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Unknown age
1947	1,138,238	328,663	30,103	16,553	36,556	55,246	43,131	39,989	38,002	36,919	41,186	46,531	56,201	369,021	237
1946	1,326,592	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	2,113,798	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	1,279,639	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	1,219,073	340,894	29,760	20,488	55,885	57,034	46,191	40,889	37,069	39,649	40,455	47,689	60,421	403,659	-
1942	1,166,630	311,084	29,978	21,030	55,229	56,310	46,099	39,424	35,869	37,195	38,635	46,102	59,155	390,300	-
1941	1,149,559	311,871	31,298	21,781	55,938	54,688	45,026	37,266	34,343	34,475	36,601	45,590	57,482	369,310	-
1940	1,186,595	325,307	34,895	25,606	61,010	55,987	47,567	38,128	36,115	35,651	38,030	49,278	60,062	378,959	-
1939	1,268,760	368,731	39,734	27,330	63,405	58,652	49,153	38,487	37,550	36,897	39,454	49,949	65,074	394,080	54
1938	1,259,805	365,852	36,552	27,172	62,117	60,499	49,478	37,599	37,195	36,303	39,265	48,967	64,697	394,051	58
1937	1,207,899	386,506	35,367	25,280	56,686	59,173	46,939	35,441	34,693	33,155	37,006	46,081	59,764	351,734	74
1936	1,230,278	388,633	33,358	25,173	55,511	60,707	46,938	36,527	34,367	33,443	37,976	47,449	61,523	368,696	77
1935	1,161,936	379,695	33,806	22,998	50,030	56,723	42,718	34,823	32,109	31,445	36,893	46,644	58,969	335,021	62
1934	1,234,684	413,175	35,229	24,086	50,790	58,536	43,659	36,785	33,854	33,058	38,070	48,417	61,105	357,316	614
1933	1,193,987	405,781	33,119	22,585	50,824	57,123	41,806	35,542	32,720	32,657	36,716	47,654	58,166	339,225	69
1932	1,175,344	409,581	33,108	21,758	49,238	54,555	39,921	34,689	31,982	32,046	36,781	47,477	56,479	327,667	62
1931	1,240,891	433,769	34,109	21,963	52,762	56,307	41,392	35,170	33,043	34,357	39,249	50,171	57,250	351,398	51
1930	1,170,867	404,088	33,023	21,961	52,133	53,147	40,389	32,787	30,463	32,702	38,136	47,719	52,415	331,856	48
1929	1,261,228	467,823	36,138	22,781	54,020	52,923	41,131	33,519	31,270	33,541	38,852	48,555	51,565	349,068	42
1928	1,236,711	458,933	33,375	22,425	52,704	51,345	40,754	33,149	31,261	33,085	39,533	47,872	49,779	344,456	50
1927	1,218,363	457,757	31,940	22,905	52,746	49,634	39,424	31,287	30,535	32,763	38,831	45,532	49,097	331,832	60
1926	1,166,734	438,419	30,167	22,475	49,733	47,510	39,368	30,368	28,598	34,598	38,038	43,126	47,753	312,523	109
1925	1,210,706	461,419	31,913	24,192	50,200	49,963	38,124	31,155	31,944	34,767	39,438	42,225	50,370	324,912	78
1924	1,254,916	475,615	32,595	25,726	50,927	52,504	39,301	32,267	32,782	36,088	40,148	42,041	54,277	340,539	136
1923	1,332,485	505,750	36,219	30,915	59,053	59,249	44,317	37,627	36,098	39,321	41,912	42,152	55,335	343,231	346
1922	1,286,941	492,060	34,832	27,444	54,368	55,996	40,695	34,064	34,255	37,123	39,279	41,492	51,853	347,453	27
1921	1,288,570	504,054	35,735	26,194	52,611	53,700	40,027	34,622	34,250	37,544	37,562	41,534	49,027	341,332	45
1920	1,422,096	517,822	45,914	29,835	66,424	70,906	59,762	53,189	48,152	47,137	41,572	47,657	50,882	313,393	51

See footnotes on next page.

TABLE 18. - DEATHS BY AGE: JAPAN, 1920-1947

FOOTNOTES:

1/ Data for 1920-1942 refer to deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to deaths of Japanese nationals in Japan Proper, Okinawa and Karafuto. Data for 1944-1947 refer to deaths of Japanese nationals in Japan Proper only.

All data include military personnel in the country.

"NA" indicates data are not available.

SOURCE:

1920-1943 and 1947; Special Report, Health Statistics, Ministry of Welfare.

1944-1946; Totals only are available. See source Table 3.

TABLE 19. - DEATH RATES BY AGE: JAPAN, 1920 - 1947
(Rates per 1,000 population)

Year	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
1947	14.5	33.8	3.3	1.9	4.4	7.8	7.8	7.5	7.7	8.7	10.6	14.8	21.1	62.6
1946	17.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	29.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	17.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	16.5	36.0	3.4	2.4	7.0	10.1	9.5	7.8	8.4	9.4	11.7	16.2	23.5	68.2
1942	15.9	33.4	3.4	2.5	7.2	10.1	8.9	7.5	8.2	9.2	11.5	15.7	23.8	66.8
1941	15.8	35.7	3.5	2.6	7.4	9.7	8.3	7.2	7.9	8.8	11.1	15.8	23.2	64.3
1940	16.6	35.9	4.0	3.1	8.3	10.3	8.8	7.8	8.3	9.4	12.0	17.2	23.7	67.4
1939	17.9	40.9	4.6	3.3	8.6	11.0	9.9	8.1	8.5	9.8	12.4	17.4	25.3	71.3
1938	17.8	39.7	4.2	3.3	8.7	11.1	9.5	8.1	8.6	9.8	12.4	17.4	25.0	72.7
1937	17.2	41.6	4.1	3.1	8.2	10.2	8.6	7.7	8.1	9.3	11.7	16.6	23.2	66.2
1936	17.7	41.7	3.9	3.2	8.3	10.2	8.7	8.0	8.3	9.5	12.2	17.2	24.0	70.6
1935	16.8	40.7	4.0	3.0	7.5	9.3	8.2	7.5	7.9	9.2	11.9	16.5	22.9	65.0
1934	18.1	44.6	4.2	3.2	7.9	9.7	8.6	8.0	8.6	9.9	12.4	17.1	24.0	70.8
1933	17.7	44.1	4.0	3.1	7.8	9.5	8.5	7.8	8.4	9.8	12.2	16.7	23.4	68.5
1932	17.7	45.3	4.0	3.1	7.6	9.3	8.2	7.8	8.5	9.6	12.3	16.6	23.3	67.5
1931	19.0	48.0	4.3	3.2	8.0	9.8	8.7	8.1	8.9	10.4	13.2	17.6	24.3	73.2
1930	18.2	44.8	4.3	3.2	8.0	9.6	8.4	7.8	8.5	10.0	12.5	16.9	23.7	69.3
1929	19.8	52.1	4.7	3.5	8.3	9.8	8.6	8.1	8.9	10.3	12.7	17.3	24.4	73.0
1928	19.7	52.0	4.5	3.3	8.3	9.9	8.6	8.2	8.9	10.4	12.9	17.4	24.4	72.1
1927	19.7	52.9	4.4	3.4	8.4	9.7	8.5	8.0	8.7	10.4	12.6	17.0	24.1	71.3
1926	19.1	51.7	4.3	3.3	8.1	9.5	8.3	7.9	8.7	10.3	12.4	16.6	24.0	67.6
1925	20.3	55.8	4.6	3.6	8.5	9.9	8.7	8.4	9.3	10.8	12.9	17.2	25.3	70.8
1924	21.3	57.6	4.9	3.9	8.9	10.4	9.2	8.8	9.6	11.2	13.3	18.0	26.3	75.2
1923	22.9	63.1	5.6	4.7	10.7	11.9	10.5	10.0	10.7	12.1	14.2	18.6	26.5	76.5
1922	22.4	63.2	5.1	4.2	10.0	11.4	9.9	9.3	10.3	11.4	13.6	18.3	26.3	76.1
1921	22.7	66.5	5.2	4.1	9.8	11.3	9.9	9.5	10.3	11.5	13.8	18.7	25.7	75.0
1920	25.4	69.4	6.7	4.9	12.3	15.4	15.2	14.7	14.1	14.5	15.6	21.1	27.7	74.7

See footnotes on next page.

TABLE 19. - DEATH RATES BY AGE: JAPAN, 1920 - 1947
(Rates per 1,000 population)

FOOTNOTES - Table 19

1/ Rates are per 1,000 population as of 1 October each year. Population data (Table 2) and death data (Table 18) for the years 1920-1935 refer to comparable areas (Japan including Okinawa). On the other hand, a small, unavailable error will be found in the rates for the years 1936-1943 due to the fact that the death data for that period include Okinawa and the population data exclude Okinawa. All data for 1944-1947 refer only to Japan Proper.

"NA" indicates data are not available.

Sources: Rates were computed by Public Health and Welfare Section, PHC, CCAF. Sources of original data are as follows:
Population (all ages) for years 1936-1947; Research and Programs Division, PHC, CCAF. Population (all ages) for years 1920-1935 and age-group distribution 1920-1943 and 1947; Institute of Population Problems, Ministry of Welfare. See footnotes on Table No. 2.
Death data: 1920-1943 and 1947; Special Report, Health Statistics, Ministry of Welfare.
1944-1946; Totals only are available. See source, Table 3.

1/
TABLE 20. - DEATHS FROM TUBERCULOSIS (ALL FORMS) BY AGE: JAPAN, 1920 - 1948

Year	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Unknown age
1948	115,256	6,029	3,194	3,264	14,539	29,592	22,532	16,815	12,994	9,570	7,003	6,366	5,143	7,223	92
1947	116,241	6,232	3,634	3,673	16,793	29,945	21,695	16,972	12,670	9,134	7,495	5,890	4,879	7,157	82
1946	198,900	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1945	203,600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1944	176,800	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1943	171,473	6,206	3,217	5,951	32,116	34,962	25,017	17,462	11,435	8,843	6,899	5,881	4,941	8,403	-
1942	161,484	4,913	3,109	6,519	31,988	32,156	24,164	16,199	10,354	7,893	5,869	5,183	4,392	7,425	-
1941	154,344	5,152	3,455	7,104	31,949	32,351	23,009	14,696	9,407	7,024	5,266	4,699	3,934	6,278	-
1940	153,154	5,014	3,823	8,008	33,170	31,030	22,924	13,965	9,074	6,378	5,164	4,565	3,695	6,294	-
1939	154,371	5,907	4,223	8,813	33,364	31,331	22,605	13,466	9,158	6,416	4,936	4,503	3,760	5,885	4
1938	148,827	5,287	3,939	8,726	31,457	30,630	22,081	12,768	8,875	6,296	5,042	4,386	3,835	5,551	-
1937	144,620	5,494	3,852	8,549	29,817	30,356	21,170	12,399	8,611	5,977	4,904	4,287	3,754	5,447	3
1936	145,160	5,290	3,950	8,629	28,754	30,477	21,306	12,775	8,421	6,235	5,132	4,504	4,016	5,667	4
1935	132,151	5,142	3,948	7,641	25,125	28,398	18,917	11,635	7,659	5,543	5,002	4,207	3,606	5,235	3
1934	131,525	5,210	3,715	7,356	24,747	28,374	18,625	11,851	7,711	5,655	4,858	4,451	3,734	5,236	2
1933	126,703	4,755	3,536	6,892	24,314	27,043	17,723	11,417	7,589	5,669	4,771	4,308	3,617	5,095	4
1932	119,196	4,619	3,425	6,546	23,199	25,368	16,337	10,751	6,906	5,362	4,564	4,022	3,329	4,826	2
1931	121,875	4,898	3,692	6,620	24,661	25,559	16,015	10,515	6,886	5,519	4,687	4,358	3,377	4,986	2
1930	119,635	4,751	3,740	6,973	24,849	24,473	16,187	9,936	6,495	5,436	4,667	4,175	3,108	4,882	3
1929	123,400	5,673	3,979	7,290	25,865	24,507	16,418	10,285	6,773	5,506	4,673	4,257	3,176	5,091	2
1928	119,632	5,251	3,650	7,098	24,852	23,173	16,317	9,945	6,608	5,354	4,811	4,247	3,111	5,184	1
1927	119,439	5,469	3,475	7,313	25,111	22,776	15,920	9,596	6,805	5,448	4,981	4,156	3,193	5,195	1
1926	113,045	5,260	3,445	6,987	23,304	21,176	14,754	9,096	6,485	5,332	4,882	4,001	3,101	5,128	4
1925	115,956	5,694	3,692	7,565	23,136	21,981	14,743	9,186	5,950	5,604	4,922	3,927	3,308	5,242	6
1924	114,229	5,968	3,749	7,793	22,034	21,661	14,490	9,153	6,736	5,522	4,944	3,793	3,375	5,023	8
1923	118,216	6,099	4,041	8,249	22,638	22,639	14,771	9,343	6,792	5,846	4,800	3,870	3,530	5,303	5
1922	125,506	7,481	4,473	8,930	23,672	23,673	15,274	9,943	7,276	6,152	5,151	4,090	3,582	5,808	1
1921	120,719	7,855	4,477	8,670	22,161	22,093	14,520	9,732	7,091	6,094	4,957	4,140	3,478	6,048	3
1920	125,165	8,041	4,871	8,482	23,848	22,067	14,620	10,149	7,641	6,446	4,792	4,290	3,404	6,492	2

See footnotes on next page.

1/

TABLE 20. - DEATHS FROM TUBERCULOSIS (ALL FORMS) BY AGE: JAPAN, 1920 - 1948

FOOTNOTES - Table 20

1/ Tuberculosis (all forms) (International List Number 13-22). 1920-1943: includes chronic pleuro-pneumonia and all adenopathy; excludes spondylitis. 1947-1948: excludes chronic pleuro pneumonia and nontubercular adenopathy; includes spondylitis. 1944-1946: estimates furnished by the Ministry of Welfare.

Data for 1920-1942 refer to deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to deaths of Japanese nationals in Japan Proper, Okinawa and Karafuto. Data for 1944-1948 refer to Japanese nationals in Japan Proper.

All data include military personnel in the country.

Source: Special Report, Health Statistics, Ministry of Welfare.

TABLE 21. - DEATH RATES FOR TUBERCULOSIS (ALL FORMS) BY AGE: JAPAN, 1920 - 1947
(Rates per 100,000 population)

Year	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
1947	186.0	64.1	39.7	41.4	201.9	421.2	392.2	327.5	257.8	216.4	192.9	186.8	183.3	121.4
1946	261.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	280.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	239.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	231.8	66.0	36.5	69.6	403.8	617.4	514.5	334.1	258.4	214.6	198.9	203.7	192.5	141.9
1942	219.9	52.8	35.0	77.0	410.1	600.7	466.7	310.6	237.2	194.8	173.5	177.0	176.5	127.1
1941	212.2	56.5	39.1	84.7	420.7	575.5	426.4	285.3	217.4	179.1	161.0	162.7	158.6	109.3
1940	214.1	55.4	43.7	96.1	452.8	571.6	424.0	287.1	207.4	167.9	162.6	159.7	145.7	112.0
1939	217.6	65.5	48.4	105.5	448.6	585.1	454.5	282.8	208.5	170.0	155.5	157.0	146.0	106.4
1938	210.8	57.3	45.3	106.6	439.3	561.0	425.0	274.2	204.5	168.7	159.3	156.3	148.4	102.5
1937	205.5	59.1	44.8	106.3	430.6	522.9	389.5	270.4	201.4	167.1	155.3	154.7	145.6	102.4
1936	208.6	56.8	46.3	110.1	427.8	510.0	396.9	280.7	203.3	178.0	164.6	163.6	156.9	108.5
1935	190.8	55.1	46.3	99.4	378.3	467.8	361.0	251.2	189.3	162.7	160.7	151.7	140.2	101.5
1934	192.6	56.3	44.0	96.5	385.9	470.4	365.1	257.5	195.0	168.9	158.1	156.9	146.7	103.7
1933	189.2	51.7	42.9	92.9	375.2	451.8	359.7	251.5	195.2	169.4	158.4	151.1	145.4	102.9
1932	179.8	51.0	41.9	92.1	355.8	429.5	337.2	240.8	183.6	160.4	153.0	141.0	137.1	99.3
1931	186.4	54.2	46.2	95.8	375.7	443.7	334.8	242.5	188.9	166.5	157.5	153.3	143.6	103.8
1930	185.6	52.7	48.2	102.5	380.0	442.4	334.7	235.8	181.2	165.4	151.9	147.5	140.2	102.0
1929	194.3	63.2	51.6	110.7	399.7	455.1	342.5	249.1	192.9	169.4	153.2	151.4	150.6	106.5
1928	191.0	59.5	49.0	106.0	389.7	445.4	344.8	245.4	188.3	167.8	157.7	154.6	152.6	109.2
1927	193.7	63.2	48.1	108.3	401.6	446.6	341.9	245.0	194.1	172.2	162.0	154.8	157.0	111.6
1926	186.2	62.0	49.0	103.0	381.7	421.7	326.2	236.4	186.8	168.9	159.3	157.0	156.0	110.8
1925	194.1	68.9	53.3	112.3	393.1	434.4	335.6	247.2	201.5	173.9	161.1	160.2	166.2	114.2
1924	193.8	72.3	56.1	116.5	385.1	429.2	337.5	250.3	197.4	170.7	163.4	161.9	163.6	110.9
1923	203.1	76.1	59.5	125.1	416.0	453.5	349.2	255.1	200.7	180.1	162.1	171.0	169.3	118.2
1922	218.5	96.1	65.2	138.0	436.8	482.8	372.2	271.2	218.6	188.5	177.7	180.9	181.9	128.7
1921	213.0	103.6	64.8	127.6	413.7	464.6	359.0	267.6	213.2	187.4	176.1	186.3	181.5	132.9
1920	223.7	107.8	71.0	139.0	440.1	478.7	372.6	281.2	224.0	199.3	180.2	192.0	185.0	141.2

See footnotes on next page.

TABLE 21. - DEATH RATES FOR TUBERCULOSIS (ALL FORMS) BY AGE: JAPAN, 1920 - 1947
(Rates per 100,000 population)

FOOTNOTES:

1/ Rates are per 100,000 population as of 1 October each year.

Population data (Table 2) and tuberculosis death data (Table 20) for the years 1920-1935 refer to comparable areas (Japan including Okinawa). On the other hand, a small unavoidable error will be found in the rates for the years 1936-1943, due to the fact that the tuberculosis death data for that period include Okinawa and the population data exclude Okinawa. All data for 1944-1947 refer to Japan proper only.

"NA" indicates data are not available.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data are as follows: Population (all ages) for years 1936-1947; Research and Programs Division, ESS, GHQ, SCAP.

Population (all ages) for years 1920-1935 and age-group distribution 1920-1943 and 1947; Institute of Population Problems, Ministry of Welfare. See footnotes on Table No. 2.

Tuberculosis death data: Special Report, Health Statistics, Ministry of Welfare.

TABLE 22. - LIVE BIRTHS, MATERNAL DEATHS AND MATERNAL DEATH RATES:
JAPAN, 1920 - 1948

Year	1/Live Births	2/Maternal Deaths	3/Maternal death rates per 1,000 live births
*1948	2,709,871	4,480	1.7
*1947	2,714,786	4,488	1.7
1946	1,905,809	NA	NA
1945	1,685,583	NA	NA
1944	2,149,843	NA	NA
1943	2,267,292	4,542	2.0
1942	2,216,271	4,547	2.1
1941	2,260,270	4,888	2.2
1940	2,100,164	5,023	2.4
1939	1,885,957	4,760	2.5
1938	1,911,966	4,812	2.5
1937	2,164,949	5,396	2.5
1936	2,086,355	5,324	2.6
1935	2,174,291	5,625	2.6
1934	2,028,289	5,648	2.8
1933	2,106,260	5,705	2.7
1932	2,168,026	5,475	2.5
1931	2,088,608	5,603	2.7
1930	2,070,765	5,616	2.7
1929	2,061,720	5,820	2.8
1928	2,120,493	5,930	2.8
1927	2,045,828	5,684	2.8
1926	2,089,237	5,665	2.7
1925	2,071,560	6,236	3.0
1924	1,984,326	6,215	3.1
1923	2,028,955	6,825	3.4
1922	1,953,560	6,476	3.3
1921	1,976,055	7,105	3.6
1920	2,011,634	7,078	3.5

FOOTNOTES:

*Live birth data for 1947 and 1948 are provisional. Maternal death data for 1948 are provisional.
Rates for 1947 and 1948 are provisional.

1/ Live births of Japanese nationals in Japan Proper except in 1943. Data for 1943 include live births of Japanese nationals in Okinawa and Karafuto as well as Japan Proper. The number of births, in 1943 in Japan Proper only was 2,235,431.

2/ Maternal deaths of Japanese nationals in Japan Proper except in 1943. Data for 1943 include maternal deaths of Japanese nationals in Okinawa and Karafuto as well as in Japan Proper. Maternal deaths in 1943, in Japan Proper are not available.

3/ Rates are the number of maternal deaths per 1,000 live births in the same period. Data refer to Japanese nationals in Japan Proper except for the year 1943 when data for Okinawa and Karafuto are also included.

"NA" indicates data are not available.

FOOTNOTES - Cont'd.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data are as follows:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1944-1945: Unpublished tabulations, Cabinet Bureau of Statistics.

1946: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP.

1947: Birth data are provisional. January-June: Monthly Schedule Reports, Cabinet Bureau of Statistics. July-December: Monthly Schedule Reports, Ministry of Welfare.

1947: Maternal Deaths; Final Annual Report, Ministry of Welfare.

1948: All data are provisional. Monthly Schedule Reports, Ministry of Welfare.

TABLE 23. - CASES OF SELECTED COMMUNICABLE DISEASES,
JAPAN, 1900 - 1948

Year	Population	Paratyphoid		Plague	Cholera	Epidemic Meningitis	Scarlet Fever	Typh- theria	Dysentery	Malaria	Smallpox	Japanese sp. Ence- phalitis	Typhus fever
		typhoid fever	typhoid fever										
1918	80,200,000	9,426	2,892	-	-	2,025	2,024	16,198	14,628	1,040	20	7,208	474
1919	78,000,000	17,820	4,735	-	-	3,371	2,635	28,346	30,210	11,011	201	259	1,114
1920	75,300,000	44,421	9,090	-	1,229	1,468	2,209	26,166	27,757	NA	17,300	NA	1,141
1921	69,900,000	57,933	10,249	-	-	4,384	2,405	85,133	66,442	NA	1,414	NA	2,461
1922	72,600,000	57,449	14,819	-	-	1,468	6,354	94,274	55,196	NA	311	NA	3,041
1923	72,700,000	52,519	12,382	-	-	1,112	9,891	63,751	50,198	NA	547	NA	1,374
1924	72,200,000	35,589	6,218	-	-	822	12,688	44,431	55,785	NA	281	NA	100
1925	71,700,000	40,595	6,233	-	-	1,160	14,007	40,442	58,803	NA	454	NA	87
1926	70,857,300	40,706	6,251	-	-	1,350	10,227	38,303	83,699	NA	195	NA	3
1927	70,400,000	37,437	5,227	-	-	1,622	16,007	35,801	97,259	NA	257	NA	5
1928	70,100,000	42,674	6,100	-	18	985	16,002	28,323	80,221	NA	40	NA	-
1929	69,900,000	38,124	4,439	-	57	497	17,403	28,001	78,286	NA	90	NA	17
1930	69,100,000	46,992	4,775	-	-	1,002	16,707	28,234	52,075	NA	178	NA	1
1931	68,171,566	38,357	4,207	-	-	1,304	16,509	28,200	48,068	NA	112	NA	18
1932	67,700,000	42,595	4,432	-	-	1,117	16,480	30,109	42,052	NA	270	NA	26
1933	66,800,000	38,528	5,305	-	-	350	12,601	28,545	38,040	NA	375	NA	4
1934	65,400,000	35,519	4,322	-	4	246	8,287	21,677	32,051	NA	305	NA	3
1935	64,800,000	33,259	4,094	-	-	280	6,480	21,087	29,555	NA	23	NA	3
1936	63,72,496	41,434	4,530	-	-	275	4,025	18,557	29,680	NA	7	NA	1
1937	62,900,000	37,345	4,211	-	205	395	5,663	19,728	30,253	NA	114	NA	15
1938	61,100,000	42,657	4,608	-	1	295	5,727	17,578	25,195	NA	723	NA	23
1939	61,100,000	27,250	4,747	-	2	302	4,144	15,211	25,130	NA	382	NA	7
1940	60,200,000	4,412	4,425	8	25	408	1,310	13,655	17,132	NA	1,256	NA	36
1941	59,170,200	45,779	5,062	-	624	445	2,572	13,858	14,719	NA	470	NA	28

See footnotes on end of table.

TABLE 23. - CASES OF SELECTED COMMUNICABLE DISEASES:
JAPAN, 1900 - 1948 (cont'd)

Year	Population	Typhoid fever	Para- typhoid fever	Plague	Cholera	Epidemic meningitis	Scarlet fever	Diph- theria	Dysentery	Malaria	Smallpox	Japanese ence- phalitis	Typhus fever
1924	59,300,000	58,368	5,381	7	-	1,348	1,843	13,116	18,647	NA	1,702	NA	14
1923	57,600,000	52,628	5,315	1	4	708	1,562	12,776	20,266	NA	1,922	NA	14
1922	56,800,000	52,419	7,121	118	743	935	1,537	13,737	15,135	NA	679	NA	23
1921	56,100,000	50,133	6,281	2	29	772	1,559	14,522	12,445	NA	999	NA	171
1920	55,391,481	53,925	7,734	22	4,985	948	1,348	15,173	12,738	NA	3,167	NA	64
1919	54,253,200	54,706	7,435	3	2,912	2,458	1,325	14,280	12,915	NA	4,055	NA	228
1918	55,662,900	43,151	5,794	1	-	NA	1,019	15,748	13,098	NA	1,467	NA	229
1917	57,035,100	35,109	5,721	25	894	NA	1,257	17,487	14,942	NA	5,121	NA	210
1916	55,235,000	41,918	6,781	77	10,371	NA	1,056	16,249	22,452	NA	264	NA	606
1915	54,448,200	36,460	7,049	20	-	NA	1,145	19,701	21,137	NA	17	NA	400
1914	53,675,700	35,471	6,997	83	5	NA	1,250	18,343	24,127	NA	485	NA	7,309
1913	52,917,600	27,717	3,869	27	78	NA	1,293	19,137	16,779	NA	108	NA	-
1912	52,167,000	31,528	4,050	-	2,720	NA	1,207	10,251	25,667	NA	14	NA	1
1911	51,435,400	34,138	NA	-	9	NA	1,339	20,094	27,466	NA	202	NA	3
1910	50,504,900	35,587	NA	49	2,849	NA	2,359	19,099	31,961	NA	80	NA	5
1909	49,904,500	25,116	NA	389	328	NA	1,537	18,102	28,006	NA	106	NA	3
1908	49,319,200	24,501	NA	347	452	NA	960	17,780	32,809	NA	18,075	NA	3
1907	48,745,400	25,988	NA	446	3,632	NA	522	14,762	24,942	NA	1,034	NA	8
1906	48,187,500	25,178	NA	498	-	NA	255	14,188	22,277	NA	496	NA	4
1905	47,641,500	22,879	NA	282	-	NA	133	13,261	37,988	NA	278	NA	2
1904	47,108,300	19,635	NA	1	1	NA	102	12,649	22,772	NA	1,188	NA	35
1903	46,597,700	18,652	NA	58	177	NA	123	13,702	30,311	NA	72	NA	8
1902	45,990,000	21,094	NA	14	13,362	NA	125	15,005	34,996	NA	46	NA	22
1901	45,404,700	24,112	NA	3	101	NA	46	14,882	49,635	NA	92	NA	21
1900	44,831,300	22,955	NA	168	270	NA	77	17,075	46,255	NA	111	NA	72

See footnotes on next page.

1/
TABLE 23. - CASES OF SELECTED COMMUNICABLE DISEASES:
JAPAN, 1900 - 1948 (Cont'd)

FOOTNOTES:

* Morbidity data for 1946, 1947, and 1948 are provisional.

1/ Data refers to cases of communicable disease among the civilian population. Data are for Japan Proper and Okinawa, 1900-1937, and for Japan Proper only 1937-1948. Case reporting for Okinawa was very incomplete and the total number of cases may be assumed to be for Japan Proper only. Population data refers to the total population in Japan and Okinawa, 1900-1910, and to the estimated civilian population only in Japan Proper, 1920-1948.

2/ Diphtheria includes group, 1905-1923.

3/ Dysentery includes ekiri, 1922-1948.

"NA" indicates that data are not available.

A dash (-) indicates that no cases were reported.

SOURCES:

1900-1923: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1924.
1924-1934: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1937.
1935-1942: Annual Reports, Ministry of Welfare.
1943-1945: Unpublished Annual Reports, Ministry of Welfare.
1946-1948: Weekly Reports, Ministry of Welfare.

TABLE 24. - CASE RATES FOR SELECTED COMMUNICABLE DISEASES:
JAPAN, 1900 - 1948
(Rates per 100,000 population)

Year	Typhoid		Plague	Cholera	Epidemic		Scarlet	Diphtheria		Dysentery	Malaria	Smallpox	Japanese "B" Ence- phalitis	Typhus Fever
	Fever	Paratyphoid Fever			Meningitis	Fever								
*1948	11.8	3.6	-	-	2.6	3.7	20.3	18.3	6.2	0.0	0.0	0.0	0.0	0.6
*1947	22.9	6.1	-	-	4.3	3.4	36.4	50.5	15.2	0.5	0.3	NA	NA	1.4
*1946	52.2	12.1	-	1.6	2.0	2.9	65.5	77.3	NA	23.7	NA	NA	NA	41.5
1945	89.9	14.7	-	-	6.3	3.4	122.8	138.0	NA	2.3	NA	NA	NA	3.5
1944	79.1	20.4	-	-	2.0	8.8	129.9	76.0	NA	0.4	NA	NA	NA	5.4
1943	72.2	17.0	-	-	1.5	13.6	87.7	69.0	NA	0.8	NA	NA	NA	1.0
1942	49.3	8.6	-	-	1.1	17.6	61.5	77.3	NA	0.5	NA	NA	NA	0.1
1941	56.6	8.7	-	-	1.6	20.9	56.4	82.0	NA	0.9	NA	NA	NA	0.1
1940	57.4	8.8	-	-	1.9	27.3	54.1	118.1	NA	0.8	NA	NA	NA	0.0
1939	53.7	7.4	-	-	2.3	28.3	50.9	138.2	NA	0.4	NA	NA	NA	0.0
1938	60.0	8.7	-	0.0	1.4	27.1	40.4	114.4	NA	0.1	NA	NA	NA	0.0
1937	54.5	6.4	-	0.1	1.2	25.2	40.1	112.0	NA	0.1	NA	NA	NA	0.0
1936	53.5	6.9	-	-	1.5	24.2	40.9	75.4	NA	0.3	NA	NA	NA	0.0
1935	56.3	6.2	-	-	1.9	24.2	41.4	71.8	NA	0.2	NA	NA	NA	0.0
1934	62.9	6.6	-	-	1.8	24.6	44.5	63.4	NA	0.5	NA	NA	NA	0.0
1933	57.7	7.9	-	-	0.5	18.9	42.7	57.0	NA	0.6	NA	NA	NA	0.0
1932	54.0	7.9	-	0.0	0.4	12.5	33.2	49.0	NA	0.5	NA	NA	NA	0.0
1931	59.0	6.3	-	-	0.4	10.0	32.5	45.8	NA	0.0	NA	NA	NA	0.0
1930	64.9	7.1	-	-	0.4	9.4	29.1	46.5	NA	0.0	NA	NA	NA	0.0
1929	59.4	6.7	-	0.3	0.6	9.0	31.4	48.1	NA	0.2	NA	NA	NA	0.0
1928	67.7	7.9	-	0.0	0.5	9.2	28.3	40.6	NA	1.2	NA	NA	NA	0.0
1927	61.5	7.8	-	0.0	0.5	6.8	24.9	35.0	NA	0.6	NA	NA	NA	0.0
1926	72.9	7.4	0.0	0.0	0.7	5.5	22.7	26.5	NA	2.1	NA	NA	NA	0.1
1925	77.4	8.6	-	1.1	0.8	4.3	23.4	24.9	NA	0.7	NA	NA	NA	0.0

1/
TABLE 24. - CASE RATES FOR SELECTED COMMUNICABLE DISEASES:
JAPAN, 1900 - 1948 (Cont'd)
(Rates per 100,000 population)

Year	Typhoid Fever	Paratyphoid Fever	Plague	Cholera	Epidemic Meningitis	Scarlet fever	Diphtheria	3/ Dysentery	Malaria	Smallpox	Japanese "sp." Ence- phalitis	Typhus Fever
1924	100.1	9.2	0.0	-	2.3	3.2	22.5	32.0	NA	2.9	NA	0.0
1923	91.4	9.2	0.0	0.0	1.2	2.7	22.2	35.2	NA	3.3	NA	0.0
1922	92.3	12.5	0.2	1.3	1.6	2.9	24.2	26.6	NA	1.2	NA	0.0
1921	89.4	11.2	0.0	0.1	1.4	2.8	25.9	22.2	NA	1.6	NA	0.3
1920	97.4	14.0	0.0	9.0	1.7	2.5	27.4	23.0	NA	5.7	NA	0.1
1919	97.3	13.2	0.0	5.2	4.4	2.4	25.4	23.0	NA	7.2	NA	0.4
1918	77.5	10.4	0.0	-	NA	1.8	28.3	25.1	NA	2.6	NA	0.4
1917	62.8	10.2	0.0	1.6	NA	2.2	31.2	26.7	NA	9.1	NA	0.4
1916	75.9	12.3	0.1	18.8	NA	1.9	29.4	40.6	NA	0.5	NA	1.1
1915	67.0	12.9	0.0	-	NA	2.1	36.2	38.8	NA	0.0	NA	0.9
1914	66.1	12.8	0.2	0.0	NA	2.3	34.2	48.7	NA	0.9	NA	13.6
1913	52.4	7.3	0.1	0.1	NA	2.4	36.2	31.7	NA	0.2	NA	-
1912	60.4	7.8	-	5.2	NA	2.3	36.9	49.2	NA	0.0	NA	0.0
1911	62.4	NA	-	0.0	NA	2.6	39.1	53.4	NA	0.4	NA	0.0
1910	70.1	NA	0.1	5.6	NA	4.7	37.8	63.3	NA	0.2	NA	0.0
1909	50.3	NA	0.8	0.7	NA	3.1	36.3	56.1	NA	0.2	NA	0.0
1908	49.7	NA	0.7	1.3	NA	1.7	36.1	66.5	NA	36.6	NA	0.0
1907	53.3	NA	1.3	7.5	NA	1.1	30.3	51.2	NA	2.1	NA	0.0
1906	52.2	NA	1.0	-	NA	0.5	29.4	46.2	NA	1.0	NA	0.0
1905	48.0	NA	0.6	-	NA	0.3	27.8	79.7	NA	0.6	NA	0.0
1904	41.7	NA	0.0	0.0	NA	0.2	24.9	48.3	NA	2.5	NA	0.1
1903	40.5	NA	0.1	0.4	NA	0.3	29.4	65.1	NA	0.2	NA	0.0
1902	45.9	NA	0.0	29.1	NA	0.3	32.6	80.4	NA	0.1	NA	0.0
1901	53.1	NA	0.0	0.2	NA	0.1	32.8	109.3	NA	0.2	NA	0.0
1900	53.2	NA	0.4	0.3	NA	0.2	39.9	103.2	NA	0.2	NA	0.2

See footnotes on next page.

1/
TABLE 24. - CASE RATES FOR SELECTED COMMUNICABLE DISEASES;
JAPAN, 1900 - 1948 (Cont'd)

FOOTNOTES:

* Data for 1946, 1947 and 1948 are provisional.

1/ Rates are the number of cases per 100,000 population. Case data refers to the civilian population in Japan Proper and Okinawa, 1900-1936 and to Japan Proper only, 1937-1948. Case data for Okinawa are very incomplete. Rates are based upon the total population in Japan and Okinawa, 1900-1919, and upon the estimated civilian population only in Japan Proper, 1920-1948.

2/ Diphtheria includes croup, 1905-1923.

3/ Dysentery includes ekiri, 1922-1948.

"NA" indicates that data are not available.

A dash (-) indicates that no cases were reported.

A rate of 0.0 indicates that there were some cases but the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of case data are as follows:

1900-1923: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1924.

1924-1934: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1937.

1935-1942: Annual Reports, Ministry of Welfare.

1943-1945: Unpublished Annual Reports, Ministry of Welfare.

1946-1948: Weekly Reports, Ministry of Welfare.

TABLE 25. - 1/ CASSES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Σ/Unknown
TYPHOID FEVER														
*1948	9,426	3/ 553	403	358	425	3/ 928	802	3/ 1,596	1,244	1,013	3/ 895	548	661	-
*1947	17,820	1,100	828	3/ 817	733	3/1,372	1,280	1,733	3/3,812	2,767	1,487	3/ 1,196	698	-
*1946	44,421	2,444	3,149	3/4,542	3,214	3,156	3/5,211	4,000	3/6,256	4,422	2,906	3/ 3,184	1,917	-
1945	57,933	1,699	1,159	1,529	1,898	2,697	3,688	4,895	7,206	10,599	9,716	7,757	5,150	-
1944	57,448	2,468	1,829	2,337	2,682	4,485	4,934	7,092	9,155	8,443	5,801	4,582	3,556	-
1943	52,519	1,892	1,896	2,079	2,296	3,519	4,402	5,793	8,318	8,274	6,281	4,287	3,552	-
1942	35,569	1,861	1,519	1,692	1,913	2,644	3,214	4,344	5,138	4,921	3,559	2,404	2,440	-
1941	40,595	2,155	1,895	2,176	2,261	3,205	4,119	4,777	5,391	4,925	3,710	3,094	2,853	-
1940	40,706	1,909	1,662	1,801	1,769	2,583	2,949	4,265	5,985	6,009	4,909	3,844	3,021	-
1939	37,897	1,751	1,541	1,498	1,803	3,031	3,665	3,623	5,087	5,233	4,409	3,532	2,664	-
1938	42,074	1,849	1,527	1,739	1,934	2,964	3,663	4,737	6,237	6,305	4,599	3,938	2,572	-
1937	38,124	1,854	2,116	2,116	2,009	3,165	3,335	3,677	5,293	5,310	3,904	3,266	2,213	-
1936	36,938	1,389	1,448	1,261	1,576	2,432	3,242	4,183	5,510	5,790	4,670	3,156	2,579	-
1935	38,357	2,169	1,772	1,548	1,574	2,509	3,123	4,510	5,455	5,480	4,721	3,262	2,234	-
1934	42,595	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1933	38,529	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1932	35,519	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1931	38,259	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1930	41,434	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1929	37,345	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1928	42,057	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1927	37,550	1,841	1,430	1,343	1,604	2,026	2,985	3,717	5,678	5,992	4,711	3,485	2,738	-
1926	43,912	4,511	3,520	2,322	1,847	2,340	3,301	4,237	5,300	6,270	4,669	3,302	2,293	-
1925	45,779	2,699	2,212	1,979	1,885	2,303	3,518	4,411	6,194	7,369	5,914	3,993	3,102	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
TYPHOID FEVER - Cont'd														
1924	56,368	3,752	3,509	2,874	2,581	3,265	4,378	6,351	8,462	8,042	6,228	4,323	4,603	-
1923	52,628	1,977	1,682	1,637	1,480	2,415	3,297	4,839	7,225	7,203	8,465	6,719	5,689	-
1922	52,415	1,816	1,475	1,819	2,029	3,012	4,090	5,305	8,353	9,231	8,465	4,892	3,142	-
1921	50,133	2,486	1,864	1,738	1,608	2,603	3,659	5,038	7,666	8,304	6,760	4,736	3,671	-
1920	53,925	1,492	987	1,095	1,257	2,019	3,469	5,961	8,527	10,827	8,128	5,900	4,243	-
1919	54,706	1,563	1,652	1,862	1,901	2,688	4,041	5,408	8,595	10,153	7,656	5,418	3,769	-
1918	43,151	1,410	1,491	2,615	2,924	2,827	2,878	4,096	6,652	8,008	6,381	2,321	1,348	-
1917	35,199	1,426	1,421	1,085	1,173	1,665	1,932	3,260	5,051	5,911	5,686	4,056	2,535	-
1916	41,918	1,953	1,794	1,304	1,372	2,076	2,975	4,867	6,732	7,835	5,326	3,126	2,556	-
1915	36,460	1,688	1,329	1,066	1,250	1,793	2,389	3,611	4,997	6,437	5,439	3,669	2,792	-
1914	35,471	1,317	1,342	2,049	2,104	2,608	2,660	3,381	4,174	5,412	4,591	3,213	2,620	-
1913	27,717	1,251	984	1,034	981	1,355	1,701	2,678	3,900	4,819	4,107	2,916	1,991	-
1912	31,528	1,877	1,388	1,309	1,236	1,633	1,908	3,176	4,747	5,216	4,190	2,803	2,105	-
1911	34,138	1,250	1,116	1,032	1,031	1,482	1,920	3,064	5,315	6,549	4,955	3,742	2,682	-
1910	35,387	1,430	985	1,073	1,522	2,490	2,582	3,205	4,615	6,729	5,380	3,362	2,014	-
1909	25,116	1,031	887	765	790	1,176	1,279	2,260	4,195	4,663	3,733	2,506	1,831	-
1908	24,501	1,066	1,096	845	835	968	1,351	2,328	3,628	4,537	3,672	2,456	1,719	-
1907	25,988	1,060	739	702	920	1,322	1,694	2,573	3,729	4,569	4,087	2,640	1,953	-
1906	25,178	1,173	1,140	984	1,010	1,295	1,656	2,275	3,652	4,011	3,629	2,602	1,751	-
1905	22,879	898	667	575	636	956	1,185	2,114	3,397	4,157	3,609	2,759	1,696	-
1904	19,635	886	756	843	802	1,134	1,227	1,713	2,855	3,035	3,070	2,043	1,271	-
1903	18,652	1,042	770	867	745	924	1,204	1,466	2,595	3,174	2,926	1,852	1,287	-
1902	21,094	1,115	650	760	796	1,065	1,367	2,251	2,638	3,468	3,223	2,163	1,598	-
1901	24,112	1,075	811	712	827	1,395	1,508	2,174	3,236	4,399	3,782	2,499	1,714	-
1900	23,655	1,077	772	586	625	1,233	1,725	2,064	2,996	4,408	3,891	2,651	1,827	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
PARATYPHOID FEVER														
1948	2,892	3/ 191	117	109	145	3/ 321	298	3/ 458	401	311	3/ 248	120	173	-
1947	4,735	224	185	3/ 234	240	3/ 332	398	559	3/ 979	685	418	3/ 275	201	15
**1946	9,090	254	383	596	528	620	3/ 1,027	1,083	3/ 1,435	1,185	732	3/ 706	521	-
1945	10,269	288	207	212	368	521	950	989	1,243	2,105	1,449	1,257	680	-
1944	14,819	738	494	428	523	1,096	1,325	2,068	2,723	2,404	1,542	924	554	-
1943	12,382	272	233	304	308	706	939	1,618	2,191	2,279	1,706	998	828	-
1942	6,218	203	142	169	265	371	546	908	981	1,469	577	279	308	-
1941	6,233	211	224	183	275	409	494	714	948	1,041	918	434	382	-
1940	6,251	128	129	148	161	317	682	830	1,093	969	806	620	368	-
1939	5,227	112	91	125	142	280	393	583	939	1,023	863	428	254	-
1938	6,100	85	71	109	114	325	537	622	1,162	1,076	876	879	244	-
1937	4,439	124	111	124	122	313	474	637	776	793	500	303	162	-
1936	4,775	115	63	74	105	215	614	735	970	885	516	288	195	-
1935	4,207	114	105	95	116	192	372	567	863	679	591	341	172	-
1934	4,482	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1933	5,305	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1932	4,822	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1931	4,094	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1930	4,530	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1929	4,211	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1928	4,903	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1927	4,747	145	107	106	108	194	418	619	944	996	565	336	209	-
1926	4,425	236	188	138	164	206	393	458	851	776	514	259	242	-
1925	5,062	122	94	85	127	220	524	546	813	1,136	727	400	268	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH, JAPAN, 1900 - 1948 - Cont'd

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
PARATYPHOID FEVER - Cont'd.														
1924	5,381	200	185	161	132	357	401	726	1,126	842	676	330	245	-
1923	5,315	146	107	126	124	235	374	636	1,031	727	944	527	338	-
1922	7,121	215	121	111	163	340	564	930	1,322	1,446	1,091	535	263	-
1921	6,291	219	163	117	186	326	452	761	1,085	1,341	819	539	289	-
1920	7,734	183	111	85	115	197	398	1,071	1,552	1,857	1,094	718	353	-
1919	7,435	112	108	117	205	316	445	872	1,329	1,695	1,187	722	357	-
1918	5,794	173	142	154	184	332	450	806	1,093	1,211	899	215	135	-
1917	5,731	161	135	95	148	229	343	594	1,009	1,185	962	558	312	-
1916	6,781	154	165	123	163	325	390	873	1,254	1,491	957	547	339	-
1915	7,049	179	136	123	163	506	338	870	1,121	1,343	1,366	556	346	-
1914	6,897	240	218	325	370	532	560	779	954	1,145	776	649	349	-
1913	3,869	115	65	107	93	206	325	423	582	747	584	361	261	-
1912	4,050	106	83	109	107	149	218	468	859	889	614	296	152	-
4/1911	NA	NA	NA	NA	NA	NA	NA	NA	573	611	479	271	190	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
PLAGUE														
* 1948	-	3/-	-	-	-	2/-	-	3/-	-	-	3/-	-	-	-
* 1947	-	-	-	3/-	-	3/-	-	-	3/-	-	-	3/-	-	-
* 1946	-	-	-	3/-	-	-	3/-	-	-	-	-	-	-	-
1945	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1944	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1943	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1942	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1941	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1940	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1939	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1938	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1937	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1936	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1935	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1934	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1933	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1932	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1931	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1930	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1929	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1928	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1927	-	-	-	-	-	-	-	8	-	-	-	-	-	-
1926	8	-	-	-	-	-	-	-	-	-	-	-	-	-
1925	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
PLAQUE - Cont'd.														
1924	7	-	-	-	-	-	3	1	-	1	2	-	-	-
1923	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1922	118	-	-	-	-	-	-	14	1	1	41	47	14	-
1921	2	-	-	-	-	-	-	-	-	1	6	1	-	-
1920	22	-	-	-	-	-	-	-	-	7	-	8	1	-
1919	3	-	-	-	-	-	1	-	-	-	-	1	1	-
1918	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1917	25	1	1	-	2	13	3	5	-	-	-	-	-	-
1916	77	-	-	-	-	-	-	-	-	-	36	19	22	-
1915	20	-	-	-	-	1	8	8	3	-	-	-	-	-
1914	83	1	-	-	18	20	27	12	4	-	-	-	1	-
1913	27	-	-	-	-	-	-	-	-	3	11	12	1	-
1912	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1911	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1910	49	4	2	3	6	1	5	1	1	-	11	15	-	-
1909	389	13	1	3	24	39	18	19	11	34	106	98	23	-
1908	347	19	12	4	15	22	21	5	10	63	73	48	55	-
1907	646	9	5	5	18	42	13	12	3	18	105	265	151	-
1906	498	28	4	7	17	47	73	51	36	30	102	93	10	-
1905	282	-	-	-	1	9	34	8	2	8	4	81	135	-
1904	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1903	58	6	-	-	-	6	7	3	3	11	14	8	-	-
1902	14	-	-	1	-	1	-	-	-	-	8	-	4	-
1901	3	1	-	-	1	-	1	-	-	-	-	-	-	-
1900	168	10	-	-	8	39	19	3	-	24	18	25	22	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
CHOLERA														
*1948	-	3/-	-	-	-	3/-	-	3/-	-	-	3/-	-	-	-
*1947	-	-	-	3/-	-	3/-	-	253	3/626	-	4	3/4	25	-
*1946	1,229	-	-	3/-	2	3/107	-	-	-	206	-	-	-	-
1945	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1944	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1943	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1942	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1941	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1940	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1939	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1938	18	-	-	1	-	-	-	10	1	-	6	-	-	-
1937	57	-	-	-	-	-	-	-	-	1	56	-	-	-
1936	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1935	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1934	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1933	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1932	4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1931	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1930	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1929	205	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1928	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1927	2	1	-	-	-	-	-	-	-	1	-	-	-	-
1926	25	18	-	-	-	-	-	-	1	-	-	6	-	-
1925	624	-	-	-	-	-	-	-	4	297	226	67	30	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 -Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
CHOLERA - Cont'd.														
1924	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1923	4	-	-	-	-	-	-	-	-	-	-	4	-	-
1922	743	-	-	-	-	-	-	-	-	214	525	4	-	-
1921	29	-	-	2	-	-	-	-	-	25	-	4	-	-
1920	4,585	-	-	-	-	487	1,880	1,441	874	281	20	2	-	-
1919	2,912	-	-	-	-	-	-	61	660	1,752	429	10	-	-
1918	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1917	894	149	216	16	4	-	-	46	327	121	15	-	-	-
1916	10,371	-	-	-	-	-	-	1,305	5,841	2,567	546	112	-	-
1915	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1914	5	-	-	-	-	-	-	-	-	4	1	-	-	-
1913	78	38	38	-	-	-	-	2	2	-	-	-	-	-
1912	2,720	-	-	-	-	-	82	26	903	972	623	114	-	-
1911	9	3	-	-	-	-	-	5	1	-	-	-	-	-
1910	2,849	-	-	-	-	-	-	-	217	2,121	467	44	-	-
1909	328	-	-	-	-	-	-	-	6	294	27	-	-	-
1908	652	6	2	-	4	-	1	16	125	240	254	4	-	-
1907	3,632	-	-	-	-	-	-	504	1,399	1,039	569	121	-	-
1906	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1905	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1904	1	-	-	-	1	-	-	-	-	-	-	-	-	-
1903	177	9	3	-	-	-	4	13	-	1	57	87	-	-
1902	13,362	-	-	-	-	-	69	496	5,803	2,094	260	58	-	-
1901	101	-	-	-	-	-	1	21	56	20	3	-	-	-
1900	378	-	-	1	4	4	19	75	185	76	11	2	1	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
EPIDEMIC MENINGITIS														
* 1948	2,035	3/ 161	177	258	261	3/ 200	126	3/ 139	289	171	3/ 112	59	82	-
* 1947	3,371	153	282	3/ 442	613	3/ 511	237	189	3/ 283	186	144	3/ 108	94	- 11
* 1946	1,468	53	143	3/ 197	179	162	3/ 194	83	3/ 121	94	78	3/ 80	84	-
1945	4,364	131	511	1,056	1,036	778	317	144	70	100	83	87	71	-
1944	1,468	89	132	214	270	225	131	89	79	61	54	51	73	-
1943	1,113	64	78	197	170	172	86	55	71	57	52	44	67	-
1942	823	63	73	103	105	85	74	56	66	72	43	48	35	-
1941	1,160	85	128	188	173	157	85	76	64	63	49	47	45	-
1940	1,350	72	118	206	225	217	120	69	76	68	61	56	62	-
1939	1,632	54	117	214	290	252	122	116	149	130	69	39	80	-
1938	995	60	78	117	123	130	99	57	90	86	65	42	48	-
1937	837	64	88	68	97	60	83	61	122	69	42	34	49	-
1936	1,002	99	118	135	142	95	76	45	89	75	54	28	46	-
1935	1,304	92	103	164	162	122	74	81	252	105	49	52	48	-
1934	1,187	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1933	359	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1932	236	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1931	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1930	275	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1929	359	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1928	295	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1927	332	22	23	36	28	34	27	23	40	45	18	19	17	-
1926	408	24	26	44	36	36	28	31	34	77	26	17	29	-
1925	445	31	35	54	82	55	39	27	31	39	23	12	17	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
EPIDEMIC MENINGITIS - Cont'd.														
1924	1,348	35	42	56	61	38	40	25	64.1	301	65	16	28	-
1923	708	42	44	90	90	72	67	57	31	83	83	28	21	-
1922	935	27	66	77	47	84	67	47	132	292	38	24	34	-
1921	772	51	47	71	82	64	73	65	60	116	61	35	47	-
1920	948	75	81	113	125	111	76	57	116	80	26	44	44	-
1919	2,458	125	200	291	313	361	213	167	155	373	100	94	66	-
5/1918	NA	NA	NA	NA	148	258	211	120	103	71	66	33	44	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
SCARLET FEVER														
*1948	2,924	3/290	168	164	253	3/359	230	3/287	154	151	3/229	249	390	-
*1947	2,635	182	175	3/227	210	3/416	245	179	3/223	155	142	3/298	179	41
*1946	2,269	72	150	3/211	192	184	3/228	136	3/148	133	211	3/313	231	-
1945	2,405	255	192	225	263	271	204	156	132	153	192	194	168	-
1944	6,354	646	577	539	605	621	546	492	383	429	478	577	461	-
1943	9,891	1,082	927	1,017	898	927	716	666	475	539	777	999	868	-
1942	12,688	1,331	1,074	1,138	1,098	1,068	947	901	655	710	1,056	1,276	1,414	-
1941	14,997	1,467	1,197	1,384	1,325	1,245	1,112	855	804	949	1,409	1,663	1,587	-
1940	19,325	1,658	1,617	1,995	1,987	1,995	1,624	1,174	898	1,181	1,582	1,915	1,699	-
1939	19,907	1,645	1,615	1,676	1,564	1,768	1,684	1,313	1,072	1,217	2,009	2,254	2,090	-
1938	19,002	1,735	1,446	1,674	1,754	1,826	1,477	1,195	1,000	1,176	1,639	2,068	1,998	-
1937	17,603	1,512	1,508	1,629	1,549	1,675	1,561	1,050	737	968	1,576	2,017	1,821	-
1936	16,707	1,435	1,386	1,491	1,751	1,607	1,465	972	754	907	1,290	1,853	1,796	-
1935	16,509	1,531	1,336	1,453	1,460	1,427	1,230	1,081	897	967	1,553	1,818	1,756	-
1934	16,688	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1933	12,631	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1932	8,257	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1931	6,480	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1930	6,025	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1929	5,663	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1928	5,727	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1927	4,148	389	306	329	369	434	348	256	132	219	367	469	530	-
1926	3,319	247	256	287	308	269	297	349	165	153	245	357	386	-
1925	2,572	170	160	195	282	279	268	220	84	123	178	293	320	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASE BY MONTH: JAPAN, 1900 - 1948 - Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
SCARLET FEVER - Cont'd.														
1924	1,843	133	149	169	188	195	185	115	72	97	156	149	235	-
1923	1,562	122	164	177	163	153	131	110	60	53	89	150	190	-
1922	1,657	143	120	136	153	180	152	139	58	73	126	211	166	-
1921	1,569	140	146	150	139	117	149	78	59	86	128	215	182	-
1920	1,368	122	115	112	149	133	129	66	51	79	130	142	140	-
1919	1,325	80	91	128	143	141	158	103	57	55	93	139	137	-
1918	1,039	88	104	123	141	119	93	61	36	39	59	76	80	-
1917	1,257	148	110	119	119	164	124	70	42	55	83	116	107	-
1916	1,056	104	83	90	114	108	102	67	48	37	82	109	112	-
1915	1,145	86	119	140	108	123	96	75	34	65	73	102	124	-
1914	1,250	111	127	152	136	153	85	73	45	48	99	121	100	-
1913	1,293	120	123	136	137	138	110	92	54	51	97	114	121	-
1912	1,207	87	88	123	132	119	110	90	59	52	111	119	117	-
1911	1,399	131	130	184	130	152	170	93	58	36	58	102	95	-
1910	2,359	199	220	356	419	291	220	144	81	61	106	117	145	-
1909	1,537	93	152	165	121	119	101	199	74	83	128	157	205	-
1908	860	88	76	78	80	88	72	42	33	28	53	110	112	-
1907	522	31	30	43	55	47	53	68	26	20	30	44	75	-
1906	255	12	11	19	11	24	22	34	18	12	20	33	39	-
1905	133	5	11	15	16	14	6	15	2	9	7	11	22	-
1904	102	5	15	10	14	7	6	7	3	5	2	17	11	-
1903	123	12	7	14	18	15	13	4	1	7	14	10	6	-
1902	125	2	11	13	17	20	19	17	2	2	9	8	5	-
1901	46	1	6	2	7	5	5	3	1	-	-	7	9	-
1900	77	14	6	6	8	7	8	7	5	2	3	10	1	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Diseases and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
b/ DIPHTHERIA														
*1948	18,198	2/2,101	1,596	1,590	1,401	2/1,510	927	3/736	594	795	3/1,713	1,565	1,666	-
*1947	28,346	2,810	2,622	3/3,651	2,800	3/3,201	2,189	1,486	3/1,349	1,433	1,909	3/2,892	2,027	-63
*1946	49,166	5,540	5,856	3/5,030	3,640	3,350	4,258	2,312	3/2,650	3,057	4,199	3/5,509	3,795	-
1945	85,833	9,768	8,461	8,691	7,548	6,727	5,157	3,702	3,335	5,154	7,795	10,286	9,209	-
1944	94,274	7,806	7,535	7,452	6,956	5,785	5,012	4,364	4,990	6,908	10,695	13,345	13,386	-
1943	63,761	5,055	4,993	5,642	4,923	4,370	3,236	2,903	2,926	3,943	7,274	8,910	9,586	-
1942	44,431	4,039	3,924	3,990	3,038	2,465	2,094	1,809	2,090	3,336	5,377	6,016	6,253	-
1941	40,442	4,025	3,653	3,408	3,032	2,790	2,211	2,016	2,081	2,997	4,394	4,796	5,039	-
1940	36,303	3,217	3,239	3,862	2,914	2,648	2,209	1,730	1,725	2,388	4,179	4,832	5,060	-
1939	35,801	3,168	3,733	3,722	3,109	3,056	2,408	1,806	1,610	2,021	3,249	4,009	3,910	-
1938	28,323	2,698	2,638	2,773	2,425	1,953	1,660	1,395	1,350	1,865	2,594	3,279	3,713	-
1937	28,001	2,773	2,776	3,103	2,612	2,403	1,976	1,372	1,134	1,491	2,373	2,793	2,997	-
1936	28,234	2,510	2,458	2,935	2,656	2,410	1,501	1,369	1,223	1,537	2,581	2,993	3,524	-
1935	28,200	2,789	2,871	3,092	2,723	2,599	1,572	1,466	1,257	1,405	2,381	2,886	2,979	-
1934	30,109	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1933	28,545	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1932	21,866	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1931	21,087	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1930	18,557	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1929	19,728	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1928	17,578	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1927	15,211	1,612	1,558	1,679	1,458	1,305	1,032	629	492	765	1,202	1,558	1,921	-
1926	13,655	1,268	1,407	1,521	1,408	1,244	936	655	419	572	1,084	1,552	1,619	-
1925	13,658	1,350	1,826	1,720	1,501	1,162	930	604	467	583	943	1,251	1,521	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
6/ DIPHtheria - Cont'd.														
1924	13,116	1,328	1,341	1,536	1,299	1,053	830	557	414	689	1,082	1,341	1,644	-
1923	12,776	1,561	1,452	1,423	1,137	970	748	622	391	558	1,004	1,286	1,624	-
1922	13,737	1,389	1,426	1,436	1,016	969	776	593	421	736	1,228	1,693	2,054	-
1921	14,522	1,739	1,667	1,520	1,350	983	908	665	559	734	1,181	1,623	1,763	-
1920	15,173	1,730	1,466	1,508	1,212	1,061	902	645	513	866	1,409	1,837	2,024	-
1919	14,280	1,451	1,457	1,373	1,195	1,150	1,028	803	613	712	1,127	1,551	1,620	-
1918	15,748	1,804	1,678	1,814	1,421	1,304	1,019	715	564	731	1,163	1,853	1,682	-
1917	17,487	1,905	1,941	1,942	1,626	1,349	1,287	768	625	840	1,212	1,738	2,054	-
1916	16,249	1,916	1,753	1,569	1,303	1,207	920	792	657	950	1,407	1,777	2,018	-
1915	19,701	2,343	2,227	2,331	1,873	1,652	1,279	961	672	941	1,372	1,861	2,189	-
1914	18,343	1,880	1,791	1,769	1,494	1,318	1,062	796	730	1,161	1,807	2,058	2,477	-
1913	19,137	2,262	2,007	2,206	1,746	1,495	1,233	964	799	1,089	1,398	1,903	2,035	-
1912	19,251	2,122	2,050	1,935	1,510	1,433	1,138	877	818	1,002	1,791	2,154	2,421	-
1911	20,094	2,316	2,135	2,027	1,581	1,515	1,210	997	874	1,185	1,787	2,083	2,364	-
1910	19,099	1,972	1,829	2,082	1,762	1,375	1,128	978	883	1,090	1,596	2,049	2,355	-
1909	18,102	1,886	1,833	1,875	1,463	1,335	1,060	816	774	998	1,679	2,037	2,346	-
1908	17,790	1,899	1,788	1,761	1,615	1,438	1,164	952	664	951	1,573	1,838	2,147	-
1907	14,762	1,631	1,399	1,516	1,293	1,017	953	722	666	837	1,313	1,701	1,774	-
1906	14,188	1,387	1,373	1,557	1,332	1,168	969	640	526	743	1,246	1,523	1,722	-
1905	13,261	1,497	1,366	1,494	1,157	1,157	742	680	585	688	1,156	1,265	1,454	-
1904	12,649	1,530	1,425	1,374	1,106	1,010	764	471	429	655	969	1,417	1,499	-
1903	13,762	1,640	1,506	1,361	1,255	1,013	871	597	492	704	1,185	1,454	1,604	-
1902	15,005	1,684	1,614	1,584	1,314	1,095	911	725	616	812	1,182	1,484	1,784	-
1901	16,482	1,685	1,530	1,565	1,284	1,123	957	699	558	1,239	735	1,564	1,743	-
1900	17,875	2,347	1,788	1,840	1,511	1,363	1,215	849	650	943	1,543	1,798	2,028	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
1/ DYSENTERY														
1948	1,628	3/126	154	292	290	3/600	1,093	3/3,852	3,925	2,547	3/1,228	342	179	-
1947	39,249	232	224	3/354	352	3/1,091	1,703	5,958	3/17,331	7,944	3,320	3/1,087	251	-3
1946	87,737	187	163	3/287	417	1,033	3/2,970	11,661	3/29,198	21,247	14,619	3/5,143	782	-
1945	96,462	309	320	492	571	1,068	2,665	13,465	27,886	27,844	14,366	5,696	1,780	-
1944	55,196	320	345	491	798	1,268	3,319	10,512	15,301	11,753	7,034	3,008	1,037	-
1943	50,188	583	717	934	1,067	2,075	4,145	10,782	13,911	9,042	4,763	1,586	583	-
1942	55,785	966	1,003	1,701	1,945	3,448	5,126	11,634	11,615	10,586	5,327	1,513	921	-
1941	58,803	1,202	1,144	1,815	2,148	4,925	6,212	12,165	13,410	8,693	4,487	2,317	1,355	-
1940	83,689	1,896	2,096	2,672	3,161	5,272	9,439	18,807	18,865	10,695	6,278	2,809	1,699	-
1939	97,259	1,765	1,841	2,434	2,772	4,935	8,140	16,801	23,946	16,125	10,615	5,050	2,835	-
1938	80,221	1,249	1,270	1,843	2,585	4,147	7,074	17,051	18,957	12,795	7,678	3,298	2,310	-
1937	78,286	1,281	1,309	1,815	2,269	3,805	5,733	11,580	13,812	21,087	10,041	3,680	1,874	-
1936	52,075	909	835	1,316	1,768	2,712	4,330	9,570	13,073	9,141	4,847	2,194	1,380	-
1935	48,968	1,885	1,028	1,359	1,837	2,943	4,725	10,464	10,573	6,747	4,228	1,984	1,195	-
1934	42,952	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1933	38,049	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1932	32,251	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1931	29,655	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1930	29,680	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1929	30,253	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1928	25,195	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1927	21,380	264	258	472	546	1,081	1,913	4,393	5,488	3,700	1,890	889	486	-
1926	17,132	197	196	261	367	728	1,245	2,927	4,128	3,781	2,068	894	340	-
1925	14,719	151	125	201	295	473	1,250	3,018	3,478	3,035	1,669	662	362	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
2/ DYSENTERY - Cont'd.														
1924	18,647	153	161	192	265	577	1,477	3,721	4,775	4,108	2,224	689	305	-
1923	20,266	131	104	144	254	546	1,439	3,445	4,375	4,116	3,571	1,253	331	-
1922	15,135	51	66	73	135	353	796	2,382	4,093	4,355	2,421	1,098	312	-
1921	12,445	101	72	90	86	266	647	1,824	3,224	3,327	1,938	682	188	-
1920	12,738	52	35	44	77	169	574	2,003	3,362	3,313	1,801	1,016	292	-
1919	12,915	38	40	62	75	241	1,137	2,247	3,419	2,342	1,680	1,371	263	-
1918	13,998	112	79	105	115	250	514	2,723	4,155	3,156	2,008	647	134	-
1917	14,942	84	66	76	116	223	577	2,875	4,577	3,377	2,134	658	179	-
1916	22,452	80	85	99	133	408	1,507	5,104	6,811	4,541	2,183	1,081	420	-
1915	21,137	87	86	96	123	244	1,686	3,579	6,242	4,604	2,865	1,429	474	-
1914	26,127	82	57	66	99	306	1,627	5,275	5,947	5,780	3,666	2,662	560	-
1913	16,779	72	59	57	115	282	1,039	3,366	4,269	3,705	2,370	1,079	366	-
1912	25,667	114	51	66	99	386	1,620	5,371	8,618	5,545	2,568	996	233	-
1911	27,466	64	59	58	73	256	1,125	4,888	9,263	7,403	2,968	1,082	427	-
1910	31,961	43	48	49	57	244	1,143	5,751	11,136	8,136	3,809	1,299	246	-
1909	28,006	37	35	42	76	148	645	3,499	8,105	8,597	4,796	1,657	369	-
1908	32,809	51	28	42	53	201	916	4,273	11,389	9,278	4,559	1,808	211	-
1907	24,942	64	18	71	71	150	558	2,859	6,291	7,674	4,711	2,099	376	-
1906	22,277	82	51	40	75	191	616	2,625	7,479	6,123	3,237	1,473	285	-
1905	37,988	67	57	123	91	193	1,162	7,143	12,092	8,559	5,396	2,540	565	-
1904	22,772	72	52	86	110	229	735	3,218	6,549	6,248	4,001	1,256	216	-
1903	30,311	88	67	75	121	205	793	3,264	7,394	8,785	7,226	2,073	220	-
1902	36,996	92	47	91	116	273	1,396	5,237	10,348	7,039	2,758	2,758	527	-
1901	49,635	125	81	103	128	363	1,176	4,810	11,139	14,913	13,123	3,168	506	-
1900	46,255	152	75	92	156	299	1,136	4,135	11,796	13,764	9,459	4,186	691	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH, JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
SMALIPOX														
* 1948	29	3/2	2	1	4	3/5	1	2/7	-	1	3/4	1	1	-
* 1947	391	67	49	3/67	61	3/68	34	8	3/2	6	5	2/3	1	-
* 1946	17,800	905	3,630	2/6,304	3,850	1,746	2/1,057	114	3/41	9	5	3/61	78	-
1945	1,614	69	26	65	209	219	254	138	105	46	48	84	351	-
1944	311	5	55	77	18	57	46	22	-	1	5	5	20	-
1943	546	42	53	44	91	206	77	6	-	1	3	6	17	-
1942	381	46	115	126	17	41	30	3	-	-	-	1	2	-
1941	654	84	60	78	66	172	136	33	13	1	-	1	10	-
1940	575	19	76	206	152	39	59	7	1	1	2	2	11	-
1939	287	29	70	55	43	57	7	15	1	-	-	-	10	-
1938	60	-	-	1	-	-	1	-	-	-	-	4	54	-
1937	90	3	9	10	45	18	1	3	-	1	-	-	-	-
1936	178	3	-	14	62	45	9	3	13	23	2	1	3	-
1935	113	21	7	4	5	45	27	3	-	-	-	-	1	-
1934	320	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1933	375	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1932	305	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1931	23	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1930	7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1929	114	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1928	723	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1927	352	33	28	30	18	NA	34	51	12	2	23	11	82	-
1926	1,256	25	59	267	230	486	101	49	11	1	1	3	23	-
1925	430	2	10	26	63	188	91	32	9	2	-	2	5	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: CAN., 1900 - 1904 Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
SWALIPOX - Cont'd.														
1924	1,702	462	451	282	297	83	67	51	1	2	1	-	5	-
1923	1,922	70	320	262	285	250	322	103	27	2	37	37	207	-
1922	679	39	87	82	100	170	153	38	2	1	1	-	6	-
1921	89	11	89	228	222	161	78	49	19	5	6	3	18	-
1920	3,167	211	347	572	720	695	437	142	27	4	6	6	-	5
1919	4,055	509	858	807	616	555	383	78	23	11	21	73	121	-
1918	1,467	137	182	335	192	216	86	9	15	10	11	72	191	-
1917	5,121	253	675	1,076	905	1,225	700	171	15	10	12	10	69	-
1916	264	1	8	15	52	101	17	1	-	-	-	16	53	-
1915	17	5	4	5	2	-	-	-	-	-	-	1	-	-
1914	485	1	15	40	81	101	113	64	8	2	25	18	17	-
1913	108	2	1	1	7	11	52	13	8	7	3	1	2	-
1912	14	-	4	1	-	3	3	1	1	1	-	1	-	-
1911	202	2	111	25	29	21	4	-	1	-	-	7	2	-
1910	80	5	5	18	24	8	13	5	-	-	1	1	-	-
1909	106	19	3	13	39	19	8	2	-	-	1	-	2	-
1908	18,075	4,484	5,437	4,687	1,815	926	526	121	36	2	8	5	28	-
1907	1,034	8	1	2	51	51	16	15	4	1	25	90	770	-
1906	496	31	72	122	89	77	50	41	3	2	8	1	-	-
1905	278	31	97	59	44	31	8	2	-	-	5	-	1	-
1904	1,188	2	58	171	537	237	124	40	9	-	5	1	4	-
1903	72	5	11	16	11	7	5	11	4	-	-	1	1	-
1902	46	-	3	1	2	6	7	8	7	1	1	3	7	-
1901	92	2	6	4	9	21	16	24	3	2	2	2	3	-
1900	111	6	6	6	5	15	32	16	8	5	4	4	4	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
TYPHUS FEVER														
*1948	474	3/73	58	34	138	3/36	54	3/23	2	3	3/3	13	37	-
*1947	240	240	155	3/105	198	3/105	126	91	3/34	12	10	3/19	88	-9
*1946	31,141	272	2,036	3/10,435	8,466	5,298	3/3,412	507	3/213	67	36	3/145	234	-
1945	2,461	24	114	143	303	655	312	266	105	117	44	285	153	-
1944	3,941	664	521	424	453	779	512	266	250	30	20	4	18	-
1943	1,374	1	2	33	69	215	239	68	58	11	89	163	426	-
1942	100	4	20	2	51	17	9	6	11	1	-	2	3	-
1941	87	1	1	12	1	15	23	-	-	-	-	9	-	-
1940	3	-	-	2	1	-	-	-	-	-	-	-	-	-
1939	5	-	-	-	-	-	5	-	-	-	-	-	-	-
1938	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1937	17	13	3	1	-	-	-	-	-	-	-	-	-	-
1936	1	1	-	-	-	-	-	1	-	-	-	-	-	-
1935	18	-	-	-	-	-	15	2	-	-	1	-	-	-
1934	26	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1933	4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1932	3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1931	3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1930	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1929	15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1928	23	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1927	7	2	-	-	-	-	2	1	1	-	-	1	-	-
1926	36	-	-	1	23	12	-	-	-	-	-	-	-	-
1925	28	-	1	-	-	-	8	19	-	-	-	-	-	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 -Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
TYPHUS FEVER - Cont'd.														
1924	14	-	-	-	-	1	5	2	3	1	1	-	1	-
1923	14	-	-	1	-	-	1	11	-	-	-	1	-	-
1922	23	-	-	-	-	1	3	13	2	2	1	1	-	-
1921	171	6	6	41	15	26	42	30	2	2	1	-	-	-
1920	66	1	1	-	1	7	15	35	2	3	1	-	-	-
1919	225	-	10	15	21	51	62	43	11	3	5	1	3	-
1918	229	-	15	21	32	57	36	48	7	7	6	-	-	-
1917	219	2	1	1	38	54	45	37	30	5	-	2	4	-
1916	606	19	22	119	132	123	99	12	23	52	4	-	1	-
1915	499	8	27	59	65	112	83	54	50	17	4	4	16	-
1914	7,309	-	-	1,497	1,919	1,997	1,142	555	108	44	31	11	5	-
1913	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1912	1	-	-	-	-	-	-	-	-	-	-	1	-	-
1911	3	-	1	-	-	-	-	-	-	1	-	1	-	-
1910	5	2	-	-	-	-	-	2	-	-	1	-	-	-
1909	3	-	-	1	-	-	1	-	-	-	-	-	1	-
1908	3	-	-	1	2	-	-	-	-	-	-	-	-	-
1907	8	-	-	1	1	1	3	1	-	2	-	-	-	-
1906	4	-	-	-	1	-	-	1	1	-	-	1	-	-
1905	2	-	-	-	-	-	2	-	-	-	-	-	-	-
1904	35	-	-	1	2	12	10	6	-	1	-	-	3	-
1903	8	-	2	-	2	1	-	1	-	1	-	-	1	-
1902	22	2	-	1	-	3	9	3	3	-	-	1	-	-
1901	21	-	-	1	4	3	1	4	3	-	-	1	4	-
1900	73	6	1	4	3	2	10	7	15	16	6	1	2	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1946

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
MALARIA														
*1948	4,940	3/262	212	232	293	3/429	661	3/1,003	788	514	3/322	116	108	-
*1947	11,841	635	581	3/1,027	682	3/1,074	1,257	1,521	3/2,268	1,231	746	3/519	290	-10
8/*1946	NA	NA	NA	NA	NA	NA	NA	6,467	6,772	4,541	2,566	1,746	837	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1946

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
JAPANESE "B" ENCEPHALITIS														
*1948	7,208	3/-	-	-	-	3/-	4	3/20	4,907	2,097	3/180	-	-	-
*1947	259	1	-	3/-	-	3/-	3	3	3/68	125	61	3/3	7	-12
2/*1946	NA	NA	NA	NA	NA	NA	NA	33	3/58	35	19	3/6	2	-

See footnotes next page.

TABLE 25. - CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

FOOTNOTES:-

- Data for 1946, 1947 and 1948 are provisional.
- 1/ Data refer to cases of communicable disease among the civilian population. Data are for Japan Proper and Okinawa, 1900-1936, and for Japan Proper only 1937-1948. Case reporting for Okinawa was very incomplete and the total number of cases may be assumed to be for Japan Proper only.
- 2/ The unknown column contains delays and corrections for the 12 month period not contained in any monthly summary.
- 3/ Monthly totals are for five-week periods. All other monthly totals for 1946, 1947 and 1948 are for four-week periods. Data for the years 1900-1945 refer to calendar months.
- 4/ Data for paratyphoid fever are not available prior to August 1911.
- 5/ Data for epidemic meningitis are not available prior to April 1918.
- 6/ Diphtheria includes croup, 1905-1923.
- 7/ Dysentery includes ekiri, 1922-1948.
- 8/ Data for malaria are not available prior to July 1946.
- 9/ Data for Japanese "B" encephalitis are not available prior to July 1946.

"NA" indicates that data are not available.

A dash (-) indicates that no cases were reported.

TABLE 25. - CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

SOURCES:-

- 1900 - 1923: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1924.
- 1924 - 1934: Statistics of Notifiable Infectious Diseases. Sanitary Bureau, Home Department, 1937.
- 1935 - 1942: Annual Reports, Ministry of Welfare.
- 1943 - 1945: Unpublished Annual Reports, Ministry of Welfare.
- 1946 - 1948: Weekly Reports, Ministry of Welfare.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1943
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER													
*1948	11.8	7.2	6.6	5.8	6.9	12.1	13.1	20.8	20.3	16.5	11.7	8.9	10.8
*1947	22.9	18.4	13.8	10.9	12.3	18.3	21.4	29.0	51.0	46.2	24.9	16.0	11.7
*1946	59.2	42.7	54.5	62.9	55.6	54.6	72.2	69.2	86.6	76.6	50.3	44.1	33.2
1945	82.9	29.0	21.9	26.1	32.4	46.0	65.0	83.5	123.0	186.9	157.8	130.2	83.6
1944	79.1	40.0	31.7	37.9	44.9	72.8	82.7	115.0	148.5	141.5	95.4	76.8	57.7
1943	72.2	30.5	32.9	33.7	38.4	57.0	73.7	93.8	134.7	138.5	101.7	71.7	57.5
1942	49.3	30.3	27.4	26.6	32.2	43.1	54.2	70.8	83.8	82.9	58.0	40.5	39.8
1941	56.6	35.4	34.5	35.7	38.4	52.6	70.4	78.4	88.5	83.6	60.9	52.5	46.9
1940	57.4	31.7	29.5	29.9	30.4	42.9	50.6	70.9	99.5	103.2	81.6	66.0	50.2
1939	53.7	29.3	28.5	25.1	31.2	50.7	63.3	60.6	85.1	90.4	73.7	61.0	44.6
1938	60.0	31.1	28.6	29.2	33.6	49.8	63.6	79.6	104.8	109.4	77.2	68.3	43.2
1937	54.5	31.2	34.4	35.8	35.0	53.3	58.0	65.3	89.2	92.4	65.8	55.8	37.3
1936	53.5	23.7	21.0	21.5	27.8	41.6	57.2	71.5	94.1	102.2	79.8	55.8	44.1
1935	56.3	37.5	33.9	26.7	28.1	43.3	55.7	77.9	94.2	97.8	81.5	58.2	38.6
1934	62.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	57.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	54.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	59.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	64.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	59.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	67.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	61.5	35.5	30.5	25.9	31.9	39.0	59.4	71.6	109.4	119.3	90.8	69.4	52.8
1926	72.9	88.2	76.2	45.4	37.3	45.8	66.7	82.9	103.7	126.7	91.3	66.7	44.8
1925	77.4	57.7	48.7	39.4	38.8	45.8	72.3	87.8	123.2	151.5	117.7	82.1	61.7

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER - Cont'd:													
1924	100.1	76.0	76.0	58.2	54.0	66.1	91.6	128.6	171.4	168.3	126.1	90.5	93.2
1923	91.4	40.4	38.1	33.5	31.3	49.4	69.6	98.9	147.7	182.1	173.0	141.9	116.3
1922	92.4	37.6	33.9	37.7	43.5	62.4	87.6	110.0	173.2	197.7	150.4	104.8	65.1
1921	89.3	52.2	43.3	36.5	34.9	54.6	79.4	105.7	160.9	180.1	141.9	102.7	77.0
1920	97.4	31.8	22.5	23.3	27.7	43.0	76.8	127.1	181.7	238.5	173.2	129.9	90.4
1919	97.3	32.7	38.3	39.0	41.1	56.3	87.4	113.2	179.9	219.6	160.2	117.2	78.9
1918	77.5	34.1	34.9	55.3	63.9	59.8	62.9	86.6	140.7	175.0	135.0	50.7	28.5
1917	62.8	30.0	33.1	22.8	25.5	34.9	41.9	68.5	106.1	128.3	119.5	88.1	53.3
1916	75.9	41.7	41.0	27.9	30.3	44.4	65.7	104.0	143.9	173.1	113.8	69.0	54.6
1915	67.0	36.5	31.8	23.1	27.9	38.8	53.4	78.1	108.1	143.8	117.6	82.0	60.4
1914	66.1	28.9	32.6	44.9	47.7	57.2	60.3	74.2	91.6	122.7	100.7	72.8	57.5
1913	52.4	27.8	24.2	23.0	22.6	30.1	39.1	59.6	86.8	110.8	91.4	67.0	44.3
1912	60.4	42.5	33.6	29.6	28.9	37.0	44.6	71.9	107.4	122.0	93.5	65.6	47.6
1911	66.4	28.6	28.3	23.6	24.4	33.9	45.4	70.1	121.7	154.9	113.4	88.5	61.4
1910	70.1	33.3	25.4	25.0	36.7	58.0	62.2	74.7	107.6	162.1	125.4	81.0	47.0
1909	50.3	24.3	23.2	18.0	19.3	27.7	31.2	53.3	99.0	113.7	88.1	61.1	43.2
1908	49.7	25.5	28.0	20.2	20.7	23.2	33.4	55.7	86.9	112.2	87.9	60.8	41.2
1907	53.3	25.6	19.8	17.0	23.0	31.9	42.3	62.1	90.1	114.0	98.7	65.9	47.2
1906	52.2	30.8	24.0	25.5	31.6	41.8	55.6	89.2	89.2	101.3	88.7	65.7	42.8
1905	48.0	22.2	18.3	14.2	16.2	23.6	30.3	53.0	84.0	106.2	89.2	70.5	46.9
1904	41.7	22.2	20.3	21.1	19.3	28.4	31.8	42.9	71.6	78.6	76.9	52.9	31.9
1903	40.5	26.3	21.5	21.9	20.8	23.4	31.4	37.1	65.6	82.9	73.9	48.4	32.5
1902	45.9	28.5	18.4	19.5	21.1	27.3	36.2	57.6	67.5	91.7	82.5	57.2	40.9
1901	53.1	27.9	23.3	18.5	22.2	36.2	40.4	56.4	83.9	117.9	97.6	67.0	44.4
1900	53.2	28.4	21.7	15.4	17.0	32.5	46.9	54.4	78.9	120.0	102.5	72.1	48.1

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1943 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER													
*1948	3.6	2.5	1.9	1.8	2.4	4.2	4.9	6.0	6.5	5.1	3.2	2.0	2.8
*1947	6.1	3.7	3.1	3.1	4.0	4.4	6.7	9.3	13.1	11.4	7.0	3.7	3.4
*1946	12.1	4.4	6.6	8.3	9.1	10.7	14.2	18.7	19.9	20.5	13.0	9.8	9.0
1945	14.7	4.9	3.9	3.6	6.5	8.9	16.8	16.9	21.2	37.1	23.5	21.1	11.0
1944	20.4	12.0	8.6	6.9	8.8	17.8	22.2	33.5	44.2	40.3	25.0	15.5	9.0
1943	17.0	4.4	4.2	4.9	5.2	11.4	15.7	26.2	35.5	38.1	27.6	16.7	13.4
1942	8.6	3.3	2.6	2.8	4.5	6.1	9.2	14.8	16.0	24.8	9.4	4.7	5.0
1941	8.7	3.5	4.1	3.0	4.7	6.7	8.4	11.7	15.6	17.7	15.1	7.4	6.3
1940	8.8	2.1	2.3	2.5	2.8	5.3	11.7	13.8	18.2	16.6	13.4	10.6	6.1
1939	7.4	1.9	1.7	2.1	2.5	4.7	6.8	9.8	15.6	17.7	14.4	7.4	4.2
1938	8.7	1.4	1.3	1.8	2.0	5.5	9.3	10.4	19.5	18.7	14.7	15.3	4.1
1937	6.4	2.1	2.1	2.1	2.1	5.3	8.3	10.7	13.1	13.8	8.4	5.3	2.7
1936	6.9	2.0	1.2	1.3	1.9	3.7	10.8	12.6	16.6	15.6	8.8	5.1	3.3
1935	6.2	2.0	2.0	1.6	2.1	3.3	6.6	9.8	14.9	12.1	10.2	6.1	3.0
1934	6.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	7.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	6.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	6.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	7.9	NA	2.3	2.0	2.2	3.7	8.3	11.9	18.2	19.8	10.9	6.7	4.0
1927	7.8	4.6	4.1	2.7	3.3	4.0	7.9	9.0	16.6	15.7	10.1	5.2	4.7
1926	7.4	2.4	2.1	1.7	2.6	4.4	10.8	10.9	16.2	23.4	14.5	8.2	5.3
1925	8.6												

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER - Cont'd:													
1924	9.2	4.1	4.0	3.3	2.8	7.2	8.4	14.7	22.8	17.6	13.7	6.9	5.0
1923	9.2	3.0	2.4	2.6	2.6	4.8	7.9	13.0	21.1	15.4	19.3	11.1	6.9
1922	12.5	4.5	2.8	2.3	3.5	7.0	12.5	19.3	27.4	31.0	22.6	11.5	5.5
1921	11.2	4.6	3.8	2.5	4.0	6.8	9.8	16.0	22.8	29.1	17.2	11.7	5.9
1920	14.0	3.9	2.5	1.8	2.5	4.2	8.8	22.8	33.1	40.9	23.3	15.8	7.5
1919	13.2	2.3	2.5	2.4	4.4	6.6	9.0	18.3	27.8	36.7	24.8	15.6	7.5
1918	10.4	3.7	3.3	3.3	4.0	7.0	9.8	17.0	23.1	26.5	19.0	4.7	2.9
1917	10.2	3.4	3.1	2.0	3.2	4.8	7.4	12.5	21.2	25.7	20.2	12.1	6.6
1916	12.3	3.3	3.8	2.6	3.6	6.9	8.6	18.7	26.8	32.9	20.5	12.1	7.2
1915	12.9	3.9	3.3	2.7	3.6	10.9	7.6	18.8	24.2	30.0	29.5	12.4	7.5
1914	12.8	5.3	5.3	7.1	8.4	11.7	12.7	17.1	20.9	26.0	17.0	14.7	7.7
1913	7.3	2.6	1.6	2.4	2.1	4.6	7.5	9.4	12.9	17.2	13.0	8.3	5.8
1912	7.8	2.4	2.0	2.5	2.5	3.4	5.1	10.6	19.4	20.8	13.9	6.9	3.4
2/1911	NA	NA	NA	NA	NA	NA	NA	NA	13.1	14.5	11.0	6.4	4.3

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
PLAGUE													
*1948	-	-	-	-	-	-	-	-	-	-	-	-	-
*1947	-	-	-	-	-	-	-	-	-	-	-	-	-
*1946	-	-	-	-	-	-	-	-	-	-	-	-	-
1945	-	-	-	-	-	-	-	-	-	-	-	-	-
1944	-	-	-	-	-	-	-	-	-	-	-	-	-
1943	-	-	-	-	-	-	-	-	-	-	-	-	-
1942	-	-	-	-	-	-	-	-	-	-	-	-	-
1941	-	-	-	-	-	-	-	-	-	-	-	-	-
1940	-	-	-	-	-	-	-	-	-	-	-	-	-
1939	-	-	-	-	-	-	-	-	-	-	-	-	-
1938	-	-	-	-	-	-	-	-	-	-	-	-	-
1937	-	-	-	-	-	-	-	-	-	-	-	-	-
1936	-	-	-	-	-	-	-	-	-	-	-	-	-
1935	-	-	-	-	-	-	-	-	-	-	-	-	-
1934	-	-	-	-	-	-	-	-	-	-	-	-	-
1933	-	-	-	-	-	-	-	-	-	-	-	-	-
1932	-	-	-	-	-	-	-	-	-	-	-	-	-
1931	-	-	-	-	-	-	-	-	-	-	-	-	-
1930	-	-	-	-	-	-	-	-	-	-	-	-	-
1929	-	-	-	-	-	-	-	-	-	-	-	-	-
1928	-	-	-	-	-	-	-	-	-	-	-	-	-
1927	-	-	-	-	-	-	-	-	-	-	-	-	-
1926	0.0	-	-	-	-	-	-	0.2	-	-	-	-	-
1925	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
PLAGUE - Cont'd:													
1924	0.0	-	-	-	-	-	0.1	0.0	-	0.0	0.0	-	-
1923	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-
1922	0.2	-	-	-	-	-	-	0.3	0.0	0.0	0.8	1.0	0.3
1921	0.0	-	-	-	-	-	-	-	-	0.0	-	0.0	-
1920	0.0	-	-	-	-	-	-	-	-	0.2	0.1	0.2	0.0
1919	0.0	-	-	-	-	-	0.0	-	-	-	-	0.0	0.0
1918	0.0	-	0.0	-	-	-	-	-	-	-	-	-	-
1917	0.0	0.0	0.0	-	0.0	0.3	0.1	0.1	-	-	-	-	-
1916	0.1	-	-	-	-	-	-	-	-	-	0.8	0.4	0.5
1915	0.0	-	-	-	-	0.0	0.2	0.2	0.1	-	-	-	-
1914	0.2	0.0	-	-	0.4	0.4	0.6	0.3	0.1	-	-	-	0.0
1913	0.1	-	-	-	-	-	-	-	-	0.1	0.2	0.3	0.0
1912	-	-	-	-	-	-	-	-	-	-	-	-	-
1911	-	-	-	-	-	-	-	-	-	-	-	-	-
1910	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	-	0.3	0.4	-
1909	0.8	0.3	0.0	0.1	0.6	0.9	0.4	0.4	0.3	0.8	2.5	2.4	0.5
1908	0.7	0.5	0.3	0.1	0.4	0.5	0.5	0.1	0.2	1.6	1.7	1.2	1.3
1907	1.3	0.2	0.1	0.1	0.4	1.0	0.3	0.3	0.1	0.4	2.5	6.6	3.6
1906	1.0	0.7	0.1	0.2	0.4	1.1	1.8	1.2	0.9	0.8	2.5	2.3	0.2
1905	0.6	-	-	-	0.0	0.2	0.9	0.2	0.0	0.2	0.1	2.1	3.3
1904	0.0	-	-	-	-	-	-	-	-	-	-	-	0.0
1903	0.1	0.2	-	-	-	0.2	0.2	0.1	0.1	0.3	0.4	0.2	-
1902	0.0	-	-	0.0	-	0.0	-	-	-	-	0.2	-	0.1
1901	0.0	0.0	-	-	0.0	-	0.0	-	-	-	-	-	-
1900	0.4	0.3	-	-	0.2	1.0	0.5	0.1	-	0.7	0.5	0.7	0.6

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
CHOLERA													
*1948	-	-	-	-	-	-	-	-	-	-	-	-	-
*1947	-	-	-	-	-	-	-	-	-	-	-	-	-
*1946	1.6	-	-	-	0.0	0.0	1.5	4.4	8.7	3.6	0.1	0.1	0.4
1945	-	-	-	-	-	-	-	-	-	-	-	-	-
1944	-	-	-	-	-	-	-	-	-	-	-	-	-
1943	-	-	-	-	-	-	-	-	-	-	-	-	-
1942	-	-	-	-	-	-	-	-	-	-	-	-	-
1941	-	-	-	-	-	-	-	-	-	-	-	-	-
1940	-	-	-	-	-	-	-	-	-	-	-	-	-
1939	-	-	-	0.0	-	-	-	0.2	0.0	-	-	-	-
1938	0.0	-	-	-	-	-	-	-	-	-	0.1	-	-
1937	0.1	-	-	-	-	-	-	-	-	0.0	0.9	-	-
1936	-	-	-	-	-	-	-	-	-	-	-	-	-
1935	-	-	-	-	-	-	-	-	-	-	-	-	-
1934	-	-	-	-	-	-	-	-	-	-	-	-	-
1933	-	-	-	-	-	-	-	-	-	-	-	-	-
1932	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	-	-	-	-	-	-	-	-	-	-	-	-	-
1930	-	-	-	-	-	-	-	-	-	-	-	-	-
1929	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	0.0	0.0	-	-	-	-	-	-	-	0.0	-	-	-
1926	0.0	0.4	-	-	-	-	-	-	0.0	-	-	0.1	-
1925	1.1	-	-	-	-	-	-	-	0.1	6.1	4.5	1.4	0.6

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
CHOLERA - Cont'd:													
1924	0.0	-	-	-	-	-	-	-	-	-	-	0.1	-
1923	1.3	-	-	-	-	-	-	-	-	-	-	0.1	-
1922	0.1	-	-	0.0	-	-	0.0	-	-	4.6	10.9	-	-
1921	9.0	-	-	-	-	-	10.7	40.1	30.7	19.2	6.0	0.4	0.0
1920	-	-	-	-	-	-	-	-	-	-	-	-	-
1919	5.2	-	-	-	-	-	-	-	1.3	14.3	36.7	9.3	0.2
1918	-	-	-	-	-	-	-	-	-	-	-	-	-
1917	1.6	3.1	5.0	0.3	0.1	-	-	-	1.0	7.1	2.5	0.3	-
1916	18.8	-	-	-	-	-	-	-	27.9	129.0	54.9	12.1	2.4
1915	-	-	-	-	-	-	-	-	-	-	-	-	-
1914	0.0	-	-	-	-	-	-	-	-	0.1	0.0	-	-
1913	0.1	0.8	0.9	-	-	-	-	-	0.0	-	-	-	-
1912	5.2	-	-	-	-	-	-	1.9	0.6	21.1	22.0	14.6	2.6
1911	0.0	0.1	-	-	-	-	-	-	0.1	0.0	-	-	-
1910	5.6	-	-	-	-	-	-	-	-	5.2	49.4	11.3	1.0
1909	0.7	-	-	-	-	-	-	-	0.0	0.1	6.9	0.7	-
1908	1.3	0.1	0.1	-	0.1	-	0.0	-	0.4	3.1	5.7	6.3	0.1
1907	7.5	-	-	-	-	-	-	-	12.2	34.9	25.1	14.2	2.9
1906	-	-	-	-	-	-	-	-	-	-	-	-	-
1905	-	-	-	-	-	-	-	-	-	-	-	-	-
1904	0.0	-	-	-	0.0	-	-	-	-	-	-	-	-
1903	0.4	0.2	0.1	-	-	-	0.1	0.1	0.3	0.0	1.4	2.3	-
1902	29.1	-	-	-	-	-	1.8	12.7	117.3	153.5	53.6	6.9	1.5
1901	0.2	-	-	-	-	0.0	0.5	0.5	1.5	0.5	0.1	-	-
1900	0.8	-	-	0.0	0.1	0.1	0.5	2.0	4.9	2.1	0.3	0.1	0.0

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1943 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
EPIDEMIC MENINGITIS													
*1948	2.6	2.1	2.9	4.2	4.3	2.6	2.1	1.8	4.7	2.8	1.5	1.0	1.3
*1947	4.3	2.6	4.7	8.6	10.2	6.8	4.0	3.2	3.0	3.1	2.4	1.4	1.6
*1946	6.0	0.9	2.5	18.0	3.1	2.8	2.7	1.4	1.7	1.6	1.4	1.1	1.5
1945	2.2	2.2	9.7	18.0	18.3	13.3	5.6	2.5	1.2	1.8	1.3	1.5	1.2
1944	2.0	1.4	2.3	3.5	4.5	3.6	2.2	1.4	1.3	1.0	0.9	0.9	1.2
1943	1.5	1.0	1.4	1.7	2.8	2.8	1.4	0.9	1.1	1.0	0.8	0.7	1.1
1942	1.1	1.0	1.3	1.7	1.8	1.4	1.2	0.9	1.1	1.2	0.7	0.8	0.6
1941	1.6	1.4	2.3	3.1	2.9	2.6	1.4	1.2	1.1	1.1	0.8	0.8	0.7
1940	1.9	1.2	2.1	3.4	3.9	3.6	2.1	1.1	1.3	1.2	1.0	1.0	1.0
1939	2.3	0.9	2.2	3.6	5.0	4.2	2.1	1.9	2.5	2.2	1.2	0.7	1.3
1938	1.4	1.0	1.5	2.0	2.1	2.2	1.7	1.0	1.5	1.5	1.1	0.7	0.8
1937	1.2	1.1	1.6	1.1	1.7	1.0	1.4	1.0	2.1	1.2	0.7	0.6	0.8
1936	1.5	1.7	2.2	2.3	2.5	1.6	1.3	0.8	1.5	1.3	0.9	0.5	0.8
1935	1.9	1.6	2.0	2.8	2.9	2.1	1.3	1.4	4.4	1.9	0.8	0.9	0.8
1934	1.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	0.5	0.4	0.5	0.7	0.6	0.7	0.5	0.4	0.8	0.9	0.3	0.4	0.3
1926	0.7	0.5	0.6	0.9	0.7	0.7	0.6	0.6	0.7	1.6	0.5	0.3	0.6
1925	0.8	0.6	0.8	1.1	1.7	1.1	0.8	0.5	0.6	0.8	0.5	0.2	0.3

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
EPIDEMIC MENINGITIS - Cont'd:													
1924	2.3	0.7	0.9	1.1	1.3	0.8	0.8	0.5	13.0	6.3	1.3	0.3	0.6
1923	1.2	0.9	1.0	1.8	1.9	1.5	1.4	1.2	0.6	1.8	1.7	0.6	0.4
1922	1.6	0.6	1.5	1.6	1.0	1.7	1.4	1.0	2.7	6.3	0.8	0.5	0.7
1921	1.4	1.1	1.1	1.5	1.8	1.3	1.6	1.4	1.3	2.5	1.3	0.8	1.0
1920	1.7	1.6	1.8	2.4	2.8	2.4	1.7	1.2	2.5	1.8	0.6	1.0	0.9
1919	4.4	2.6	4.6	6.1	6.8	7.6	4.6	3.5	3.2	8.1	2.1	2.0	1.4
3/ 1918	NA	NA	NA	NA	3.2	5.5	4.6	2.5	2.2	1.6	1.4	0.7	0.9

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER													
*1948	3.7	3.8	2.7	2.7	4.1	4.7	3.7	3.7	2.5	2.5	3.0	4.1	6.4
*1947	3.4	3.0	2.9	3.0	3.5	5.6	4.1	3.0	3.0	2.6	2.4	4.0	3.0
*1946	2.9	1.2	2.6	2.9	3.3	3.2	3.2	2.4	2.0	2.3	3.7	4.3	4.0
1945	3.4	4.4	3.6	3.8	4.6	4.6	3.6	2.7	2.3	2.7	3.1	3.3	2.7
1944	8.2	10.5	10.0	8.7	10.1	10.1	9.2	8.0	6.2	7.2	7.8	9.7	7.5
1943	13.6	17.5	16.6	16.5	15.0	15.0	12.0	10.8	7.7	9.0	12.6	16.7	14.1
1942	17.6	21.7	19.4	18.6	18.5	17.7	16.0	14.7	10.7	12.0	17.2	21.5	23.1
1941	20.9	24.1	21.8	22.7	22.5	20.4	18.9	14.0	13.2	16.1	23.1	28.2	26.1
1940	27.3	27.6	28.7	33.2	34.1	33.2	27.9	19.5	14.9	20.3	26.3	32.9	28.2
1939	28.3	27.5	29.9	28.0	27.0	29.6	29.1	22.0	17.9	21.0	33.6	39.0	35.0
1938	27.1	29.1	27.2	28.1	30.4	30.7	25.6	20.1	16.8	20.4	27.5	35.9	33.6
1937	25.2	25.5	28.1	27.4	28.2	28.2	27.2	17.7	12.4	16.8	26.5	35.1	30.7
1936	24.2	24.5	25.3	25.5	30.9	27.5	25.9	16.6	12.9	16.0	22.0	32.7	30.7
1935	24.2	26.4	25.5	25.1	26.1	24.6	22.0	18.7	15.5	17.3	26.8	32.4	30.3
1934	24.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	18.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	12.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	10.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	9.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	9.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	9.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	6.8	7.5	6.5	6.3	7.3	8.4	6.9	4.9	2.5	4.4	7.1	9.3	10.2
1926	5.5	4.8	5.5	5.6	6.2	5.3	6.0	6.8	3.2	3.1	4.8	7.2	7.5
1925	4.3	3.4	3.5	3.9	5.8	5.6	5.5	4.4	1.7	2.5	3.5	6.0	6.4

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER - Cont'd:													
1924	3.2	2.7	3.2	3.4	3.9	3.9	3.9	2.3	1.5	2.0	3.2	3.1	4.8
1923	2.7	2.5	3.7	3.6	3.1	3.1	2.8	2.2	1.2	1.1	1.8	3.2	3.9
1922	2.9	3.0	2.8	2.8	3.3	3.7	3.3	2.9	1.2	1.6	2.6	4.5	3.4
1921	2.8	2.9	3.4	3.1	3.0	2.5	3.4	1.6	1.2	1.9	2.7	4.7	3.8
1920	2.5	2.6	2.6	2.4	3.3	2.8	2.8	1.4	1.1	1.7	2.8	3.1	3.0
1919	2.4	1.7	2.1	2.7	3.1	3.0	3.4	2.2	1.2	1.2	1.9	3.0	2.9
1918	1.8	1.9	2.4	2.6	3.1	2.5	2.0	1.3	0.8	0.9	1.2	1.7	1.7
1917	2.2	3.1	2.6	2.5	2.6	3.4	2.7	1.5	0.9	1.2	1.7	2.5	2.2
1916	1.9	2.2	1.9	1.9	2.5	2.3	2.3	1.4	1.0	0.8	1.8	2.4	2.4
1915	2.1	1.9	2.8	3.0	2.4	2.7	2.1	1.6	0.7	1.5	1.6	2.3	2.7
1914	2.3	2.4	3.1	3.3	3.1	3.4	1.9	1.6	1.0	1.1	2.2	2.7	2.2
1913	2.4	2.7	3.0	3.0	3.1	3.1	2.5	2.0	1.2	1.2	2.2	2.6	2.7
1912	2.3	2.0	2.1	2.8	3.1	2.7	2.6	2.0	1.3	1.2	2.5	2.8	2.6
1911	2.6	3.0	3.3	4.2	3.1	3.5	4.0	2.1	1.3	0.9	1.3	2.2	2.2
1910	4.7	4.6	5.7	8.3	10.1	6.8	5.3	3.4	1.9	1.5	2.5	2.8	3.4
1909	3.1	2.2	4.0	3.9	2.9	2.8	2.5	3.3	1.7	2.0	3.0	3.8	4.8
1908	1.7	2.1	1.9	1.9	2.0	2.1	1.8	1.0	0.8	0.7	1.3	2.7	2.7
1907	1.1	0.7	0.8	1.0	1.4	1.1	1.3	1.6	0.6	0.5	0.7	1.1	1.8
1906	0.5	0.3	0.3	0.5	0.3	0.6	0.6	0.8	0.4	0.3	0.5	0.8	1.0
1905	0.3	0.1	0.3	0.4	0.4	0.3	0.2	0.4	0.0	0.2	0.2	0.3	0.5
1904	0.2	0.1	0.4	0.3	0.4	0.2	0.2	0.2	0.1	0.1	0.1	0.4	0.3
1903	0.3	0.3	0.2	0.4	0.5	0.4	0.3	0.1	0.0	0.2	0.4	0.3	0.2
1902	0.3	0.1	0.3	0.3	0.4	0.5	0.5	0.4	0.1	0.1	0.2	0.2	0.1
1901	0.1	0.0	0.2	0.1	0.2	0.1	0.1	0.1	0.0	-	-	0.2	0.2
1900	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.3	0.0

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
A/ DIPHTHERIA													
*1948	20.3	27.4	26.0	25.9	22.8	19.7	15.1	9.6	9.7	13.0	22.3	25.5	27.2
*1947	36.4	47.0	44.5	48.8	46.8	42.8	36.6	24.8	18.0	23.9	31.9	36.7	33.9
*1946	65.5	95.9	101.4	69.7	63.0	57.5	59.0	40.0	36.7	52.9	72.7	76.3	65.7
1945	122.8	166.7	159.8	148.3	133.1	114.8	90.9	63.2	56.9	90.9	126.6	172.6	149.6
1944	129.9	136.6	130.6	120.9	117.2	93.8	84.0	70.8	80.9	115.8	173.5	223.6	217.1
1943	87.7	81.9	89.5	91.4	82.4	70.8	54.2	47.0	47.4	66.0	117.8	149.1	155.3
1942	61.5	65.9	70.8	65.1	51.2	40.2	35.3	29.5	34.1	56.2	87.7	101.4	102.0
1941	56.4	66.1	66.4	56.0	51.4	45.8	37.5	33.1	34.2	50.9	72.2	81.4	82.7
1940	54.1	53.5	57.5	64.2	50.0	49.0	37.9	28.7	28.7	41.0	69.4	83.0	84.1
1939	50.9	53.0	69.1	62.2	53.7	51.1	41.6	30.2	26.9	34.9	54.3	69.3	65.4
1938	40.4	45.3	49.1	46.6	42.1	33.5	27.8	23.4	22.7	32.4	43.6	56.9	62.4
1937	40.1	50.1	51.8	52.3	45.5	40.5	34.4	23.1	19.1	26.0	40.0	48.6	50.5
1936	40.9	42.9	45.6	50.1	46.9	41.2	33.6	23.2	20.9	27.1	44.1	54.7	60.2
1935	41.4	47.8	54.9	53.4	48.6	44.9	35.2	25.3	21.7	25.1	41.1	47.9	51.4
1934	44.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	42.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	33.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	32.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	29.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	31.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	28.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	24.9	31.1	33.2	32.4	29.0	25.1	20.5	12.1	9.5	15.2	23.2	31.0	37.0
1926	22.7	24.8	30.5	29.7	28.5	23.7	18.9	12.8	8.2	11.6	21.2	31.4	31.7
1925	23.4	30.8	35.8	34.2	30.9	23.1	19.1	12.0	9.3	12.0	18.8	25.7	30.3

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
1/ DIPHTHERIA - Cont'd:													
1924	22.5	26.9	29.0	31.1	27.2	21.3	17.4	11.3	8.4	14.4	21.9	28.1	33.3
1923	22.2	31.9	32.9	29.1	24.0	19.8	15.8	12.7	8.0	11.8	20.5	27.2	33.2
1922	24.2	28.8	32.7	29.8	21.8	20.1	16.6	12.3	8.7	15.8	25.5	36.3	42.6
1921	25.9	36.5	38.7	31.9	24.9	20.6	19.7	14.0	12.4	15.9	24.8	35.2	37.0
1920	27.4	36.9	33.4	32.1	26.7	22.6	19.9	13.7	10.9	19.1	30.0	40.5	43.1
1919	25.4	30.4	33.8	28.7	25.8	24.1	22.2	16.8	12.8	15.4	23.6	33.5	38.1
1918	28.3	38.2	39.3	38.4	31.1	27.6	22.3	15.1	11.9	16.0	24.6	40.5	35.6
1917	31.2	40.0	45.2	40.8	35.3	32.5	27.9	16.1	13.1	18.2	25.5	37.7	43.2
1916	29.4	41.0	40.1	33.5	28.8	25.8	20.3	16.9	13.6	21.0	30.1	39.2	43.1
1915	36.2	50.7	53.3	50.4	41.9	35.7	28.6	20.8	14.5	21.0	29.7	41.6	47.3
1914	34.2	41.2	43.5	38.8	33.9	28.9	24.1	17.5	16.0	26.3	39.6	46.6	54.3
1913	36.2	50.3	49.4	49.1	40.1	33.3	28.3	21.4	17.8	25.0	31.1	43.8	45.3
1912	36.9	48.0	49.6	43.8	35.3	32.4	26.6	19.8	18.5	23.4	40.5	50.4	54.8
1911	39.1	53.0	54.1	46.4	37.4	34.7	28.6	22.8	20.0	28.0	40.9	49.3	54.6
1910	37.8	46.0	47.2	48.5	42.4	32.1	27.2	22.8	20.6	26.3	37.2	49.4	54.9
1909	36.3	44.5	47.9	44.2	35.7	31.5	25.8	19.3	18.3	24.3	39.6	49.7	55.4
1908	36.1	45.5	45.8	42.2	40.0	34.4	28.8	22.8	15.9	23.5	37.7	45.5	51.4
1907	30.3	39.4	37.4	36.6	32.3	24.6	23.8	17.4	14.6	20.9	31.7	42.5	42.9
1906	29.4	33.9	37.1	38.0	33.6	28.5	24.5	15.6	12.9	18.8	30.5	38.5	42.1
1905	27.8	37.0	37.9	36.9	29.5	28.6	18.9	16.8	14.5	17.6	28.6	32.3	35.9
1904	26.9	38.3	38.2	34.4	28.6	25.3	19.8	11.8	10.8	17.0	24.3	36.7	37.6
1903	29.4	41.4	42.1	34.9	32.8	25.6	22.7	15.1	12.4	18.4	29.9	38.0	40.5
1902	32.6	48.2	45.7	40.6	34.8	28.0	24.1	18.6	15.8	21.5	30.3	39.3	45.7
1901	32.8	48.9	43.9	40.6	34.4	29.1	25.6	18.1	14.5	33.2	19.1	41.9	45.2
1900	39.9	61.8	50.3	48.5	41.1	35.9	33.1	22.4	17.1	25.7	40.6	48.9	53.4

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
5/ DYSENTERY													
1948	18.3	1.6	2.5	4.8	4.7	7.8	17.8	50.2	64.0	44.5	16.0	5.6	2.9
1947	50.5	3.9	3.8	4.7	5.9	14.6	28.5	99.6	231.7	122.7	55.5	14.5	4.2
1946	116.8	3.2	2.8	4.0	7.2	17.9	41.1	202.4	404.4	367.8	253.1	13.5	19.5
1945	198.0	5.3	6.0	8.4	10.1	18.2	47.0	229.8	475.8	491.0	233.3	95.6	28.9
1944	76.0	5.2	6.2	8.0	13.4	20.6	55.6	170.5	248.2	197.0	114.1	50.4	16.8
1943	69.0	9.4	12.9	15.1	17.9	33.6	69.4	174.6	225.3	151.3	77.1	26.5	9.4
1942	77.3	15.8	18.1	27.7	32.8	56.2	86.4	189.7	189.4	178.4	86.9	25.5	15.0
1941	82.0	19.7	20.8	29.8	36.4	64.5	105.4	199.8	220.2	146.3	73.7	39.3	22.3
1940	118.1	31.5	37.2	44.4	54.3	87.6	162.1	312.5	313.5	183.6	104.3	48.2	28.2
1939	198.2	29.5	34.1	40.7	47.9	82.5	140.7	281.0	400.5	278.7	177.5	87.3	47.4
1938	114.4	21.0	23.6	31.0	44.9	69.7	122.8	285.8	318.4	222.1	129.0	57.2	38.8
1937	112.0	21.6	24.4	30.6	39.5	64.1	99.8	195.1	232.7	367.0	169.1	64.1	31.6
1936	75.4	15.5	15.3	22.5	31.2	46.3	76.4	163.5	223.4	161.4	82.8	38.7	23.6
1935	71.8	32.6	19.7	23.5	32.8	50.8	84.3	180.7	182.6	120.4	73.0	35.4	20.6
1934	63.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	57.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	49.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	45.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	46.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	48.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	40.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	35.0	5.1	5.5	9.1	10.9	20.8	38.1	84.7	105.8	73.7	36.4	17.7	9.4
1926	28.5	3.9	4.2	5.1	7.4	14.2	25.2	57.2	80.7	76.4	40.4	18.1	6.5
1925	24.9	3.0	2.8	4.0	6.1	9.4	25.7	60.0	69.2	62.4	33.2	13.6	7.2

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1918 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
5/ DYSENTERY - Cont'd:													
1924	32.0	3.1	3.5	3.9	5.5	11.7	30.9	75.4	96.7	86.0	45.0	14.4	6.2
1923	35.2	2.7	2.4	3.2	5.4	11.2	30.4	74.5	89.4	94.2	73.0	26.5	6.8
1922	26.6	1.1	1.5	1.5	2.9	7.3	17.1	49.4	84.8	71.9	50.2	23.5	6.5
1921	22.2	2.1	1.7	1.9	1.9	5.6	14.0	36.3	67.7	72.2	40.7	14.8	3.9
1920	23.0	1.1	0.8	0.9	1.7	3.6	12.6	42.7	71.7	73.0	38.4	22.4	6.2
1919	23.0	0.8	0.9	1.3	1.6	5.0	24.6	47.0	71.6	59.7	35.2	29.7	5.5
1918	25.1	2.4	1.9	2.2	2.5	5.3	11.2	57.6	87.9	69.0	42.5	14.1	2.8
1917	26.7	1.8	1.5	1.6	2.5	4.7	12.5	60.4	96.2	73.3	44.8	14.3	3.8
1916	40.6	1.7	1.9	2.1	2.9	8.7	33.3	109.1	145.6	100.3	46.7	23.9	9.0
1915	38.8	1.9	2.1	2.1	2.7	5.7	24.3	77.4	135.0	107.3	62.0	31.9	10.3
1914	48.7	1.8	1.4	1.4	2.2	6.7	36.9	115.7	130.5	131.0	80.4	60.3	12.3
1913	31.7	1.6	1.5	1.3	2.6	6.3	23.9	74.9	95.0	85.2	52.7	24.8	8.1
1912	49.2	2.6	1.2	1.5	2.3	8.7	37.9	121.6	195.0	129.7	58.1	23.3	5.3
1911	53.4	1.5	1.5	1.3	1.7	5.9	26.6	107.3	212.0	175.1	67.9	25.6	9.8
1910	63.3	1.0	1.2	1.1	1.4	5.7	27.5	134.1	259.6	196.0	88.8	31.3	5.7
1909	56.1	0.9	0.9	1.0	1.9	3.5	15.7	82.6	191.2	209.6	113.2	40.4	8.7
1908	66.5	1.2	0.7	1.0	1.3	4.8	22.7	102.3	272.6	229.5	109.1	44.7	5.1
1907	51.2	1.5	0.5	1.7	1.8	3.6	13.9	69.1	152.0	191.5	113.8	52.4	9.1
1906	46.2	2.0	1.4	1.0	1.9	4.7	15.6	64.1	182.7	154.6	79.1	37.2	7.0
1905	79.7	1.7	1.6	3.0	2.3	4.8	29.7	176.5	298.8	218.6	133.4	64.9	14.0
1904	48.3	1.8	1.4	2.2	2.8	5.7	19.0	80.7	164.1	161.8	100.3	32.5	5.4
1903	65.1	2.2	1.9	1.9	3.2	5.2	20.7	82.5	186.9	229.4	182.6	54.1	5.6
1902	80.4	2.4	1.3	2.3	3.1	7.0	36.9	134.1	232.3	273.8	180.2	73.0	13.5
1901	109.3	3.2	2.3	2.7	3.4	9.4	31.5	124.7	288.9	399.6	340.3	84.9	13.1
1900	103.2	4.0	2.1	2.4	4.3	7.9	30.9	116.8	310.7	374.6	249.1	114.2	18.2

See footnotes at end of table.

(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX													
*1946	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	-	0.0	0.1	0.0	0.0
*1947	0.5	1.1	0.8	0.9	1.0	1.2	0.6	0.1	0.0	0.1	0.1	0.0	0.0
*1948	23.7	15.7	62.8	87.3	66.7	30.2	14.6	2.0	0.6	0.2	0.1	0.8	1.4
1945	2.3	1.2	0.5	1.1	3.7	3.7	4.5	2.4	1.8	0.8	0.8	1.4	5.7
1944	0.4	0.1	1.0	1.2	0.3	0.9	0.8	0.4	-	0.0	0.1	0.1	0.3
1943	0.8	0.7	1.0	0.7	1.5	3.3	1.3	0.1	-	0.0	0.0	0.1	0.3
1942	0.5	0.8	2.1	2.1	0.3	0.7	0.5	0.0	-	-	-	0.0	0.0
1941	0.9	1.4	1.1	1.3	1.1	2.8	2.3	0.5	0.2	0.0	-	0.0	0.2
1940	0.8	0.3	1.3	3.4	2.6	0.6	1.0	0.1	0.0	0.0	0.0	0.0	0.2
1939	0.4	0.5	1.3	0.9	0.7	1.0	0.1	0.3	0.0	-	-	-	0.2
1938	0.1	-	-	0.0	-	-	0.0	-	-	-	-	0.1	0.9
1937	0.1	0.1	0.2	0.2	0.8	0.3	0.0	0.1	-	0.0	-	-	-
1936	0.3	0.1	-	0.2	1.1	0.8	0.2	0.1	0.2	0.4	0.0	0.0	0.1
1935	0.2	0.4	0.1	0.1	0.1	0.8	0.5	0.1	-	-	-	-	0.0
1934	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	0.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	1.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	0.6	0.6	0.6	0.6	0.4	0.6	0.7	1.0	0.2	0.0	0.4	0.2	1.6
1926	2.1	0.5	1.3	5.2	4.6	9.5	2.0	1.0	0.2	0.0	0.0	0.1	0.4
1925	0.7	0.0	0.2	0.5	1.3	3.7	1.9	0.6	0.2	0.0	-	0.0	0.1

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX - Cont'd:													
1924	2.9	9.4	9.8	5.7	6.2	1.7	1.4	1.0	0.0	0.0	0.0	-	0.1
1923	3.3	1.4	7.2	5.4	6.0	5.1	6.8	2.1	0.6	0.0	0.8	0.8	4.2
1922	1.2	0.8	2.0	1.7	2.1	3.5	3.3	0.8	0.0	0.0	0.0	-	0.1
1921	1.6	0.2	2.1	4.8	4.8	3.4	1.7	1.0	0.4	0.1	0.1	0.1	0.4
1920	5.7	4.5	7.9	12.2	15.9	14.8	9.6	3.0	0.6	0.1	0.1	0.1	-
1919	7.2	10.7	19.9	16.9	13.3	11.6	8.3	1.6	0.5	0.2	0.4	1.6	2.5
1918	2.6	3.3	4.3	7.1	4.2	4.6	1.9	0.2	0.1	0.2	0.2	1.6	4.0
1917	9.1	5.3	15.7	22.6	19.6	25.7	15.2	3.6	0.3	0.2	0.3	0.2	1.4
1916	0.5	0.0	0.2	0.3	1.1	2.2	0.4	0.0	-	-	-	0.4	1.1
1915	0.0	0.1	0.1	0.1	0.0	-	-	-	-	-	-	0.0	-
1914	0.9	0.0	0.4	0.9	1.8	2.2	2.6	1.4	0.2	0.0	0.5	0.4	0.4
1913	0.2	0.0	0.0	0.0	0.2	0.2	1.2	0.3	0.2	0.2	0.1	0.0	0.0
1912	0.0	-	0.1	0.0	-	0.1	0.1	0.0	-	0.0	-	0.0	-
1911	0.4	0.0	2.8	0.6	0.7	0.5	0.1	-	0.0	-	-	0.2	0.0
1910	0.2	0.1	0.1	0.4	0.6	0.2	0.3	0.1	-	-	0.0	0.0	-
1909	0.2	0.4	0.1	0.3	1.0	0.4	0.2	0.0	-	-	0.0	-	0.0
1908	36.6	107.3	139.1	112.2	44.9	22.2	13.0	2.9	0.9	0.0	0.2	0.1	0.7
1907	2.1	0.2	0.0	0.0	1.3	1.2	0.4	0.4	0.1	0.0	0.6	2.2	18.6
1906	1.0	0.8	1.9	3.0	2.2	1.9	1.3	1.0	0.1	0.1	0.2	0.0	-
1905	0.6	0.8	2.7	1.5	1.1	0.8	0.2	0.0	-	-	0.1	-	0.0
1904	2.5	0.1	1.6	4.3	13.9	5.9	3.2	1.0	0.2	-	0.1	0.0	0.1
1903	0.2	0.1	0.3	0.4	0.3	0.2	0.1	0.3	0.1	-	-	0.0	0.0
1902	0.1	-	0.1	0.0	0.1	0.2	0.2	0.2	0.2	0.0	0.0	0.1	0.2
1901	0.2	0.1	0.2	0.1	0.2	0.5	0.4	0.5	0.1	0.1	-	0.1	0.1
1900	0.2	0.2	0.2	0.2	0.1	0.4	0.3	0.4	0.2	0.1	0.1	0.1	0.1

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER													
*1948	0.6	1.0	0.9	0.6	2.2	0.5	0.9	0.3	0.0	0.0	0.0	0.2	0.6
*1947	1.4	4.0	2.6	1.4	2.3	1.4	2.1	1.5	0.5	0.2	0.2	0.3	1.5
*1946	41.5	4.7	35.2	144.5	146.9	91.7	47.3	8.8	2.9	0.6	1.2	2.0	4.1
1945	3.5	0.4	2.2	2.4	5.3	11.2	5.5	3.5	1.8	2.1	0.7	4.8	2.5
1944	5.4	10.8	9.0	6.9	7.6	12.6	8.6	4.3	4.1	0.5	0.3	0.1	0.3
1943	1.9	0.0	0.0	0.5	1.2	3.5	4.0	1.1	0.9	0.2	1.4	2.7	6.9
1942	0.1	0.1	-	0.0	0.9	0.3	0.2	-	0.2	0.0	-	0.0	0.0
1941	0.1	0.0	0.4	0.2	0.0	0.2	0.4	0.1	-	-	-	0.2	-
1940	0.0	-	-	0.0	0.0	-	-	-	-	-	-	-	-
1939	0.0	-	-	-	-	-	10.1	-	-	-	-	-	-
1938	-	-	-	-	-	-	-	-	-	-	-	-	-
1937	0.0	0.2	0.1	0.0	-	-	-	-	-	-	-	-	-
1936	0.0	-	-	-	-	-	-	0.0	-	-	-	-	-
1935	0.0	-	-	-	-	-	0.3	0.0	-	-	0.0	-	-
1934	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	0.0	0.0	-	-	-	-	0.0	0.0	0.0	-	-	0.0	-
1926	0.1	-	-	0.0	0.5	0.2	-	-	-	-	-	-	-
1925	0.0	-	0.0	-	-	-	0.2	10.4	-	-	-	-	-

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER - Cont'd													
1924	0.0	-	-	-	-	0.0	0.1	0.0	0.1	0.0	0.0	-	0.0
1923	0.0	-	-	0.0	-	-	0.0	0.2	-	-	-	0.0	-
1922	0.0	-	-	-	-	0.0	0.1	0.3	0.0	0.0	0.0	0.0	-
1921	0.3	0.1	0.1	0.9	0.3	0.5	0.9	0.6	0.0	0.0	0.0	-	-
1920	0.1	0.0	0.0	-	0.0	0.1	0.3	0.7	0.0	0.1	0.0	-	-
1919	0.4	-	0.2	0.3	0.5	1.1	1.3	0.9	0.2	0.1	0.1	0.0	0.1
1918	0.4	-	0.4	0.4	0.7	1.2	0.8	1.0	0.1	0.2	0.1	-	-
1917	0.4	0.0	0.0	0.0	0.8	1.1	1.0	0.8	0.6	0.1	-	0.0	0.1
1916	1.1	0.4	0.5	0.5	2.9	2.6	2.2	0.3	0.5	1.1	0.1	-	0.0
1915	0.9	0.2	0.6	1.3	1.5	2.4	1.9	1.2	1.1	0.4	0.1	0.1	0.3
1914	13.6	-	-	32.8	43.5	43.8	25.9	12.2	2.4	1.0	0.7	0.2	0.1
1913	-	-	-	-	-	-	-	-	-	-	-	-	-
1912	0.0	-	-	-	-	-	-	-	-	-	-	0.0	-
1911	0.0	-	0.0	-	-	-	-	-	-	0.0	-	0.0	-
1910	0.0	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
1909	0.0	-	-	0.0	-	-	0.0	-	-	-	-	-	0.0
1908	0.0	-	-	0.0	0.0	-	-	-	-	-	-	-	-
1907	0.0	-	-	0.0	-	0.0	0.1	0.0	-	0.0	-	-	-
1906	0.0	-	-	-	0.0	-	-	0.0	0.0	-	-	0.0	-
1905	0.0	-	-	-	-	-	0.1	-	-	-	-	-	-
1904	0.1	-	-	0.0	0.1	0.3	0.3	0.2	-	0.0	-	-	0.1
1903	0.0	-	0.1	-	0.1	0.0	-	0.0	-	0.0	-	-	0.0
1902	0.0	0.1	-	0.0	-	0.1	0.2	0.1	0.1	-	-	0.0	-
1901	0.0	-	-	0.0	0.1	0.1	0.0	0.1	0.1	-	-	0.0	0.1
1900	0.2	0.2	0.0	0.1	0.1	0.1	0.3	0.2	0.4	0.4	0.2	0.0	0.1

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA													
#1948	6.2	3.4	3.5	3.8	4.8	5.6	10.8	13.1	12.8	8.4	4.2	1.9	1.8
#1947	15.2	10.6	9.7	13.7	11.4	14.4	21.0	25.4	30.3	20.6	12.5	6.9	4.8
5/ #1946	NA	NA	NA	NA	NA	NA	NA	112.0	93.8	78.6	44.4	24.2	14.5

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE B * ENCEPHALITIS													
#1948	9.0	-	-	-	-	-	0.1	0.3	80.0	34.2	2.3	-	-
#1947	0.3	0.0	-	-	-	-	0.1	0.1	0.9	2.1	1.0	0.0	0.1
7/ #1946	NA	NA	NA	NA	NA	NA	NA	0.6	0.8	0.6	0.3	0.1	0.0

See footnotes at end of table.

TABLE 26 - CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

FOOTNOTES:

* Data for 1946, 1947 and 1948 are provisional.

1/ Rates are the number of cases per 100,000 population and are computed on an annual basis. Case data refer to the civilian population in Japan Proper and Okinawa, 1900-1936, and to Japan Proper only, 1937-1948. Case data for Okinawa are very incomplete. Rates are based upon the total population in Japan Proper and Okinawa, 1900-1919, and on the estimated civilian population in Japan Proper, 1920-1948.

2/ Data for paratyphoid fever are not available prior to August 1911.

3/ Data for epidemic meningitis are not available prior to April 1918.

4/ Diphtheria includes group, 1905-1923.

5/ Dysentery includes ekiri, 1922-1948.

6/ Data for malaria are not available prior to July 1946.

7/ Data for Japanese "B" encephalitis are not available prior to July 1946.

"NA" indicates that data are not available.

A dash (-) indicates that no cases were reported.

A rate of 0.0 indicates that there were some cases but the rate was less than 0.1.

TABLE 26 - CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP. Sources of case data are as follows:

1900 - 1923: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1924.

1924 - 1934: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1937.

1935 - 1942: Annual Reports, Ministry of Welfare.

1943 - 1945: Unpublished Annual Reports, Ministry of Welfare.

1946 - 1948: Weekly Reports, Ministry of Welfare.

TABLE 27
NATURAL INCREASE IN POPULATION : JAPAN, 1900-1948

Year	1/ Births	2/ Deaths	3/ Net Natural Increase	4/ Rate of Net Natural Increase per 1,000 Population
*1948	2,709,871	959,092	1,750,779	21.8
*1947	2,714,786	1,138,238	1,576,548	20.2
1946	1,905,809	1,326,592	579,217	7.7
1945	1,685,583	2,113,798	- 428,215	- 6.0
1944	2,149,843	1,279,639	870,204	11.8
1943	2,235,431	1,204,802	1,030,629	14.0
1942	2,216,271	1,157,845	1,058,426	14.5
1941	2,260,270	1,140,428	1,119,842	15.4
1940	2,100,164	1,176,517	923,647	12.9
1939	1,885,957	1,258,514	627,443	8.8
1938	1,911,966	1,250,093	661,873	9.4
1937	2,164,949	1,198,400	966,549	13.7
1936	2,086,355	1,220,023	866,332	12.4
1935	2,174,291	1,152,371	1,021,920	14.9
1934	2,028,289	1,225,402	802,887	11.9
1933	2,106,260	1,184,546	921,714	13.8
1932	2,168,026	1,166,167	1,001,859	15.2
1931	2,088,608	1,231,154	857,454	13.2
1930	2,070,765	1,161,504	909,261	14.2
1929	2,061,720	1,251,041	810,679	12.9
1928	2,120,493	1,227,570	892,923	14.4
1927	2,045,828	1,204,847	840,981	13.8
1926	2,089,237	1,151,163	938,074	15.6
1925	2,071,560	1,199,936	871,624	14.7
1924	1,984,326	1,245,343	738,983	12.7
1923	2,028,955	1,323,648	705,307	12.2
1922	1,953,560	1,278,120	675,440	11.9
1921	1,976,055	1,279,219	696,836	12.4
1920	2,011,634	1,409,371	602,263	10.9
1919	1,778,685	1,281,965	496,720	8.8
1918	1,791,992	1,493,162	298,830	5.4
1917	1,812,413	1,199,669	612,744	10.9
1916	1,804,822	1,187,832	616,990	11.2
1915	1,799,326	1,093,793	705,533	13.0
1914	1,808,402	1,101,815	706,587	13.2
1913	1,757,441	1,027,257	730,184	13.8
1912	1,737,674	1,037,016	700,658	13.4
1911	1,747,803	1,043,906	703,897	13.7
1910	1,712,857	1,064,234	648,623	12.8
1909	1,693,850	1,091,264	602,586	12.1
1908	1,662,815	1,029,447	633,368	12.8
1907	1,614,472	1,016,798	597,674	12.3
1906	1,394,295	955,256	439,039	9.1
1905	1,452,770	1,004,661	448,109	9.4
1904	1,440,371	955,400	484,971	10.3
1903	1,489,816	931,008	558,808	12.0
1902	1,510,835	959,126	551,709	12.0
1901	1,501,591	925,810	575,781	12.7
1900	1,420,534	910,744	509,790	11.4

See footnotes next page.

NATURAL INCREASE IN POPULATION : JAPAN, 1900-1948, Cont'd

Footnotes:-

*Birth data for 1947 and 1948 are provisional. Death data for 1948 are provisional. The rates for both 1947 and 1948 are provisional.

- 1/ Data for 1900-1919 refer to births of Japanese nationals in Japan Proper and Okinawa. Data for 1920-1948 refer only to births of Japanese nationals in Japan Proper, except as follows. A small number of births of Japanese nationals outside of Japan is included in the tabulations for 1945. A small number of births of foreigners in Japan Proper is included from January through July 1945.
- 2/ Data for 1900-1919 refer to deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1920-1948 refer only to deaths of Japanese nationals in Japan Proper except for the period January through July 1945, when a small number of deaths of foreigners in Japan and Japanese nationals outside of Japan was included.
- 3/ Excess births over deaths.
- 4/ The population data upon which rates are based refer to the total population, including military personnel in the country, in Japan Proper and Okinawa for the period 1900-1919 and to the total population in Japan Proper, 1920-1948.

Sources:

Rates were computed by the Public Health and Welfare Section, GHQ, SCAP. Sources of birth and death data are as follows:

- 1900-1919: Annual Report, Cabinet Bureau of Statistics, 1943.
1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1944: Unpublished tabulations, Cabinet Bureau of Statistics.
1945, January-July: Unpublished tabulations, Cabinet Bureau of Statistics.
1945, August-December: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan and of foreigners in Japan Proper.
1946, January-June: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare, GHQ, SCAP, to exclude births and deaths of Japanese nationals outside Japan Proper.
1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare, GHQ, SCAP, to exclude estimated births and deaths of Japanese nationals outside Japan.
1946, October-December: Monthly Schedule Report, Cabinet Bureau of Statistics.
1947- Birth Data- January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.
July-December: Monthly Schedule Reports, Ministry of Welfare.

Death Data- Final Annual Report, Ministry of Welfare.

1948, Monthly Schedule Reports, Ministry of Welfare.

TABLE 28. - 2/ INFANT DEATHS BY MONTH: JAPAN INCLUDING OKINAWA, 1937 - 1942
2/ INFANT DEATHS BY MONTH: JAPAN PROPER, JULY 1946 - 1948

Year	Total Japan in- cluding Okinawa	Japan Proper	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Un- Known
*1948	NA	166,649	20,777	19,630	18,752	13,569	11,438	11,228	12,346	10,908	9,589	10,040	12,524	15,848	-
*1947	NA	206,877	21,229	24,277	24,280	18,067	15,293	13,987	16,551	15,493	11,122	11,434	14,734	20,410	-
1946	NA	NA	NA	NA	NA	NA	NA	NA	11,725	10,601	9,336	10,279	11,576	17,168	-
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1943	195,219	194,551	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1942	190,897	190,162	22,796	22,556	21,215	16,146	13,595	12,684	15,785	13,570	10,872	11,140	13,014	17,524	-
1941	191,420	190,780	19,903	22,184	21,707	16,944	15,075	14,439	15,004	12,956	11,264	11,653	12,953	17,338	-
1940	190,509	189,809	24,615	23,195	21,270	15,966	13,989	12,739	15,770	13,328	11,111	10,843	11,980	15,683	-
1939	202,018	201,291	24,711	21,886	22,385	16,994	14,769	13,826	15,309	13,845	11,638	12,750	13,844	20,559	2
1938	220,695	219,943	28,153	26,888	24,611	18,031	15,987	14,507	16,500	15,083	13,424	13,421	14,868	19,222	-
1937	230,701	229,911	24,300	22,765	23,387	19,626	17,539	16,428	18,500	17,854	14,745	15,291	16,616	23,650	-

FOOTNOTES:

*Data for 1947 and 1948 are provisional.

Infant deaths refer to deaths under 1 year of age.

"NA" indicates data are not available.

1/ Monthly data refer to Japanese nationals in Japan Proper and Okinawa.

2/ Monthly data refer to Japanese nationals in Japan Proper.

SOURCES:

Monthly data prior to 1937 are not available.

1937-1943: Annual Reports, Cabinet Bureau of Statistics.

1946, July-September: Monthly Numerical Reports, Cabinet Bureau of Statistics.

1946, October-December; 1947, January-June: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947, July-December; 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 29. - 1/ INFANT DEATH RATES BY MONTH: JAPAN INCLUDING OKINAWA, 1937 - 1942
2/ INFANT DEATH RATES BY MONTH: JAPAN PROPER, JULY 1946 - 1948
(Rates per 1,000 live births each month)

Year	Annual Japan including Okinawa	Annual Japan Proper	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
*1948	NA	61.5	66.0	75.4	72.9	60.5	56.7	59.8	60.0	50.7	44.6	46.1	57.1	83.2
*1947	NA	76.2	72.1	106.8	101.8	85.5	76.1	70.7	71.9	64.4	47.1	49.2	69.1	106.2
1946	NA	NA	NA	NA	NA	NA	NA	NA	72.9	60.4	48.6	54.5	59.4	93.8
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	86.6	87.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1942	85.5	85.8	79.3	103.1	96.7	92.5	87.4	85.2	92.5	76.2	61.4	63.3	75.8	112.7
1941	84.1	84.4	73.8	106.0	100.6	101.5	97.8	95.0	84.6	69.4	61.3	60.7	66.0	100.2
1940	90.0	90.4	94.6	116.6	101.2	99.1	97.4	89.8	102.2	82.3	64.3	62.2	66.2	100.9
1939	106.2	106.7	99.9	120.8	118.1	124.6	118.9	117.7	114.2	94.2	74.5	75.8	80.2	152.1
1938	114.4	115.0	105.1	133.2	114.4	114.9	114.9	118.7	124.4	107.9	96.0	92.6	98.1	152.0
1937	105.8	106.2	90.3	109.8	100.6	120.6	116.0	121.0	123.7	107.8	84.4	82.6	86.7	152.1

FOOTNOTES:

- * Data for 1947 and 1948 are provisional.
- Rates are the number of infant deaths per 1,000 live births in the corresponding period and area.
- NA indicates data are not available.
- 1/ Monthly data refer to Japanese nationals in Japan Proper and Okinawa.
- 2/ Monthly data refer to Japanese nationals in Japan Proper.

SOURCES:

- Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
- Sources of original data were as follows:
Monthly data prior to 1937 are not available.
1937-1943: Annual Reports, Cabinet Bureau of Statistics.
1946, July-September: Monthly Numeric Reports, Cabinet Bureau of Statistics.
1946, October-December; 1947, January-June: Monthly Schedule Reports, Cabinet Bureau of Statistics.
1947, July-December; 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 30 - INFANT DEATHS BY PREFECTURE: JAPAN, 1920 - 1948

Year	All Japan	Aichi	Akita	Aomori	Chiba	Emine	Fukui	Fukuoka	Fukushima	Gifu	Gumma
• 1948	166,649	6,354	4,068	4,570	4,361	3,024	2,395	6,061	4,644	3,418	2,861
• 1947	206,877	7,746	4,668	4,902	5,732	4,005	2,206	8,862	5,386	3,853	3,628
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	194,551	9,272	4,395	4,582	4,596	2,884	2,274	7,414	4,792	4,010	3,255
1942	190,162	8,005	4,538	4,755	4,605	3,003	2,083	7,225	4,841	3,579	3,133
1941	190,780	8,994	4,275	4,559	4,775	2,970	2,371	7,794	4,681	3,339	3,461
1940	189,809	8,378	4,805	5,034	5,046	3,051	2,512	7,244	5,005	4,025	3,503
1939	201,291	8,453	4,812	4,813	5,514	3,270	2,213	8,371	5,214	3,907	3,473
1938	219,943	9,682	4,929	5,514	6,087	3,358	2,813	9,398	5,682	4,667	3,721
1937	229,911	9,984	5,403	5,448	6,413	3,722	3,050	9,189	5,873	4,674	4,115
1936	244,558	10,501	5,864	7,368	6,412	4,008	3,432	10,369	6,043	5,030	3,798
1935	232,821	9,053	5,658	5,777	6,677	3,651	2,918	8,696	5,986	4,543	4,007
1934	254,213	12,446	5,847	6,206	6,523	4,048	3,586	9,457	6,537	5,614	4,449
1933	256,395	10,442	6,072	6,039	6,992	4,247	3,409	10,312	6,272	4,966	3,929
1932	255,701	10,938	6,162	6,447	7,127	4,193	3,492	9,889	6,760	5,137	4,149
1931	275,644	11,953	6,358	6,678	7,709	4,238	3,712	12,069	6,910	5,602	4,678
1930	257,846	11,049	6,259	6,957	7,370	4,305	3,477	9,911	6,655	5,406	4,181
1929	294,057	12,366	7,325	7,727	8,113	4,588	3,931	11,394	7,434	5,618	4,952
1928	293,026	13,541	6,927	7,207	8,680	4,430	3,823	10,867	7,367	6,118	5,331
1927	291,209	12,143	7,196	7,100	7,790	4,494	4,008	10,295	7,632	5,803	5,453
1926	288,301	11,693	7,436	7,114	8,118	4,786	3,843	10,812	7,233	5,750	4,728
1925	295,888	12,486	7,295	6,998	8,287	4,362	3,938	10,185	7,340	5,957	5,452
1924	311,357	13,127	7,767	7,404	8,555	5,210	4,104	11,042	7,849	5,965	5,566
1923	333,120	14,118	9,043	8,392	9,986	4,947	4,415	11,247	8,410	6,623	6,016
1922	326,684	12,025	8,392	8,559	9,868	5,123	4,805	10,792	8,194	6,371	5,947
1921	334,352	13,979	7,993	7,551	9,659	5,244	4,598	12,270	8,227	6,659	5,885
1920	334,381	13,352	7,358	7,827	9,792	5,395	4,705	12,642	8,867	6,868	6,409

See footnotes at end of table.

TABLE 30 - INFANT DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
1948	3,523	10,457	5,721	4,384	3,031	4,344	2,265	3,674	3,280	1,736	3,321	2,879
1947	4,662	11,791	7,365	5,635	3,225	4,523	2,801	4,377	4,525	2,195	4,305	3,738
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	4,517	10,498	7,713	4,740	2,740	5,001	2,073	3,407	5,150	1,546	3,017	3,498
1942	4,256	10,286	7,290	4,754	2,750	4,974	2,208	4,187	4,846	1,636	3,121	3,518
1941	4,104	10,069	7,166	5,028	2,588	4,822	1,981	3,499	4,806	1,784	3,190	3,482
1940	4,048	10,313	6,530	5,455	2,756	5,316	2,105	3,990	4,163	1,599	2,981	3,232
1939	4,387	10,728	7,631	5,677	2,798	4,962	2,253	4,013	4,436	1,616	3,136	3,601
1938	5,000	11,183	7,826	6,376	3,226	5,690	2,590	4,486	4,741	2,189	3,671	4,172
1937	4,836	11,703	8,077	6,469	3,553	5,782	2,552	4,404	4,917	2,268	3,870	4,218
1936	5,894	11,521	9,012	6,712	4,123	6,155	3,101	4,504	4,686	2,434	3,962	5,199
1935	4,932	11,573	8,487	6,842	3,514	5,403	2,625	4,526	5,309	2,367	3,805	4,357
1934	5,687	12,213	8,984	7,083	4,460	5,663	3,058	4,935	5,050	2,526	4,336	5,257
1933	5,688	13,141	9,471	6,982	4,252	5,879	3,254	4,724	5,432	2,877	4,190	5,088
1932	5,886	12,071	9,635	7,022	4,356	5,835	3,351	4,579	5,241	2,828	4,277	5,240
1931	6,130	13,340	10,280	7,781	4,614	5,762	3,437	4,876	5,573	2,793	4,815	5,973
1930	5,683	13,030	9,288	7,286	4,185	5,676	3,103	4,557	5,241	2,697	4,236	5,495
1929	6,031	14,297	11,298	8,123	5,033	5,857	3,568	4,907	6,604	3,240	4,845	6,098
1928	6,413	13,728	10,847	8,659	4,867	6,441	3,531	4,944	6,673	3,460	4,698	5,856
1927	6,713	15,022	10,980	8,431	5,264	6,023	3,571	5,007	6,119	3,257	4,615	6,305
1926	6,846	12,752	11,300	7,994	4,944	5,905	3,736	5,188	5,960	3,286	4,823	6,415
1925	6,785	14,266	11,210	8,924	5,042	5,941	3,411	4,664	6,821	3,275	4,494	6,492
1924	7,644	14,907	13,168	9,136	5,357	6,623	4,316	5,114	6,382	3,312	5,027	6,807
1923	7,806	15,942	13,485	9,918	5,828	6,529	4,607	5,384	7,137	3,634	4,920	7,869
1922	7,673	15,067	13,818	9,641	5,788	7,071	4,690	5,287	6,970	3,368	5,230	7,350
1921	7,434	15,576	13,677	9,791	5,598	6,599	4,186	5,213	7,707	3,466	5,537	8,288
1920	7,934	15,511	13,824	10,588	5,760	6,363	4,353	4,552	7,078	3,539	5,109	7,767

See footnotes at end of table

TABLE 30 - INFANT DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Year	Mie	Kiyagi	Miyazaki	Nagano	Igasaki	Nara	Niigata	Cita	Okavama	Oeoka	Saga	Saitama
• 1948	3,134	3,657	2,248	3,159	3,484	1,570	5,587	2,735	3,455	5,895	2,323	4,268
• 1947	4,121	4,213	2,851	3,822	4,336	2,207	6,285	3,734	4,325	8,385	3,095	5,651
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	3,425	4,070	2,016	3,879	3,307	1,747	5,904	2,867	3,525	10,840	2,087	4,715
1942	3,437	3,953	2,237	3,355	4,016	1,644	5,817	2,893	3,168	10,296	2,285	4,430
1941	3,535	3,731	2,125	3,615	3,417	1,908	5,527	2,800	3,263	10,809	2,234	4,766
1940	3,559	4,416	1,971	3,659	3,676	1,682	6,266	2,800	3,195	8,737	2,244	4,944
1939	3,715	4,309	2,453	3,875	3,826	1,899	6,253	3,048	3,484	11,355	2,353	5,300
1938	4,500	4,699	2,584	4,177	4,277	2,076	6,809	3,520	3,862	10,162	2,785	5,482
1937	4,495	5,103	2,647	4,453	4,344	2,207	7,290	3,967	4,166	11,260	2,940	5,795
1936	5,039	5,307	2,766	4,795	4,533	2,350	7,991	4,093	4,698	11,203	3,102	5,829
1935	4,496	5,443	2,528	4,769	4,015	2,424	7,498	3,578	4,163	11,764	2,618	6,053
1934	5,499	5,356	2,615	4,966	4,417	2,626	8,801	4,030	4,618	12,062	3,172	6,134
1933	5,241	5,489	2,982	4,737	4,377	2,648	8,163	4,071	4,866	12,927	3,295	6,372
1932	5,095	5,465	2,673	5,193	4,754	2,571	8,199	4,201	4,679	12,074	3,441	6,352
1931	5,723	5,405	2,896	5,332	4,535	2,718	9,733	4,250	4,910	13,897	3,497	6,947
1930	5,238	5,648	2,549	5,473	4,395	2,481	8,968	3,647	4,492	12,227	3,370	6,018
1929	5,799	6,135	3,010	5,972	4,913	3,004	10,256	4,524	5,416	14,865	3,654	7,203
1928	6,261	6,170	2,565	6,044	4,634	2,731	10,049	4,100	4,993	13,775	3,371	7,610
1927	5,674	6,095	2,508	6,051	4,393	3,054	9,835	4,054	5,058	15,682	3,470	7,557
1926	5,766	5,929	2,648	6,017	4,421	2,966	10,022	4,351	5,626	14,378	3,702	6,971
1925	6,364	6,062	2,484	6,652	4,259	3,117	9,919	4,038	4,899	15,533	3,445	7,753
1924	6,088	6,523	2,606	6,749	4,558	3,290	11,253	4,401	5,700	17,235	3,492	8,028
1923	6,594	7,039	2,730	6,672	4,439	3,324	10,895	4,323	5,846	18,923	3,661	8,921
1922	6,350	6,816	2,637	7,170	4,748	3,373	11,648	4,264	5,500	19,436	3,661	8,585
1921	7,166	6,681	2,656	7,182	5,270	3,590	11,333	4,762	5,979	18,344	4,122	9,203
1920	7,043	6,867	2,642	7,659	5,116	3,623	11,436	4,350	5,736	17,596	3,847	9,764

See footnotes at end of table.

TABLE 30 - INFANT DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamanashi
1948	2,263	2,488	5,390	3,808	2,727	9,977	1,517	3,990	2,195	4,079	3,575
1947	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	2,064	2,125	5,085	2,861	2,084	15,385	1,326	3,497	1,953	3,831	2,943
1942	1,949	2,101	5,065	3,003	2,113	14,047	1,231	3,368	1,931	3,769	2,878
1941	1,966	2,153	5,109	3,113	2,101	13,682	1,314	3,237	1,769	3,800	2,776
1940	1,986	2,106	5,265	3,309	2,187	11,462	1,175	3,484	1,951	4,137	2,579
1939	1,920	2,409	5,572	3,517	2,369	12,652	1,333	3,292	1,993	4,418	2,869
1938	2,440	2,457	6,371	3,810	2,573	13,343	1,436	3,829	2,204	4,569	3,098
1937	2,490	2,644	6,561	3,911	2,759	13,725	1,531	4,270	2,273	5,082	3,212
1936	2,711	2,984	7,321	4,113	2,844	13,442	1,579	4,248	2,188	5,343	3,525
1935	2,359	2,844	7,299	4,078	2,715	13,370	1,567	4,222	2,545	5,347	3,435
1934	2,942	3,019	7,426	4,442	3,056	14,505	1,829	4,963	2,633	5,591	3,418
1933	2,770	3,047	7,645	4,630	3,022	15,651	1,653	4,736	2,796	5,824	3,579
1932	2,754	3,316	7,406	4,204	3,229	14,640	1,940	4,680	2,971	5,597	3,479
1931	3,014	3,249	7,480	4,684	3,312	16,739	1,642	5,098	2,930	5,796	3,961
1930	2,651	3,195	7,660	4,462	2,736	14,768	1,555	4,626	2,857	6,018	3,672
1929	3,137	3,568	8,066	5,113	3,199	19,256	2,111	5,514	3,198	6,507	3,961
1928	3,070	3,190	8,486	5,223	3,354	19,658	1,877	5,266	3,154	6,540	3,735
1927	3,203	3,261	7,756	5,626	3,157	17,754	2,045	5,491	3,168	6,837	3,695
1926	3,118	3,366	7,834	4,782	3,367	17,301	2,096	6,012	3,073	7,295	4,177
1925	3,468	3,694	8,770	5,512	3,194	19,188	2,111	5,472	3,306	6,840	3,641
1924	3,294	3,409	8,451	5,465	3,502	17,166	2,190	5,807	3,304	7,379	4,220
1923	3,016	3,646	8,793	6,418	3,770	20,679	2,249	6,259	3,605	7,989	4,139
1922	3,695	3,689	8,601	6,239	3,565	19,144	2,262	5,933	3,735	8,237	3,894
1921	3,861	3,665	9,201	6,226	3,688	19,745	2,233	5,748	3,924	7,465	3,942
1920	4,004	3,550	8,843	6,594	4,179	18,456	2,427	5,306	3,625	7,685	4,604

See footnotes next page.

TABLE 30 - INFANT DEATHS BY PREFECTURE, JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES:

- *Data for 1947 and 1948 are provisional.
- Infant deaths are deaths under one year of age.
- Data refer only to deaths of Japanese nationals in Japan Proper.
- 'NA' indicates data are not available.

SOURCES:

- 1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.
- 1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.
- 1947, July - December, 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 31 - INFANT DEATH RATES BY PREFECTURE: JAPAN, 1920 - 1948
(Rates per 1,000 live births each year)

Year	All Japan	Aiohi	Akita	Aomori	Chiba	Ehime	Fukui	Fukushima	Gifu	Gumma
1948	61.5	57.3	92.4	97.1	64.8	56.5	91.7	64.5	64.1	54.6
1947	76.2	73.7	96.8	99.5	76.7	75.2	86.4	74.4	74.6	65.8
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	87.0	94.0	119.6	118.8	90.9	82.6	112.1	89.0	102.5	76.5
1942	85.8	79.7	118.8	124.7	93.3	82.2	82.5	93.3	90.4	73.3
1941	84.4	91.1	116.2	121.9	96.1	76.8	122.3	81.7	97.0	81.5
1940	90.4	89.6	135.2	138.7	108.8	85.3	139.2	84.4	99.9	82.9
1939	106.7	102.9	142.4	149.5	126.7	98.0	135.5	107.6	109.0	95.7
1938	115.0	120.3	131.5	150.8	141.0	102.8	165.6	127.7	128.3	98.1
1937	106.2	109.8	136.2	137.0	126.2	95.4	149.5	107.1	110.6	98.0
1936	117.2	116.5	143.9	94.2	130.1	110.3	166.6	131.4	125.2	95.0
1935	107.1	101.1	135.6	140.7	131.1	95.2	142.0	104.2	109.6	95.0
1934	125.3	144.9	148.4	161.0	138.1	113.0	186.3	122.3	139.1	111.7
1933	121.7	121.2	151.1	153.4	142.2	110.9	161.3	130.4	121.9	97.8
1932	117.9	122.8	147.6	165.8	144.2	105.8	165.6	120.1	119.2	99.3
1931	132.0	143.4	157.9	176.9	150.5	110.6	176.3	151.1	139.8	117.2
1930	124.5	131.9	149.9	180.8	154.4	113.1	169.0	132.5	128.9	100.7
1929	142.6	147.5	191.8	212.9	169.3	119.1	189.1	147.3	134.4	123.3
1928	138.2	158.2	169.6	185.0	171.9	112.7	177.4	139.3	144.7	129.6
1927	144.3	150.2	176.1	190.7	159.9	119.7	192.0	139.7	138.5	134.8
1926	138.0	139.9	188.0	196.8	160.1	121.8	174.3	143.0	133.6	111.3
1925	142.8	154.2	183.5	190.3	164.0	113.1	180.8	135.9	140.9	131.7
1924	156.9	167.0	197.0	209.6	180.5	142.3	186.5	154.6	145.3	140.2
1923	164.2	176.3	229.7	231.9	202.1	123.9	202.4	152.6	156.4	148.2
1922	167.2	161.7	225.2	252.2	193.9	137.8	220.4	153.1	159.5	151.8
1921	169.2	186.7	206.7	244.7	196.3	139.1	197.1	157.9	164.0	153.9
1920	168.2	172.7	185.1	211.1	201.8	140.1	194.1	163.4	158.4	154.0

See footnotes at end of table.

TABLE 31 - INFANT DEATH RATES BY PREFECTURE, JAPAN, 1920 - 1948 -Cont'd.
(rates per 1,000 live births each year)

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Yyoto
* 1948	56.5	67.6	55.3	64.8	87.9	91.8	66.7	57.6	44.5	63.2	54.2	52.6
* 1947	68.2	82.2	74.2	80.1	86.8	90.9	80.9	73.2	55.5	75.9	69.3	68.6
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	89.2	88.5	85.0	91.9	114.0	123.5	98.1	70.0	68.0	82.7	73.5	77.3
1942	76.8	91.2	79.3	93.7	110.1	127.8	89.5	87.4	69.1	83.1	76.9	76.8
1941	74.2	86.0	76.4	97.2	110.3	121.2	88.9	66.8	67.9	88.5	74.5	74.2
1940	82.0	95.6	81.9	105.0	129.5	132.9	101.3	80.3	66.9	89.2	74.8	77.4
1939	102.5	109.3	110.3	125.7	144.2	139.8	116.7	82.7	83.6	95.5	84.1	100.1
1938	112.3	106.2	112.7	134.8	164.1	147.3	130.9	96.5	94.8	128.7	96.2	112.8
1937	93.1	108.8	99.5	121.2	155.4	141.5	105.6	82.1	89.2	114.0	87.7	96.7
1936	118.2	111.5	114.0	133.8	169.1	152.4	134.7	91.8	86.9	131.8	96.5	120.6
1935	93.4	105.3	103.3	127.8	146.7	133.6	107.1	86.4	95.8	113.4	87.6	98.0
1934	119.0	116.6	121.3	144.8	192.8	149.1	138.5	97.8	103.5	130.4	102.9	127.9
1933	108.5	126.7	118.9	138.7	166.6	154.1	128.6	91.3	103.9	134.0	96.0	118.1
1932	108.0	112.5	116.2	134.4	170.6	143.8	123.7	87.2	102.7	130.2	95.8	115.9
1931	116.9	128.9	129.9	153.0	183.7	153.8	135.8	97.4	107.4	127.8	112.0	140.2
1930	112.1	129.9	119.8	144.3	166.8	147.8	128.4	96.7	105.2	125.7	98.8	131.6
1929	114.1	143.0	145.9	159.2	202.0	154.9	143.3	96.1	133.6	147.3	111.7	144.1
1928	119.4	126.6	133.2	166.6	189.3	168.8	136.9	96.4	131.1	151.5	104.9	135.0
1927	127.4	159.9	143.6	167.2	206.7	160.7	146.7	97.2	128.5	147.5	106.8	135.5
1926	124.8	129.2	140.2	149.5	186.3	155.0	141.8	111.3	126.6	143.5	109.9	148.5
1925	124.4	145.3	145.1	175.2	187.8	160.5	139.3	94.9	134.9	144.2	103.1	155.9
1924	145.9	152.3	172.9	180.1	203.1	185.9	176.0	104.7	152.1	149.2	120.5	167.1
1923	142.9	164.0	170.7	192.6	213.9	177.4	153.7	106.6	165.6	166.4	113.5	193.1
1922	142.2	155.3	182.0	194.1	225.1	202.6	162.0	105.7	156.2	156.3	127.1	181.8
1921	135.9	163.6	174.7	180.0	196.1	187.0	161.1	111.7	170.1	159.2	136.5	209.2
1920	144.2	159.1	178.3	202.5	201.6	169.7	158.0	102.5	160.5	167.4	122.0	190.4

See footnotes at end of table.

TABLE 31 - INFANT DEATH RATES BY PREFECTURE: JAPAN, 1920 - 1948 -Cont'd.
(Rates per 1,000 live births each year)

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Miyata	Oita	Okayama	Osaka	Saga	Saitama
1948	66.0	68.0	54.5	52.1	60.2	66.7	67.7	62.3	65.3	52.1	70.3	60.3
1947	88.5	75.2	73.1	60.9	80.5	90.8	72.5	87.2	80.0	77.7	95.8	72.8
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	97.7	95.2	75.8	80.1	80.1	107.4	91.5	96.2	92.0	84.6	101.1	87.2
1942	98.4	94.7	83.8	66.8	93.5	102.0	90.3	96.7	84.4	81.5	105.8	86.8
1941	98.2	89.8	72.0	73.5	75.9	110.5	84.0	90.0	82.9	79.0	99.5	91.5
1940	100.4	104.6	75.6	75.3	88.9	101.8	98.5	97.4	93.8	76.7	106.8	100.5
1939	122.0	109.4	99.0	84.8	97.8	136.8	103.2	113.6	115.3	114.3	116.9	116.5
1938	137.9	112.3	102.7	87.3	112.8	144.1	107.3	128.2	120.5	106.8	146.2	119.3
1937	120.3	110.8	90.9	84.6	103.7	124.8	103.9	119.3	105.7	105.9	126.4	112.1
1936	137.1	120.8	103.4	94.2	113.7	136.1	114.2	136.5	125.7	108.6	146.2	114.8
1935	119.2	120.8	88.9	89.5	97.0	134.5	105.2	110.9	108.1	111.8	113.6	112.8
1934	151.0	119.5	100.3	96.7	112.9	151.4	133.2	131.8	134.5	127.6	144.4	128.2
1933	138.9	127.3	107.9	90.3	109.6	147.9	116.1	125.8	125.2	133.1	143.0	125.9
1932	129.5	118.5	97.7	93.9	114.6	136.2	114.2	131.2	115.4	117.7	143.2	123.2
1931	155.4	124.7	111.4	101.9	114.5	151.1	137.9	132.0	127.3	149.0	147.0	136.1
1930	135.0	131.0	99.9	99.2	131.9	137.6	126.3	118.5	120.0	131.5	147.4	121.2
1929	148.7	141.8	117.4	110.0	122.6	167.5	149.7	141.9	141.9	162.9	153.1	146.1
1928	158.0	142.8	102.8	109.0	119.9	144.9	140.6	129.7	128.8	143.2	140.3	147.9
1927	150.4	142.2	103.6	111.4	113.8	165.7	142.8	131.5	137.8	177.0	145.3	148.4
1926	143.9	137.0	107.6	105.7	115.2	150.1	142.4	135.3	141.1	155.6	130.4	130.4
1925	161.7	142.0	104.1	122.0	110.1	163.5	141.4	124.9	128.6	170.6	135.8	149.2
1924	163.2	159.2	114.7	124.8	122.1	172.5	163.6	144.7	155.6	202.1	149.4	161.0
1923	166.4	166.4	119.3	126.2	115.2	165.5	159.1	137.4	150.1	218.6	145.3	171.4
1922	168.4	175.9	117.3	138.1	126.2	175.0	175.3	149.6	149.8	236.7	155.1	175.5
1921	189.9	167.2	122.1	140.4	140.9	185.3	161.9	159.5	156.5	229.8	172.6	183.8
1920	179.2	166.2	114.1	136.7	137.6	176.8	163.0	140.6	141.4	223.8	155.1	190.1

See footnotes at end of table.

TABLE 31 - INFANT DEATH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tohori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamashiro
* 1948	64.9	67.3	53.1	52.1	66.3	47.0	65.4	87.0	57.9	82.1	53.7	52.2
* 1947	86.8	76.1	65.5	68.3	85.6	61.9	77.9	95.9	70.5	92.1	71.8	62.9
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	105.7	97.2	79.9	75.0	98.7	64.6	98.5	126.3	87.0	109.2	83.0	76.1
1942	98.8	94.2	80.3	80.1	91.1	62.8	94.4	118.6	78.0	105.4	79.4	82.3
1941	100.6	98.0	80.0	80.4	90.7	62.2	91.8	116.2	74.2	107.4	74.8	79.8
1940	103.3	104.5	82.9	85.2	103.2	59.5	90.5	135.0	91.8	113.7	78.1	80.0
1939	117.7	123.6	100.7	101.4	112.4	76.4	113.8	142.4	101.7	128.8	100.0	93.4
1938	138.7	126.1	112.0	105.5	124.9	84.7	112.2	166.1	107.4	125.4	107.6	98.7
1937	117.5	111.6	103.0	95.1	110.6	79.7	104.1	158.8	94.2	125.8	94.2	92.7
1936	132.1	133.9	115.8	103.5	121.0	78.8	108.3	150.5	114.9	136.3	110.0	94.7
1935	110.7	117.2	111.6	97.6	111.4	79.4	107.1	152.2	103.9	130.2	100.3	109.1
1934	144.6	135.9	116.7	113.3	130.2	94.2	131.5	186.3	114.1	141.8	107.2	104.5
1933	134.4	131.2	121.3	114.6	120.7	95.4	111.4	163.1	111.5	144.9	106.5	106.5
1932	125.3	136.7	113.7	102.0	127.7	90.8	125.3	159.7	114.5	132.7	100.4	98.8
1931	142.4	140.6	115.0	122.6	136.7	105.8	121.6	179.2	119.7	147.6	117.3	103.8
1930	133.6	143.4	123.0	109.6	113.4	97.5	134.2	163.0	115.5	141.9	113.7	104.9
1929	150.6	154.9	127.7	127.4	129.6	130.2	138.3	195.8	131.5	162.4	118.3	110.2
1928	137.6	136.5	127.9	126.4	134.6	129.1	125.2	181.0	119.5	156.4	108.6	113.5
1927	150.3	144.6	124.9	138.0	132.8	121.9	134.2	190.7	127.4	166.3	118.1	108.1
1926	142.1	143.0	121.2	115.2	129.8	125.5	132.5	205.2	118.3	171.3	121.6	120.9
1925	160.3	139.0	135.0	132.0	131.9	133.0	135.0	184.7	132.3	166.3	106.5	124.0
1924	150.3	153.7	138.4	136.6	148.8	139.0	142.3	200.2	135.8	180.3	132.1	133.7
1923	180.8	154.8	139.8	155.3	147.9	175.7	143.2	219.4	136.7	193.0	124.3	123.2
1922	167.7	162.3	147.3	153.3	151.5	158.6	147.4	216.6	150.1	213.1	118.7	145.8
1921	176.3	156.2	152.6	155.7	152.3	163.5	144.2	192.0	156.8	186.1	131.3	134.7
1920	174.7	149.8	149.1	159.5	164.7	167.6	157.3	195.6	138.0	188.9	121.2	142.7

See footnotes next page.

TABLE 31 - INFANT DEATH RATES BY PREFECTURE, JAPAN, 1920 - 1948 - Cont'd.
(Rates per 1,000 live births each year)

FOOTNOTES:

* Data for 1947 and 1948 are provisional.

Rates are the number of infant deaths per 1,000 live births in the corresponding period.

Data refer only to events to Japanese nationals in Japan Proper.

"NA" indicates data are not available.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data on infant deaths are as follows:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.

1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947, July - December; 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 32. - 1/ INFANT DEATHS FROM SELECTED CAUSES, JAPAN, 1920 - 1948

Year	All Causes	2/Typhoid Fever (1)	Paratyphoid Fever (2)	Cholera (4)	Cerebrospinal (meningococcus) Meningitis (6)	Anthrax (7)	4/Scarlet Fever (8)	Whooping Cough (9)	5/ Diphtheria Erysipelas (10) (11)	
1948	166,649	5	-	-	90	-	5	2,595	356	447
1947	206,877	3/ 6	3/ 1	3/ -	116	3/ 1	10	8,610	543	NA
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	196,311	12	-	-	86	-	16	4,695	722	1,173
1942	190,897	11	1	-	80	-	21	5,195	530	1,116
1941	191,420	9	2	-	67	-	25	5,763	416	1,275
1940	190,504	16	-	2	74	1	25	4,849	358	1,379
1939	202,018	4	1	-	75	-	22	4,919	348	1,445
1938	220,695	9	-	-	59	-	22	4,752	317	1,647
1937	230,701	9	1	-	54	1	20	5,774	326	2,272
1936	245,357	8	1	-	63	-	25	5,313	321	2,341
1935	233,706	6	-	-	76	-	14	6,560	321	2,280
1934	255,053	9	1	-	59	-	19	4,502	354	2,356
1933	237,251	7	-	-	29	1	17	3,442	339	2,501
1932	256,505	5	2	-	21	1	16	8,100	235	2,539
1931	276,584	8	-	-	22	-	10	4,585	284	2,378
1930	258,703	14	1	2	20	1	8	4,115	223	2,184
1929	295,178	12	1	1	16	-	12	5,229	295	2,419
1928	293,851	10	1	-	20	-	7	6,270	264	2,465
1927	292,084	17	1	-	18	-	9	4,947	275	2,668
1926	289,275	10	-	-	19	1	23	4,153	274	2,833
1925	297,008	20	-	-	26	-	14	4,585	267	2,663
1924	312,267	19	3	-	29	5	3	5,861	296	2,665
1923	333,930	20	2	7	27	10	7	4,790	305	2,769
1922	327,604	25	1	1	36	6	5	3,547	330	1,749
1921	335,143	29	2	1	34	-	3	3,862	373	1,883
1920	335,613	32	3	23	27	1	2	4,533	391	1,721

See footnotes at end of table.

TABLE 32. - 1/ INFANT DEATHS FROM SELECTED CAUSES; JAPAN, 1920 - 1948 - Cont'd.

Year	Tetanus (12)	Tuberculosis (all forms) (13-22)	Leprosy (23)	Septicemia and purulent infection (nonpuerperal) (24)	Glanders (26a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)
1948	1,013	1,236	-	1,045	-	101	3	1,152	134
1947	767	1,096	3/	NA	3/	193	3/	609	411
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	986	1,117	1	1,359	-	201	1	1,465	825
1942	897	988	-	1,491	-	169	3	1,518	1,231
1941	927	900	-	1,876	-	176	1	1,636	1,340
1940	936	966	3	1,918	-	225	1	1,610	884
1939	930	921	-	1,775	-	197	3	1,696	1,358
1938	1,023	1,019	-	1,874	-	197	4	2,129	2,093
1937	1,232	992	-	2,013	-	186	1	2,733	974
1936	1,254	1,048	-	2,090	-	198	-	2,991	2,243
1935	1,358	975	-	1,867	1	169	2	3,010	972
1934	1,429	1,040	-	2,011	-	149	4	3,119	2,642
1933	1,552	988	-	2,054	-	175	5	3,298	1,386
1932	1,692	1,074	-	1,860	-	142	3	3,456	1,404
1931	1,721	1,144	-	1,914	-	147	-	3,580	3,789
1930	1,791	1,084	-	1,823	-	150	1	3,512	1,434
1929	1,944	1,393	-	1,869	-	146	3	3,834	2,197
1928	2,033	1,303	-	1,974	-	135	6	4,233	2,522
1927	2,016	1,367	-	1,986	-	125	11	4,326	2,365
1926	2,151	1,404	-	1,406	-	110	9	4,629	1,161
1925	2,104	1,579	-	1,245	-	108	7	4,578	2,262
1924	2,192	1,696	1	1,257	-	140	8	4,627	1,346
1923	2,320	1,844	-	1,329	1	171	15	5,118	1,375
1922	2,169	2,519	-	1,353	-	173	11	5,388	2,399
1921	2,320	2,674	-	1,493	1	160	15	6,175	1,517
1920	2,281	2,663	1	1,077	-	170	11	6,041	9,317

See footnotes at end of table.

TABLE 32. - 1/ INFANT DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	Measles (45)	Japanese Encephalitis (37b)	Yellow Fever (38a)	Rebels (38b)	Typhus Fever & Typhus-like Diseases (39)	Beriberi (38)	Meningitis (not due to meningococcus) (81)	Convulsions (86)	10/ Bronchitis (106)
*1948	1,937	45	-	-	-	3,794	2,799	1,310	8,851
*1947	6,169	3/ 9	3/ -	3/ -	3/ -	4,590	3,457	NA	11,589
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	7,580	NA	-	-	2	4,279	7,188	1,460	6,292
1942	2,251	NA	-	-	-	4,470	7,137	1,444	6,383
1941	4,678	NA	-	-	1	4,434	6,783	1,864	6,518
1940	1,632	NA	-	-	1	4,434	6,532	2,106	6,559
1939	4,117	NA	-	-	-	5,249	6,872	2,109	6,834
1938	1,728	NA	-	-	-	6,437	8,326	2,423	7,714
1937	3,583	NA	-	-	-	5,789	8,628	2,652	7,852
1936	1,770	NA	-	-	-	6,496	9,389	3,073	8,099
1935	3,104	NA	-	1	1	5,767	9,507	2,880	7,967
1934	3,085	NA	-	-	-	6,418	11,157	3,214	8,729
1933	3,083	NA	1	-	-	7,733	12,622	3,445	8,561
1932	2,063	NA	-	-	-	6,834	12,612	3,541	9,745
1931	4,682	NA	-	-	-	9,398	14,386	3,886	10,376
1930	1,872	NA	-	-	-	7,897	14,776	3,971	10,116
1929	5,333	NA	-	-	-	8,267	17,716	4,498	11,635
1928	3,522	NA	-	-	-	9,582	18,088	4,708	12,529
1927	4,309	NA	-	-	-	6,143	18,603	4,804	13,028
1926	3,249	NA	-	-	-	6,696	20,167	5,064	12,274
1925	4,570	NA	-	3	-	7,153	20,745	5,179	13,077
1924	3,587	NA	-	26	1	8,320	24,680	5,681	13,939
1923	4,132	NA	1	2	-	11,373	28,035	6,213	14,221
1922	2,876	NA	NA	-	-	8,205	26,449	5,593	23,398
1921	4,148	NA	NA	-	1	9,057	26,251	5,595	24,940
1920	2,073	NA	NA	-	1	5,856	25,236	5,740	24,615

- See footnotes at end of table

TABLE 32. - 1/ INFANT DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	11/ Pneumonia (all forms) (107-109)	Diarrhea, enteritis and ulceration of intestines (119)	Congenital malformations (157)	Congenital debility (158)	Premature Birth (159)	Injury at Birth (160)	Other diseases peculiar to first year of life. (161)
*1948	22,937	31,436	4,596	38,323	13,754	1,007	8,836
*1947	35,438	35,034	3,851	41,597	14,591	826	9,895
1946	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA
1943	39,854	28,939	3,048	51,941	5,084	447	NA
1942	37,946	29,365	3,164	52,096	5,152	459	NA
1941	39,362	27,343	3,012	52,376	5,284	443	NA
1940	36,258	30,279	2,833	54,939	5,267	291	NA
1939	40,215	30,551	2,954	57,124	5,165	314	NA
1938	42,540	36,860	3,122	60,568	5,410	381	NA
1937	41,770	39,908	3,487	63,387	5,929	441	NA
1936	41,971	44,723	3,533	67,986	6,328	407	NA
1935	41,270	40,012	3,519	64,369	5,685	425	NA
1934	45,623	46,036	3,396	68,604	5,654	401	NA
1933	42,925	50,704	3,583	67,498	5,071	361	NA
1932	42,623	54,348	2,785	59,389	NA	NA	NA
1931	47,749	57,711	2,823	61,448	NA	NA	NA
1930	40,972	58,250	2,815	59,288	NA	NA	NA
1929	48,811	64,421	3,018	65,424	NA	NA	NA
1928	50,769	60,511	3,070	63,901	NA	NA	NA
1927	50,487	62,119	3,002	64,132	NA	NA	NA
1926	51,048	61,048	3,353	67,227	NA	NA	NA
1925	49,649	60,296	3,075	67,019	NA	NA	NA
1924	50,968	63,521	2,797	69,551	NA	NA	NA
1923	52,159	67,110	2,177	73,748	NA	NA	NA
1922	43,298	62,039	1,284	NA	NA	NA	NA
1921	44,974	60,506	1,306	NA	NA	NA	NA
1920	47,725	56,398	1,251	NA	NA	NA	NA

See footnotes on next page.

TABLE 32. - 1/ INFANT DEATHS FROM SELECTED CAUSES; JAPAN, 1920 - 1948 - Cont'd.

Year	Accidental Deaths (194-195)	Ill-defined and Unknown Causes (199-200)		All Other Causes	
*1948	2,184	2,789		13,869	
*1947	1,889	3,164		22,120	
1946	NA	NA		NA	
1945	NA	NA		NA	
1944	NA	NA		NA	
1943	1,743	7,307		18,480	
1942	1,594	7,453		18,552	
1941	1,515	6,873		16,321	
1940	1,207	7,419		17,505	
1939	1,028	8,120		17,672	
1938	1,233	9,114		19,594	
1937	1,268	8,576		20,843	
1936	1,283	10,121		22,342	
1935	1,273	8,910		21,405	
1934	1,400	10,286		23,336	
1933	1,443	10,784		23,643	
1932	2,012	12,787		27,215	
1931	2,012	14,137		28,394	
1930	1,945	12,710		27,728	
1929	2,061	14,110		30,513	
1928	2,048	13,989		29,920	
1927	2,324	13,741		29,821	
1926	2,185	12,374		31,119	
1925	2,057	12,558		32,169	
1924	2,204	13,152		33,692	
1923	3,784	14,243		36,622	
1922	2,163	34,631		97,956	
1921	2,214	35,063		100,846	
1920	2,094	35,231		101,079	

See footnotes on next page.

TABLE 32. 1/ INFANT DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948

FOOTNOTES:

* Data for 1947 and 1948 are provisional

1/ Data for 1920-1942 refer to infant deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to infant deaths of Japanese nationals in Japan Proper, Okinawa and Kurefuto. Data for 1947 refers to Japanese nationals in Japan Proper. All data are based upon tabulations of death certificates.

2/ Typhoid fever, 1920-1943: includes typhoid pneumonia. 1947-1948: excludes typhoid pneumonia.

3/ Data are for nine months, excluding January through March.

4/ Scarlet fever. 1920-1943: includes puerperal scarlet fever. 1947-1948: excludes puerperal scarlet fever.

5/ Diphtheria. 1920-1922 and 1933-1943: excludes diphtheric endocarditis, includes croupous bronchitis and laryngeal croup. 1923-1932: excludes diphtheric endocarditis and croupous bronchitis; includes laryngeal croup. 1947-1948: includes diphtheric endocarditis; excludes croupous bronchitis and laryngeal croup.

6/ Data are for seven months, excluding January through May.

7/ Tuberculosis (all forms). 1920-1943: includes chronic pleuro pneumonia and all adenopathy; excludes spondylitis. 1947-1948: excludes chronic pleuro pneumonia and nontubercular adenopathy; includes spondylitis.

8/ Syphilis. 1920-1922: excludes general paralysis of the insane and aneurysm of the aorta. 1923-1932: includes general paralysis of the insane, a small amount of nonsyphilitic paralytic psychosis, aneurysm of the aorta and a small amount of nonsyphilitic aneurysm. 1933-1943: includes general paralysis of the insane, aneurysm of the aorta and a small amount of nonsyphilitic aneurysm. 1947-1948: includes general paralysis of the insane and aneurysm of the aorta.

9/ Data are for eight months, excluding January through April.

10/ Bronchitis. 1920- 922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947-48: includes croupous bronchitis.

11/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia. 1947-1948: includes typhoid pneumonia.

NA indicates that data are not available.

A dash (-) indicates that no infant deaths were reported.

TABLE 32. 1/ INFANT DEATHS FROM SELECTED CAUSES; JAPAN, 1920 - 1948

SOURCE:

- 1920-1943: Annual Reports, Cabinet Bureau of Statistics.
- 1947 (Jan-Jun): Monthly Schedule Reports, Cabinet Bureau of Statistics.
- 1947 (July-Dec); 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 33. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948
(Rates per 1,000 live births each year)

Year	All Causes	2/Typhoid fever (1)	Paratyphoid fever (2)	Cholera (4)	Cerebrospinal (meningitis) (6)	Anthrax (7)	4/Scarlet fever (8)	5/Whooping cough (9)	Diphtheria (10)	Erysipelas (11)	Tetanus (12)
* 1948	61.5	0.0	-	-	0.0	-	0.0	1.0	0.1	5/ 0.3	0.4
* 1947	76.2	3/0.0	3/0.0	3/-	0.0	3/0.0	0.0	3.2	0.2	NA	3/0.4
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	86.6	0.0	-	-	0.0	-	0.0	2.1	0.3	0.5	0.4
1942	85.5	0.0	0.0	-	0.0	-	0.0	2.3	0.2	0.5	0.4
1941	84.1	0.0	0.0	-	0.0	-	0.0	2.5	0.2	0.6	0.4
1940	90.0	0.0	-	0.0	0.0	0.0	0.0	2.3	0.2	0.7	0.4
1939	106.2	0.0	0.0	-	0.0	-	0.0	2.6	0.2	0.8	0.5
1938	114.4	0.0	-	-	0.0	-	0.0	2.5	0.2	0.9	0.5
1937	105.8	0.0	0.0	-	0.0	0.0	0.0	2.6	0.1	1.0	0.6
1936	116.7	0.0	0.0	-	0.0	-	0.0	2.5	0.2	1.1	0.6
1935	106.7	0.0	-	-	0.0	-	0.0	3.0	0.1	1.0	0.6
1934	124.8	0.0	0.0	-	0.0	-	0.0	2.2	0.2	1.2	0.7
1933	121.3	0.0	-	-	0.0	0.0	0.0	1.6	0.2	1.2	0.7
1932	117.5	0.0	0.0	-	0.0	0.0	0.0	3.7	0.1	1.2	0.8
1931	131.5	0.0	-	-	0.0	-	0.0	2.2	0.1	1.1	0.8
1930	124.1	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.1	1.0	0.9
1929	142.1	0.0	0.0	0.0	0.0	-	0.0	2.5	0.1	1.2	0.9
1928	137.6	0.0	0.0	-	0.0	0.0	0.0	2.9	0.1	1.2	1.0
1927	141.7	0.0	0.0	-	0.0	-	0.0	2.4	0.1	1.3	1.0
1926	137.5	0.0	-	-	0.0	0.0	0.0	2.0	0.1	1.3	1.0
1925	142.4	0.0	-	-	0.0	-	0.0	2.2	0.1	1.3	1.0
1924	156.2	0.0	0.0	-	0.0	0.0	0.0	2.9	0.1	1.3	1.1
1923	163.4	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.1	1.4	1.1
1922	166.4	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.2	0.9	1.1
1921	168.3	0.0	0.0	0.0	0.0	-	0.0	1.9	0.2	0.9	1.2
1920	165.7	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.2	0.8	1.1

See footnotes at end of table.

TABLE 33. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES; JAPAN, 1920 - 1948 - Cont'd.

Year	Tuberculosis (all forms) (13-22)		Septicemia and leprosy (23)		Glanders (26a)	Dysentery (27)	Malaria (28)	8/ Syphilis (30)		Influenza Measles (33)	(35)	Japanese "B" encephalitis (37b)		Yellow fever (38a)
	(13-22)	(24)	(23)	(24)				(28)	(30)			(37b)	(37c)	
1948	0.5	0.4	-	0.4	-	0.0	0.0	0.0	0.4	0.0	0.7	0.0	0.0	-
1947	0.4	NA	3/-	NA	3/-	0.1	0.0	0.0	2/0.3	0.2	2.3	3/0.0	3/-	NA
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	0.5	0.6	-	0.6	-	0.1	0.0	0.0	0.6	0.4	3.3	NA	NA	-
1942	0.4	0.7	-	0.7	-	0.1	0.0	0.0	0.7	0.6	1.0	NA	NA	-
1941	0.4	0.8	-	0.8	-	0.1	0.0	0.0	0.7	0.6	2.1	NA	NA	-
1940	0.5	0.9	0.0	0.9	-	0.1	0.0	0.0	0.8	0.4	0.8	NA	NA	-
1939	0.5	0.9	-	0.9	-	0.1	0.0	0.0	0.9	0.7	2.2	NA	NA	-
1938	0.5	1.0	-	1.0	-	0.1	0.0	0.0	1.1	1.1	0.9	NA	NA	-
1937	0.5	0.9	-	0.9	-	0.1	0.0	0.0	1.3	0.4	1.6	NA	NA	-
1936	0.5	1.0	-	1.0	-	0.1	-	-	1.4	1.1	0.8	NA	NA	-
1935	0.4	0.9	-	0.9	0.0	0.1	0.0	0.0	1.4	0.4	1.4	NA	NA	-
1934	0.5	1.0	-	1.0	-	0.1	0.0	0.0	1.5	1.3	1.5	NA	NA	-
1933	0.5	1.0	-	1.0	-	0.1	0.0	0.0	1.6	0.7	1.5	NA	NA	-
1932	0.5	0.9	-	0.9	-	0.1	0.0	0.0	1.6	0.6	0.9	NA	NA	-
1931	0.5	0.9	-	0.9	-	0.1	-	-	1.7	1.8	2.2	NA	NA	-
1930	0.5	0.9	-	0.9	-	0.1	0.0	0.0	1.7	0.7	0.9	NA	NA	-
1929	0.7	0.9	-	0.9	-	0.1	0.0	0.0	1.8	1.1	2.6	NA	NA	-
1928	0.6	0.9	-	0.9	-	0.1	0.0	0.0	2.0	1.2	1.6	NA	NA	-
1927	0.7	0.7	-	0.7	-	0.1	0.0	0.0	2.1	1.2	2.1	NA	NA	-
1926	0.7	0.7	-	0.7	-	0.1	0.0	0.0	2.2	0.6	1.5	NA	NA	-
1925	0.8	0.6	-	0.6	-	0.1	0.0	0.0	2.2	1.1	2.2	NA	NA	-
1924	0.8	0.6	-	0.6	-	0.1	0.0	0.0	2.3	0.7	1.8	NA	NA	-
1923	0.9	0.7	0.0	0.7	0.0	0.1	0.0	0.0	2.5	0.7	2.0	NA	NA	0.0
1922	1.3	0.7	-	0.7	-	0.1	0.0	0.0	2.7	1.2	1.5	NA	NA	NA
1921	1.3	0.6	-	0.6	0.0	0.1	0.0	0.0	3.1	0.8	2.1	NA	NA	NA
1920	1.3	0.5	0.0	0.5	-	0.1	0.0	0.0	3.0	4.6	1.0	NA	NA	NA

See footnotes at end of table.

TABLE 33. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 -Cont'd.
(Rates per 1,000 live births each year)

Year	Rabies (386)	Typhus fever and typhus-like diseases (39)	Beriberi (68)	Meningitis (not due to menin- gococcus (81)	Convulsions (86)	10/ Bronchitis (106)	11/Pneumonia (all forms) (107-109)	Diarrhea, enteritis and ulceration of intestines (119)	Congenital malformations (157)
* 1948	-	-	1.4	1.0	0.5	3.3	8.5	11.6	1.7
* 1947	2/-	2/-	1.8	1.3	NA	4.3	13.1	12.9	1.4
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	-	0.0	1.9	3.2	0.6	2.8	17.6	12.8	1.3
1942	-	-	2.0	3.2	0.6	2.9	17.0	13.1	1.4
1941	-	0.0	1.9	3.0	0.8	2.9	17.3	12.0	1.3
1940	-	0.0	2.1	3.1	1.0	3.1	17.1	14.3	1.3
1939	-	-	2.8	3.6	1.1	3.6	21.1	16.1	1.6
1938	-	-	3.3	4.3	1.3	4.0	22.1	19.1	1.6
1937	-	-	2.7	4.0	1.2	3.6	19.2	18.3	1.6
1936	-	-	3.1	4.5	1.5	3.9	20.0	21.3	1.7
1935	0.0	0.0	2.6	4.3	1.3	3.6	18.8	16.3	1.6
1934	-	-	3.1	5.5	1.6	4.3	22.3	22.5	1.7
1933	0.0	-	3.6	6.0	1.6	4.0	20.2	23.9	1.7
1932	-	-	3.1	5.8	1.6	4.5	19.5	24.9	1.3
1931	-	-	4.5	6.8	1.8	4.9	22.7	27.4	1.3
1930	-	-	3.8	7.1	1.9	4.9	19.6	27.9	1.4
1929	-	-	4.0	8.5	2.2	5.6	23.5	31.0	1.5
1928	-	-	4.5	8.5	2.2	5.9	23.8	28.3	1.4
1927	-	-	3.0	9.0	2.3	6.3	24.5	30.1	1.5
1926	-	-	3.2	9.6	2.4	5.8	22.1	29.0	1.6
1925	0.0	-	3.4	9.9	2.5	6.3	23.8	28.9	1.5
1924	0.0	0.0	4.2	12.3	2.8	7.0	25.5	31.8	1.4
1923	0.0	-	5.6	13.7	3.0	7.0	25.5	32.8	1.1
1922	-	-	4.2	13.4	2.8	11.9	22.0	31.5	0.7
1921	-	0.0	4.5	13.2	2.8	12.5	22.6	30.4	0.7
1920	-	0.0	2.9	12.5	2.8	12.2	23.6	27.8	0.6

See footnotes at end of table.

TABLE 33. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 -Cont'd.

Year	Congenital debility (156)	Premature birth (159)	Injury at birth (166)	Other diseases peculiar to first year of life (161)	Accidental deaths (169-195)	Ill-defined and unknown causes (199-200)	All Other Causes
*1948	14.1	5.1	0.4	3.3	0.8	1.0	5.1
*1947	15.3	5.4	0.3	3.6	0.7	1.2	8.1
1946	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA
1943	22.9	2.2	0.2	NA	0.8	3.2	8.2
1942	23.3	2.3	0.2	NA	0.8	3.3	8.4
1941	23.0	2.3	0.2	NA	0.7	3.0	7.2
1940	26.0	2.5	0.1	NA	0.6	3.5	8.3
1939	30.0	2.7	0.2	NA	0.5	4.3	9.3
1938	31.4	2.8	0.2	NA	0.6	4.7	10.2
1937	29.1	2.7	0.2	NA	0.6	3.9	9.6
1936	32.3	3.0	0.2	NA	0.6	4.8	10.6
1935	29.4	2.6	0.2	NA	0.6	4.1	9.8
1934	33.6	2.8	0.2	NA	0.7	5.0	11.4
1933	31.8	2.4	0.2	NA	0.7	5.1	11.1
1932	27.2	NA	NA	NA	0.9	5.9	12.5
1931	29.2	NA	NA	NA	1.0	6.7	13.5
1930	28.4	NA	NA	NA	0.9	6.1	13.3
1929	31.5	NA	NA	NA	1.0	6.8	14.7
1928	29.9	NA	NA	NA	1.0	6.5	14.0
1927	31.1	NA	NA	NA	1.1	6.7	14.5
1926	31.9	NA	NA	NA	1.0	5.9	14.8
1925	32.1	NA	NA	NA	1.0	6.0	15.4
1924	34.8	NA	NA	NA	1.1	6.6	16.9
1923	36.1	NA	NA	NA	1.9	7.0	17.9
1922	NA	NA	NA	NA	1.1	17.6	49.7
1921	NA	NA	NA	NA	1.1	17.6	50.7
1920	NA	NA	NA	NA	1.0	17.4	49.9

See footnotes on next page.

TABLE 33. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES:

- Data for 1947 and 1948 are provisional.
- 1/ Rates are the number of infant deaths per 1,000 live births in each year. Data for 1920-1942 refer to Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to Japanese nationals in Japan Proper, Okinawa and Karafuto. Data for 1947 and 1948 refer to Japanese nationals in Japan Proper. Rates are computed from data based upon tabulations of birth and death certificates.
- 2/ Typhoid fever, 1920-1943; includes typhoid pneumonia. 1947-1948; excludes typhoid pneumonia.
- 3/ Data are for nine months, excluding January through March. Rate is computed on an annual basis.
- 4/ Scarlet fever, 1920-1943; includes puerperal scarlet fever. 1947-1948; excludes puerperal scarlet fever.
- 5/ Diphtheria, 1920-1922 and 1933-1943; excludes diphtheric endocarditis; includes croupous bronchitis and laryngeal croup. 1923-1932; includes diphtheric endocarditis and croupous bronchitis; includes laryngeal croup. 1947-1948; includes diphtheric endocarditis; excludes croupous bronchitis and laryngeal croup.
- 6/ Data are for seven months, excluding January through May.
- 7/ Tuberculosis (all forms). 1920-1943; includes chronic pleuro pneumonia and all adenopathy; excludes spondylitis. 1947-1948; excludes chronic pleuro pneumonia and nontubercular adenopathy; includes spondylitis.
- 8/ Syphilis, 1920-1922; excludes general paralysis of the insane and aneurysm of the aorta. 1923-1932; includes general paralysis of the insane, a small amount of nonsyphilitic paralytic psychosis, aneurysm of the aorta and a small amount of nonsyphilitic aneurysm. 1933-1943; includes general paralysis of the insane, aneurysm of the aorta and a small amount of nonsyphilitic aneurysm. 1947-1948; includes general paralysis of the insane and aneurysm of the aorta.
- 9/ Data are for eight months, excluding January through April. Rate is computed on an annual basis.
- 10/ Bronchitis, 1920-1922 and 1933-1943; excludes croupous bronchitis. 1923-1932 and 1947-1948; includes croupous bronchitis.
- 11/ Pneumonia (all forms). 1920-1943; excludes typhoid pneumonia. 1947-1948; includes typhoid pneumonia.

NA indicates that data are not available.

A dash (-) indicates that there were no infant deaths reported.

A rate of 0.0 indicates that there were some infant deaths but that the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, HQ, SCAP.

Sources of original data are as follows:

- 1920-1943: Annual Reports, Cabinet Bureau of Statistics.
- 1947 (Jan-Jun): Monthly Schedule Reports, Cabinet Bureau of Statistics.
- 1947 (Jul-Dec); 1948: Monthly Schedule Reports, Ministry of Welfare

TABLE 34. - 1/ INFANT DEATHS FROM THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948:
JAPAN, 1920 - 1948*

List No.	Cause	**1948	**1947	1943	1942	1941	1940	1939	1938	1937
158	Congenital debility	38,323	41,597	51,941	52,096	52,376	54,939	57,124	60,568	63,387
119	Diarrhea, enteritis & ulceration of intestines	31,436	35,034	28,939	29,365	27,343	30,279	30,551	36,860	39,908
107-109	2/Pneumonia(all forms)	22,937	35,438	39,854	37,946	39,362	36,258	40,215	42,540	41,770
159	Premature birth	13,754	14,581	5,084	5,152	5,284	5,267	5,165	5,410	5,929
106	3/Bronchitis	8,851	11,589	6,292	6,383	6,518	6,559	6,894	7,714	7,852
161	Other diseases peculiar to first year of life	8,836	9,895	NA	NA	NA	NA	NA	NA	NA
157	Congenital malformations	4,596	3,851	3,048	3,164	3,012	2,833	2,954	3,122	3,487
68	Beriberi	3,794	4,890	4,279	4,470	4,434	4,434	5,249	6,437	5,789
81	Meningitis (not due to meningococcus)	2,799	3,457	7,188	7,137	6,783	6,532	6,872	8,326	8,628
9	Whooping cough	2,595	8,610	4,695	5,195	5,763	4,849	4,919	4,752	5,774

See footnotes at end of table.

TABLE 34. - 1/ INFANT DEATHS FROM THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948:
JAPAN, 1920 - 1948* -Cont'd.

List No.	Cause	1936	1935	1934	1933	1932	1931	1930	1929	1928
158	Congenital debility	67,986	64,369	68,604	67,498	59,389	61,448	59,288	65,424	63,901
119	Diarrhea, enteritis & ulceration of intestines	44,723	40,012	46,036	50,704	54,348	57,711	58,250	64,421	60,511
107-109	2/Pneumonia(all forms)	41,971	41,270	45,623	42,925	42,623	47,749	40,972	48,811	50,769
159	Premature birth	6,328	5,685	5,654	5,071	NA	NA	NA	NA	NA
106	3/Bronchitis	8,099	7,967	8,729	8,561	9,746	10,376	10,116	11,635	12,529
161	Other diseases peculiar to first year of life	NA	NA	NA	NA	NA	NA	NA	NA	NA
157	Congenital malformations	3,533	3,519	3,396	3,583	2,785	2,823	2,815	3,018	3,070
68	Beriberi	6,496	5,767	6,418	7,733	6,834	9,398	7,897	8,267	9,582
81	Meningitis (not due to meningococcus)	9,389	9,507	11,157	12,622	12,612	14,386	14,776	17,716	18,088
9	Whooping cough	5,313	6,560	4,502	3,442	8,100	4,585	4,115	5,229	6,270

See footnotes at end of table.

TABLE 34. - 1/ INFANT DEATHS FROM THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948;
JAPAN, 1920 - 1948* - Cont'd.

List No.	Cause	1927	1926	1925	1924	1923	1922	1921	1920
158	Congenital debility	64,132	67,227	67,019	69,551	73,748	NA	NA	NA
119	Diarrhea, enteritis & ulceration of intestines	62,119	61,048	60,296	69,521	67,110	62,039	60,506	56,398
107-109	2/Pneumonia (all forms)	50,487	46,435	49,649	50,968	52,159	43,298	44,974	47,725
159	Premature birth	NA	NA	NA	NA	NA	NA	NA	NA
106	3/Bronchitis	13,028	12,274	13,077	13,939	14,221	23,398	24,940	24,615
161	Other diseases peculiar to first year of life	NA	NA	NA	NA	NA	NA	NA	NA
157	Congenital malformations	3,002	3,353	3,075	2,797	2,177	1,284	1,306	1,251
68	Beriberi	6,143	6,696	7,153	8,320	11,373	8,205	9,057	5,856
81	Meningitis (not due to meningococcus)	18,603	20,167	20,745	24,680	28,035	26,449	26,251	25,236
9	Whooping cough	4,947	4,153	4,585	5,861	4,790	3,547	3,862	4,533

See footnotes on next page.

TABLE 34. - 1/ INFANT DEATHS FROM THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948:
JAPAN, 1920 - 1948* - Cont'd.

FOOTNOTES:-

* Data are not available for 1944-1946.

** Data for 1947 and 1948 are provisional.

1/ Data for 1920-1942 refer to infant deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to infant deaths of Japanese nationals in Japan Proper, Okinawa and Karafuto. Data for 1947 and 1948 refer to Japanese nationals in Japan Proper. All data are based upon tabulations of death certificates.

2/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia, 1947 and 1948: includes typhoid pneumonia.

3/ Bronchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947 and 1948 includes croupous bronchitis.

'NA' indicates that data are not available.

SOURCES:-

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1947 (Jan-Jun): Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947 (Jul-Dec); 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 35. - 1/ INFANT DEATH RATES FOR THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948:
JAPAN, 1920 - 1948*
(Rates per 1,000 live births each year)

List No.	Cause	** 1948	*1947	1943	1942	1941	1940	1939	1938	1937
158	Congenital debility	14.1	15.3	22.9	23.3	23.0	26.0	30.0	31.4	29.1
119	Diarrhea, enteritis and ulceration of intestines	11.6	12.9	12.8	13.1	12.0	14.3	16.1	19.1	18.3
107-109	2/Pneumonia (all forms)	8.5	13.1	17.6	17.0	17.3	17.1	21.1	22.1	19.2
159	Premature birth	5.1	5.4	2.2	2.3	2.3	2.5	2.7	2.8	2.7
106	3/Bronchitis	3.3	4.3	2.8	2.9	2.9	3.1	3.6	4.0	3.6
161	Other diseases peculiar to first year of life	3.3	3.6	NA	NA	NA	NA	NA	NA	NA
157	Congenital malformations	1.7	1.4	1.3	1.4	1.3	1.3	1.6	1.6	1.6
68	Beriberi	1.4	1.8	1.9	2.0	1.9	2.1	2.8	3.3	2.7
81	Meningitis (not due to meningococcus)	1.0	1.3	3.2	3.2	3.0	3.1	3.6	4.3	4.0
9	Whooping cough	1.0	3.2	2.1	2.3	2.5	2.3	2.6	2.5	2.6

See footnotes at end of table.

TABLE 35. - 1/ INFANT DEATH RATES FOR THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948:

JAPAN, 1920 - 1948* - Cont'd
(Rates per 1,000 live births each year)

List No.	Cause	1936	1935	1934	1933	1932	1931	1930	1929	1928
158	Congenital debility	32.3	29.4	33.6	31.8	27.2	29.2	28.4	31.5	29.9
119	Diarhea, enteritis and ulceration of intestines	21.3	18.3	22.5	23.9	24.9	27.4	27.9	31.0	28.3
107-109	2/Pneumonia (all forms)	20.0	18.8	22.3	20.2	19.5	22.7	19.6	23.5	23.8
159	Premature birth	3.0	2.6	2.8	2.4	NA	NA	NA	NA	NA
106	3/Brucellosis	3.9	3.6	4.3	4.0	4.5	4.9	4.9	5.6	5.9
161	Other diseases peculiar to first year of life	NA	NA	NA	NA	NA	NA	NA	NA	NA
157	Congenital Malformations	1.7	1.6	1.7	1.7	1.3	1.3	1.4	1.5	1.4
68	Beriberi	3.1	2.6	3.1	3.6	3.1	4.5	3.8	4.0	4.5
81	Meningitis (not due to meningococcus)	4.5	4.3	5.5	6.0	5.8	6.8	7.1	8.5	8.5
9	Whooping cough	2.5	3.0	2.2	1.6	3.7	2.2	2.0	2.5	2.9

See footnotes at end of table.

TABLE 35. - 1/ INFANT DEATH RATES FOR THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948:
JAPAN, 1920 - 1948* - Cont'd.
(Rates per 1,000 live births each year)

List No.	Cause	1927	1926	1925	1924	1923	1922	1921	1920
148	Congenital debility	31.1	31.9	32.1	34.8	36.1	NA	NA	NA
119	Diarrhea, enteritis and ulceration of intestines	30.1	29.0	28.9	31.8	32.8	31.5	30.4	27.2
107-109	2/ Pneumonia (all forms)	24.5	22.1	23.8	25.5	25.5	22.0	22.6	23.6
159	Premature birth	NA	NA	NA	NA	NA	NA	NA	NA
106	3/ Bronchitis	6.3	5.8	6.3	7.0	7.0	11.9	12.5	12.2
161	Other diseases peculiar to first year of life	NA	NA	NA	NA	NA	NA	NA	NA
157	Congenital malformations	1.5	1.6	1.5	1.4	1.1	0.7	0.7	0.6
68	Beriberi	3.0	3.2	3.4	4.2	5.6	4.2	4.5	2.9
81	Meningitis (not due to meningococcus)	9.0	9.6	9.9	12.3	13.7	13.4	13.2	12.5
9	Whooping cough	2.4	2.0	2.2	2.9	2.3	1.8	1.9	2.2

See footnotes on next page.

TABLE 35. - 1/ INFANT DEATH RATES FOR THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948:
JAPAN, 1920 - 1948* - Cont'd.
(Rates per 1,000 live births each year)

FOOTNOTES:

* Data are not available for 1944-1946.

**Data for 1947 and 1948 are provisional.

1/Rates are the number of infant deaths per 1,000 live births in each year. Data for 1920-1942 refer to Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to Japanese nationals in Japan Proper, Okinawa and Karafuto.

Data for 1947 and 1948 refer to Japanese nationals in Japan Proper.

2/Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia, 1947 and 1948: includes typhoid pneumonia.

3/Bronchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947-1948: includes croupous bronchitis.

"NA" indicates that data are not available.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data are as follows:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1947 (Jan-Jun): Monthly Schedule Reports, Cabinet Bureau of Statistics.
1947 (Jul-Dec); 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 36. - STILLBIRTHS BY MONTH, JAPAN, 1920-1948

Year	Total Stillbirths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Un- known
1940	144,065	12,286	12,171	12,427	11,304	11,402	10,400	11,139	11,852	12,479	12,915	12,273	13,447	-
1941	124,075	9,994	9,856	10,280	9,474	9,671	9,251	10,588	10,742	10,468	10,986	10,525	11,740	-
1946	80,272	5,409	5,034	5,286	5,181	5,424	5,665	7,245	7,532	7,379	8,188	8,409	9,310	-
1945	NA	NA	NA	NA	NA	NA	NA	NA	4,372	4,327	4,330	4,439	4,671	-
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	92,882	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1942	95,446	NA	NA	NA	NA	NA	NA	NA	8,541	8,359	8,842	8,421	8,896	-
1941	103,393	9,874	8,919	9,128	8,284	7,973	7,793	8,430	8,524	8,256	8,466	8,148	9,051	-
1940	102,403	9,976	9,409	9,365	7,972	7,750	7,393	8,233	8,324	8,256	8,466	8,148	9,051	-
1939	98,347	9,462	8,400	8,501	7,328	7,156	6,942	7,649	8,002	8,433	8,593	8,654	9,034	3
1938	99,527	10,618	9,483	9,089	7,905	7,235	6,680	7,694	7,740	7,989	8,290	8,157	8,655	3
1937	111,481	10,605	9,661	10,086	8,618	8,432	7,921	8,661	9,050	9,278	9,785	9,527	9,845	12
1936	111,050	11,355	10,552	10,284	8,939	8,335	7,872	8,380	8,480	8,760	8,956	8,995	9,728	5
1935	115,592	11,183	9,843	10,635	9,001	8,586	8,177	8,913	9,498	9,751	10,358	9,886	10,246	15
1934	113,039	11,418	9,933	10,668	9,160	8,699	7,961	8,374	8,928	9,011	9,698	9,202	9,982	4
1933	114,135	11,470	10,262	10,539	9,080	8,550	8,307	8,736	9,052	9,207	9,618	9,342	9,770	2
1932	119,575	11,183	10,573	11,183	9,485	9,284	8,463	9,411	9,524	9,792	10,370	9,969	10,587	5
1931	116,505	11,934	10,771	11,069	9,464	9,057	8,292	9,032	9,166	9,178	9,555	8,976	10,100	2
1930	117,729	11,373	10,284	10,778	9,379	8,945	8,174	9,193	9,306	9,449	10,029	10,157	10,658	4
1929	116,957	11,515	10,608	11,198	9,548	8,916	8,274	9,087	9,200	9,367	9,602	9,659	9,989	4
1928	120,186	11,131	11,169	11,355	9,537	8,934	8,398	9,254	9,669	9,954	10,203	9,689	10,490	3
1927	116,916	11,722	10,699	11,260	9,739	9,297	8,290	8,893	9,016	9,116	9,598	9,285	10,051	1
1926	124,036	12,357	10,953	11,805	10,328	9,973	8,442	9,221	9,588	9,865	10,263	10,207	10,931	3
1925	124,394	12,610	11,834	11,977	9,942	9,420	8,693	9,346	9,437	9,900	10,395	9,847	10,992	1
1924	125,491	13,007	11,487	11,340	9,528	9,119	8,626	9,735	9,939	10,221	10,674	10,474	11,178	3
1923	133,855	13,764	12,428	12,747	10,446	9,598	9,259	10,369	10,594	10,951	11,329	10,890	11,517	23
1922	132,230	14,325	12,195	12,627	10,328	9,789	9,118	9,732	10,533	10,633	10,898	10,722	11,767	3
1921	138,294	13,056	12,485	13,050	10,781	10,059	9,312	10,545	10,930	11,501	11,856	11,648	12,469	2
1920	144,035	16,620	14,850	14,178	11,835	10,503	9,564	10,331	10,482	11,201	11,191	10,767	12,409	4

See footnotes on next page.

TABLE 36. - STILLBIRTHS BY MONTH: JAPAN, 1920-1948

FOOTNOTES:

* Data for 1947 and 1948 are provisional.

** Monthly figures include 7 stillbirths in Okinawa for which monthly distribution is unknown, not included in total.

Data refers to Japanese nationals in Japan Proper. Data for 1920-1924 includes all stillbirths reported without regard to number of months of interregistration. Data for 1925-1948 refers to stillbirths after the third month.

"NA" indicates data are not available.

SOURCES:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1945: August-December; Unpublished tabulation, Cabinet Bureau of Statistics.

1946: January-June; Unpublished tabulation, Cabinet Bureau of Statistics.

1946: July-September; Monthly Numeric Report, Cabinet Bureau of Statistics.

1946: October-December; 1947: January-June; Monthly Schedule Report, Cabinet Bureau of Statistics.

1947: July-December, 1948: Monthly Schedule Report, Ministry of Welfare.

TABLE 37. - STILLBIRTH RATES BY MONTH: JAPAN, 1920 - 1948
(Rates per 1,000 live births in same period)

Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
*1948	53.2	39.0	46.7	48.3	50.4	56.6	55.4	54.2	55.1	58.0	59.2	55.9	70.6
*1947	45.7	34.0	43.4	43.1	44.9	49.6	46.8	46.0	44.8	45.2	47.2	49.4	61.1
1946	42.1	35.1	35.9	38.8	42.5	43.9	42.1	45.1	42.9	38.4	43.4	44.2	50.9
1945	NA	NA	NA	NA	NA	NA	NA	NA	31.1	31.0	31.3	37.6	43.2
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	41.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1942	43.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
*1941	45.7	36.8	42.9	42.6	49.9	52.1	51.6	47.9	46.0	45.8	46.5	43.4	51.5
1940	48.6	38.5	46.1	44.9	49.8	54.4	52.4	53.7	51.8	48.2	49.0	45.5	58.8
1939	52.1	39.3	46.7	45.2	54.1	58.1	59.6	57.5	55.2	54.5	53.6	50.7	67.5
1938	52.1	39.8	47.3	42.6	50.7	54.2	57.8	58.6	55.9	56.9	58.5	54.5	69.2
1937	51.5	39.6	46.9	43.7	53.3	56.2	58.8	58.3	55.0	53.5	53.3	50.2	63.9
1936	53.2	40.3	50.0	46.1	56.5	57.6	59.8	54.6	54.1	54.7	56.3	55.2	71.0
1935	53.2	42.3	46.4	42.7	57.8	59.1	62.8	60.6	57.7	53.5	55.9	49.6	67.7
1934	55.7	45.3	50.1	46.2	60.4	60.6	61.3	57.6	57.0	56.6	60.7	55.8	73.1
1933	54.2	41.4	50.0	44.0	59.5	60.2	64.1	59.5	57.8	57.3	56.2	53.8	66.2
1932	55.2	42.9	50.8	44.0	60.8	59.8	61.0	61.6	58.8	57.5	56.1	51.9	75.3
1931	55.8	43.6	53.0	44.6	63.0	63.0	61.5	58.9	57.3	56.5	58.9	55.3	73.8
1930	56.9	46.2	51.8	44.8	64.5	66.0	63.0	61.9	58.4	54.5	59.3	55.7	75.2
1929	56.7	44.1	51.1	45.1	65.8	63.0	64.7	63.0	59.8	59.5	58.9	56.7	70.5
1928	56.7	44.0	54.1	44.6	66.5	63.1	62.2	59.8	59.8	58.1	57.8	53.4	77.5
1927	57.1	45.1	51.5	45.3	67.8	65.7	65.5	63.5	58.0	56.2	57.8	55.8	77.6
1926	59.4	49.6	53.9	46.0	70.5	63.3	65.1	62.5	62.5	60.8	60.8	57.0	76.8
1925	60.0	48.8	59.2	47.7	72.6	63.4	68.6	65.4	61.4	55.1	62.5	60.0	71.3
1924	63.4	50.6	55.5	48.6	77.1	74.3	77.7	72.3	65.3	65.3	63.0	61.4	81.9
1923	66.0	54.8	60.7	48.3	76.6	73.2	76.8	75.3	70.7	68.9	67.4	63.2	84.9
1922	67.7	57.3	60.2	50.7	80.0	75.1	75.4	73.4	71.0	68.5	68.5	68.3	94.1
1921	70.0	55.8	62.9	52.0	85.7	78.1	77.6	76.5	74.3	74.7	72.4	68.4	92.8
1920	71.6	65.9	72.1	54.9	88.4	76.8	76.6	73.5	68.2	64.7	77.7	68.2	96.2

See footnotes on next page.

TABLE 37. - STILLBIRTH RATES BY MONTH: JAPAN, 1920 - 1948
(Rates per 1,000 live births in same period)

FOOTNOTES:

* Data for 1947 and 1948 are provisional.

** Monthly Data for 1941 include 7 stillbirths in Okinawa which are not included in the total. Since the number is negligible, the rate was computed per 1,000 live births in Japan Proper.

Rates are the number of stillbirths per 1,000 live births in the corresponding period. Data for 1920 - 1924 include all stillbirths reported without regard to the number of months of interregistration. Data for 1925-1948 refer to stillbirths, after the third month.

"NA" indicates data are not available.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data were as follows:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1945, August-December: Unpublished tabulations, Cabinet Bureau of Statistics.

1946, January-June: Unpublished tabulations, Cabinet Bureau of Statistics. Birth data corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated births of Japanese nationals outside Japan Proper.

1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Birth data corrected by Public Health and Welfare Section to exclude estimated births of Japanese nationals outside Japan Proper.

1946, Oct-Dec; 1947, January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.

1947, July-December; 1948: Monthly Schedule Report, Ministry of Welfare.

TABLE 38 - STILLBIRTHS BY PREFECTURE: JAPAN, 1920 - 1948

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ekine	Fukui	Fukuoka	Fukushima	Gifu	Gunma
• 1948	144,095	5,539	2,550	2,103	3,490	2,608	1,306	6,534	3,687	2,432	3,168
• 1947	124,075	4,534	2,243	1,806	3,167	2,271	1,072	5,013	3,382	2,012	2,800
1946	80,262	3,041	1,588	1,214	2,171	1,360	556	3,258	2,112	1,294	1,987
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	92,882	3,921	1,544	1,354	1,957	1,205	791	3,761	2,127	1,492	1,954
1942	95,446	4,093	1,583	1,365	1,915	1,269	845	4,124	2,161	1,534	2,057
1941	103,393	4,400	1,782	1,441	2,133	1,394	860	4,549	2,394	1,613	2,313
1940	102,033	4,395	1,821	1,307	2,018	1,323	840	4,620	2,531	1,681	2,397
1939	98,347	4,051	1,814	1,369	2,079	1,285	792	4,601	2,564	1,619	2,198
1938	99,527	4,118	1,875	1,459	2,269	1,309	787	4,355	2,853	1,621	2,283
1937	111,481	4,251	2,116	1,702	2,612	1,573	947	4,971	3,118	1,896	2,567
1936	111,050	4,350	2,111	1,626	2,673	1,634	1,073	4,769	3,063	1,892	2,463
1935	115,592	4,317	2,374	1,716	2,819	1,676	1,102	4,845	3,166	2,000	2,657
1934	113,039	4,579	2,285	1,656	2,747	1,668	1,157	4,640	3,193	1,951	2,656
1933	114,135	4,350	2,326	1,841	2,849	1,755	1,015	4,620	2,986	1,964	2,464
1932	119,575	4,565	2,479	1,842	3,128	1,769	1,074	4,897	3,363	2,091	2,780
1931	116,505	4,446	2,336	1,742	3,027	1,851	1,083	4,969	3,279	2,140	2,592
1930	117,729	4,550	2,476	1,704	3,129	1,756	1,074	4,665	3,447	2,109	2,734
1929	116,967	4,550	2,367	1,717	3,053	1,842	1,095	4,498	3,475	2,228	2,723
1928	120,186	4,683	2,530	1,761	3,182	2,027	1,162	4,626	3,383	2,333	2,840
1927	116,916	4,421	2,646	1,715	3,087	1,863	1,132	4,490	3,487	2,222	2,773
1926	124,036	4,514	2,831	1,740	3,551	1,976	1,167	4,483	3,700	2,422	3,065
1925	124,394	4,554	2,811	1,852	3,415	1,976	1,233	4,545	3,700	2,486	3,089
1924	125,831	4,646	2,840	1,790	3,559	2,018	1,371	4,789	3,800	2,456	3,109
1923	133,895	4,955	3,162	1,918	3,817	2,064	1,406	5,014	4,202	2,687	3,383
1922	132,230	4,713	3,050	1,852	3,642	2,029	1,416	5,114	3,987	2,512	3,412
1921	138,294	4,933	3,170	2,014	4,032	2,081	1,464	5,326	4,107	2,866	3,428
1920	144,035	5,225	3,333	2,096	4,195	2,204	1,602	5,670	4,538	3,032	3,757

See footnotes at end of table.

TABLE 38 - STILLBIRTHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
* 1948	3,299	6,931	6,011	3,942	1,466	2,627	1,954	3,673	3,834	1,289	3,266	2,823
* 1947	3,061	6,089	4,544	3,346	1,428	2,364	1,827	2,606	3,523	1,077	2,786	2,451
1946	1,991	4,304	3,170	2,575	948	1,592	887	1,622	2,294	745	1,712	1,596
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	2,207	4,253	4,285	2,272	843	1,744	766	1,611	3,230	695	1,356	1,813
1942	2,379	4,416	4,415	2,210	1,019	1,743	781	1,543	3,300	696	1,224	2,009
1941	2,354	4,644	5,075	2,513	950	1,783	815	1,527	3,696	795	1,144	2,083
1940	2,317	4,503	4,737	2,770	949	1,936	773	1,523	3,651	744	1,004	2,048
1939	2,253	4,353	4,576	2,676	881	1,798	894	1,651	3,261	779	1,052	1,952
1938	2,289	4,442	4,610	2,757	1,001	2,034	873	1,585	3,065	786	1,142	2,026
1937	2,680	4,653	5,194	3,136	1,151	2,243	1,086	1,881	3,175	942	1,304	2,479
1936	2,622	4,504	5,061	3,144	1,214	2,178	1,020	1,775	3,277	1,002	1,240	2,444
1935	2,649	4,720	5,056	3,309	1,170	2,190	1,133	1,797	3,316	1,092	1,316	2,593
1934	2,629	4,699	4,899	3,212	1,240	2,287	1,058	1,731	3,071	983	1,335	2,412
1933	2,651	4,533	4,792	3,277	1,286	2,316	1,158	1,679	3,281	1,109	1,370	2,578
1932	2,698	4,780	5,131	3,434	1,246	2,569	1,227	1,978	3,132	1,175	1,311	2,691
1931	2,733	4,738	4,778	3,538	1,219	2,468	1,121	1,904	3,247	1,137	1,363	2,637
1930	2,679	4,862	4,916	3,472	1,296	2,597	1,119	1,975	3,092	1,235	1,328	2,632
1929	2,748	4,864	4,681	3,663	1,361	2,578	1,206	1,929	3,164	1,235	1,325	2,552
1928	2,795	4,822	4,906	3,849	1,351	2,664	1,274	1,765	3,184	1,289	1,298	2,602
1927	2,680	4,783	4,679	3,762	1,378	2,618	1,219	1,837	3,070	1,266	1,238	2,315
1926	2,897	4,864	4,918	3,953	1,506	2,742	1,303	1,813	3,227	1,367	1,303	2,663
1925	2,950	4,899	5,030	4,000	1,565	2,710	1,265	1,797	3,330	1,385	1,232	2,502
1924	2,865	5,209	5,061	4,120	1,584	2,935	1,459	1,766	2,789	1,426	1,244	2,652
1923	3,063	5,352	5,410	4,355	1,611	2,922	1,516	1,537	3,122	1,490	1,359	2,844
1922	3,009	5,687	5,288	4,409	1,615	2,889	1,508	1,910	3,370	1,415	1,273	2,802
1921	3,181	5,906	5,424	4,528	1,825	3,051	1,660	1,805	3,491	1,573	1,336	2,942
1920	3,369	6,359	5,511	4,877	1,844	3,363	1,685	1,620	3,616	1,601	1,248	2,972

See footnotes at end of table.

TABLE 38 - STILLBIRTHS BY PREFECTURE, JAPAN, 1920 - 1948 - Cont'd

Year	Mie	Miyagi	Wakazaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Settsu
* 1948	2,324	3,284	2,087	3,878	2,902	1,274	4,569	2,532	3,424	6,565	1,518	3,918
* 1947	1,997	2,797	1,868	3,490	2,309	1,185	3,905	1,959	2,799	5,662	1,172	3,721
1946	1,253	1,533	1,144	2,011	1,499	765	2,450	1,051	1,750	4,033	724	2,783
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	1,936	1,750	1,179	1,952	1,580	791	2,806	1,121	1,519	6,849	NA	NA
1942	1,415	1,777	1,099	2,068	1,600	774	2,783	1,157	1,455	7,242	658	2,698
1941	1,506	1,966	1,237	2,304	1,723	876	2,914	1,285	1,675	8,221	833	2,887
1940	1,515	2,041	1,151	2,449	1,668	926	2,832	1,132	1,660	7,713	725	2,961
1939	1,333	1,882	1,117	2,357	1,645	863	2,760	1,165	1,623	7,463	780	2,698
1938	1,418	2,080	1,137	2,525	1,511	919	2,934	1,078	1,874	6,973	688	2,780
1937	1,634	2,219	1,299	2,807	1,616	1,128	3,099	1,196	2,155	8,069	852	3,217
1936	1,797	2,190	1,261	2,760	1,593	1,109	3,154	1,271	2,264	7,569	873	3,150
1935	1,677	2,337	1,344	2,955	1,850	1,177	3,242	1,386	2,330	7,971	923	3,494
1934	1,809	2,364	1,330	3,139	1,699	1,262	3,201	1,378	2,192	7,431	919	3,204
1933	1,862	2,144	1,330	3,078	1,698	1,309	3,266	1,417	2,475	7,210	1,000	3,358
1932	1,934	2,394	1,357	3,292	1,812	1,320	3,354	1,413	2,464	7,493	1,060	3,532
1931	1,909	2,241	1,261	3,243	1,735	1,302	3,403	1,385	2,480	6,964	1,047	3,539
1930	1,900	2,217	1,279	3,485	1,743	1,365	3,335	1,286	2,467	7,001	1,019	3,604
1929	1,965	2,269	1,223	3,412	1,711	1,289	3,290	1,426	2,431	6,713	1,047	3,482
1928	2,033	2,386	1,157	3,511	1,676	1,358	3,319	1,409	2,544	6,728	1,030	3,758
1927	1,953	2,397	1,232	3,602	1,719	1,229	3,429	1,289	2,436	6,125	1,078	3,677
1926	2,048	2,488	1,301	3,853	1,804	1,371	3,709	1,473	2,613	6,501	1,144	3,988
1925	2,167	2,504	1,165	3,716	1,720	1,321	3,789	1,432	2,511	6,360	1,143	4,034
1924	2,131	2,652	1,282	3,843	1,872	1,310	3,875	1,448	2,707	6,445	1,139	3,937
1922	2,419	2,793	1,323	4,109	1,981	1,496	3,964	1,582	2,986	6,840	1,240	4,287
1922	2,354	2,602	1,343	4,131	1,961	1,416	4,022	1,599	2,813	6,510	1,288	4,221
1921	2,455	2,901	1,369	4,241	2,093	1,572	4,391	1,685	3,055	6,467	1,387	4,505
1920	2,568	2,933	1,360	4,765	2,186	1,679	4,373	1,492	3,300	6,298	1,567	4,969

See footnotes at end of table

TABLE 38 - STILLBIRTHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
1948	1,433	1,990	4,515	2,787	1,940	8,636	1,238	1,450	1,572	2,123	2,650	1,490
1947	1,109	1,657	3,848	2,494	1,693	7,670	1,130	1,290	1,252	1,910	2,234	1,361
1946	763	899	2,243	1,743	1,097	4,850	619	751	795	1,445	1,543	791
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	831	854	2,796	1,769	936	10,101	521	898	987	1,354	1,567	654
1942	859	865	2,901	1,747	954	10,272	539	988	1,089	1,470	1,631	730
1941	844	868	3,018	2,154	1,134	10,951	606	987	1,172	1,577	1,651	806
1940	867	875	3,188	2,290	1,113	10,437	607	1,003	1,099	1,637	1,419	837
1939	808	940	2,964	2,106	1,115	9,637	608	939	1,122	1,660	1,362	902
1938	847	889	3,047	2,160	1,135	9,277	667	898	1,104	1,677	1,389	981
1937	953	1,113	3,406	2,320	1,366	9,713	833	1,022	1,223	1,948	1,488	1,128
1936	1,000	1,158	3,563	2,560	1,359	9,557	793	1,169	1,240	1,910	1,439	1,176
1935	1,063	1,200	3,615	2,547	1,507	9,872	823	1,177	1,436	2,050	1,499	1,101
1934	1,048	1,186	3,746	2,653	1,478	9,044	864	1,128	1,305	1,970	1,436	1,165
1933	1,005	1,327	3,670	2,599	1,458	9,464	915	1,144	1,365	1,907	1,489	1,205
1932	1,088	1,350	3,852	2,867	1,554	9,570	1,050	1,203	1,454	2,054	1,458	1,290
1931	1,103	1,352	3,743	2,766	1,490	9,086	1,029	1,222	1,480	1,857	1,495	1,225
1930	1,158	1,381	3,627	2,798	1,455	9,160	1,058	1,298	1,492	2,038	1,409	1,307
1929	1,152	1,441	3,628	2,743	1,615	8,920	1,002	1,223	1,461	2,015	1,392	1,303
1928	1,222	1,449	3,681	3,059	1,560	9,334	972	1,289	1,511	2,082	1,464	1,298
1927	1,199	1,362	3,439	3,086	1,604	8,842	1,042	1,315	1,459	2,057	1,370	1,274
1926	1,223	1,442	3,874	3,421	1,700	8,882	1,121	1,384	1,614	2,248	1,384	1,425
1925	1,287	1,627	3,887	3,479	1,611	9,248	1,112	1,318	1,536	2,296	1,387	1,418
1924	1,286	1,498	3,799	3,600	1,770	8,227	1,117	1,386	1,675	2,299	1,415	1,430
1923	1,463	1,714	4,203	3,948	1,938	8,092	1,240	1,438	1,735	2,400	1,409	1,566
1922	1,370	1,672	4,026	4,096	1,912	8,330	1,181	1,433	1,792	2,291	1,384	1,581
1921	1,472	1,708	4,268	4,001	1,895	8,196	1,327	1,605	1,752	2,427	1,476	1,689
1920	1,535	1,839	4,540	4,371	2,059	8,020	1,316	1,504	1,864	2,435	1,373	1,850

See footnotes next page.

TABLE 38 - STILLBIRTHS BY PREFECTURE, JAPAN, 1920 - 1948 - Cont'd

FOOTNOTES:

- * Data for 1947 and 1948 are provisional.
- Data refer only to events to Japanese nationals in Japan Proper.
- 1920 - 1924: Data include all stillbirths reported, without regard to the number of months of uterogestation.
- 1925 - 1948: Data refer to stillbirths after the third month.
- "NA" indicates data are not available.

SOURCES:

- 1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.
- 1946, January - June: Unpublished tabulations, Cabinet Bureau of Statistics.
- 1946, July - September: Monthly Numeric Reports, Cabinet Bureau of Statistics.
- 1946, October - December: Monthly Schedule Reports, Cabinet Bureau of Statistics.
- 1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.
- 1947, July - December; 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 39. - STILLBIRTH RATES BY PREFECTURE: JAPAN, 1920 - 1948
(Rates per 1,000 live births each year)

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ehime	Fukui	Fukuoka	Fukushima	Gifu	Gumma
*1948	53.2	49.9	57.9	44.7	51.8	48.7	50.0	54.7	51.2	45.6	60.4
*1947	45.7	43.1	46.5	36.7	42.4	42.7	42.0	45.0	46.7	39.0	50.8
1946	42.1	39.1	44.6	35.6	39.9	34.9	36.6	40.6	44.2	37.6	45.5
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	41.5	39.8	42.0	35.1	38.7	34.5	39.0	43.1	39.5	38.1	45.9
1942	43.1	40.8	41.4	35.8	38.8	34.7	41.5	47.1	41.6	38.7	48.1
1941	45.7	44.6	48.4	38.5	42.9	36.0	44.4	47.7	44.1	41.0	54.4
1940	48.6	47.0	50.4	36.0	43.5	37.0	46.6	53.8	46.6	41.7	56.7
1939	52.1	49.3	53.7	42.5	47.8	38.5	48.5	59.1	53.1	45.2	60.5
1938	52.1	51.2	50.0	36.9	52.5	40.1	46.3	59.2	55.5	44.6	60.2
1937	51.5	46.8	53.3	40.6	51.4	40.3	46.4	58.0	55.1	44.9	61.1
1936	53.2	49.5	51.8	42.8	54.2	45.0	52.1	60.5	57.7	47.1	61.6
1935	53.2	48.2	56.9	41.8	55.4	43.7	53.6	58.1	56.5	48.3	63.0
1934	55.7	53.3	58.0	43.0	58.1	46.6	60.1	60.0	59.5	48.3	66.7
1933	54.2	50.5	57.9	46.8	57.9	45.8	58.4	58.4	55.1	48.2	61.3
1932	55.2	51.2	59.4	45.9	63.3	44.6	50.9	59.5	58.8	48.5	66.6
1931	55.8	53.4	58.0	46.1	59.1	48.3	51.4	62.2	61.0	53.4	64.9
1930	56.9	54.3	59.3	44.3	65.6	46.1	52.2	62.4	62.5	50.3	65.9
1929	56.7	54.3	62.5	47.3	63.5	47.8	52.7	58.4	63.8	53.3	67.8
1928	56.7	54.7	61.9	45.2	63.0	51.6	53.9	59.3	61.2	54.9	69.0
1927	57.1	54.7	64.7	46.1	63.4	50.2	54.2	60.9	64.0	53.0	68.6
1926	59.4	54.0	71.6	48.1	69.8	50.3	52.9	59.3	65.7	56.3	72.2
1925	60.0	56.2	70.7	50.4	67.6	51.2	56.6	60.6	67.7	58.8	74.6
1924	63.4	59.1	72.0	50.7	75.1	55.1	62.3	67.1	72.2	59.8	78.3
1923	66.0	61.9	80.3	53.0	77.3	51.7	64.5	68.0	77.7	63.4	83.3
1922	67.7	63.4	81.8	54.6	79.6	54.6	65.0	72.6	79.1	63.6	87.1
1921	70.0	65.9	82.0	57.3	81.9	55.0	62.8	78.6	78.8	70.6	89.6
1920	71.6	67.6	83.8	56.6	86.5	57.2	66.1	80.6	83.6	70.0	90.3

See footnotes at end of table.

TABLE 39. - STILLBIRTH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd
(Rates per 1,000 live births each year)

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
*1948	52.9	44.8	58.1	58.3	43.1	55.5	57.5	48.2	52.0	46.9	52.3	53.4
*1947	43.9	42.5	50.0	47.6	38.1	50.7	47.0	43.6	46.3	37.2	44.8	45.0
1946	39.0	37.6	48.2	45.8	39.8	45.2	38.6	36.4	47.6	35.5	37.0	48.0
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	40.7	39.9	47.2	44.1	35.1	43.1	36.3	33.1	43.3	37.2	33.1	40.0
1942	42.9	39.2	48.1	43.6	40.8	44.8	34.8	32.2	47.1	35.3	30.1	43.8
1941	42.6	40.6	54.1	48.6	40.5	44.8	36.6	29.1	52.2	39.4	26.7	44.4
1940	47.0	41.7	59.4	53.3	44.6	48.4	37.2	30.7	58.7	41.5	25.2	49.1
1939	52.6	44.4	66.2	59.3	45.4	50.6	46.3	34.0	61.5	46.0	28.2	54.3
1938	51.4	42.2	66.4	58.3	50.9	52.7	44.1	34.1	61.3	46.6	29.1	54.8
1937	51.6	43.2	64.0	58.7	50.3	54.9	44.9	35.1	57.6	47.3	29.5	56.8
1936	52.6	43.6	64.0	62.7	49.8	53.9	44.3	36.2	60.8	54.2	30.2	56.7
1935	49.6	42.9	62.6	61.8	48.8	54.2	46.2	34.3	59.9	52.3	30.4	58.3
1934	55.0	44.8	66.1	65.7	53.6	57.8	47.9	34.3	62.9	50.7	31.7	58.7
1933	50.6	44.0	60.2	65.1	50.4	60.7	47.4	36.3	62.8	51.7	31.4	59.8
1932	49.5	44.5	61.9	65.7	48.8	63.3	47.6	37.7	61.4	54.1	29.4	59.5
1931	52.1	45.8	60.4	69.6	48.5	65.9	44.3	37.3	62.6	53.8	31.7	61.9
1930	52.8	46.2	63.4	68.8	52.3	67.6	46.3	39.3	62.0	57.5	30.9	63.0
1929	52.0	48.6	60.4	71.8	54.6	68.2	48.4	37.8	64.0	56.1	30.6	60.3
1928	52.0	46.6	60.2	73.7	52.2	69.8	49.4	34.4	62.5	56.4	29.4	60.0
1927	50.9	48.0	61.2	74.6	54.1	69.8	50.1	35.7	63.5	57.3	28.7	57.1
1926	52.8	49.3	61.0	73.9	57.3	72.0	49.4	38.9	68.6	60.6	29.7	62.0
1925	54.1	49.9	65.1	78.5	58.3	73.2	51.7	35.1	65.9	61.0	28.3	60.1
1924	54.7	53.2	66.4	81.2	60.1	82.4	59.5	36.2	66.5	64.2	29.8	65.1
1923	56.1	55.0	68.5	84.6	63.5	79.4	58.2	38.4	72.4	63.8	31.3	69.6
1922	55.9	58.6	69.6	88.8	62.8	82.8	59.7	38.2	75.5	65.6	30.9	70.3
1921	58.1	62.0	69.3	91.6	63.9	86.5	63.9	38.7	77.1	72.3	32.9	74.3
1920	61.2	65.2	71.1	93.3	64.3	89.7	59.0	33.5	82.0	69.8	29.8	72.9

See footnotes at end of table.

TABLE 39. - STILLBIRTH RATES BY PREFECTURE: JAPAN, 1920-1948 - Cont'd.
(Rates per 1,000 live births each year)

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Miagata	Oita	Okayama	Osaka	Saga	Saitama
*1948	49.0	58.0	50.6	64.0	50.1	54.1	55.4	57.6	64.7	58.0	46.0	55.3
*1947	42.9	49.9	47.9	55.6	42.9	48.7	42.0	42.8	51.8	52.5	46.0	47.9
1946	38.5	41.4	42.1	43.5	37.1	48.9	41.2	32.6	43.7	61.1	29.4	42.2
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	38.1	40.9	44.3	40.3	38.3	48.6	42.9	37.6	39.6	53.5	31.9	53.4
1942	40.5	42.6	41.2	41.2	37.2	47.4	42.9	38.7	38.8	57.3	30.2	52.9
1941	41.9	47.3	41.9	46.8	38.3	50.7	44.3	41.9	42.6	60.1	37.1	55.2
1940	43.1	48.3	44.2	47.8	40.3	56.0	44.4	39.4	48.7	67.7	34.5	60.2
1939	43.8	47.8	45.1	51.6	42.1	62.2	45.5	43.4	53.7	75.1	38.7	59.3
1938	43.5	50.3	45.2	52.8	39.8	62.9	46.2	39.3	58.5	73.3	36.1	60.5
1937	43.7	48.2	44.6	53.4	38.6	63.8	44.2	36.0	55.4	75.9	36.6	62.2
1936	48.9	49.9	47.1	54.2	39.9	64.3	45.1	42.4	60.6	73.4	41.2	62.0
1935	44.4	51.9	47.2	55.4	44.7	65.3	45.5	43.0	60.5	75.8	40.1	65.1
1934	49.7	52.8	48.1	61.1	43.4	72.8	48.4	45.1	63.9	78.6	41.8	66.9
1933	49.4	49.7	48.1	58.7	42.5	73.1	46.5	43.8	63.7	74.2	43.4	66.4
1932	49.2	51.9	49.6	59.5	43.7	69.6	46.7	44.1	60.8	73.0	44.1	69.6
1931	51.8	51.7	48.5	62.0	43.8	72.4	45.4	43.0	64.3	74.7	44.0	69.3
1930	49.0	51.4	50.1	63.1	52.3	75.7	47.0	41.8	65.9	75.3	44.6	72.6
1929	50.4	52.4	47.7	62.8	42.7	71.9	48.0	44.7	63.7	73.6	43.9	70.6
1928	51.3	55.2	46.4	63.3	43.3	69.5	46.4	44.6	65.6	69.9	42.9	73.0
1927	51.8	55.9	50.9	66.3	44.5	66.7	49.8	41.8	66.4	69.1	45.1	72.2
1926	51.1	57.5	52.9	67.7	47.0	69.4	52.7	46.8	65.6	70.4	47.5	74.6
1925	55.1	58.7	48.8	68.1	44.5	69.3	54.0	44.3	66.5	73.5	45.1	77.6
1924	57.1	64.7	56.4	71.1	50.1	68.7	56.3	47.6	73.9	77.9	48.7	79.0
1923	61.1	66.0	57.8	77.7	51.4	73.6	57.5	49.6	76.7	79.0	45.2	82.4
1922	62.4	67.1	59.7	79.6	52.1	73.5	59.5	51.4	76.6	79.3	54.6	86.3
1921	65.1	72.6	63.9	82.9	56.0	81.2	62.7	56.2	80.0	81.0	58.1	90.0
1920	65.3	71.0	59.6	86.3	58.8	81.9	62.3	48.2	83.1	80.1	60.7	97.1

See footnotes at end of table.

TABLE 39. - STILLBIRTH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.
(Rates per 1,000 live births each year)

Year	Shima	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamaguchi
*1948	52.2	65.0	54.0	51.2	60.2	52.4	61.9	40.3	52.2	50.2	55.0	59.3
*1947	42.5	50.7	46.8	44.7	53.1	47.6	58.0	31.0	40.2	43.1	44.8	50.8
1946	39.0	41.7	39.9	42.4	51.8	47.5	46.1	29.0	39.7	43.7	41.7	42.3
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	42.1	39.1	44.0	46.3	44.3	42.4	38.7	32.4	44.0	38.6	44.2	32.3
1942	43.6	38.8	46.0	46.6	41.1	45.9	41.3	34.8	46.4	41.1	45.0	36.1
1941	46.2	39.5	47.2	55.6	48.9	49.0	42.3	35.4	42.2	44.6	44.5	39.4
1940	45.1	43.4	50.2	59.0	52.5	54.2	46.8	36.9	51.7	45.0	43.0	40.4
1939	49.5	48.2	53.5	60.7	52.9	58.2	51.9	40.6	57.2	48.4	47.5	47.1
1938	48.2	45.6	53.5	59.8	55.1	58.9	52.1	39.0	53.8	46.0	48.2	49.9
1937	45.0	47.0	53.5	56.4	54.8	56.4	56.7	38.0	50.7	48.2	43.6	51.7
1936	48.7	51.9	56.3	64.4	57.8	56.0	54.4	41.4	53.0	48.7	44.9	57.8
1935	49.9	50.0	55.3	60.9	61.8	56.1	56.3	42.4	56.6	49.9	43.8	51.0
1934	51.5	53.4	58.9	67.6	63.0	58.7	62.1	42.3	56.5	50.0	45.0	57.2
1933	48.8	57.1	58.2	64.4	58.2	57.7	61.7	39.4	54.5	47.5	44.2	57.9
1932	48.5	55.6	59.1	69.5	61.5	59.4	67.8	41.1	56.0	48.7	42.1	59.7
1931	52.1	58.5	57.6	69.5	61.5	57.4	67.9	42.9	60.5	47.3	44.3	57.6
1930	54.3	62.0	58.2	68.7	60.3	60.5	71.0	45.7	60.3	48.1	43.6	62.5
1929	59.3	62.6	57.4	68.3	65.4	60.3	65.6	43.4	60.1	50.3	39.6	61.5
1928	54.8	62.0	55.5	74.1	62.6	61.3	64.8	44.3	58.4	49.8	42.9	59.8
1927	56.3	60.4	55.4	75.7	67.2	60.7	68.4	45.7	58.7	50.0	41.5	58.2
1926	55.7	61.3	59.9	82.4	65.6	64.4	70.9	47.2	62.1	52.8	40.3	72.1
1925	57.5	68.7	59.8	83.3	66.5	64.1	71.1	44.5	61.5	55.8	40.6	63.2
1924	58.7	67.6	62.2	89.7	75.2	66.6	72.6	47.8	68.8	56.2	44.3	67.2
1923	65.9	72.8	66.8	95.5	76.0	68.7	79.0	50.4	65.8	58.0	42.3	74.1
1922	63.2	73.5	68.9	100.6	81.3	69.0	77.0	52.3	72.0	59.3	42.9	77.6
1921	66.9	72.8	70.8	100.1	78.2	67.9	85.7	53.9	70.0	60.5	44.6	80.3
1920	67.0	77.6	76.5	105.7	81.1	72.8	83.3	46.8	71.0	64.8	41.6	84.4

See footnotes on next page.

TABLE 39. - STILLBIRTH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES:

*Data for 1947 and 1948 are provisional.

Rates are the number of stillbirths per 1,000 live births in the corresponding period.

Data refer only to events to Japanese nationals in Japan Proper.

1920 - 1924: Data include all stillbirths reported, without regard to number of months of interogestation.

1925 - 1948: Data refer to stillbirths after the third month.

"NA" indicates data are not available.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original stillbirth data are as follows:

- 1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.
- 1946, January - June: Unpublished tabulations, Cabinet Bureau of Statistics.
- 1946, July - September: Monthly Numeric Reports, Cabinet Bureau of Statistics.
- 1946, October - December: Monthly Schedule Reports, Cabinet Bureau of Statistics.
- 1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.
- 1947, July - December; 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 40. - MARRIAGES BY MONTH: JAPAN, 1920-1948

Year	Total Marriages	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
* 1918	960,275	70,909	94,967	106,775	102,887	95,167	71,512	68,821	63,784	64,694	64,933	69,730	86,126
* 1917	945,207	72,427	73,663	85,111	76,599	112,976	81,913	73,945	63,594	72,080	74,103	65,142	93,652
1916	NA	NA	NA	NA	NA	NA	NA	43,866	42,426	61,102	37,216	52,098	64,295
1915	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1914	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1913	736,183	59,476	64,282	75,698	67,821	69,250	57,420	52,808	50,181	59,708	58,387	56,366	70,846
1912	671,680	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1911	783,858	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1910	660,164	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1909	548,118	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1908	532,103	44,053	48,104	55,532	45,556	46,683	38,740	38,726	41,002	43,860	42,939	39,809	47,090
1907	668,396	50,222	54,008	66,212	50,748	49,743	37,976	49,771	79,446	75,652	56,543	47,840	50,155
1906	543,518	44,382	52,845	60,996	51,501	48,055	37,105	35,470	35,056	39,955	41,728	41,441	54,064
1905	551,032	48,320	53,439	59,998	49,951	48,357	33,405	36,468	35,977	45,008	45,347	42,746	52,116
1904	506,937	43,428	46,851	57,148	46,695	45,115	33,023	32,302	33,943	37,230	39,840	40,394	51,028
1903	481,012	40,598	49,543	55,513	42,466	42,640	30,111	29,502	31,784	34,542	37,789	38,602	47,892
1902	510,603	47,312	56,045	69,523	46,232	41,908	29,606	29,756	31,561	37,457	36,522	38,245	46,216
1901	492,094	44,493	44,444	56,263	46,434	41,207	31,634	33,205	30,466	36,935	38,313	37,158	51,542
1900	501,831	43,846	47,968	57,127	47,005	42,948	30,294	32,652	32,352	42,812	39,879	37,198	47,750
1909	491,988	45,218	46,035	57,150	45,166	43,463	29,945	31,187	30,886	36,393	38,122	39,625	48,768
1908	494,345	44,703	49,679	58,336	45,256	44,349	30,752	32,952	32,253	36,292	38,279	36,157	48,137
1907	482,907	45,476	44,894	58,092	45,643	41,929	29,910	29,951	31,506	35,594	35,043	37,264	47,665
1906	497,959	44,053	48,181	62,012	47,121	43,384	31,137	31,808	29,845	36,942	36,876	38,398	48,262
1905	516,639	43,850	51,581	59,652	48,338	43,445	31,959	33,042	31,674	43,010	39,512	38,711	51,865
1904	508,660	45,049	51,205	60,009	47,103	41,949	30,363	32,258	32,112	39,368	39,037	38,522	51,684
1903	508,100	45,255	47,887	64,533	49,324	44,438	32,193	34,282	31,472	31,165	37,037	40,173	49,818
1902	510,395	41,263	51,504	61,952	47,333	45,584	32,678	33,866	32,335	37,317	37,621	40,195	48,734
1901	514,823	43,584	46,182	63,155	48,317	43,088	33,420	33,289	33,556	41,068	38,941	39,999	50,254
1900	441,542	44,805	46,811	64,160	48,654	42,341	33,459	34,167	37,467	63,009	41,090	38,022	46,957

See footnotes on next page.

FOOTNOTES:

* Data for 1947 and 1948 are provisional.

Data refer to marriages of Japanese nationals in Japan Proper.

"NA" indicates data are not available.

SOURCES:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1946, July-September: Monthly Numeric Reports, Cabinet Bureau of Statistics.

1946, October-December; 1947, January-June: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947, July-December; 1948, Monthly Schedule Reports, Ministry of Welfare.

TABLE 41 - MARRIAGE RATES BY MONTH: JAPAN, 1920-1948
(Rates per 1,000 population)

Year	Annual	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
*1948	12.0	10.4	14.9	15.7	15.7	14.0	10.9	10.1	9.4	9.8	9.6	10.6	12.7
*1947	12.1	10.9	12.3	12.8	11.9	17.1	12.8	11.2	9.6	11.2	11.2	10.2	14.1
1946	NA	NA	NA	NA	NA	NA	NA	6.9	6.8	9.9	5.8	8.4	10.1
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	10.0	9.5	11.4	12.1	11.2	11.1	9.5	8.4	8.0	8.9	9.3	9.3	11.3
1942	9.2	10.5	11.6	11.7	10.6	10.1	8.2	7.5	7.1	7.7	7.6	7.8	10.1
1941	10.8	10.0	12.6	12.1	11.1	10.7	8.2	12.7	10.7	9.9	9.4	10.1	12.3
1940	9.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1939	7.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1938	7.5	7.3	8.9	9.3	7.9	7.8	6.7	6.5	6.8	7.6	7.2	6.9	7.9
1937	9.5	8.4	10.0	11.1	8.8	8.3	6.6	8.3	13.3	13.1	9.5	8.3	8.4
1936	7.8	7.5	9.6	10.3	9.0	8.2	6.5	6.0	5.9	7.0	7.3	7.3	9.3
1935	8.0	8.3	10.1	10.3	8.9	8.3	5.9	6.3	6.2	8.0	7.8	7.6	8.9
1934	7.5	7.6	9.0	9.9	8.4	7.8	5.9	5.6	5.9	6.7	6.9	7.3	8.9
1933	7.2	7.2	9.7	9.8	7.7	7.5	5.5	5.2	5.6	6.3	6.7	7.0	8.4
1932	7.8	8.5	10.7	12.5	8.6	7.5	5.5	5.3	5.7	7.0	6.6	7.1	8.3
1931	7.6	8.1	8.9	10.2	8.7	7.5	5.9	6.0	5.5	6.9	7.0	7.0	9.4
1930	7.9	8.1	9.8	10.5	9.0	7.9	5.8	6.0	5.0	8.2	7.4	7.1	8.8
1929	7.8	8.5	9.5	10.7	8.7	8.1	5.8	5.8	5.8	7.0	7.1	7.7	9.1
1928	8.0	7.9	10.1	11.1	8.9	8.4	6.0	6.3	6.1	7.1	7.3	7.1	9.2
1927	7.9	8.8	9.6	11.2	9.1	8.1	6.0	5.8	6.1	7.1	6.8	7.4	9.2
1926	8.3	8.6	10.4	12.1	9.5	8.5	6.3	6.2	5.8	7.5	7.2	7.7	9.4
1925	8.7	8.7	11.4	11.9	10.0	8.6	6.6	6.6	6.3	8.9	7.9	8.0	10.3
1924	8.7	9.1	11.1	12.2	9.9	8.5	6.4	6.5	6.5	8.2	7.9	8.1	10.5
1923	8.8	9.3	10.8	13.2	10.4	9.1	6.8	7.0	6.4	6.6	7.7	8.5	10.2
1922	9.0	8.6	11.8	12.8	10.1	9.4	7.0	7.0	6.7	8.0	7.8	8.6	10.1
1921	9.2	9.1	10.7	13.3	10.5	9.0	7.2	7.0	7.0	8.9	8.2	8.7	10.5
1920	9.8	9.6	10.7	13.7	10.7	9.0	7.4	7.4	8.0	13.9	8.8	8.4	10.9

See footnotes next page.

TABLE 41 - MARRIAGE RATES BY MONTH: JAPAN, 1920-1948 - Cont'd

FOOTNOTES:

*Data for 1947 and 1948 are provisional.

Rates are the number of marriages per 1,000 population and are computed on an annual basis. Marriage data refer to marriages of Japanese nationals in Japan Proper. Population data refer to the total population, including military personnel, in Japan Proper.

"NA" indicates data are not available.

Source:

Rates were computed by Public Health and Welfare Section, CHQ, SCAP.

Populations were estimated by Public Health and Welfare Section, CHQ, SCAP. Estimates were based on census data, net natural increase and migration to and from Japan Proper. Data for 1920-1945 are as of 1 October. Estimates for 1946-1948 are as of 1 July.

Sources of marriage data are as follows:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1946, July-September: Monthly Numeric Reports, Cabinet Bureau of Statistics.

1946, October-December; 1947, January-June: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947, July-December; 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 42 - MARRIAGES BY PREFECTURE, JAPAN, 1920 - 1948

Year	All Japan	Aichi	Akita	Aomori	Chiba	Shime	Fukui	Fukuoka	Fukushima	Giftu	Gumma
*1918	960,275	37,244	14,983	14,565	22,615	18,048	9,468	42,808	25,331	19,036	18,004
*1917	945,207	34,779	16,928	14,644	24,122	18,605	10,282	39,993	27,019	19,471	19,051
1916	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1915	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1914	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1913	756,183	28,364	12,411	10,935	15,852	13,109	7,786	29,043	17,572	14,334	13,493
1912	671,680	27,520	11,156	9,526	15,099	11,898	7,454	26,549	15,627	13,090	11,791
1911	783,858	32,171	12,647	11,183	16,673	14,811	8,827	30,819	17,983	14,945	14,895
1910	660,184	27,917	10,531	8,842	13,772	12,653	7,123	26,795	14,817	12,752	12,653
1909	548,118	22,244	9,191	8,033	11,627	10,508	4,976	23,373	12,942	10,088	9,614
1908	532,103	20,040	8,797	8,176	11,423	10,011	5,099	22,106	12,810	9,457	9,015
1907	668,336	28,318	10,529	10,099	14,671	12,543	7,623	26,577	16,082	13,459	12,180
1906	543,518	22,270	9,184	8,014	11,898	10,246	6,078	21,950	12,729	10,438	9,791
1905	551,032	22,323	9,481	8,335	12,712	10,195	6,297	21,615	13,159	10,587	9,844
1904	506,937	20,529	8,971	7,632	11,591	9,506	5,664	19,990	12,638	9,990	9,395
1903	481,012	19,366	8,072	7,467	11,087	9,133	5,542	18,824	11,692	9,543	8,777
1902	510,603	20,493	8,862	7,923	11,792	9,880	5,828	19,940	12,366	10,201	9,297
1901	492,094	19,391	8,693	7,598	11,548	9,275	5,828	19,509	11,728	9,767	8,872
1900	501,831	19,360	9,124	8,253	11,621	9,758	6,116	19,000	12,172	10,010	9,351
1909	491,988	18,666	8,792	7,673	11,569	9,877	5,768	19,165	12,176	9,510	8,966
1908	494,345	19,924	9,152	8,090	11,333	9,736	5,726	19,407	12,384	9,998	9,130
1907	482,907	18,399	9,323	7,802	11,447	9,383	5,607	18,527	12,332	9,593	8,999
1906	497,959	18,454	9,606	7,876	12,229	9,635	5,844	18,151	13,631	9,944	10,037
1905	516,639	19,151	9,692	8,378	12,984	9,912	5,919	19,046	13,438	10,056	10,331
1904	508,660	19,267	10,053	8,092	12,829	9,799	6,090	18,773	13,253	9,883	9,802
1903	508,100	19,209	9,716	7,903	12,504	10,449	5,974	19,664	13,810	10,100	9,826
1902	510,385	18,541	9,746	7,604	12,778	10,360	6,006	19,313	12,756	10,074	9,508
1901	514,823	18,073	10,308	7,986	12,793	10,444	6,263	20,109	13,505	10,072	9,511
1900	541,542	19,247	10,942	8,991	12,708	10,637	6,607	20,595	14,861	10,832	10,060

See footnotes at end of table.

TABLE 42. - MARRIAGES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
*1948	26,266	45,793	36,731	23,413	11,670	15,188	13,549	22,786	24,190	11,220	22,860	19,766
*1947	26,217	42,043	32,698	22,776	13,208	15,139	12,922	21,435	22,873	11,317	23,625	17,249
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	20,568	33,109	30,387	15,664	9,878	11,982	9,115	18,560	19,461	8,278	15,349	15,515
1942	19,720	30,521	26,948	14,718	8,151	10,834	8,354	17,619	19,054	7,382	13,895	14,540
1941	21,584	32,710	31,119	17,452	11,798	12,223	10,023	18,785	21,821	8,934	15,728	16,552
1940	19,122	26,514	26,451	13,910	8,958	9,365	8,389	16,482	19,101	7,105	13,615	14,299
1939	15,358	26,014	20,751	11,506	6,778	8,754	6,988	14,483	15,485	6,188	12,069	10,766
1938	15,134	25,433	21,475	11,273	6,256	8,978	6,494	15,040	14,001	5,974	12,230	10,790
1937	19,201	27,428	27,864	14,702	9,017	10,109	8,912	17,136	17,419	7,736	13,833	14,944
1936	16,284	22,456	21,888	11,764	7,375	8,450	7,140	13,482	13,697	5,832	11,641	12,061
1935	16,261	22,855	22,054	12,181	7,426	8,702	6,901	13,471	13,387	6,096	11,629	12,286
1934	14,544	20,886	19,291	10,867	6,787	8,395	6,255	12,560	12,352	5,484	10,981	11,055
1933	14,260	19,087	18,863	10,556	6,776	7,498	6,477	12,288	11,201	5,455	10,420	10,823
1932	15,027	20,177	20,213	11,471	7,121	8,084	7,023	13,077	11,833	5,934	10,826	11,372
1931	14,566	19,616	18,350	10,672	7,012	7,788	6,714	12,654	11,600	5,721	10,535	11,135
1930	14,790	20,453	19,368	10,943	7,338	8,201	6,510	12,589	11,710	6,049	10,922	11,071
1929	14,623	20,097	18,792	11,232	6,722	8,279	6,552	12,713	11,530	5,792	11,384	10,727
1928	14,662	19,728	18,937	11,108	7,100	7,981	6,520	12,792	11,398	5,845	11,036	10,760
1927	14,230	19,147	18,348	11,446	7,041	8,221	6,257	12,607	10,845	5,754	11,109	10,123
1926	14,488	19,447	18,637	11,865	7,088	8,320	6,370	11,789	11,392	5,704	11,064	10,478
1925	15,035	19,251	19,191	12,046	7,618	8,602	6,497	12,598	12,212	6,245	11,693	11,049
1924	15,334	18,361	19,203	12,339	7,432	8,266	6,198	13,034	10,389	6,303	12,136	11,061
1923	15,932	18,452	19,430	11,909	7,324	8,358	6,581	13,788	9,240	6,436	12,222	11,112
1922	16,449	19,722	18,722	11,947	7,992	8,255	6,527	13,757	11,302	6,109	12,586	11,102
1921	16,591	18,827	19,888	11,868	7,673	8,551	6,586	13,077	10,794	6,154	12,205	10,966
1920	17,199	20,228	20,419	12,234	8,216	9,533	7,099	13,364	11,763	6,949	13,606	11,515

See footnotes at end of table.

TABLE 42. - MARRIAGES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Osaka	Osaka	Saitama
*1948	17,478	19,691	14,251	23,351	21,058	10,210	29,340	41,248	12,662	23,220
*1947	16,802	20,300	13,268	24,514	21,904	9,944	34,970	34,034	12,449	24,412
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	13,323	13,289	8,892	20,187	13,838	6,872	24,238	35,202	8,205	16,878
1942	12,118	12,182	8,183	17,405	12,072	5,983	20,625	32,845	7,290	15,527
1941	14,371	13,299	9,405	20,188	14,104	8,039	24,271	40,545	8,265	17,993
1940	12,401	11,333	7,365	17,420	12,303	6,314	20,009	35,655	7,444	13,973
1939	9,588	9,745	6,546	13,515	11,240	5,026	17,600	28,220	6,682	11,889
1938	9,413	9,408	7,096	12,963	10,622	5,364	15,751	28,695	6,327	11,540
1937	12,543	11,744	8,139	16,113	12,157	7,331	19,642	35,213	7,773	14,481
1936	10,398	9,624	6,421	13,307	10,269	5,459	17,595	27,434	6,350	12,134
1935	10,500	9,828	6,367	13,993	10,153	5,501	18,362	27,526	6,467	12,593
1934	9,380	9,508	5,730	12,984	9,421	5,189	17,680	24,406	5,907	11,752
1933	9,160	8,662	5,651	11,911	8,989	5,163	16,545	23,124	5,864	10,978
1932	9,977	9,323	6,041	13,620	9,385	5,283	17,194	23,823	6,116	11,587
1931	9,231	8,881	5,839	12,995	9,046	5,255	17,310	22,158	6,166	11,175
1930	9,649	9,140	5,768	13,366	9,222	5,187	17,802	22,379	5,868	11,515
1929	9,685	9,165	5,546	12,769	9,150	4,879	17,157	21,635	5,973	11,323
1928	9,651	9,459	5,543	12,793	8,976	5,073	17,147	22,028	6,097	11,265
1927	9,362	9,212	5,402	12,638	8,913	4,917	16,869	20,671	6,075	11,431
1926	9,702	9,558	5,386	14,395	9,564	5,070	17,951	20,665	6,279	12,951
1925	10,198	9,649	5,485	14,651	9,096	5,477	18,714	21,049	6,575	13,230
1924	10,100	9,833	5,501	13,836	9,319	5,320	18,942	20,993	6,772	12,614
1923	10,298	9,623	5,425	13,365	9,630	5,505	18,521	20,874	7,017	12,064
1922	10,256	9,619	5,389	13,048	9,933	5,391	18,351	19,719	7,126	12,364
1921	10,544	10,094	5,442	12,685	9,921	5,140	18,708	20,423	7,296	12,462
1920	10,836	10,722	5,666	14,735	10,829	5,538	19,044	20,865	7,639	12,506

See footnotes at end of table.

TABLE 42. - MARRIAGES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
*1948	10,571	11,407	27,592	18,672	11,983	56,810	7,711	11,654	12,571	16,665	18,962	8,776
*1947	10,121	12,904	29,386	18,920	11,719	47,275	7,781	13,876	11,975	17,929	19,093	8,964
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	8,065	8,512	22,173	12,902	7,996	58,438	5,642	11,599	9,590	12,837	13,263	7,277
1942	7,408	8,356	19,862	11,439	7,320	55,610	5,020	8,940	7,865	11,479	12,780	6,873
1941	9,097	8,370	22,364	14,617	9,274	64,049	5,986	13,083	9,831	13,656	13,266	7,679
1940	7,354	7,076	19,346	11,221	7,047	56,996	4,626	10,014	8,234	10,834	12,211	6,595
1939	5,287	5,809	15,802	9,293	5,946	47,492	3,486	7,384	6,726	9,553	10,117	5,127
1938	5,080	6,178	14,111	9,056	5,796	42,307	4,209	6,858	7,222	9,022	9,980	5,206
1937	7,426	7,638	18,693	11,517	8,184	51,330	5,105	9,927	8,759	11,017	11,808	6,621
1936	6,298	6,258	16,086	9,702	6,386	41,056	4,203	7,687	7,123	9,069	10,194	5,385
1935	6,492	6,468	16,337	9,937	6,343	41,313	4,227	8,130	7,283	9,737	10,174	5,316
1934	6,053	5,718	15,385	9,069	5,896	37,672	3,742	7,462	6,817	9,203	9,370	5,266
1933	5,731	5,931	13,907	8,237	5,911	34,220	3,777	7,244	6,447	8,432	9,266	4,556
1932	6,011	6,341	14,786	9,544	6,480	34,772	3,923	7,990	6,837	8,989	9,377	5,413
1931	5,967	6,026	14,667	8,591	6,079	32,949	3,956	7,811	6,533	8,415	9,348	5,147
1930	6,155	6,289	14,959	8,998	6,174	33,406	3,964	7,973	6,730	9,428	9,246	5,131
1929	5,887	6,114	14,385	9,038	6,277	32,760	3,689	7,690	6,526	9,235	9,176	5,075
1928	5,907	6,163	14,715	9,055	6,224	30,979	3,832	7,771	6,647	9,285	9,603	5,012
1927	6,039	6,077	14,276	8,850	6,109	30,675	3,772	7,800	6,373	8,921	9,283	4,818
1926	6,062	6,312	14,948	9,656	6,180	31,555	3,839	7,727	6,338	10,003	9,541	5,350
1925	6,356	6,432	15,474	9,774	6,481	32,752	3,980	8,234	6,825	9,841	9,928	5,843
1924	6,481	6,469	15,350	9,719	6,273	29,522	4,137	7,814	7,054	10,226	9,910	5,529
1923	6,518	6,518	15,500	9,961	6,528	26,315	4,141	7,435	7,947	9,947	10,066	5,341
1922	6,612	6,494	15,165	10,129	6,435	29,856	4,169	7,392	7,126	9,813	10,451	5,145
1921	6,543	6,548	15,378	9,800	6,458	28,476	4,271	7,623	6,987	10,589	10,599	5,015
1920	6,551	7,109	15,637	10,156	6,737	30,033	4,368	8,367	7,539	10,655	10,967	5,950

See footnotes on next page.

TABLE 42. - MARRIAGES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES:

* Data for 1947 and 1948 are provisional.
Data refer only to marriages of Japanese nationals in Japan Proper.

"NA" indicates data are not available.

SOURCES:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.
1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.
1947 July - December; 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 43 - MARRIAGE RATES BY PREFECTURE, JAPAN, 1920 - 1948
(Rates per 1,000 population)

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ehime	Fukui	Fukuoka	Fukushima	Gifu	Gumma
* 1948	12.0	11.5	11.7	12.0	10.6	12.9	12.9	12.9	12.5	12.5	11.2
* 1947	12.1	11.2	13.5	12.4	11.4	12.8	14.2	12.4	13.6	13.1	12.1
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	10.0	8.4	12.3	11.1	9.9	10.9	12.1	9.1	11.0	10.9	10.2
1942	9.2	8.5	10.7	9.5	9.5	10.2	11.7	8.3	9.0	10.4	9.0
1941	10.8	10.1	12.2	11.3	10.6	12.6	13.9	9.8	11.1	11.9	15.6
1940	9.2	8.9	10.1	9.0	8.8	10.9	11.2	8.8	9.2	10.2	9.9
1939	7.7	7.3	8.7	7.9	7.4	9.1	7.6	8.1	8.1	8.2	7.6
1938	7.5	6.7	8.4	8.1	7.3	8.6	7.7	7.7	8.0	7.6	7.2
1937	9.5	9.5	10.0	10.1	9.3	10.7	11.6	9.4	10.0	10.8	9.7
1936	7.8	7.6	8.8	8.1	7.6	8.8	9.3	7.6	8.0	8.5	7.8
1935	8.0	7.8	9.1	8.6	8.2	8.8	9.7	7.8	8.3	8.6	7.9
1934	7.5	7.4	8.7	8.2	7.5	8.1	8.9	7.4	8.1	8.2	7.6
1933	7.2	7.1	7.9	8.1	7.3	7.8	8.8	7.1	7.5	7.9	7.1
1932	7.8	7.7	8.6	8.7	7.9	8.5	9.3	7.6	8.0	8.5	7.7
1931	7.6	7.4	8.7	8.5	7.8	8.1	9.4	7.6	7.7	8.2	7.4
1930	7.9	7.5	9.2	9.4	7.9	8.5	9.9	7.5	8.1	8.5	7.9
1929	7.8	7.4	9.0	8.8	7.9	8.6	9.6	7.9	8.0	8.0	7.6
1928	8.0	8.0	9.4	9.5	7.9	8.6	9.5	8.1	8.3	8.4	7.8
1927	7.9	7.6	9.7	9.3	8.0	8.4	9.1	7.8	8.3	8.2	7.8
1926	8.3	7.8	10.1	9.5	8.6	8.7	9.7	7.8	9.3	8.6	8.8
1925	8.7	8.3	10.4	10.3	9.3	9.0	9.9	8.3	9.3	8.9	9.2
1924	8.7	8.7	10.8	10.3	9.4	9.1	10.0	7.7	9.3	8.9	8.8
1923	8.8	8.8	10.6	10.2	9.3	9.8	10.0	8.3	9.8	9.2	9.0
1922	9.0	8.6	10.7	10.0	9.6	9.8	10.0	8.4	9.2	9.3	8.8
1921	9.2	8.5	11.4	10.5	9.6	9.9	10.5	9.0	9.8	10.1	8.9
1920	9.8	9.2	12.2	11.9	9.5	10.2	11.0	9.4	10.9	10.1	9.6

See footnotes at end of table

TABLE 43 - MARRIAGE RATES BY PREFECTURE: JAPAN, 1920 - 1948 - CONT'D.
(Rates per 1,000 population)

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Isikawa	Iwate	Kagawa	Kagoshima	Yamaguchi	Koc. I	Fukushima	Kyoto
• 1948	12.8	11.4	11.6	11.5	12.4	11.7	14.5	12.9	10.4	13.0	12.8	11.1
• 1947	13.1	10.9	10.7	11.3	14.3	12.0	14.1	12.3	10.3	13.4	13.4	9.9
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	10.2	10.0	9.2	9.5	13.2	10.8	12.8	12.2	7.4	11.6	11.7	8.5
1942	10.5	9.2	8.1	9.1	10.9	9.9	11.7	11.3	8.2	10.6	10.4	8.4
1941	11.6	10.0	9.6	10.8	15.8	11.2	13.9	11.9	9.7	12.7	11.7	9.6
1940	10.4	8.3	8.3	8.7	12.0	8.7	11.6	10.5	8.8	10.2	10.1	8.4
1939	8.3	8.1	6.8	7.4	8.9	8.1	9.4	9.1	7.9	8.9	8.7	6.0
1938	8.2	8.0	7.0	7.2	8.2	8.4	8.7	9.5	7.2	8.5	8.8	6.1
1937	10.4	8.6	9.2	9.4	11.7	9.4	11.8	10.7	9.0	10.9	9.0	6.5
1936	8.9	7.2	7.3	7.5	9.6	8.0	9.5	8.4	7.3	8.2	8.4	7.0
1935	9.0	7.4	7.5	7.9	9.7	8.3	9.2	8.5	7.3	8.5	8.4	7.2
1934	8.3	6.8	6.9	7.0	8.9	8.1	8.2	7.7	6.9	7.4	7.8	6.6
1933	8.2	6.4	6.8	6.9	8.9	7.3	8.6	7.6	6.4	7.4	7.5	6.8
1932	8.7	6.9	7.4	7.5	9.4	8.0	9.4	8.2	7.0	8.1	7.9	7.1
1931	8.5	6.8	7.2	7.1	9.2	7.9	9.1	8.0	7.0	7.9	7.7	7.0
1930	8.7	7.3	7.3	7.4	9.7	8.4	8.9	8.1	7.2	8.4	8.1	7.1
1929	8.6	7.6	7.2	7.6	8.8	8.7	9.0	8.3	7.6	8.2	8.4	7.1
1928	8.7	7.6	7.4	7.6	9.3	8.5	9.0	8.4	7.7	8.3	8.2	7.2
1927	8.6	7.4	7.2	7.9	9.3	8.8	8.8	8.4	7.4	8.2	8.4	6.9
1926	8.8	7.7	7.5	8.3	9.4	9.1	9.0	7.9	7.9	8.2	8.3	7.3
1925	9.3	7.7	7.8	8.5	10.1	9.5	9.3	8.5	8.6	9.1	9.0	7.9
1924	9.7	6.5	7.7	8.7	9.8	9.4	9.2	8.7	8.0	9.2	9.7	8.0
1923	10.2	6.8	8.0	8.6	9.7	9.6	9.7	9.4	6.7	9.5	9.8	8.2
1922	10.6	7.2	8.3	8.7	9.3	9.6	9.7	9.5	8.3	9.0	10.1	8.3
1921	10.7	7.6	8.5	8.7	10.3	10.0	9.8	9.1	8.1	9.1	9.9	8.4
1920	11.2	8.6	8.9	9.1	11.0	11.3	10.5	9.4	8.9	10.4	11.0	8.0

See footnotes at end of table.

TABLE 43 - MARRIAGE RATES BY PREFECTURE, JAPAN, 1920 - 1948 - Cont'd
(Rates per 1,000 population)

Year	Mie	Miyagi	Kiyozaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Saitama
* 1948	12.0	12.3	13.5	11.2	13.5	13.1	12.0	13.2	13.0	11.7	13.6	10.9
• 1947	11.9	13.0	13.0	11.9	14.3	12.8	14.5	13.5	12.5	10.2	13.6	11.6
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	10.8	10.7	10.7	11.9	9.5	10.9	11.8	12.0	10.8	7.9	11.6	10.2
1942	10.2	9.7	9.8	10.4	8.7	9.8	10.9	10.9	9.6	6.6	10.4	9.6
1941	12.1	10.6	11.2	10.3	10.3	13.1	11.8	12.7	12.4	8.3	11.9	11.2
1940	10.5	9.0	8.9	10.3	9.1	10.3	9.8	10.4	9.8	7.5	10.8	8.8
1939	8.2	7.6	7.6	8.0	8.5	8.0	8.8	8.3	7.5	5.9	10.0	7.7
1938	8.1	7.4	8.3	7.7	8.1	8.6	7.9	8.8	8.4	6.1	9.4	7.4
1937	10.7	9.3	9.6	9.4	9.2	11.7	9.8	10.3	10.9	7.7	11.4	9.3
1936	8.8	7.7	7.7	7.8	7.8	8.7	8.7	8.8	8.8	6.2	9.3	7.9
1935	8.9	8.0	7.7	8.2	7.8	8.9	9.2	8.9	8.6	6.4	9.4	8.2
1934	7.8	7.8	7.0	7.3	7.3	8.5	8.8	8.1	7.7	6.2	8.5	7.8
1933	7.7	7.2	7.0	6.7	7.0	8.5	8.3	7.8	8.0	6.0	8.4	7.3
1932	8.5	7.9	7.7	7.8	7.4	8.8	8.7	8.2	8.6	6.4	8.8	7.8
1931	7.9	7.6	7.5	7.5	7.3	8.8	8.9	8.5	8.4	6.1	8.9	7.6
1930	8.3	8.0	7.6	7.8	7.5	8.7	9.2	8.4	8.4	6.3	8.5	7.9
1924	8.4	8.2	7.6	7.5	7.6	8.1	8.9	8.0	8.3	6.2	8.5	7.7
1928	8.5	8.6	7.7	7.6	7.5	8.4	9.0	8.1	8.4	6.5	8.7	7.7
1927	8.3	8.5	7.6	7.6	7.5	8.3	8.9	8.3	8.1	6.3	8.8	8.0
1926	8.7	9.0	7.7	8.7	7.3	8.6	9.4	8.5	8.3	6.5	9.1	9.1
1925	9.2	9.2	7.9	9.0	7.8	9.4	10.1	9.3	8.8	6.9	9.6	9.5
1924	9.3	10.0	7.9	8.5	7.9	9.3	10.4	9.8	8.8	6.9	10.1	9.2
1923	9.6	9.9	7.9	8.3	8.2	9.7	10.3	10.3	9.2	7.3	10.4	9.0
1922	9.6	9.9	8.0	8.2	8.6	9.5	10.3	10.5	9.2	7.1	10.6	9.3
1921	9.8	10.4	8.2	8.0	8.6	8.1	10.5	10.5	9.4	7.6	10.8	9.4
1920	10.1	11.1	8.7	8.0	9.5	9.8	10.7	11.0	9.9	8.1	11.3	9.5

See footnotes at end of table

TABLE 43 - MARRIAGE RATES BY PREFECTURES, JAPAN, 1920 - 1948 - Cont'd
(Rates per 1,000 population)

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
1948	12.1	12.6	11.5	12.0	13.8	10.5	13.0	11.7	12.8	12.4	12.6	10.8
1947	11.8	14.4	12.5	12.3	13.7	9.5	13.3	14.2	12.5	13.4	12.9	11.1
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	11.5	11.3	10.9	11.0	11.3	7.8	11.7	13.9	10.8	12.1	8.8	11.3
1942	10.8	11.5	9.8	9.6	10.4	7.2	10.6	10.8	9.2	10.5	9.7	10.5
1941	13.1	11.1	11.1	12.2	13.1	8.5	12.5	16.0	11.5	12.4	10.2	11.7
1940	10.7	9.7	9.7	9.4	9.9	7.9	9.7	12.3	9.7	9.8	9.6	10.1
1939	7.4	7.9	7.9	7.7	8.2	6.8	7.2	9.2	7.7	8.5	8.4	7.9
1938	7.1	8.3	7.1	7.5	8.0	6.2	8.7	8.6	8.3	8.0	8.3	8.0
1937	10.4	10.2	9.4	9.5	11.2	7.6	10.4	12.3	10.0	9.8	9.8	10.2
1936	8.8	8.4	8.2	8.1	8.7	6.3	8.6	9.6	8.2	8.1	8.5	8.3
1935	9.1	8.7	8.4	8.3	8.7	6.5	8.6	10.2	8.4	8.7	8.5	8.2
1934	8.5	7.6	8.1	7.7	8.0	6.1	7.4	9.3	7.9	8.2	8.0	8.0
1933	8.1	7.9	7.4	7.0	8.1	5.7	7.5	9.1	7.5	7.6	8.0	7.0
1932	8.5	8.5	8.0	8.2	8.9	6.0	7.9	10.1	8.1	8.2	8.4	8.4
1931	8.6	8.1	8.0	7.5	8.4	5.9	8.0	10.0	7.8	7.7	8.2	8.1
1930	9.0	8.5	8.3	7.9	8.6	6.2	8.1	10.2	8.1	8.7	8.1	8.1
1929	8.7	8.3	8.0	7.9	8.8	6.3	7.5	9.9	7.9	8.5	8.0	8.2
1928	8.7	8.4	8.3	8.0	8.8	6.2	7.9	10.1	8.1	8.7	8.4	8.1
1927	9.0	8.3	8.2	7.9	8.7	6.3	7.8	10.2	7.9	8.4	8.3	7.9
1926	9.1	8.7	8.8	8.8	8.9	6.8	8.0	10.2	7.9	9.6	8.6	8.9
1925	9.6	9.2	9.3	9.0	9.4	7.3	8.4	11.0	8.7	9.6	9.1	9.7
1924	9.9	9.2	9.3	8.8	9.3	7.4	8.9	10.6	9.1	10.3	9.3	9.1
1923	10.0	9.3	9.6	9.2	9.7	6.5	9.0	10.2	9.5	10.1	9.6	8.9
1922	10.2	9.2	9.5	9.5	9.6	7.6	9.1	10.1	9.4	10.0	10.0	8.7
1921	10.0	9.4	9.8	9.3	9.6	7.7	9.4	10.5	9.2	10.9	10.1	8.5
1920	10.1	9.9	10.1	9.7	10.1	8.1	9.6	11.6	10.0	11.0	10.5	10.2

See Footnotes next page.

TABLE 43 - MARRIAGE RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd
(Rates per 1,000 population)

FOOTNOTES:

*Data for 1947 and 1948 are provisional

Rates are for the number of marriages per 1,000 population.

Population data refer to the total population of Japan Proper including military personnel in the country.

Marriage data refer only to marriages of Japanese nationals in Japan Proper.

NA indicates data are not available.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original marriage data are as follows:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.

1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947, July - December; 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 44 - DIVORCES BY MONTH: JAPAN, 1920-1948

Year	Total Divorces	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
*1948	79,415	3,801	6,265	7,612	7,311	7,449	6,067	6,415	6,780	7,410	6,724	6,252	7,399
*1947	80,612	6,524	6,075	7,184	6,623	7,962	6,070	6,304	6,668	7,325	6,780	5,662	7,435
1946	NA	NA	NA	NA	NA	NA	NA	8,067	8,960	11,639	5,098	6,188	6,585
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	48,832	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1942	45,529	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1941	48,605	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1940	47,804	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1939	45,178	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1938	43,832	3,099	3,395	4,395	3,917	3,904	3,194	3,220	3,736	3,877	3,649	3,414	4,032
1937	45,719	3,651	4,073	4,903	3,868	3,839	3,185	3,385	3,794	4,223	3,740	3,429	3,629
1936	45,399	3,132	3,665	4,726	4,367	4,080	3,315	3,307	3,401	3,866	3,718	3,494	4,328
1935	47,721	3,817	4,094	4,813	4,436	4,368	3,328	3,603	3,531	4,048	3,956	3,665	4,152
1934	47,806	3,673	4,014	4,767	4,254	4,372	3,303	3,319	3,658	4,006	3,996	3,837	4,607
1933	48,546	3,753	4,325	5,068	4,147	4,512	3,350	3,463	3,833	4,064	3,851	3,863	4,317
1932	50,728	4,335	4,091	5,215	4,602	4,619	3,421	3,463	3,706	4,312	4,280	4,001	4,683
1931	49,887	4,051	4,076	5,124	4,563	4,288	3,544	3,785	3,625	4,027	4,039	3,848	4,917
1930	50,516	4,096	4,144	5,141	4,583	4,318	3,507	3,632	3,844	4,543	4,200	3,947	4,761
1929	50,310	4,284	4,116	4,888	4,408	4,450	3,142	3,528	3,876	4,263	4,238	4,237	4,880
1928	48,235	3,711	4,152	5,109	4,389	4,247	3,186	3,523	3,733	4,172	4,018	3,366	4,629
1927	49,689	4,245	3,943	5,018	4,518	4,321	3,384	3,349	3,910	4,305	4,036	3,665	4,695
1926	48,224	4,123	4,269	5,110	4,424	4,254	3,270	3,535	3,405	4,353	3,954	3,931	4,596
1925	50,741	4,101	4,388	5,138	4,705	4,431	3,392	3,632	3,642	4,308	4,049	4,006	4,949
1924	50,904	4,172	4,407	5,211	4,426	4,280	3,285	3,519	3,888	4,604	4,245	3,993	4,874
1923	50,314	4,174	4,423	5,269	4,633	4,465	3,318	3,728	3,964	3,714	4,092	4,124	4,760
1922	52,082	4,079	4,423	5,324	4,702	4,562	3,440	3,783	3,911	4,536	4,289	4,312	4,721
1921	52,643	4,646	4,735	5,452	4,761	4,442	3,430	3,579	3,981	4,686	4,322	4,044	4,965
1920	54,671	4,478	4,367	5,301	4,748	4,410	3,681	4,059	4,233	5,675	4,620	4,149	4,950

See footnotes next page.

TABLE 44 - DIVORCES BY MONTH: JAPAN, 1920-1948 - Cont'd

FOOTNOTES:

*Data for 1947 and 1948 are provisional.

Data refer to divorces of Japanese nationals in Japan Proper.

"NM" indicates data are not available.

Sources:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics.

1946, October-December; 1947, January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.

1947, July-December; 1948: Monthly Schedule Report, Ministry of Welfare.

TABLE 45 - DIVORCE RATES BY MONTH: JAPAN, 1920-1948
(Rates per 1,000 population)

Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
*1948	1.0	0.6	1.0	1.1	1.1	1.1	0.9	0.9	1.0	1.1	1.0	1.0	1.1
*1947	1.0	1.0	1.0	1.1	1.0	1.2	0.9	1.0	1.0	1.1	1.0	0.9	1.1
1946	NA	NA	NA	NA	NA	NA	NA	1.3	1.4	1.9	0.8	0.9	1.0
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	0.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1942	0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1941	0.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1940	0.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1939	0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1938	0.6	0.5	0.6	0.7	0.7	0.7	0.6	0.5	0.6	0.7	0.6	0.6	0.7
1937	0.6	0.6	0.6	0.8	0.7	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.6
1936	0.7	0.5	0.7	0.8	0.7	0.7	0.6	0.6	0.6	0.7	0.6	0.6	0.7
1935	0.7	0.7	0.8	0.8	0.8	0.7	0.6	0.6	0.6	0.7	0.7	0.6	0.7
1934	0.7	0.6	0.8	0.8	0.8	0.8	0.6	0.6	0.6	0.7	0.7	0.7	0.8
1933	0.7	0.7	0.8	0.9	0.8	0.8	0.6	0.6	0.7	0.7	0.7	0.7	0.8
1932	0.8	0.8	0.8	0.9	0.9	0.8	0.6	0.6	0.7	0.8	0.8	0.7	0.8
1931	0.8	0.7	0.8	0.9	0.9	0.8	0.7	0.7	0.7	0.8	0.7	0.7	0.9
1930	0.8	0.8	0.8	0.9	0.9	0.8	0.6	0.6	0.7	0.9	0.8	0.8	0.9
1929	0.8	0.8	0.9	0.9	0.9	0.8	0.6	0.7	0.7	0.8	0.8	0.8	0.9
1928	0.8	0.7	0.8	1.0	0.9	0.8	0.6	0.7	0.7	0.8	0.8	0.7	0.9
1927	0.8	0.8	0.8	1.0	0.9	0.8	0.7	0.6	0.8	0.9	0.8	0.8	0.9
1926	0.8	0.8	0.9	1.0	0.9	0.8	0.7	0.7	0.7	0.9	0.8	0.8	0.9
1925	0.9	0.8	1.0	1.0	1.0	0.9	0.7	0.7	0.7	0.9	0.8	0.8	1.0
1924	0.9	0.8	1.0	1.1	0.9	0.9	0.7	0.7	0.8	1.0	0.9	0.8	1.0
1923	0.9	0.9	1.0	1.1	1.0	0.9	0.7	0.8	0.7	0.8	0.8	0.9	1.0
1922	0.9	0.8	1.0	1.1	1.0	0.9	0.7	0.8	0.8	1.0	0.9	0.9	1.0
1921	0.9	1.0	1.0	1.1	1.0	0.9	0.7	0.8	0.8	1.0	0.9	0.9	1.0
1920	1.0	1.0	1.0	1.1	1.0	0.9	0.8	0.9	0.9	1.2	1.0	0.9	1.1

See footnotes at end of table.

TABLE 45 - DIVORCE RATES BY MONTH: JAPAN, 1920-1948 - Cont'd

FOOTNOTES:

*Data for 1947 and 1948 are provisional.

†Rates are the number of divorces per 1,000 population and are computed on an annual basis. Divorce data refer to divorcees of Japanese nationals in Japan proper. Population data refer to the total population, including military personnel, in Japan proper.

"NA" indicates data are not available.

Sources:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Populations were estimated by Public Health and Welfare Section, GHQ, SCAP. Estimates were based upon census data, net natural increase and migration to and from Japan proper. Data for 1920-1943 are as of 1 October. Estimates for 1946-1948 are as of 1 July.

Sources of divorce data are as follows:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics.

1946, October-December; 1947, January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.

1947, July-December; 1948: Monthly Schedule Report, Ministry of Welfare.

Year	All Japan	Aichi	Akita	Amori	Chiba	Shima	Fukui	Fukuoka	Fukushima	Gifu	Guma
* 1948	79,415	2,436	2,028	1,403	1,598	1,780	891	3,653	2,214	1,317	1,375
* 1947	80,612	2,361	2,174	1,350	1,511	1,826	979	3,742	2,328	1,369	1,259
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	48,832	1,862	1,291	860	822	1,053	572	2,154	1,180	816	746
1942	45,529	1,717	1,080	985	795	988	543	2,200	1,034	774	622
1941	48,605	1,860	1,090	921	787	1,049	638	2,212	1,092	805	710
1940	47,804	1,822	1,046	971	948	1,065	608	2,119	1,008	766	717
1939	45,178	1,769	958	876	890	991	563	1,981	959	779	588
1938	42,632	1,748	956	947	866	1,063	531	1,908	893	750	605
1937	45,719	1,828	1,025	907	866	1,133	609	1,940	900	750	652
1936	45,395	1,830	1,035	898	938	1,053	557	1,929	996	724	624
1935	47,721	1,938	1,087	908	944	1,109	632	1,930	1,041	910	734
1934	47,806	1,778	1,127	944	926	1,207	682	1,793	1,085	879	653
1933	48,546	1,956	1,112	909	897	1,327	672	1,992	1,019	893	679
1932	50,728	1,945	1,174	960	899	1,437	729	1,970	1,114	1,022	498
1931	49,887	1,841	1,154	978	983	1,483	726	1,876	1,135	1,035	637
1930	50,516	2,008	1,216	1,038	1,023	1,554	697	2,039	1,109	934	676
1929	50,310	1,996	1,267	1,024	1,050	1,421	654	1,919	1,144	1,010	725
1928	48,235	1,838	1,301	985	943	1,373	655	1,863	1,170	927	712
1927	49,689	1,880	1,329	938	1,044	1,379	612	1,859	1,240	936	750
1926	49,124	1,858	1,283	1,044	1,080	1,341	641	1,914	1,157	969	713
1925	50,741	1,869	1,411	1,004	1,079	1,367	658	1,933	1,241	984	775
1924	50,904	1,852	1,491	1,113	1,178	1,374	663	1,900	1,270	1,027	764
1923	50,314	1,876	1,416	1,069	1,093	1,432	746	1,910	1,302	969	748
1922	52,082	1,893	1,457	1,069	1,121	1,363	707	1,861	1,282	1,076	885
1921	52,643	1,932	1,511	1,001	1,159	1,398	673	1,936	1,319	1,043	877
1920	54,671	2,119	1,456	1,132	1,146	1,401	728	2,022	1,414	1,056	942

See footnotes at end of table.

Table 46, pg. 1

TABLE 46 - DIVORCES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Osaka	Yokoto
* 1948	2,503	3,603	2,977	1,329	1,224	1,550	1,090	1,771	1,874	1,175	1,906	1,629
* 1947	2,718	3,366	3,089	1,325	1,295	1,673	1,189	2,110	1,676	1,151	1,897	1,586
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	1,613	2,056	1,983	764	811	981	676	1,465	1,134	661	951	956
1942	1,592	2,024	1,775	704	756	910	592	1,293	1,156	654	919	847
1941	1,732	2,106	1,979	733	713	916	680	1,292	1,188	699	1,008	963
1940	1,667	2,082	1,939	729	766	810	671	1,200	1,200	669	974	1,017
1939	1,630	1,923	1,802	648	680	711	654	1,103	1,085	661	891	906
1938	1,572	1,894	1,866	562	643	783	650	1,042	1,023	644	849	907
1937	1,655	1,992	1,742	684	662	777	643	1,075	1,051	666	890	918
1936	1,664	1,810	1,719	645	712	793	640	1,092	1,016	649	972	906
1935	1,729	1,946	1,853	725	777	846	673	1,086	1,031	679	1,006	984
1934	1,714	1,898	1,866	731	762	823	653	1,137	1,020	732	1,033	946
1933	1,743	1,951	1,801	709	729	798	684	1,066	1,028	757	1,070	990
1932	1,923	1,910	1,887	722	819	922	778	1,157	1,009	811	1,127	965
1931	1,883	1,967	1,866	685	786	931	663	1,159	1,006	759	1,115	992
1930	1,923	1,815	1,802	797	772	952	704	1,116	1,013	789	1,142	995
1929	1,893	1,898	1,785	759	760	951	671	1,105	986	781	1,170	1,013
1928	1,861	1,789	1,688	750	794	922	663	1,113	917	751	1,150	910
1927	1,990	1,825	1,778	804	833	935	677	1,061	886	767	1,187	975
1926	1,999	1,826	1,766	767	853	955	648	1,118	893	756	1,112	877
1925	2,016	1,802	1,822	843	832	961	645	1,112	857	789	1,247	976
1924	2,131	1,783	1,718	857	822	1,022	654	1,141	791	776	1,200	984
1923	2,137	1,798	1,635	788	810	1,049	685	1,072	619	875	1,249	939
1922	2,166	1,745	1,721	849	898	1,061	662	1,111	919	800	1,284	974
1921	2,222	1,764	1,632	952	813	1,130	662	1,053	896	765	1,226	973
1920	2,413	1,770	1,647	900	910	1,193	703	1,088	971	874	1,327	991

See footnotes at end of table

TABLE 16 - DIVORCES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Settsu
• 1948	1,248	1,417	1,110	1,596	1,989	774	2,929	1,267	1,684	3,456	1,020	1,491
• 1947	1,333	1,419	1,107	1,672	1,947	826	2,774	1,373	1,723	3,603	1,090	1,452
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	760	837	652	918	1,030	402	1,846	816	896	2,497	494	853
1942	634	769	559	787	925	346	1,658	684	834	2,473	481	774
1941	701	776	617	862	1,076	429	1,695	776	937	2,748	537	728
1940	728	697	605	844	1,047	441	1,727	766	983	2,639	541	723
1939	719	724	533	778	983	388	1,732	642	852	2,639	545	691
1938	694	738	484	754	986	362	1,580	697	888	2,479	515	706
1937	770	731	558	799	940	428	1,765	720	903	2,492	490	735
1936	725	725	581	831	963	358	1,868	771	895	2,353	541	762
1935	713	732	549	875	972	417	1,937	815	938	2,433	491	836
1934	781	803	591	944	953	427	2,046	848	933	2,315	526	796
1933	793	752	621	888	1,033	393	2,031	849	1,037	2,433	575	786
1932	818	729	729	922	1,052	446	2,158	907	1,181	2,310	570	813
1931	795	822	661	901	1,026	421	2,109	953	1,171	2,280	560	813
1930	832	844	627	966	1,008	448	2,206	914	1,099	2,323	559	811
1929												
1928	860	914	601	1,003	993	440	2,314	942	1,138	2,275	599	805
1927	761	848	553	948	962	419	2,095	852	990	2,146	633	760
1926	858	848	587	961	1,037	417	2,244	843	1,121	2,004	656	870
1925	816	891	621	980	980	391	2,293	871	1,036	2,063	589	844
1924	819	851	625	955	1,039	425	2,323	906	1,066	2,127	622	919
1923												
1922	865	976	662	939	1,008	421	2,404	902	1,042	2,003	626	895
1921	853	909	599	1,023	1,131	427	2,369	984	1,089	1,888	641	862
1920	909	952	578	998	1,050	412	2,425	928	1,039	1,877	698	982
	855	1,051	640	1,078	1,056	417	2,603	927	1,059	1,861	701	1,062
	932	1,045	607	1,249	1,061	433	2,650	930	1,138	1,760	715	1,119

See footnotes at end of table.

TABLE 46 - DIVORCES BY PREFECTURE, JAPAN, 1920 - 1948 - Cont'd

Year	Shiga	Shirane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
• 1948	729	1,019	2,339	1,261	867	4,733	705	1,392	1,091	1,642	1,694	605
• 1947	794	1,245	2,434	1,211	911	4,061	726	1,581	1,164	1,606	1,853	703
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	398	616	1,431	668	487	3,464	383	1,010	564	952	918	373
1942	411	532	1,337	588	436	3,533	369	911	574	856	878	320
1941	380	603	1,433	619	521	3,493	388	845	569	724	955	321
1940	394	587	1,363	654	464	3,963	355	767	569	804	980	349
1939	378	582	1,348	652	480	3,803	340	713	571	776	954	307
1938	375	549	1,280	595	484	3,496	362	632	597	757	936	344
1937	393	550	1,379	652	536	3,668	372	707	542	811	968	355
1936	380	585	1,413	563	516	3,525	404	662	572	819	984	341
1935	415	690	1,417	713	568	3,656	433	707	631	885	1,017	338
1934	397	680	1,476	676	533	3,523	463	818	607	877	1,024	320
1933	416	741	1,539	647	562	3,520	447	778	576	839	1,133	375
1932	424	877	1,455	706	586	3,548	546	842	544	937	1,151	337
1931	429	833	1,525	761	604	3,218	507	765	622	975	1,117	359
1930	401	802	1,529	772	604	3,226	505	767	706	991	1,137	326
1929	429	844	1,535	672	532	3,024	505	869	616	900	1,163	355
1928	406	784	1,560	764	543	2,853	520	762	589	972	1,109	349
1927	399	865	1,588	762	565	2,851	506	803	615	1,043	1,181	370
1926	408	787	1,565	765	588	2,777	523	749	641	1,027	1,227	376
1925	447	881	1,655	830	669	2,770	490	857	642	1,079	1,156	385
1924	461	864	1,722	883	588	2,615	488	772	636	1,108	1,199	364
1923	478	878	1,721	791	595	2,315	484	747	659	1,127	1,188	380
1922	442	882	1,828	866	595	2,888	481	745	690	1,155	1,222	446
1921	451	904	1,858	840	603	2,795	452	801	653	1,193	1,220	476
1920	467	908	1,855	935	629	2,887	471	852	717	1,154	1,263	489

See footnotes next page.

TABLE 46 - DIVORCES BY PREFECTURE, JAPAN, 1920 - 1948 - Cont'd

FOOTNOTES:

*Data for 1947 and 1948 are provisional.

Data refer only to divorces of Japanese nationals in Japan Proper.

"NA" indicates data are not available.

SOURCES:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.
 1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.
 1947, July - December; 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 47. - DIVORCE RATES BY PREFECTURE: JAPAN, 1920 - 1948
(Rates per 1,000 population)

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ehime	Fukui	Fukuoka	Fukushima	Gifu	Gunma
*1948	1.0	0.8	1.6	1.2	0.7	1.2	1.2	1.1	1.1	0.9	0.9
*1947	1.0	0.8	1.7	1.1	0.7	1.3	1.3	1.2	1.2	0.9	0.8
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	0.7	0.5	1.3	1.0	0.6	0.9	0.9	0.7	0.7	0.6	0.6
1942	0.6	0.5	1.1	0.9	0.5	0.8	0.9	0.7	0.6	0.6	0.5
1941	0.7	0.6	1.0	0.9	0.6	0.9	1.0	0.7	0.7	0.6	0.5
1940	0.7	0.6	1.0	1.0	0.6	0.9	1.0	0.7	0.6	0.6	0.6
1939	0.6	0.6	0.9	0.9	0.6	0.9	0.9	0.7	0.6	0.6	0.5
1938	0.6	0.6	0.9	0.8	0.5	0.9	0.8	0.7	0.6	0.6	0.5
1937	0.6	0.6	1.0	0.9	0.6	1.0	0.9	0.7	0.6	0.6	0.5
1936	0.7	0.6	1.0	0.9	0.6	0.9	0.9	0.7	0.6	0.6	0.5
1935	0.7	0.7	1.0	0.9	0.6	1.0	1.0	0.7	0.7	0.7	0.6
1934	0.7	0.7	1.1	1.0	0.6	1.0	1.1	0.7	0.7	0.7	0.5
1933	0.7	0.7	1.1	1.0	0.6	1.1	1.1	0.7	0.7	0.7	0.5
1932	0.8	0.7	1.2	1.1	0.6	1.1	1.2	0.8	0.7	0.9	0.6
1931	0.8	0.7	1.2	1.1	0.7	1.3	1.2	0.7	0.7	0.9	0.5
1930	0.8	0.8	1.2	1.2	0.7	1.4	1.1	0.8	0.7	0.8	0.5
1929	0.8	0.8	1.3	1.2	0.7	1.2	1.1	0.8	0.8	0.8	0.6
1928	0.8	0.7	1.3	1.2	0.6	1.2	1.1	0.8	0.8	0.8	0.6
1927	0.8	0.8	1.4	1.1	0.7	1.2	1.0	0.8	0.8	0.8	0.7
1926	0.8	0.8	1.4	1.3	0.8	1.2	1.1	0.8	0.8	0.8	0.6
1925	0.9	0.8	1.5	1.2	0.8	1.2	1.1	0.8	0.9	0.9	0.7
1924	0.9	0.8	1.6	1.4	0.9	1.3	1.1	0.8	0.9	0.9	0.7
1923	0.9	0.9	1.5	1.4	0.8	1.3	1.2	0.8	0.9	0.9	0.7
1922	0.9	0.9	1.6	1.4	0.9	1.3	1.2	0.8	0.9	1.0	0.8
1921	0.9	0.9	1.7	1.4	0.9	1.3	1.1	0.9	1.0	1.0	0.8
1920	1.0	1.0	1.6	1.5	1.0	1.3	1.2	0.9	1.0	1.0	0.9

See footnotes at end of table.

TABLE 47. - DIVORCE RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.
(Rates per 1,000 population)

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
*1948	1.2	0.9	0.9	0.7	1.3	1.2	1.2	1.0	0.8	1.4	1.1	0.9
*1947	1.4	0.9	1.0	0.7	1.4	1.3	1.3	1.2	0.8	1.4	1.1	0.9
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	0.8	0.6	0.6	0.5	1.1	0.9	0.9	1.0	0.4	0.9	0.7	0.5
1942	0.8	0.6	0.5	0.4	1.0	0.8	0.8	0.8	0.5	0.9	0.7	0.5
1941	0.9	0.6	0.6	0.5	1.0	0.8	0.9	0.8	0.5	1.0	0.7	0.6
1940	0.9	0.6	0.6	0.5	1.0	0.7	0.9	0.8	0.6	1.0	0.7	0.6
1939	0.9	0.6	0.6	0.4	0.9	0.7	0.9	0.7	0.6	0.9	0.6	0.5
1938	0.9	0.6	0.6	0.4	0.8	0.7	0.9	0.7	0.5	0.9	0.6	0.5
1937	0.9	0.6	0.6	0.4	0.9	0.7	0.9	0.7	0.5	0.9	0.6	0.5
1936	0.9	0.6	0.6	0.4	0.9	0.7	0.9	0.7	0.5	0.9	0.7	0.5
1935	1.0	0.6	0.6	0.5	1.0	0.8	0.9	0.7	0.6	0.9	0.7	0.6
1934	1.0	0.6	0.7	0.5	1.0	0.8	0.9	0.7	0.6	1.0	0.7	0.6
1933	1.0	0.6	0.7	0.5	1.0	0.8	0.9	0.7	0.6	1.0	0.8	0.6
1932	1.1	0.6	0.7	0.5	1.1	0.9	1.0	0.7	0.6	1.1	0.8	0.6
1931	1.1	0.7	0.7	0.5	1.0	0.9	0.9	0.7	0.6	1.0	0.8	0.6
1930	1.1	0.6	0.7	0.5	1.0	1.0	1.0	0.7	0.6	1.1	0.8	0.6
1929	1.1	0.7	0.7	0.5	1.0	1.0	0.9	0.7	0.7	1.1	0.9	0.7
1928	1.1	0.7	0.7	0.5	1.0	1.0	0.9	0.7	0.6	1.1	0.9	0.6
1927	1.2	0.7	0.7	0.6	1.1	1.0	0.9	0.7	0.6	1.1	0.9	0.7
1926	1.2	0.7	0.7	0.5	1.1	1.0	0.9	0.8	0.6	1.1	0.8	0.6
1925	1.2	0.7	0.7	0.6	1.1	1.1	0.9	0.8	0.6	1.1	1.0	0.7
1924	1.4	0.6	0.7	0.6	1.1	1.2	1.0	0.8	0.6	1.1	1.0	0.7
1923	1.4	0.7	0.7	0.6	1.1	1.2	1.0	0.7	0.5	1.3	1.0	0.7
1922	1.4	0.7	0.7	0.6	1.1	1.2	1.0	0.8	0.7	1.2	1.0	0.7
1921	1.4	0.7	0.7	0.7	1.1	1.3	1.0	0.7	0.7	1.1	1.0	0.7
1920	1.6	0.8	0.7	0.7	1.2	1.4	1.0	0.8	0.7	1.3	1.1	0.8

See footnotes at end of table.

TABLE 47. - DIVORCE RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.
(Rates per 1,000 population)

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Settsu
*1948	0.9	0.9	1.0	0.2	1.3	1.0	1.2	1.0	1.0	1.0	1.1	0.7
*1947	0.9	0.9	1.1	0.8	1.3	1.1	1.1	1.1	.1	1.1	1.2	0.7
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	0.6	0.7	0.2	0.6	0.7	0.6	0.9	0.9	0.7	0.6	0.7	0.5
1942	0.5	0.6	0.7	0.5	0.7	0.6	0.8	0.7	0.6	0.5	0.7	0.5
1941	0.6	0.6	0.7	0.5	0.8	0.7	0.8	0.2	0.7	0.6	0.2	0.5
1940	0.6	0.6	0.7	0.5	0.8	0.7	0.8	0.8	0.7	0.6	0.2	0.5
1939	0.6	0.6	0.6	0.5	0.7	0.6	0.9	0.7	0.6	0.6	0.8	0.4
1938	0.6	0.6	0.6	0.4	0.7	0.6	0.8	0.7	0.7	0.5	0.8	0.5
1937	0.7	0.6	0.7	0.5	0.7	0.7	0.9	0.7	0.7	0.5	0.7	0.5
1936	0.6	0.6	0.7	0.5	0.7	0.6	0.9	0.8	0.7	0.5	0.8	0.5
1935	0.6	0.6	0.7	0.5	0.7	0.7	1.0	0.8	0.7	0.6	0.7	0.5
1934	0.7	0.7	0.7	0.5	0.7	0.7	1.0	0.9	0.7	0.6	0.8	0.5
1933	0.7	0.6	0.2	0.5	0.8	0.6	1.0	0.9	0.8	0.6	0.8	0.5
1932	0.7	0.7	0.9	0.5	0.2	0.7	1.1	0.9	0.9	0.6	0.8	0.5
1931	0.7	0.7	0.9	0.5	0.8	0.7	1.1	1.0	0.9	0.6	0.8	0.6
1930	0.7	0.7	0.8	0.6	0.8	0.8	1.1	1.0	0.9	0.7	0.8	0.6
1929	0.7	0.2	0.8	0.6	0.8	0.7	1.2	1.0	0.9	0.7	0.9	0.5
1928	0.7	0.8	0.2	0.6	0.2	0.7	1.1	0.9	0.8	0.6	0.9	0.5
1927	0.8	0.8	0.8	0.6	0.9	0.7	1.2	0.9	0.9	0.6	0.9	0.6
1926	0.7	0.2	0.9	0.6	0.2	0.7	1.2	0.9	0.8	0.7	0.9	0.6
1925	0.7	0.8	0.9	0.6	0.9	0.7	1.3	1.0	0.9	0.7	0.9	0.7
1924	0.8	1.0	0.9	0.6	0.9	0.7	1.3	1.0	0.8	0.7	0.9	0.7
1923	0.8	0.9	0.9	0.6	1.0	0.7	1.3	1.1	0.9	0.7	1.0	0.6
1922	0.2	1.0	0.9	0.6	0.9	0.7	1.4	1.1	0.8	0.7	1.0	0.7
1921	0.2	1.1	1.0	0.7	0.9	0.7	1.5	1.1	0.9	0.7	1.0	0.8
1920	0.9	1.1	0.9	0.2	0.9	0.2	1.5	1.1	0.9	0.7	1.1	0.8

See footnotes at end of table.

TABLE 47. - DIVORCE RATES BY PREFECTURE: JAPAN, 1920 - 1943 - Cont'd.
(Rates per 1,000 population)

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamaguchi	Yamaguchi
*1948	0.8	1.1	1.0	0.8	1.0	0.9	1.2	1.4	1.1	1.2	1.1	1.1	0.7
*1947	0.9	1.4	1.0	0.8	1.1	0.8	1.2	1.6	1.2	1.2	1.3	1.3	0.9
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	0.6	0.8	0.7	0.6	0.7	0.5	0.8	1.2	0.6	0.9	0.6	0.6	0.6
1942	0.6	0.7	0.7	0.5	0.6	0.5	0.8	1.1	0.7	0.3	0.7	0.7	0.5
1941	0.5	0.8	0.7	0.6	0.7	0.5	0.8	1.0	0.7	0.7	0.7	0.7	0.5
1940	0.6	0.8	0.7	0.5	0.7	0.5	0.7	0.9	0.7	0.7	0.8	0.8	0.5
1939	0.5	0.8	0.7	0.5	0.7	0.5	0.7	0.9	0.7	0.7	0.8	0.8	0.5
1938	0.5	0.7	0.6	0.5	0.7	0.5	0.7	0.8	0.7	0.7	0.8	0.8	0.5
1937	0.5	0.7	0.7	0.5	0.7	0.5	0.8	0.9	0.6	0.7	0.8	0.8	0.5
1936	0.5	0.8	0.7	0.5	0.7	0.5	0.8	0.8	0.7	0.7	0.8	0.8	0.5
1935	0.6	0.9	0.7	0.6	0.8	0.6	0.9	0.9	0.7	0.8	0.9	0.9	0.5
1934	0.6	0.9	0.8	0.6	0.7	0.6	0.9	1.0	0.7	0.8	0.9	0.9	0.5
1933	0.6	0.9	0.8	0.6	0.8	0.6	0.9	1.0	0.7	0.8	1.0	1.0	0.6
1932	0.6	1.2	0.8	0.6	0.8	0.6	1.1	1.1	0.7	0.9	1.0	1.0	0.5
1931	0.6	1.1	0.8	0.7	0.8	0.6	1.0	1.0	0.7	0.9	1.0	1.0	0.6
1930	0.6	1.1	0.9	0.7	0.8	0.6	1.0	1.0	0.8	0.9	1.0	1.0	0.5
1929	0.6	1.1	0.9	0.6	0.7	0.6	1.0	1.1	0.7	0.8	1.0	1.0	0.6
1928	0.6	1.1	0.9	0.7	0.9	0.6	1.1	1.0	0.7	0.9	1.0	1.0	0.6
1927	0.6	1.2	0.9	0.7	0.8	0.6	1.0	1.1	0.8	1.0	1.1	1.1	0.6
1926	0.6	1.1	0.9	0.7	0.8	0.6	1.1	1.0	0.8	1.0	1.1	1.1	0.6
1925	0.7	1.2	1.0	0.8	1.0	0.6	1.1	1.1	0.8	1.1	1.0	1.0	0.6
1924	0.7	1.2	1.0	0.8	0.9	0.7	1.1	1.0	0.8	1.1	1.1	1.1	0.6
1923	0.7	1.2	1.1	0.7	0.9	0.6	1.1	1.0	0.9	1.1	1.1	1.1	0.6
1922	0.7	1.2	1.1	0.8	0.9	0.7	1.1	1.0	0.9	1.2	1.2	1.2	0.8
1921	0.7	1.3	1.2	0.8	0.9	0.7	1.0	1.1	0.9	1.2	1.2	1.2	0.8
1920	0.7	1.3	1.2	0.9	0.9	0.8	1.0	1.2	1.0	1.2	1.2	1.2	0.8

See footnotes on next page.

TABLE 47. - DIVORCE RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES:

* Data for 1947 and 1948 are provisional.

Rates are the number of divorces per 1,000 population. Population data refer to the total population of Japan Proper, including military personnel in the country. Divorce data refer only to divorces of Japanese nationals in Japan Proper.

"NA" indicates data are not available.

SOURCES:

Rates were computed by Public Health and Welfare Section, CHQ, SCAP.

Sources of original divorce data are as follows:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.

1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947, July - December, 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 48. - LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS,
MARRIAGES AND DIVORCES BY PREFECTURE: JAPAN, 1948

Area	Live Births	Deaths	*Infant Deaths	Stillbirths	Marriages	Divorces
All Japan	2,709,871	959,092	166,649	144,095	960,275	79,415
All "Shi"	895,906	305,255	47,733	60,052	311,193	28,755
All "Gun"	1,813,965	653,837	118,916	84,043	649,082	50,660
Aichi	110,905	35,519	6,354	5,539	37,244	2,436
Akita	44,005	18,599	4,068	2,550	14,983	2,028
Aomori	47,064	18,161	4,570	2,103	14,565	1,403
Chiba	67,326	26,337	4,361	3,490	22,615	1,598
Ehime	53,501	17,439	3,024	2,608	19,048	1,780
Fukui	26,106	13,685	2,395	1,306	9,468	891
Fukuoka	119,550	37,500	6,061	6,534	42,808	3,653
Fukushima	72,032	23,961	4,644	3,687	25,331	2,214
Gifu	53,319	18,584	3,418	2,432	19,036	1,317
Gumma	52,414	18,481	2,861	3,168	18,004	1,375
Hiroshima	62,385	24,093	3,523	3,299	26,266	2,503
Hokkaido	154,763	47,900	10,457	6,931	45,793	3,603
Hyogo	103,478	35,600	5,721	6,011	36,731	2,977
Ibaraki	67,624	24,403	4,384	3,942	23,413	1,329
Ishikawa	34,501	13,549	3,031	1,486	11,670	1,224
Iwate	47,301	19,196	4,344	2,627	15,188	1,590
Kagawa	33,968	11,584	2,265	1,954	13,549	1,090
Kagoshima	63,746	21,861	3,674	3,073	22,786	1,771
Kanagawa	73,661	22,832	3,280	3,834	24,190	1,874
Kochi	27,460	10,765	1,736	1,289	11,220	1,175
Kumamoto	61,264	21,320	3,321	3,206	22,860	1,906
Kyoto	54,783	20,146	2,879	2,923	19,766	1,629
Mie	47,459	17,704	3,134	2,324	17,473	1,248
Miyagi	56,699	18,801	3,857	3,288	19,691	1,417
Miyazaki	41,261	12,252	2,248	2,087	14,251	1,101
Nagano	60,594	23,787	3,159	3,878	23,351	1,596
Nagasaki	57,903	19,674	3,484	2,902	21,058	1,989
Nara	23,534	9,775	1,570	1,274	10,210	774
Niigata	82,482	32,895	5,587	4,569	29,340	2,929
Oita	43,923	16,917	2,735	2,532	16,395	1,267
Okayama	52,899	21,309	3,455	3,424	21,463	1,684
Osaka	113,163	37,624	5,895	6,565	41,248	3,456
Saga	33,027	12,715	2,323	1,518	12,662	1,020
Saitama	70,838	24,832	4,268	3,913	23,220	1,491
Shiga	27,474	11,323	1,784	1,433	10,571	729
Shimane	30,638	12,178	2,063	1,990	11,407	1,019
Shizuoka	83,600	24,844	4,443	4,515	27,592	2,339
Tochigi	54,397	17,624	2,832	2,787	18,672	1,261
Tokushima	32,233	11,400	2,137	1,940	11,983	867
Tokyo	164,867	52,923	7,753	8,636	56,810	4,733
Tottori	20,011	7,706	1,308	1,238	7,711	705
Toyama	35,962	14,102	3,127	1,450	11,654	1,392
Wakayama	30,101	11,185	1,743	1,572	12,571	1,091
Yamagata	42,286	18,290	3,470	2,123	16,665	1,642
Yamaguchi	48,224	18,646	2,590	2,650	18,962	1,694
Yamanashi	25,140	9,071	1,313	1,490	8,776	605

See footnotes on next page.

FOOTNOTES:-

* Deaths under 1 year of age.

Data refer to vital events of Japanese nationals in Japan Proper.

SOURCES:-

Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 49. - 1/ LIVE BIRTH, DEATH, INFANT DEATH, STILLBIRTH,
MARRIAGE AND DIVORCE RATES BY PREFECTURE: JAPAN, 1948

Area	Live Birth Rate	Death Rate	Infant Death Rate	Stillbirth Rate	Marriage Rate	Divorce Rate
All Japan	33.8	12.0	61.5	53.2	12.0	1.0
Total All "Shi"	32.3	11.0	53.3	67.0	11.2	1.0
Total All "Gun"	34.6	12.5	65.6	46.3	12.4	1.0
Aichi	34.4	11.0	57.3	49.9	11.5	0.8
Akita	34.3	14.5	92.4	57.9	11.7	1.6
Aomori	38.6	14.9	97.1	44.7	12.0	1.2
Chiba	31.5	12.3	64.8	51.8	10.6	0.7
Ehime	36.1	11.8	56.5	48.7	12.9	1.2
Fukui	35.6	18.7	91.7	50.0	12.9	1.2
Fukuoka	36.1	11.3	50.7	54.7	12.9	1.1
Fukushima	35.6	11.8	64.5	51.2	12.5	1.1
Gifu	35.0	12.2	64.1	45.6	12.5	0.9
Gumma	32.6	11.5	54.6	60.4	11.2	0.9
Hiroshima	30.5	11.8	56.5	52.9	12.8	1.2
Hokkaido	38.5	11.9	67.6	44.8	11.4	0.9
Hyogo	32.8	11.3	55.3	58.1	11.6	0.9
Ibaraki	33.1	11.9	64.8	58.3	11.5	0.7
Ishikawa	36.6	14.4	87.9	43.1	12.4	1.3
Iwate	36.6	14.8	91.8	55.5	11.7	1.2
Kagawa	36.4	12.4	66.7	57.5	14.5	1.2
Kagoshima	36.1	12.4	57.6	48.2	12.9	1.0
Kanagawa	31.8	9.9	44.5	52.0	10.4	0.8
Kochi	31.7	12.4	63.2	46.9	13.0	1.4
Kumamoto	34.3	11.9	54.2	52.3	12.8	1.1
Kyoto	30.7	11.3	52.6	53.4	11.1	0.9
Mie	32.7	12.2	66.0	49.0	12.0	0.9
Miyagi	35.5	11.8	68.0	58.0	12.3	0.9
Miyazaki	39.2	11.6	54.5	50.6	13.5	1.0
Nagano	29.1	11.4	52.1	64.0	11.2	0.8
Nagasaki	37.0	12.6	60.2	50.1	13.5	1.3
Nara	30.2	12.6	66.7	54.1	13.1	1.0
Niigata	33.9	13.5	67.7	55.4	12.0	1.2
Oita	35.3	13.6	62.3	57.6	13.2	1.0
Okayama	32.1	12.9	65.3	64.7	13.0	1.0
Osaka	32.2	10.7	52.1	58.0	11.7	1.0
Saga	35.5	13.7	70.3	46.0	13.6	1.1
Saitama	33.2	11.6	60.3	55.3	10.9	0.7
Shiga	31.5	13.0	64.9	52.2	12.1	0.8
Shimane	33.9	13.5	67.3	65.0	12.6	1.1
Shizuoka	34.7	10.3	53.1	54.0	11.5	1.0
Tochigi	34.9	11.3	52.1	51.2	12.0	0.8
Tokushima	37.1	13.1	66.3	60.2	13.8	1.0
Tokyo	30.4	9.8	47.0	52.4	10.5	0.9
Tottori	33.7	13.0	65.4	61.9	13.0	1.2
Toyama	36.0	14.1	87.0	40.3	11.7	1.4
Wakayama	30.7	11.4	57.9	52.2	12.8	1.1
Yamagata	31.4	13.6	82.1	50.2	12.4	1.2
Yamaguchi	32.0	12.4	53.7	55.0	12.6	1.1
Yamanashi	30.8	11.1	52.2	59.3	10.8	0.7

TABLE 49. - 1/ LIVE BIRTH, DEATH, INFANT DEATH, STILLBIRTH,
MARRIAGE AND DIVORCE RATES BY PREFECTURE: JAPAN, 1948 - Cont'd

1/ Birth, death, marriage and divorce rates are per 1,000 population, estimated as of 1 July 1948 and the infant death and stillbirth rates are per 1,000 live births during 1948.

Data refer to vital events of Japanese nationals in Japan Proper.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 50. - LIVE BIRTHS BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Total Live Births	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	2,709,871	314,700	260,471	257,272	224,363	201,575	187,732	205,402	215,083	215,088	218,017	219,476	190,451
All "Shi"	895,906	103,474	82,745	82,010	71,718	65,527	64,569	72,037	74,018	72,341	71,836	72,167	63,464
All "Gun"	1,813,965	211,226	177,726	175,262	152,645	136,048	123,163	133,365	141,065	142,747	146,181	147,309	126,987
Aichi	110,905	13,554	10,488	9,491	9,117	7,754	7,739	8,897	9,162	9,117	8,903	9,123	7,560
Akita	44,005	4,703	4,971	4,557	3,872	3,053	2,707	2,922	3,254	3,382	3,500	3,651	3,433
Aomori	47,064	4,559	4,491	4,712	4,263	3,780	3,536	3,445	3,411	3,883	3,877	3,824	3,283
Chiba	67,326	8,292	6,573	6,607	5,678	4,909	4,309	4,981	5,322	5,299	5,350	5,324	4,682
Ehime	53,501	5,935	4,845	5,022	4,361	3,724	3,712	4,003	4,264	4,308	4,622	4,556	4,149
Fukui	26,106	2,946	2,561	2,694	2,368	2,188	1,863	1,993	2,019	2,088	1,923	1,893	1,570
Fukuoka	119,550	13,225	10,372	10,386	9,331	8,794	8,703	9,787	9,956	9,932	9,599	10,162	9,263
Fukushima	72,032	8,056	6,526	7,348	6,370	6,277	5,236	5,117	5,259	5,487	5,591	5,626	5,200
Gifu	53,319	6,370	5,447	5,021	4,363	4,081	3,747	3,962	4,254	4,089	4,261	4,069	3,655
Gunma	52,414	6,588	5,342	5,063	4,330	3,780	3,768	4,079	4,411	4,094	3,864	3,964	3,412
Hiroshima	62,385	7,764	5,706	5,646	5,172	4,805	4,287	4,819	5,193	4,963	4,958	5,041	4,031
Hokkaido	154,763	17,700	14,804	15,786	13,445	12,148	11,327	10,948	11,704	12,695	12,572	11,938	9,726
Iwago	103,478	11,344	9,632	10,669	8,589	8,047	7,537	8,527	8,652	7,992	7,876	7,901	6,712
Ibaraki	67,624	8,203	6,994	6,731	5,729	5,272	4,473	4,811	5,173	4,855	5,154	5,389	4,840
Ishikawa	34,501	4,152	3,472	3,464	3,038	2,563	2,362	2,475	2,635	2,737	2,830	2,613	2,160
Iwate	47,301	4,876	4,686	4,419	4,434	3,708	3,194	3,385	3,390	3,542	3,871	4,079	3,717
Kagawa	33,968	3,641	3,458	3,197	3,351	2,461	2,447	2,687	2,845	2,652	2,662	2,785	2,281
Kagoshima	63,746	7,656	6,688	5,001	5,423	4,574	4,240	5,313	5,072	5,131	5,638	5,638	4,966
Kanagawa	73,661	9,745	7,385	7,142	5,812	5,299	5,136	5,552	5,677	5,715	5,810	5,735	4,613
Kochi	27,460	3,012	2,556	2,500	2,245	1,886	1,779	2,104	2,265	2,206	2,305	2,483	2,119

TABLE 50. - LIVE BIRTHS BY MONTH BY PREFECTURE: JAPAN, 1943 - Cont'd.

Area	Total Live Births	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	61,264	7,232	5,717	5,249	4,621	4,281	4,235	4,688	4,843	4,844	5,030	5,587	4,937
Kyoto	54,783	6,223	5,066	5,116	4,360	4,192	4,029	4,612	4,333	4,191	4,111	4,340	4,180
Mie	47,459	5,436	4,575	4,316	3,565	3,296	3,248	3,633	3,866	3,991	3,939	4,127	3,772
Miyagi	56,699	6,476	5,519	5,504	5,030	4,350	3,811	3,880	4,151	4,321	4,587	4,906	4,164
Miyazaki	41,261	4,921	3,713	3,471	3,154	2,878	2,694	3,107	3,291	3,396	3,537	3,729	3,370
Nagano	60,594	7,086	5,795	5,778	4,929	4,812	4,211	4,244	4,562	4,842	5,232	4,921	4,182
Nagasaki	57,903	6,163	5,277	5,027	4,354	4,103	3,730	4,453	4,761	4,932	4,968	5,292	4,843
Nara	23,534	2,730	2,132	2,290	1,783	1,703	1,647	1,858	1,893	1,761	1,895	2,036	1,776
Niigata	82,482	8,948	8,047	8,217	7,033	6,992	5,722	6,135	6,944	7,088	6,925	6,033	4,598
Oita	43,923	5,013	4,253	3,845	3,690	3,094	3,010	3,398	3,647	3,615	3,596	3,568	3,194
Okayama	52,899	6,421	5,296	5,101	4,526	3,922	3,644	4,087	4,283	3,959	4,077	4,151	3,432
Osaka	113,163	11,776	9,980	11,123	9,187	8,124	8,253	9,439	9,457	8,977	9,004	9,118	8,725
Saga	33,027	3,876	3,023	3,002	2,574	2,306	2,253	2,553	2,668	2,607	2,706	2,823	2,636
Seitama	70,838	7,895	7,642	6,717	5,473	5,030	4,650	5,297	5,713	5,674	5,766	5,760	5,221
Shiga	27,474	3,089	2,741	2,816	2,207	2,252	1,924	2,079	2,151	2,068	2,034	2,004	2,109
Shimane	30,638	3,673	3,031	2,961	2,655	2,253	2,036	2,251	2,395	2,548	2,542	2,324	2,059
Shizuoka	83,600	10,741	8,004	7,705	7,092	5,886	5,612	6,778	6,965	6,247	6,698	6,825	5,927
Tochigi	54,397	6,570	5,539	5,322	4,519	4,269	3,579	3,999	4,381	3,946	4,169	4,212	3,792
Tokushima	32,233	3,634	3,228	3,160	2,704	2,429	2,115	2,283	2,424	2,582	2,652	2,723	2,299
Tokyo	164,867	20,822	16,274	15,513	13,126	12,043	11,435	12,908	13,216	12,739	13,093	12,960	10,738
Tottori	20,011	2,611	2,052	1,938	1,840	1,480	1,309	1,434	1,438	1,502	1,561	1,556	1,290
Toyama	35,962	3,789	3,701	3,429	3,127	2,629	2,573	2,627	3,021	3,164	2,806	2,612	2,334
Wakayama	30,101	3,680	2,776	2,870	2,404	2,081	2,155	2,200	2,346	2,353	2,499	2,508	2,229
Yamagata	42,286	4,739	4,368	4,250	3,508	2,954	2,746	3,193	3,450	3,414	3,538	3,407	2,719
Yamaguchi	48,224	5,640	4,278	4,289	3,852	3,513	3,370	3,842	4,135	4,068	3,896	4,014	3,367
Yamaguchi	25,140	3,195	2,457	2,318	2,240	1,940	1,639	1,836	1,871	1,970	2,097	2,051	1,556

Data refer to births of Japanese nationals in Japan Proper.

Sources: Were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 51. - LIVE BIRTH RATES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
All Japan	33.8	46.3	41.0	37.9	34.1	29.7	28.6	30.3	31.7	32.7	32.1	33.4	28.0
All "Shi"	32.3	44.1	37.7	34.9	31.6	27.9	28.4	30.7	31.5	31.8	30.6	31.8	27.0
All "Gun"	34.6	47.5	42.7	39.4	35.5	30.6	28.6	30.0	31.7	33.2	32.9	34.2	28.6
Aichi	34.4	49.6	41.0	34.7	34.5	28.4	29.3	32.6	33.5	34.5	32.6	34.5	27.7
Akita	34.3	43.3	48.9	41.9	36.8	28.1	25.7	26.9	29.9	32.2	32.2	34.7	31.6
Aomori	38.6	44.2	46.5	45.7	42.7	36.6	35.4	33.4	33.1	38.9	37.6	38.3	31.8
Chiba	31.5	45.7	38.8	36.5	32.4	27.1	24.6	27.5	29.4	29.5	29.5	30.4	25.8
Ehime	36.1	47.3	41.3	40.0	35.9	29.7	30.6	31.9	34.0	35.5	36.8	37.5	33.1
Fukui	35.6	47.5	44.1	43.4	39.4	35.2	31.0	32.1	32.5	34.8	31.0	31.5	25.3
Fukuoka	36.1	47.1	39.5	37.0	34.4	31.3	32.1	34.9	35.6	36.6	34.2	37.4	33.0
Fukushima	35.6	46.9	40.7	42.8	38.0	36.6	31.5	29.8	30.6	33.0	32.6	33.9	30.3
Gifu	35.0	49.3	45.1	38.9	34.9	31.6	30.0	30.7	33.0	32.7	33.0	32.6	28.3
Gumma	32.6	48.3	41.9	37.2	32.9	27.8	28.6	29.9	30.2	31.0	28.4	30.1	25.0
Hiroshima	30.5	44.8	35.2	32.6	30.8	27.7	25.6	27.8	30.0	29.6	28.6	30.1	23.3
Hokkaido	38.5	52.0	46.5	46.1	40.8	35.8	34.4	32.2	34.4	38.5	36.9	36.2	28.6
Hyogo	32.8	42.4	38.5	39.9	33.2	30.1	29.1	31.9	32.4	30.9	29.5	30.5	25.1
Ibaraki	33.1	47.4	43.2	38.9	34.2	30.5	26.7	27.8	29.9	29.0	29.8	32.2	28.0
Ishikawa	36.6	52.0	46.5	43.4	39.3	32.1	30.6	31.0	33.0	35.4	35.5	33.8	27.1
Iwate	36.6	44.5	45.7	40.3	41.8	33.8	30.1	30.9	30.9	33.4	35.3	38.5	33.9
Kagawa	36.4	46.0	46.7	40.4	37.3	31.1	32.0	34.0	36.0	34.6	33.6	36.4	28.8
Kagoshima	36.1	51.2	40.6	33.4	37.5	30.6	29.3	31.0	33.9	36.7	37.0	38.9	33.2
Kanagawa	31.8	49.7	40.2	36.6	30.6	27.0	27.0	28.3	28.9	30.1	29.6	30.2	23.5
Kochi	31.7	41.1	37.2	34.1	31.6	25.7	25.1	28.7	30.9	31.1	31.4	35.0	28.9

TABLE 51. - LIVE BIRTH RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	34.3	47.8	40.4	34.7	31.6	28.3	28.9	31.0	32.0	33.1	33.3	38.2	32.6
Kyoto	30.7	41.2	35.8	34.1	29.8	27.7	27.6	30.5	28.7	28.7	27.2	29.7	27.7
Mie	32.7	44.2	39.8	35.1	30.0	26.8	27.3	29.6	31.5	33.6	32.1	34.7	28.3
Miyagi	35.5	47.9	43.6	40.7	38.4	32.2	29.1	28.7	30.7	33.0	33.9	37.5	30.8
Miyazaki	39.2	55.2	44.5	39.0	36.6	32.3	31.2	34.9	36.9	39.4	39.7	43.2	37.8
Nagano	29.1	40.2	35.2	32.8	28.9	27.3	24.7	24.1	25.9	28.4	29.7	28.9	23.7
Nagasaki	37.0	46.5	42.6	37.9	33.9	31.0	29.1	33.6	35.9	38.4	37.5	41.3	36.5
Nara	30.2	41.4	34.6	34.8	28.0	25.8	25.8	28.2	28.7	28.1	28.8	31.9	27.0
Niigata	33.9	43.4	41.7	42.8	35.2	32.0	28.7	29.7	31.7	35.5	33.6	30.2	22.3
Oita	35.3	47.5	43.1	36.5	36.2	29.3	29.5	32.2	34.6	35.4	34.1	35.0	30.3
Okayama	32.1	45.9	40.5	36.5	33.5	28.1	26.9	29.2	30.6	29.3	29.2	30.7	24.6
Osaka	32.2	39.6	35.8	37.4	31.9	27.3	28.6	31.7	31.8	31.2	30.2	31.6	29.3
Seiga	35.5	49.2	41.0	38.1	33.7	29.2	29.5	32.4	33.8	34.2	34.3	37.0	33.4
Settsu	33.2	43.7	45.2	37.2	31.3	27.9	26.6	29.3	31.6	32.5	31.9	33.0	28.9
Shiga	31.5	41.8	39.6	38.1	30.8	30.5	26.9	28.1	29.1	28.9	27.5	28.0	28.5
Shimane	33.9	48.0	42.4	38.7	35.9	29.5	27.5	29.4	31.3	33.2	33.2	31.4	26.9
Shizuoka	34.7	52.7	42.0	37.8	35.9	28.9	28.4	30.8	32.3	31.7	32.9	34.6	29.1
Tokigi	34.9	40.8	44.9	40.3	35.4	32.4	28.0	30.3	33.2	30.9	31.6	33.8	28.7
Tokushima	37.1	49.4	46.9	42.9	38.0	33.0	29.7	31.0	32.9	36.2	36.0	38.2	31.2
Tokyo	30.4	45.4	37.9	33.8	29.6	26.2	25.8	28.1	28.8	28.7	28.5	29.2	23.4
Tottori	33.7	52.0	43.7	38.6	37.9	29.5	26.9	28.6	28.6	30.9	31.1	32.0	25.7
Toynama	36.0	44.8	46.8	40.6	38.2	31.1	31.5	32.9	35.7	38.7	33.2	31.9	27.6
Wakayama	30.7	44.3	35.8	34.6	29.9	25.1	26.8	26.5	28.3	29.3	30.1	31.2	26.9
Yamagata	31.4	41.6	41.0	37.3	31.8	25.9	24.9	28.0	30.3	30.9	31.0	30.9	23.8
Yamaguchi	32.0	44.2	35.9	33.6	31.2	27.6	27.3	30.1	32.4	33.0	30.6	30.5	26.1
Yamanashi	30.8	46.3	38.0	33.6	33.5	28.1	24.5	26.6	27.1	29.5	30.4	30.7	22.1

Data refer to births of Japanese nationals in Japan Proper.

Sources: Rates were computed by Public Health and Welfare Section, GHQ, SCF.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 52. - DEATHS BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Deaths	Total											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	959,092	93,681	89,283	92,428	79,756	75,314	73,604	80,494	81,085	73,132	70,467	71,946	77,902
All "Shi"	305,255	29,102	27,945	28,788	25,403	24,143	23,490	25,682	25,993	23,516	22,710	22,959	25,324
All "Gun"	653,837	64,579	61,338	63,640	54,353	51,171	49,914	54,812	55,092	49,616	47,757	48,987	52,578
Aichi	35,519	3,736	3,357	2,466	2,776	2,672	2,735	2,976	2,638	2,578	2,668	2,683	3,034
Akita	18,599	1,582	1,703	1,849	1,640	1,499	1,556	1,434	1,555	1,546	1,371	1,404	1,460
Aomori	18,161	1,631	1,438	1,647	1,463	1,361	1,469	1,724	1,754	1,792	1,370	1,313	1,429
Chiba	26,337	2,702	2,578	2,658	2,133	2,025	1,935	2,039	2,233	1,921	1,927	2,018	2,178
Ehime	17,439	1,710	1,651	1,730	1,400	1,406	1,445	1,435	1,434	1,270	1,316	1,288	1,354
Fuku	13,685	857	888	994	854	771	1,522	2,369	2,176	984	755	740	775
Fukuoka	37,500	3,982	3,638	3,355	2,991	2,853	2,809	3,057	3,022	2,829	2,935	2,854	3,175
Fukushima	2,961	2,177	2,011	2,447	2,209	2,001	1,612	1,853	1,987	1,849	1,788	1,853	1,928
Gifu	18,584	1,745	1,820	1,721	1,539	1,467	1,465	1,733	1,536	1,362	1,388	1,392	1,516
Gumma	18,481	1,907	1,860	1,922	1,636	1,451	1,430	1,537	1,458	1,277	1,278	1,324	1,441
Hiroshima	24,093	2,285	2,214	2,240	1,993	1,973	1,830	2,134	2,091	1,883	1,821	1,756	1,873
Hokkaido	47,900	4,050	4,071	4,381	4,031	3,692	3,649	3,881	4,574	4,047	3,580	3,792	4,152
Ibupro	35,600	3,565	3,402	3,468	2,943	2,938	2,717	3,045	3,006	2,669	2,546	2,562	2,759
Ibaraki	22,003	2,534	2,594	2,529	1,987	1,844	1,874	1,935	2,036	1,685	1,722	1,786	1,977
Ishikawa	13,549	1,221	1,262	1,325	1,211	1,056	957	1,182	1,160	1,108	1,011	1,043	1,013
Iwate	19,146	1,615	1,670	1,731	1,671	1,566	1,442	1,479	1,688	2,057	1,347	1,427	1,503
Kanawa	11,584	1,138	1,155	1,153	920	898	873	959	937	830	868	905	948
Kagoshima	31,841	2,998	1,992	1,759	1,642	1,732	1,641	1,867	1,768	1,630	1,683	1,892	1,892
Kanagawa	22,854	2,358	2,419	2,261	1,918	1,814	1,714	1,837	1,983	1,612	1,603	1,668	1,845
Kochi	10,465	1,224	1,062	1,034	897	832	790	829	845	770	766	857	959

TABLE 52. - DEATHS BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kanamoto	21,320	2,273	2,037	1,923	1,621	1,724	1,711	1,821	1,700	1,564	1,596	1,684	1,666
Kyoto	20,146	1,911	1,895	1,963	1,701	1,602	1,505	1,685	1,698	1,473	1,560	1,509	1,646
Mie	17,704	1,924	1,783	1,837	1,481	1,295	1,281	1,505	1,321	1,265	1,275	1,318	1,421
Miyagi	18,801	1,872	1,802	1,957	1,638	1,512	1,415	1,439	1,448	1,343	1,281	1,427	1,667
Miyazaki	12,252	1,315	1,098	1,059	885	964	980	1,001	1,004	930	925	1,050	1,041
Nagano	23,787	2,319	2,235	2,308	2,042	1,906	1,867	1,933	1,946	1,730	1,753	1,749	1,999
Nagasaki	19,674	1,985	1,890	1,830	1,487	1,614	1,494	1,560	1,557	1,616	1,569	1,498	1,574
Nara	9,775	940	897	898	762	764	764	884	841	744	691	775	795
Niigata	32,895	2,907	2,953	3,309	3,123	2,862	2,587	2,553	2,794	2,419	2,333	2,497	2,558
Osaka	16,917	1,698	1,634	1,595	1,377	1,292	1,280	1,384	1,319	1,288	1,349	1,301	1,400
Okayama	21,309	2,287	1,905	2,050	1,689	1,645	1,556	1,767	1,791	1,729	1,670	1,577	1,643
Osaka	37,624	3,704	3,428	3,634	3,092	2,946	2,932	3,252	3,049	2,822	2,803	2,958	3,104
Saga	12,715	1,342	1,272	1,220	995	939	986	1,080	1,009	1,097	895	874	1,006
Saitama	24,832	2,368	2,547	2,530	2,025	1,842	1,803	2,154	2,126	1,829	1,717	1,827	2,064
Shiga	11,323	1,153	1,079	1,145	985	867	870	987	963	829	787	796	862
Shimane	12,178	1,158	1,127	1,164	1,075	948	873	1,016	1,067	948	898	932	972
Shizuoka	24,844	2,577	2,463	2,483	2,046	2,074	1,935	2,001	2,010	1,728	1,753	1,728	2,046
Tochigi	17,624	1,764	1,778	1,719	1,449	1,324	1,295	1,493	1,437	1,320	1,269	1,290	1,486
Tokushima	11,400	1,167	1,114	1,120	1,001	910	831	853	964	856	819	806	959
Tokyo	52,923	5,184	4,908	5,263	4,467	4,205	4,019	4,277	4,469	3,771	3,864	3,867	4,449
Tottori	7,706	731	738	779	665	659	558	615	598	624	599	550	590
Toyama	14,102	1,261	1,263	1,354	1,243	1,100	1,122	1,253	1,194	1,105	1,056	1,071	1,080
Wakayama	11,185	1,082	1,068	1,068	897	857	794	945	872	915	864	913	962
Yamagata	18,290	1,637	1,600	1,901	1,698	1,491	1,406	1,400	1,529	1,339	1,359	1,432	1,498
Yamaguchi	18,646	1,925	1,740	1,774	1,560	1,434	1,357	1,540	1,523	1,468	1,430	1,411	1,474
Yamanashi	9,071	970	863	875	718	691	712	771	785	663	609	685	721

Data refer to deaths of Japanese nationals in Japan Proper.
Sources were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 53. - DEATH RATES BY MONTH BY PREFECTURES:
(Rates per 1,000 population per annum)

JAPAN, 1948

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	12.0	13.8	14.1	13.6	12.1	11.1	11.2	11.8	11.9	11.1	10.4	10.9	11.5
All "Sea"	11.0	12.4	12.7	12.3	11.2	10.3	10.4	10.9	11.1	10.4	9.7	10.1	10.8
All "Gun"	12.5	14.5	14.7	14.3	12.6	11.5	11.6	12.3	12.4	11.5	10.7	11.4	11.8
Aichi	11.0	13.7	13.1	12.7	10.5	9.8	10.3	10.9	10.4	9.7	9.8	10.1	11.1
Akita	14.5	14.6	16.8	17.0	15.6	13.8	14.8	13.2	14.3	14.7	12.6	13.4	13.4
Aomori	14.9	13.9	14.6	16.0	14.7	13.2	14.7	16.7	17.0	17.9	13.3	13.2	13.9
Chiba	12.3	14.9	15.2	14.7	12.2	11.2	11.0	11.2	12.3	12.3	11.0	11.5	12.0
Ehime	11.8	13.6	14.1	13.8	11.5	11.2	11.9	11.4	11.4	10.5	10.5	10.6	10.8
Fukui	18.7	13.8	15.3	16.0	14.2	12.4	25.3	38.2	35.0	16.4	12.2	12.3	12.5
Fukuoka	11.3	14.2	13.9	12.0	11.0	10.2	10.3	10.9	10.8	10.4	10.5	10.5	11.3
Fukushima	11.8	12.7	12.5	14.3	13.3	11.7	10.9	11.0	11.6	11.1	10.4	11.2	11.2
Gifu	12.2	13.5	14.2	13.3	12.3	11.4	11.7	13.4	11.9	10.9	10.8	11.1	11.7
Gumma	11.5	14.0	14.3	14.1	12.4	10.6	10.8	11.3	10.7	9.7	9.4	10.0	10.6
Hiroshima	11.8	13.2	13.7	12.9	11.9	11.4	10.9	12.3	12.1	11.2	10.5	10.5	10.8
Hokkaido	11.9	11.9	12.8	12.9	12.2	10.8	11.1	11.4	13.4	12.3	10.5	11.5	12.2
Hyogo	11.3	13.3	13.6	13.0	11.4	11.0	10.5	11.3	11.2	10.3	9.5	9.9	10.3
Ibaraki	11.9	15.2	14.8	14.6	11.9	10.7	11.2	11.2	11.8	10.1	9.9	10.7	11.4
Ishikawa	14.4	15.3	16.9	16.6	15.7	13.2	12.4	14.8	14.5	14.3	12.7	13.5	12.7
Iwate	14.8	14.7	16.3	15.8	15.8	14.3	13.6	13.5	15.4	19.4	12.3	13.5	13.7
Kagawa	12.4	14.4	15.6	14.6	12.0	11.4	11.4	12.1	11.8	10.8	11.0	11.8	12.0
Kagoohima	12.4	16.0	14.2	11.8	11.3	11.6	11.3	12.5	11.8	11.3	11.3	12.8	12.6
Kanagawa	9.9	12.0	12.1	11.5	10.1	9.2	9.0	9.4	10.1	8.5	8.2	8.8	9.4
Kochi	12.4	15.3	15.5	14.1	12.6	11.3	11.1	11.3	11.5	10.8	10.4	12.1	13.1

TABLE 53. - DEATH RATES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	11.9	15.0	14.4	12.7	11.1	11.4	11.7	12.0	11.2	10.7	10.6	11.5	11.0
Kyoto	11.3	12.6	13.4	13.0	11.6	10.6	10.3	11.2	11.2	10.1	10.3	10.3	10.9
Mie	12.2	15.7	15.5	14.9	12.5	10.5	10.8	12.2	10.6	10.6	10.4	11.1	11.6
Niigata	11.8	13.8	14.2	14.5	12.5	11.2	10.8	10.6	10.7	10.3	9.5	10.9	12.3
Niigata	11.6	14.8	13.2	11.9	10.3	10.8	11.4	11.2	11.3	10.8	10.4	12.2	11.7
Nagano	11.4	13.2	13.6	13.1	12.0	10.8	11.0	11.0	11.1	10.2	10.0	10.3	11.4
Nagasaki	12.6	15.0	15.2	13.8	11.6	12.2	11.6	11.8	11.7	12.6	11.8	11.7	11.9
Nara	12.6	14.3	14.6	11.9	11.6	11.6	12.0	13.4	12.8	12.0	10.5	12.2	12.1
Niigata	13.5	14.1	15.3	16.0	15.6	13.9	13.0	12.4	13.5	12.1	11.3	12.5	12.4
Oita	13.6	16.1	16.6	15.1	13.5	12.3	12.5	13.1	12.5	12.6	12.8	12.7	13.3
Okayama	12.9	16.4	14.6	14.7	12.5	11.8	11.5	12.6	12.8	12.8	11.9	11.7	11.8
Osaka	10.7	12.4	12.3	12.2	10.7	9.9	10.2	10.9	10.2	9.8	9.4	9.9	10.4
Saga	13.7	17.0	17.2	15.5	13.0	11.9	12.9	13.7	12.8	14.4	11.3	11.5	12.8
Saitama	11.6	13.1	15.1	14.0	11.6	10.2	10.3	11.9	11.8	10.5	9.5	10.5	11.4
Shiga	13.0	15.6	15.6	15.5	13.8	11.7	12.2	13.3	13.0	11.6	10.6	11.1	11.7
Shimane	13.5	15.1	15.8	15.2	14.5	12.4	11.8	13.3	14.0	12.8	11.7	12.6	12.7
Shizuoka	10.3	12.6	12.9	12.2	10.4	10.2	9.8	9.8	9.9	8.8	8.6	8.8	10.0
Tochigi	11.3	13.4	14.4	13.0	11.3	10.0	10.1	11.3	10.9	10.3	9.6	10.1	11.3
Tokushima	13.1	15.9	16.2	15.2	14.1	12.4	11.7	11.6	13.1	12.0	11.1	11.3	13.0
Tokyo	9.8	11.3	11.4	11.5	10.5	9.2	9.1	9.3	9.7	8.5	8.4	8.7	9.7
Tottori	13.0	14.6	15.7	15.5	13.7	13.1	11.5	12.2	11.9	12.8	11.9	11.3	11.7
Toyama	14.1	14.9	16.0	16.0	15.2	13.0	13.7	14.8	14.1	13.5	12.5	13.1	12.8
Wakayama	11.4	13.0	13.1	12.9	11.2	10.3	9.9	11.4	10.5	11.4	10.4	11.4	11.6
Yamagata	13.6	14.4	15.0	16.7	15.4	13.1	12.7	12.3	13.4	12.1	11.9	13.0	13.1
Yamaguchi	12.4	15.2	14.6	13.9	12.6	11.2	11.0	12.1	11.9	11.9	11.2	11.4	11.6
Yamanashi	11.1	14.1	13.4	12.7	10.7	10.0	10.7	11.2	11.4	9.9	8.8	10.3	10.6

Data refer to deaths of Japanese nationals in Japan Proper.

Sources: Rates were computed by Public Health and Welfare Section, CHQ, SCAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 54. - DEATHS FROM SELECTED CAUSES BY MONTH: JAPAN, 1948

List No.	Cause of Death	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	All Causes	959,092	93,681	89,283	92,428	79,756	75,314	73,604	80,494	81,085	73,132	70,467	71,946	77,902
1	Typhoid fever	1,481	89	86	71	80	129	123	204	228	171	121	95	84
2	Paratyphoid fever	171	7	11	9	16	16	20	13	27	14	18	11	9
3	Plague	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal(meningo-coccus)meningitis	661	46	55	83	78	56	48	46	92	57	33	28	39
7	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	42	3	1	4	6	4	3	3	4	1	2	4	7
9	Whooping Cough	4,793	482	368	292	314	365	418	563	554	426	260	301	450
10	Diphtheria	1,920	278	236	207	132	98	82	50	56	94	148	244	295
12	Tetanus	2,157	152	120	143	201	177	179	243	234	197	153	189	169
13-22	Tuberculosis(all forms)	145,256	10,976	11,015	12,697	12,988	13,236	12,844	12,833	12,545	12,032	11,865	11,197	11,024
23	Leprosy	148	17	16	19	7	19	8	10	10	9	8	12	13
26a	Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	5,258	48	63	80	135	201	459	1,402	1,492	898	351	113	76
28	Malaria	233	22	27	25	21	26	13	15	22	29	19	10	4
30	Syphilis	4,382	360	403	420	339	323	311	320	324	336	360	390	496
33	Influenza	516	85	68	94	56	25	30	23	15	20	30	25	45
34	Scallpox	22	6	2	4	1	1	2	1	1	2	2	-	-
35	Measles	5,670	409	413	725	568	737	745	616	385	187	172	279	434
37b	Japanese B encephalitis	2,621	2	3	1	2	1	7	21	1,654	787	103	27	13
38a	Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
38b	Relapsing fever	40	4	5	-	1	1	1	3	5	6	3	4	7
39	Typhus fever & typhus-like diseases	110	16	12	7	7	13	7	9	11	5	6	11	6
45-55	Cancer & other malignant tumors	55,933	4,287	4,020	4,427	4,388	4,601	4,663	4,939	4,898	4,963	5,096	4,836	4,815
61	Diabetes mellitus	1,804	217	202	142	169	142	118	136	136	119	131	135	157

TABLE 54. - DEATHS FROM SELECTED CAUSES BY MONTH: JAPAN, 1948 - Cont'd.

List No.	Cause of Death	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
68	Beriberi	6,362	709	724	681	576	477	476	464	489	425	407	442	492
81a	Simple meningitis	10,485	991	895	1,011	1,072	1,044	933	994	866	653	667	656	703
83	Intracranial lesions of vascular origin	94,906	10,063	9,453	9,608	7,913	7,558	6,736	6,177	6,530	7,053	7,278	7,961	8,606
90-95	Diseases of the heart	49,254	4,797	4,728	4,948	4,170	3,942	3,762	3,687	3,478	3,478	3,826	4,122	4,316
106	Bronchitis	26,024	3,689	3,511	3,315	2,492	1,868	1,591	1,258	1,141	1,325	1,668	1,784	2,342
107-109	Pneumonia(all forms)	53,428	8,052	7,667	7,526	5,382	3,910	3,120	2,398	2,140	2,090	2,569	3,464	5,170
110	Pleurisy	7,733	749	693	754	723	716	665	611	630	604	566	522	540
117	Ulcer of stomach or duodenum	20,802	2,298	1,987	1,993	1,781	1,626	1,560	1,440	1,358	1,454	1,657	1,790	1,858
119-120	Diarrhea, enteritis & ulceration of the intestines	83,979	5,389	5,493	6,259	5,808	6,088	7,245	11,709	11,549	8,118	5,664	5,610	5,047
119	Diarrhea, enteritis & ulceration of intestines (under 2 years of age)	48,843	2,972	2,817	3,111	2,939	3,350	4,600	7,978	7,152	4,488	2,950	3,427	3,059
120	Diarrhea, enteritis & ulceration of intestines (2 years of age and over)	35,136	2,417	2,676	3,148	2,869	2,738	2,645	3,731	4,397	3,630	2,714	2,183	1,988
121	Appendicitis	3,828	283	341	332	351	294	345	360	393	334	285	256	234
130-132	Nephritis(all forms)	36,824	3,615	3,460	3,343	2,951	3,028	2,787	2,746	2,584	2,842	3,075	3,069	3,124
140-150	Diseases of pregnancy, child birth, and the puerperium	4,480	416	437	413	356	396	326	353	400	395	370	320	358
157	Congenital malformations	5,781	549	533	593	444	392	368	448	427	469	457	511	590

TABLE 54. - DEATHS FROM SELECTED CAUSES BY MONTH: JAPAN, 1948 - Cont'd.

List No.	Cause of Death	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
158	Congenital debility	38,323	5,425	5,184	4,661	2,952	2,373	2,171	2,184	2,109	2,153	2,326	2,882	3,903
159	Premature birth	13,754	1,574	1,469	1,327	991	954	940	916	955	940	1,077	1,222	1,369
160	Injury at birth	1,007	106	109	97	77	80	70	81	89	75	54	67	102
162	Senility	64,503	8,120	7,231	7,222	5,687	4,357	4,058	4,151	4,327	4,182	4,686	4,925	5,557
163-164	Suicide	12,921	799	842	1,133	1,240	1,361	1,219	1,362	1,207	1,089	985	839	845
165-168	Homicide	1,594	115	113	146	173	150	119	166	149	117	120	102	124
169-195	Accidental deaths	39,529	2,664	2,338	2,590	2,644	2,802	4,035	5,864	5,425	3,692	2,744	2,226	2,505
200a &c	Ill-defined & unknown causes	17,646	1,884	1,799	1,888	1,536	1,444	1,348	1,311	1,347	1,180	1,255	1,242	1,412
	All other causes	132,711	13,688	13,146	13,138	10,928	10,253	9,649	10,424	10,799	10,151	9,950	10,043	10,542

FOOTNOTES:-

Data refer to deaths of Japanese nationals in Japan Proper.

A dash (-) indicates that no deaths were reported.

SOURCES:-

Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 55. - DEATH RATES FOR SELECTED CAUSES BY MONTH: JAPAN, 1948
(Rates per 100,000 population per annum)

List No.	Cause of Death	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	All Causes	1195.9	1379.1	1405.0	1360.7	1213.2	1108.7	1119.7	1185.0	1193.7	1112.5	1037.4	1094.4	1146.8
1	Typhoid fever	1.8	1.3	1.4	1.0	1.2	1.9	1.9	3.0	3.4	2.6	1.8	1.4	1.2
2	Paratyphoid fever	0.2	0.1	0.2	0.1	0.2	0.2	0.3	0.2	0.4	0.2	0.3	0.2	0.1
3	Flague	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	0.8	0.7	0.9	1.2	1.2	0.8	0.7	0.7	1.4	0.9	0.5	0.4	0.6
7	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1
9	Whooping cough	6.0	7.1	5.8	4.3	4.8	5.4	6.4	8.3	8.2	6.5	3.8	4.6	6.6
10	Diphtheria	2.4	4.1	3.7	3.0	2.0	1.4	1.2	0.7	0.8	1.4	2.2	3.7	4.3
12	Tetanus	2.7	2.2	1.9	2.1	3.1	2.6	2.7	3.6	3.4	3.0	2.3	2.9	2.5
13-22	Tuberculosis (all forms)	181.1	161.6	173.4	186.9	197.6	194.9	195.4	188.9	184.7	183.0	174.7	170.3	162.3
23	Leprosy	0.2	0.3	0.3	0.3	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.2	0.2
26a	Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	6.6	0.7	1.0	1.2	2.1	3.0	7.0	20.6	22.0	12.7	5.2	1.7	1.1
28	Malaria	0.3	0.3	0.4	0.4	0.3	0.4	0.2	0.2	0.3	0.4	0.3	0.2	0.1
30	Syphilis	5.5	5.3	6.3	6.2	5.2	4.8	4.7	4.7	4.8	5.1	5.3	5.9	7.3
33	Influenza	0.6	1.3	1.1	1.4	0.9	0.4	0.5	0.3	0.2	0.3	0.4	0.4	0.7
34	Smallpox	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
35	Measles	7.1	6.0	6.5	10.7	8.6	10.8	11.3	9.1	5.7	2.8	2.5	4.2	6.4
37b	Japanese B encephalitis	3.3	0.0	0.0	0.0	0.0	0.0	0.1	0.3	24.3	12.0	1.5	0.4	0.2
38a	Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
38b	Rabies	0.0	0.1	0.1	-	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1
39	Typhus fever and typhus-like diseases	0.1	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1
45-55	Cancer and other malignant tumors	69.7	63.1	63.3	65.2	66.8	67.7	70.9	72.7	72.1	75.5	75.0	73.6	70.9
61	Diabetes mellitus	2.2	3.2	3.2	2.1	2.6	2.1	1.8	2.0	2.0	1.8	1.9	2.1	2.3

TABLE 55. - DEATH RATES FOR SELECTED CAUSES BY MONTH: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

List No.	Cause of Death	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
68	Beriberi	7.9	10.4	11.4	10.0	8.8	7.0	7.2	6.8	7.2	6.5	6.0	6.7	7.2
81a	Simple meningitis	13.1	14.6	14.1	14.9	16.3	15.4	14.2	14.6	12.7	9.9	9.8	10.0	10.3
83	Intracranial lesions of vascular origin	118.3	148.1	148.8	141.4	120.4	110.8	102.5	90.9	96.1	107.3	107.1	121.1	126.7
90-95	Diseases of the heart	61.4	70.6	74.4	72.8	63.4	58.0	57.2	54.3	51.2	52.9	56.3	62.7	63.5
106	Bronchitis	32.4	54.3	55.3	48.8	37.9	29.3	24.2	18.5	16.8	20.2	23.7	26.8	34.5
107-109	Pneumonia (all forms)	66.6	118.5	120.7	110.8	81.9	57.6	47.5	34.4	31.5	31.8	37.8	52.7	76.1
110	Pleurisy	9.6	11.0	10.9	11.1	11.0	10.5	10.1	9.0	9.3	9.2	7.7	7.9	7.9
117	Ulcer of stomach or duodenum	25.9	33.8	31.3	29.3	27.1	23.9	23.7	21.2	20.0	22.1	24.4	27.2	27.4
119-120	Diarrhea, enteritis and ulceration of intestines	104.7	79.3	86.4	92.1	88.4	89.6	110.2	172.4	170.0	123.5	83.4	85.3	74.3
119	Diarrhea, enteritis and ulceration of intestines (under 2 years of age)	60.9	43.8	44.3	45.8	44.7	49.3	70.0	117.4	105.3	68.3	43.4	52.1	45.0
120	Diarrhea, enteritis and ulceration of intestines (2 years of age and over)	43.8	35.6	42.1	46.3	43.6	40.3	40.2	54.9	64.7	55.2	40.0	33.2	29.3
121	Appendicitis	4.8	4.2	5.4	4.9	5.3	4.3	5.2	5.3	5.8	5.4	4.2	3.9	3.4
130-132	Nephritis (all forms)	45.9	56.2	54.4	49.2	44.9	44.6	42.4	40.4	38.0	43.2	45.3	46.7	46.0
140-150	Diseases of pregnancy, child birth, and the puerperium	5.6	6.1	6.9	6.1	5.4	4.9	5.0	5.2	5.9	6.0	5.4	4.9	5.3
157	Congenital malformations	7.2	8.1	8.4	8.7	6.8	5.8	5.6	6.6	6.3	7.1	6.7	7.8	8.7
158	Congenital debility	47.8	79.9	81.6	68.6	44.9	34.9	33.0	32.2	31.0	32.8	34.2	43.8	57.5
159	Premature birth	17.1	23.2	23.1	19.5	15.1	14.0	14.3	13.5	14.1	14.3	15.9	18.6	20.4
160	Injury at birth	1.3	1.6	1.7	1.4	1.2	1.2	1.1	1.2	1.3	1.1	0.8	1.0	1.5
162	Senility	80.4	119.5	113.8	106.3	86.5	64.1	61.7	61.1	63.7	63.6	69.0	74.9	81.8
163-164	Suicide	16.1	11.8	13.3	16.7	18.9	20.0	18.5	20.1	17.8	16.6	14.5	12.8	12.4

List No.

FOOTNOTES:

A dash (-) indicates that no deaths were reported and that the death rate was zero.

A rate of 0.0 indicates that there were some deaths but that the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original death data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE, JAPAN, 1948

Area	All Causes	Typhoid fever (1)	Paratyphoid fever (2)	Plague (3)	Cholera (4)	Cerebrospinal (meningococcus) meningitis (6)	Anthrax (7)	Scarlet fever (8)	Whooping cough (9)	Eph-theria (10)
All Japan	959,092	1,481	171	-	-	661	-	42	4,793	1,920
All "Shi"	305,255	806	92	-	-	342	-	21	1,516	746
All "Gun"	653,837	675	79	-	-	319	-	21	3,277	1,174
Aichi	35,519	68	7	-	-	10	-	3	146	51
Akita	18,599	15	3	-	-	18	-	-	105	49
Aomori	18,161	20	5	-	-	21	-	-	102	30
Chiba	26,337	53	5	-	-	11	-	1	85	28
Ehime	17,439	13	-	-	-	8	-	2	61	41
Fukui	13,685	14	2	-	-	3	-	1	53	15
Fukuoka	37,500	30	1	-	-	17	-	2	188	90
Fukushima	23,961	31	3	-	-	25	-	1	161	36
Gifu	18,584	55	9	-	-	5	-	-	102	19
Gumma	18,481	22	2	-	-	10	-	4	200	62
Hiroshima	24,093	36	2	-	-	10	-	-	47	39
Hokkaido	47,900	46	7	-	-	55	-	6	498	227
Hyogo	35,600	79	2	-	-	17	-	-	131	56
Ibaraki	24,403	22	5	-	-	23	-	-	85	16
Isikawa	13,549	10	1	-	-	5	-	-	90	28
Iwate	19,196	17	8	-	-	6	-	1	129	51
Kagawa	11,584	17	2	-	-	3	-	-	32	15
Kanagawa	21,861	5	1	-	-	6	-	-	130	56
Kanegawa	22,832	75	1	-	-	24	-	4	99	52
Kochi	10,765	26	1	-	-	4	-	-	30	12

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948

Area	All Causes	Typhoid fever (1)	Paratyphoid fever (2)	Plague (3)	Cholera (4)	Cerebrospinal (meningococcus) meningitis (5)	Anthrax (7)	Scarlet fever (8)	Whooping cough (9)	Diphtheria (10)
Kumamoto	21,320	6	1	-	-	12	-	-	88	25
Kyoto	20,146	50	3	-	-	33	-	-	75	25
Mie	17,704	36	7	-	-	-	-	-	47	24
Miyagi	18,801	32	14	-	-	24	-	2	131	48
Miyazaki	12,252	6	2	-	-	4	-	1	61	55
Nagano	23,787	49	4	-	-	19	-	2	168	41
Nagasaki	19,674	30	1	-	-	17	-	-	76	42
Nara	9,775	18	1	-	-	2	-	-	8	19
Niigata	32,895	48	6	-	-	23	-	1	290	68
Oita	16,917	9	2	-	-	5	-	-	62	47
Osakayama	21,309	43	2	-	-	5	-	-	73	32
Oeaka	37,624	87	6	-	-	38	-	1	103	42
Saga	12,715	5	2	-	-	3	-	-	58	48
Settsu	24,832	45	6	-	-	9	-	1	136	28
Shiga	11,323	8	-	-	-	3	-	1	53	11
Shimane	12,178	16	1	-	-	9	-	-	124	24
Shizuoka	24,844	34	4	-	-	19	-	1	77	38
Tochigi	17,624	33	5	-	-	2	-	-	113	24
Tokushima	11,400	16	1	-	-	5	-	-	18	32
Tokyo	52,923	175	27	-	-	99	-	6	213	147
Tottori	7,706	5	-	-	-	6	-	-	13	10
Toyama	14,102	32	3	-	-	11	-	-	91	25
Wakayama	11,185	18	2	-	-	4	-	-	21	9
Yamagata	18,290	11	1	-	-	15	-	1	86	43
Yamaguchi	18,616	13	1	-	-	7	-	-	76	35
Yamaguchi	9,071	2	2	-	-	6	-	-	58	5

See footnotes at end of table.

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Tuberculosis										Measles
	Tetanus (12)	(all forms) (13-22)	Leprosy (23)	Gladders (25a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Smallpox (34)		
All Japan	2,157	145,256	148	-	5,258	233	4,382	516	22	5,670	
All "Shi"	747	52,327	10	-	1,616	73	1,889	155	5	1,461	
All "Gun"	1,410	82,929	138	-	3,642	160	2,493	361	17	4,209	
Aichi	102	5,552	4	-	367	4	174	14	1	74	
Akita	22	2,290	5	-	55	1	77	10	-	117	
Amori	31	2,857	33	-	33	1	87	21	-	250	
Chiba	140	3,088	2	-	143	3	133	9	1	18	
Ehime	46	2,479	1	-	137	5	82	19	-	223	
Fukui	14	1,205	-	-	34	3	30	4	-	77	
Fukuoka	72	7,222	1	-	163	7	232	22	-	97	
Fukushima	43	3,129	1	-	132	6	107	5	1	133	
Gifu	35	2,978	1	-	182	4	48	4	-	168	
Gumma	63	2,330	6	-	128	5	64	14	1	37	
Hiroshima	35	3,694	-	-	170	3	79	9	-	195	
Hokkaido	47	9,840	3	-	113	6	271	21	1	832	
Iyogo	48	5,829	4	-	125	9	132	15	3	324	
Ibseraki	133	2,359	2	-	340	3	126	5	1	67	
Ishikawa	27	1,724	1	-	17	4	43	11	3	126	
Iwate	21	2,764	8	-	77	3	69	5	-	303	
Kagawa	30	1,550	1	-	111	2	46	2	-	183	
Kagoshima	109	2,952	7	-	79	11	138	9	1	179	
Kanagawa	64	4,411	-	-	103	4	122	15	-	16	
Kochi	30	1,253	3	-	54	5	49	4	-	123	

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Tetanus (12)	Tuberculosis (all forms)		Leprosy (23)	Glanders (26a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Smallpox (34)	Measles (35)
		(1P-22)	(2P-22)								
Kumamoto	69	2,833	3 ^a	-	-	126	13	101	15	1	95
Kyoto	29	3,955	2	-	-	74	9	139	13	-	40
Mie	30	2,233	3	-	-	67	5	70	13	-	119
Miyagi	41	2,575	19	-	-	42	6	98	6	-	230
Miyazaki	49	1,794	4	-	-	118	2	66	10	-	71
Nagano	51	3,061	1	-	-	89	2	77	14	-	132
Nagasaki	69	2,828	2	-	-	133	12	140	10	1	94
Nara	15	1,286	-	-	-	13	3	37	2	-	11
Niigata	19	4,532	1	-	-	128	7	106	20	-	160
Oita	46	2,475	5	-	-	108	8	62	19	-	47
Okeyama	40	2,752	-	-	-	105	6	76	8	-	219
Osaka	59	7,575	-	-	-	172	5	195	18	1	143
Sege	33	1,781	1	-	-	69	5	78	2	-	32
Seitama	77	2,951	1	-	-	222	3	106	6	-	11
Shiga	12	1,447	3	-	-	31	14	42	6	1	60
Shimane	28	1,915	1	-	-	91	4	49	8	-	32
Shizuoka	61	3,475	3	-	-	188	5	89	22	2	95
Tochigi	38	2,028	4	-	-	139	2	78	2	-	31
Tokushima	28	1,532	1	-	-	72	2	29	9	1	102
Tokyo	123	11,970	1	-	-	402	12	356	39	1	45
Tottori	8	1,119	1	-	-	39	2	35	2	-	74
Toyama	15	1,888	-	-	-	22	3	43	17	-	98
Wakayama	13	1,539	-	-	-	21	5	45	13	-	64
Yamagata	20	2,339	2	-	-	41	3	58	3	1	135
Yamaguchi	45	3,215	-	-	-	142	2	62	15	-	42
Yamanashi	27	852	-	-	-	41	2	36	6	-	6

See footnotes at end of table.

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE; JAPAN, 1948 - Cont'd

Area	Japanese "B" Yellow encephalitis fever (37c)	Rabies (38a)	Typhus fever & typhus-like diseases (38b)	Cancer and other Diabetes malignant tumors mellitus (45-55)	Berlteri meningitis (61)	Simple meningitis (51a)	Intercerebral lesions of vas- cular origin (53)	Diseases of the heart (90-95)
All Japan	2,621	40	110	55,933	1,804	6,362	10,485	49,254
All "Shi"	1,491	-	49	20,454	499	2,076	3,317	14,881
All "Gun"	1,130	20	61	35,479	1,305	4,286	7,168	34,373
Aichi	128	-	3	2,237	78	273	481	2,007
Akita	49	-	3	774	23	153	226	868
Aomori	31	-	2	628	23	245	163	648
Chiba	122	18	2	1,774	49	163	354	1,567
Ehime	34	-	6	1,082	46	58	232	953
Fukui	34	-	-	477	25	85	115	431
Fukuoka	7	-	1	2,401	69	187	311	1,634
Fukushima	40	-	1	1,276	29	128	240	1,357
Gifu	40	-	3	935	40	83	279	982
Gumma	49	-	-	1,117	36	52	183	1,133
Hiroshima	16	-	3	1,485	63	149	305	1,385
Hokkaido	10	-	7	2,223	75	345	676	2,002
Hyogo	94	-	10	2,128	65	258	436	1,671
Ibaraki	97	-	3	1,537	32	125	231	1,500
Ishikawa	41	-	-	774	34	134	159	648
Iwate	76	-	1	591	19	190	196	857
Kagawa	7	-	2	767	34	30	116	589
Kanagawa	25	-	1	925	59	113	252	1,043
Kenagawa	205	3	3	1,425	32	133	236	1,159
Kochi	14	-	-	608	49	66	120	407

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Japanese encephalitis (37a)	Yellow fever (38a)	Typhus-like fever (39a)	Cancer and other malignant tumors (45-50)	Diabetes mellitus (51)	Beri-beri (52)	Simple meningitis (53)	Intraocular lesions of ves- icular origin (54)	Diseases of the heart (90-95)
Kumamoto	17	-	2	1,154	56	131	209	2,099	1,097
Kyoto	22	-	2	1,381	31	163	189	1,540	1,074
Mie	33	-	2	1,058	33	128	246	1,660	989
Miyagi	66	-	-	1,133	34	162	186	2,168	944
Miyazaki	25	-	1	615	27	59	140	1,110	580
Nagano	75	-	2	1,632	38	66	224	3,089	1,442
Nagasaki	2	-	1	989	35	113	220	1,549	987
Nara	7	-	2	791	13	71	67	987	509
Niigata	76	-	13	2,050	54	262	410	3,965	1,611
Oita	4	-	3	865	36	82	196	1,590	808
Okayama	41	-	8	1,360	55	141	236	2,016	1,002
Osaka	58	-	4	2,669	48	408	406	2,823	1,994
Saga	12	-	-	801	31	112	144	1,087	632
Seitama	86	-	2	1,536	30	112	293	2,841	1,401
Shiga	22	-	-	640	29	68	102	1,031	652
Shimane	9	-	1	697	41	48	118	1,184	719
Shizuoka	153	-	1	1,361	30	195	295	2,641	1,439
Tochigi	45	-	-	1,138	25	109	180	2,189	1,056
Tokushima	25	-	-	574	42	34	126	928	691
Tokyo	527	-	11	3,613	84	368	376	4,753	2,667
Tottori	13	-	-	495	19	70	86	774	371
Toyama	60	-	-	807	36	139	164	1,275	683
Wakayama	11	-	1	820	26	53	142	1,073	568
Yamagata	59	-	1	979	30	131	141	2,298	972
Yamanashi	15	-	-	1,016	38	134	181	1,753	901
Yamanashi	39	-	2	585	13	33	97	984	624

See footnotes at end of table.

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE, JAPAN, 1948 - Cont'd

Area	Bronchitis (106)	Pneumonia (all forms) (102-109)	Pleurisy (not specified as tuberculosis) (110)	Ulcer of the stomach or duodenum (117)	Diarrhea enteritis and ulceration of intestines (all ages) (113-120)	Diarrhea enteritis and ulceration of intestines (under 2 years) (119)	Diarrhea enteritis and ulceration of intestines (2 years and over) (120)
All Japan	26,024	53,428	7,733	20,802	83,979	48,843	35,136
All "Shi"	6,075	16,973	2,534	6,586	21,648	13,561	8,087
All "Gun"	19,949	36,455	5,199	14,206	62,331	35,282	27,049
Aichi	1,105	1,810	285	705	2,492	1,307	1,185
Akita	489	852	147	302	2,351	1,676	675
Aomori	497	1,184	116	220	2,522	1,963	559
Chiba	685	1,315	269	680	1,778	914	864
Ehime	536	981	120	358	1,269	669	600
Fuku	356	446	75	191	1,461	859	602
Fukuoka	793	2,036	332	925	2,629	1,702	927
Fukushima	684	1,396	230	543	2,144	1,383	761
Gifu	596	902	158	362	1,724	969	755
Gunma	518	1,236	125	466	1,650	646	1,004
Hiroshima	606	1,246	189	630	1,931	1,029	902
Hokkaido	1,243	3,214	341	652	5,385	4,015	1,370
Ib	958	1,818	259	766	3,298	1,705	1,593
Ib	723	1,196	225	576	1,803	1,011	792
Ishikawa	426	790	64	300	1,639	1,127	512
Iwate	541	1,406	122	322	2,118	1,595	523
Kanagawa	305	678	69	291	798	423	375
Karoshima	652	1,566	202	573	2,103	1,204	899
Kanagawa	396	1,450	168	516	1,416	918	498
Kochi	287	603	105	193	797	412	385

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE, JAPAN, 1948 - Cont'd

Area	Bronchitis (106)	Pneumonia (all forms) (102-109)	Pleurisy (not specified as tuberculosis) (110)	Ulcer of the stomach or duodenum (117)	Diarrhea, enteritis and ulceration of intestines (all ages) (119)	Diarrhea, enteritis and ulceration of intestines (2 years and over) (120)
Kumamoto	702	1,309	216	555	1,836	828
Kyoto	477	933	158	425	1,529	767
Mie	628	916	153	415	1,695	807
Miyagi	366	1,260	146	377	1,667	421
Miyazaki	363	727	126	263	1,102	451
Nagano	624	1,206	172	568	1,894	1,097
Nagasaki	637	1,213	195	469	1,615	522
Nara	230	404	82	245	1,020	481
Niigata	1,207	1,870	236	617	3,444	1,766
Oita	596	860	168	420	1,415	718
Okayama	530	1,063	158	467	1,811	1,030
Osaka	706	2,107	317	822	2,993	1,332
Saga	336	556	93	274	1,085	365
Saitama	824	1,322	200	560	2,252	1,224
Shiga	289	513	64	271	1,278	636
Shimane	350	676	97	316	1,000	430
Shizuoka	557	1,368	146	581	2,066	818
Tokigi	565	900	176	417	1,713	938
Tokushima	389	749	76	217	933	448
Tokyo	863	3,163	469	1,193	2,692	853
Tottori	181	355	61	155	679	286
Toyama	543	779	84	265	1,862	704
Wakayama	273	588	102	261	960	494
Yamagata	560	975	148	354	2,017	837
Yamaguchi	435	1,015	188	499	1,299	610
Yamanashi	297	456	91	235	874	492

See footnotes at end of table.

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Appendicitis (121)	Nephritis (all forms) (130-132)	Diseases of pregnancy childbirth and puer- perium (140-150)	Congenital malformation (157)	Congenital debility (158)	Premature birth (159)	Injury at birth (160)	Senility (162)
All Japan	3,828	36,824	4,480	5,781	38,323	13,754	1,007	64,503
All "Shi"	1,150	11,146	1,530	1,856	9,867	4,227	361	15,694
All "Gun"	2,178	25,678	2,950	3,925	28,456	9,527	646	48,809
Aichi	124	1,187	158	198	1,713	615	35	2,649
Akita	92	750	110	117	1,079	346	22	1,069
Aomori	85	472	100	108	1,130	230	12	1,166
Chiba	108	1,184	135	168	1,001	528	35	2,308
Ehime	64	570	63	112	715	277	30	1,657
Fukui	39	301	39	46	547	174	8	856
Fukuoka	162	1,555	197	257	1,405	452	29	2,070
Fukushima	117	847	124	167	1,062	355	29	1,575
Gifu	45	563	75	82	947	344	17	1,309
Gunma	67	716	90	126	690	203	25	1,111
Hiroshima	87	928	102	133	871	266	25	1,834
Hokkaido	188	1,155	264	319	1,687	453	45	2,183
Iyogo	153	1,351	159	182	1,352	514	29	2,621
Iwate	106	1,147	122	165	1,163	515	37	1,905
Ishikawa	49	431	66	80	567	197	7	905
Iwato	61	575	113	101	906	309	20	1,058
Kagawa	41	442	43	75	612	234	12	894
Kagoshima	67	1,028	113	116	687	236	18	1,408
Kanagawa	105	877	111	189	621	268	23	1,336
Kochi	40	412	42	69	426	190	16	1,181

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Appendicitis (121)	Nephritis (all forms) (130-132)	Diseases of pregnancy, childbirth and puer- perium (140-150)	Congenital malformation (157)	Congenital debility (158)	Premature birth (159)	Injury at birth (160)	Stillbirth (162)
Kumamoto	93	1,078	108	98	752	271	13	1,494
Kyoto	94	647	68	102	683	300	25	1,430
Mie	58	631	78	110	748	294	14	1,344
Miyagi	88	625	108	119	883	277	35	1,122
Miyazaki	44	567	79	75	478	206	15	749
Nagano	102	1,092	94	139	731	307	17	1,721
Nagasaki	54	755	93	115	819	202	15	1,540
Nara	31	407	48	42	487	127	12	702
Niigata	150	1,329	131	185	1,074	441	34	1,810
Oita	70	738	88	77	686	247	17	1,363
Okayama	75	709	80	102	1,000	341	24	1,968
Osaka	156	1,684	160	233	1,422	477	30	2,239
Saga	42	633	52	67	674	202	10	848
Saitama	78	1,072	122	217	1,105	375	22	1,741
Shiga	57	468	28	62	468	185	22	864
Shimane	60	452	69	75	485	192	15	852
Shizuoka	96	954	114	181	999	359	17	1,739
Tochigi	64	717	97	136	609	250	12	1,130
Tokushima	28	433	49	54	592	186	12	979
Tokyo	249	2,128	254	358	1,424	740	64	2,414
Tottori	40	352	41	30	307	111	14	726
Toyama	69	514	39	60	549	246	22	634
Wakayama	39	313	40	83	365	177	10	933
Yamagata	79	782	95	127	888	286	41	1,011
Yamaguchi	75	789	74	76	637	147	13	1,447
Yamaguchi	37	464	45	47	277	102	8	608

See footnotes at end of table.

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Homicide (162-164)	Homicide (165-168)	Accidental deaths (169-195)	Ill-defined and unknown causes (200-209)	All other causes
All Japan	12,921	1,594	39,529	17,645	132,711
All "Shi"	4,379	672	13,330	5,835	40,552
All "Gun"	8,542	922	26,199	11,811	92,159
Aichi	547	52	1,137	620	4,644
Akita	214	18	627	285	2,351
Aomori	137	26	632	320	2,228
Chiba	293	51	816	479	3,462
Enme	233	26	579	321	2,541
Fukui	146	10	3,813	254	1,495
Fukuoka	406	108	2,030	641	5,298
Fukushima	267	41	977	440	3,114
Gifu	342	26	587	341	2,462
Gumma	214	27	737	271	2,502
Hiroshima	343	33	1,028	400	3,524
Hokkaido	527	90	2,335	1,204	6,040
Hyogo	580	51	1,388	622	5,079
Ibureki	237	51	704	440	3,377
Ishikawa	133	7	451	241	2,238
Iwate	197	16	1,060	331	2,174
Kagawa	150	18	480	270	1,529
Kanagawa	225	19	705	368	3,522
Kanagawa	381	64	1,127	501	2,784
Kochi	151	25	428	213	1,559

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE, JAPAN, 1948 - Cont'd

Area	Suicide (163-164)	Homicide (165-168)	Accidental deaths (169-195)	Ill-defined and unknown causes (200a-200c)	All other causes
Yamanashi	196	42	687	359	3,333
Yamanashi	427	34	614	357	2,894
Yamanashi	254	21	523	426	2,653
Yamanashi	149	19	739	322	2,538
Yamanashi	151	24	446	154	1,883
Yamanashi	395	46	736	407	3,258
Nagasaki	180	35	845	297	3,244
Nagasaki	142	14	265	260	1,395
Nagasaki	579	31	1,038	534	4,334
Nagasaki	200	23	561	243	2,666
Okayama	249	29	997	376	3,110
Okayama	591	71	1,359	860	4,742
Okayama	101	19	569	234	1,984
Okayama	299	40	732	544	3,422
Okayama	233	15	297	184	1,789
Shimane	181	12	451	159	1,617
Shizuoka	407	40	891	446	3,595
Tochigi	254	27	554	322	2,438
Tokushima	154	22	399	241	1,619
Tokushima	881	146	2,137	1,041	6,675
Tottori	92	8	226	73	1,113
Toyama	197	13	545	279	2,050
Toyama	253	25	381	229	1,705
Yamagata	254	16	601	253	2,447
Yamaguchi	276	51	939	320	2,673
Yamaguchi	107	12	356	164	1,471

See footnotes at end of table.

TABLE 56. - DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

FOOTNOTES:

Data refer to deaths of Japanese nationals in Japan Proper.

A dash (-) indicates that no deaths were reported

SOURCES:

Monthly Vital Statistics Schedule Reports, Ministry of Welfare

TABLE 57. - DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population)

Area	All Causes	Typhoid Fever (1)	Paratyphoid Fever (2)	Plague (3)	Cholera (4)	Cerebrospinal (meningococcus) meningitis(6)	Anthrax (7)	Scarlet Fever (8)	Whooping Cough (9)	Diphtheria (10)
Kumamoto	1193.7	0.3	0.1	-	-	0.7	-	-	4.9	1.4
Kyoto	1129.3	2.8	0.2	-	-	1.8	-	-	4.2	1.4
Mie	1220.1	2.5	0.5	-	-	-	-	-	3.2	1.7
Miyagi	1178.0	2.0	0.9	-	-	1.5	-	0.1	8.2	3.0
Miyazaki	1164.6	0.6	0.2	-	-	0.4	-	0.1	5.8	5.2
Nagano	1144.2	2.4	0.2	-	-	0.9	-	0.1	8.1	2.0
Nagasaki	1257.1	1.9	0.1	-	-	1.1	-	-	4.9	2.7
Nara	1256.4	2.3	0.1	-	-	0.3	-	-	1.0	2.4
Niigata	1350.9	2.0	0.2	-	-	0.9	-	0.0	11.9	2.8
Oita	1358.8	0.7	0.2	-	-	0.4	-	-	5.0	3.8
Okayama	1291.5	2.6	0.1	-	-	0.3	-	-	4.4	1.9
Osaka	1070.4	2.5	0.2	-	-	1.1	-	0.0	2.9	1.2
Saga	1365.7	0.5	0.2	-	-	0.3	-	-	6.2	5.2
Saitama	1164.7	2.1	0.3	-	-	0.4	-	0.0	6.4	1.3
Shiga	1297.0	0.9	-	-	-	0.3	-	0.1	6.1	1.3
Shimane	1348.6	1.8	0.1	-	-	1.0	-	-	13.7	2.7
Shizuoka	1032.2	1.4	0.2	-	-	0.8	-	0.0	3.2	1.6
Tochigi	1131.2	2.1	0.3	-	-	0.1	-	-	7.3	1.5
Tokushima	1311.9	1.8	0.1	-	-	0.6	-	-	2.1	3.7
Tokyo	977.0	3.2	0.5	-	-	1.8	-	0.1	3.9	2.7
Tottori	1299.5	0.8	-	-	-	1.0	-	-	2.2	1.7
Toyama	1413.0	3.2	0.3	-	-	1.1	-	-	9.1	2.5
Wakayama	1141.3	1.8	0.2	-	-	0.4	-	-	2.1	0.9
Yamagata	1358.8	0.8	0.1	-	-	1.1	-	0.1	6.4	3.2
Yamaguchi	1238.9	0.9	0.1	-	-	0.5	-	-	5.0	2.3
Yamanashi	1113.0	0.2	0.2	-	-	0.7	-	-	7.1	0.6

See footnotes at end of table.

TABLE 57. - DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948
(Rates per 100,000 population)

Area	All Causes	Typhoid Fever	Paratyphoid Fever	Plague	Cholera (4)	Cerebrospinal meningococcus (6)	Scarlet Fever (8)	Whooping Cough (9)	Diphtheria (10)
All Japan	1195.9	1.8	0.2	-	-	0.8	0.1	6.0	2.4
All "Sb"	1101.6	2.9	0.3	-	-	1.2	0.1	5.5	2.7
All "Gu"	1245.7	1.3	0.2	-	-	0.6	0.0	6.2	2.2
Aichi	1101.0	2.1	0.2	-	-	0.3	0.1	4.5	1.6
Akita	1449.6	1.2	0.2	-	-	1.4	-	8.2	3.8
Aomori	1491.1	1.6	0.4	-	-	1.7	-	8.4	2.5
Chiba	1230.7	2.5	0.2	-	-	0.5	0.0	4.0	1.3
Ehime	1177.5	0.9	-	-	-	0.5	0.1	4.1	2.8
Fukui	1867.0	1.9	0.3	-	-	0.4	0.1	7.2	2.0
Fukuoka	1132.2	0.9	0.0	-	-	0.5	0.1	5.7	2.7
Fukushima	1182.7	1.5	0.1	-	-	1.2	0.0	7.9	1.8
Gifu	1219.4	3.6	0.6	-	-	0.3	-	6.7	1.2
Osaka	1148.6	1.4	0.1	-	-	0.6	0.2	12.4	3.9
Hiroshima	1177.6	1.8	0.1	-	-	0.5	-	2.3	1.9
Hokkaido	1191.5	1.1	0.2	-	-	1.4	0.1	12.4	5.6
Ibigo	1128.0	2.5	0.1	-	-	0.5	-	4.2	1.8
Ibaraki	1193.9	1.1	0.2	-	-	1.1	-	4.2	0.8
Ishikawa	1438.3	1.1	0.1	-	-	0.5	-	9.6	3.0
Iwate	1483.5	1.3	0.6	-	-	0.5	0.1	10.0	3.9
Kagawa	1240.3	1.8	0.2	-	-	0.3	-	3.4	1.6
Kagoshima	1237.9	0.3	0.1	-	-	0.3	-	7.4	3.2
Kanagawa	985.4	3.2	0.0	-	-	1.0	0.2	4.3	2.2
Kochi	1243.1	3.0	0.1	-	-	0.5	-	3.5	1.4

TABLE 57. - DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population)

Area	Tuberculosis										Measles
	Tetanus (12)	(all forms) (13 - 22)	Leprosy (23)	Glanders (24a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Smallpox (34)		
All Japan	2.7	181.1	0.2	-	6.6	0.3	5.5	0.6	0.0	7.1	
All "Shi"	2.7	224.9	0.0	-	5.8	0.3	6.8	0.6	0.0	5.3	
All "Gm"	2.7	158.0	0.3	-	6.9	0.3	4.7	0.7	0.0	8.0	
Aichi	3.2	172.1	0.1	-	11.4	0.1	5.4	0.4	0.0	2.3	
Akita	1.7	178.5	0.4	-	4.3	0.1	6.0	0.8	-	9.1	
Aomori	2.5	234.6	0.4	-	2.7	0.1	7.1	1.7	-	20.5	
Chiba	6.5	144.3	0.1	-	6.7	0.1	6.2	0.4	0.0	0.8	
Ehime	3.1	167.4	0.1	-	9.3	0.3	5.5	1.3	-	15.1	
Fukui	1.9	164.4	-	-	4.6	0.4	4.1	0.5	-	10.5	
Fukuoka	2.2	218.1	0.0	-	4.9	0.2	7.0	0.7	-	2.9	
Fukushima	2.1	154.4	0.0	-	6.5	0.3	5.3	0.2	0.0	6.6	
Gifu	2.3	195.4	0.1	-	11.9	0.3	3.1	0.3	-	11.0	
Gumma	3.9	144.8	0.4	-	8.0	0.3	4.0	0.9	0.1	2.3	
Hiroshima	1.7	180.5	-	-	8.3	0.1	3.9	0.4	-	9.5	
Hokkaido	1.2	244.8	0.1	-	2.8	0.1	6.7	0.5	0.0	20.7	
Hyogo	1.5	184.7	0.1	-	4.0	0.3	4.2	0.5	0.1	16.3	
Ibaraki	6.5	115.4	0.1	-	16.6	0.1	6.2	0.2	0.0	3.3	
Ishikawa	2.9	183.0	0.1	-	1.8	0.4	4.6	1.2	0.3	13.4	
Iwate	1.6	213.6	0.6	-	6.0	0.2	5.3	0.4	-	23.4	
Kagawa	3.2	166.0	0.1	-	11.9	0.2	4.9	0.2	-	19.6	
Kagoshima	6.2	167.2	0.4	-	4.5	0.6	7.8	0.5	0.1	10.1	
Kanagawa	2.8	190.4	-	-	4.4	0.2	5.3	0.6	-	0.7	
Kochi	3.5	144.7	0.3	-	6.2	0.6	5.7	0.5	-	14.2	

TABLE 57. -- DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population)

Area	Tetanus (12)	Tuberculosis (All forms)		Leprosy (23)	Glanders (24a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Smallpox (34)	Measles (35)
		(13 - 22)	(23)								
Kumamoto	3.9	158.6	2.1	-	-	7.1	0.7	5.7	0.8	0.1	5.3
Kyoto	1.6	221.7	0.1	-	-	4.1	0.5	7.8	0.7	-	2.2
Mie	2.1	153.9	0.2	-	-	4.6	0.3	4.8	0.9	-	8.2
Miyagi	2.6	161.3	1.2	-	-	2.6	0.4	6.1	0.4	-	14.4
Miyazaki	4.7	170.5	0.4	-	-	11.2	0.2	6.3	1.0	-	6.7
Nagano	2.5	147.2	0.0	-	-	4.3	0.1	9.7	0.7	-	6.3
Nagasaki	4.4	180.7	0.1	-	-	8.5	0.8	8.9	0.6	0.1	6.0
Nara	1.9	165.3	-	-	-	1.7	0.4	4.8	0.3	-	1.4
Niigata	0.8	186.1	0.0	-	-	5.3	0.3	4.4	0.8	-	6.6
Oita	5.7	198.8	0.4	-	-	8.7	0.6	5.0	1.5	-	3.8
Okayama	2.4	166.8	-	-	-	6.4	0.4	4.6	0.5	-	13.3
Osaka	1.7	209.8	-	-	-	4.9	0.1	5.5	0.5	0.0	4.1
Saga	3.5	191.3	0.1	-	-	7.4	0.5	8.4	0.2	-	3.4
Saitama	3.6	138.4	0.0	-	-	10.4	0.1	5.0	0.3	-	0.5
Shiga	1.4	165.8	0.3	-	-	3.6	1.6	4.8	0.7	0.1	6.9
Shimane	3.1	212.1	0.1	-	-	10.1	0.4	5.4	0.9	-	3.5
Shizuoka	2.5	144.4	0.1	-	-	7.8	0.2	3.7	0.9	0.1	3.9
Tochigi	2.4	130.2	0.3	-	-	8.9	0.3	5.0	0.1	-	2.0
Tokushima	3.2	176.3	0.1	-	-	8.3	0.2	3.3	1.0	0.1	11.7
Tokyo	2.3	221.0	0.0	-	-	7.4	0.2	6.6	0.7	0.0	0.8
Tottori	1.3	188.7	0.2	-	-	6.6	0.3	5.9	0.3	-	12.5
Toyama	1.5	189.2	-	-	-	2.2	0.3	4.3	1.7	-	3.8
Wakayama	1.3	157.0	-	-	-	2.1	0.5	4.6	1.3	-	6.5
Yamagata	1.5	173.8	0.1	-	-	3.0	0.2	4.3	0.2	0.1	10.0
Yamaguchi	3.0	213.6	-	-	-	9.4	0.2	4.1	1.0	-	2.8
Yamanashi	3.3	104.5	-	-	-	5.0	0.2	4.4	0.7	-	0.7

See footnotes at end of table.

TABLE 57. - DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 Population)

Area	Japanese "B" Encephalitis (37)	Yellow Fever (38a)	Rabies (38b)	Typhus-like Diseases(39)	Typhus Fever & Cancer & Other Malignant Tumors (45-55)	Diabetes Mellitus Beriberi (61)	Simple Meningitis (61a)	Intracranial lesions of vascular origin(83)	Diseases of the heart (90-95)
All Japan	3.3	-	0.0	0.1	69.7	2.2	13.1	118.3	61.4
All "Shi"	5.4	-	0.1	0.2	73.8	1.8	12.0	92.9	53.7
All "Gum"	2.2	-	0.0	0.1	67.6	2.5	13.7	131.8	65.5
Aichi	4.0	-	-	0.1	69.3	2.4	14.9	113.4	62.2
Akita	3.8	-	-	0.2	60.3	1.8	17.6	196.0	67.7
Aomori	2.5	-	-	0.2	51.6	1.9	13.4	145.6	53.2
Chiba	5.7	-	0.8	0.1	82.9	2.3	16.5	152.9	73.2
Ehime	2.3	-	-	0.4	73.1	3.1	15.7	98.5	64.3
Fukui	4.6	-	-	-	65.1	3.4	15.7	110.0	58.8
Fukuoka	0.2	-	-	0.0	72.5	2.1	9.4	103.3	49.3
Fukushima	2.0	-	-	0.0	63.0	1.4	11.8	146.3	67.0
Gifu	2.6	-	-	0.2	61.4	2.6	18.3	113.5	64.4
Gumma	3.0	-	-	-	69.4	2.2	11.4	129.8	70.4
Hiroshima	0.8	-	-	0.1	72.6	3.1	14.9	107.1	67.7
Hokkaido	0.2	-	-	0.2	55.3	1.9	16.8	81.2	49.8
Ibogo	3.0	-	-	0.3	67.4	2.1	13.8	94.2	52.9
Ibetsu	4.7	-	-	0.1	75.2	1.6	11.3	156.5	73.4
Ishikawa	4.4	-	-	-	82.2	3.6	16.9	114.4	68.8
Iwate	5.9	-	-	0.1	45.7	1.5	15.1	189.5	66.2
Kagawa	0.7	-	-	0.2	82.1	3.6	12.4	108.6	69.1
Kagoshima	1.4	-	-	0.1	52.4	3.3	14.3	121.9	59.1
Kanagawa	8.8	-	0.1	0.1	61.5	1.4	10.2	99.8	50.0
Kochi	1.6	-	-	-	70.2	5.7	13.9	135.1	47.0

TABLE 57. - DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population)

Area	Japanese B* Encephalitis (37b)	Yellow Fever (38a)	Rabies (38b)	Typhus Fever & Cancer & Other Typhus-like Malignant Tumors Diseases(39)	Diabetes Mellitus (41)	Beriberi (68)	Simple Meningitis (61a)	Intracranial lesions of vascular origin(82)	Diseases of the heart (90-95)
Kumamoto	1.0	-	-	0.1	65.2	3.1	7.3	11.7	61.4
Kyoto	1.2	-	-	0.1	77.4	1.7	9.1	10.6	60.2
Mie	2.3	-	-	0.1	72.9	2.3	8.8	17.0	68.2
Miyagi	4.1	-	-	-	71.0	2.1	10.2	11.7	59.1
Miyazaki	2.4	-	-	0.1	58.5	2.6	5.6	13.3	55.1
Nagano	3.6	-	-	0.1	78.5	1.8	3.2	10.8	69.4
Nagasaki	0.1	-	-	0.1	63.2	2.2	7.2	14.1	69.1
Nara	0.9	-	-	0.3	101.7	1.7	9.1	8.6	65.4
Niigata	3.1	-	-	0.5	84.2	2.2	10.8	16.8	66.2
Oita	0.3	-	-	0.2	69.5	2.9	6.6	15.7	64.9
Okayama	2.5	-	-	0.5	82.4	3.3	8.5	14.3	60.7
Osaka	1.7	-	-	0.1	75.9	1.4	11.6	11.6	56.7
Saga	4.3	-	-	-	86.0	3.3	12.0	15.5	67.9
Saitama	4.0	-	0.1	0.1	72.0	1.4	5.3	13.7	65.7
Shiga	2.5	-	-	-	73.3	3.3	7.8	11.7	74.7
Shimane	1.0	-	-	0.1	77.2	4.5	5.3	13.1	79.6
Shizuoka	6.4	-	-	0.0	56.5	1.2	8.1	12.3	59.8
Tochigi	2.9	-	-	2.9	73.0	1.6	7.0	11.6	67.8
Tokushima	2.9	-	-	-	66.1	4.8	3.9	14.5	79.5
Tokyo	9.7	-	0.3	0.2	66.7	1.6	6.8	6.9	42.2
Tottori	2.2	-	-	-	83.5	3.2	11.8	14.5	62.6
Toyama	6.0	-	-	-	80.9	3.6	13.9	16.4	68.4
Wakayama	1.1	-	-	0.1	83.7	2.7	5.4	14.5	58.0
Yamagata	4.4	-	-	0.1	72.7	1.5	9.7	10.5	72.2
Yamaguchi	4.0	-	-	-	67.5	2.5	8.9	12.0	59.9
Yamanashi	4.8	-	-	0.2	71.8	1.6	4.0	11.9	76.6

See footnotes at end of table.

TABLE 57. - DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population)

Area	Bronchitis (106)	Pneumonia (all forms) (107-109)	Pleurisy (all forms) (110)	Ulcer of stomach or duodenum(117)	Diarrhea, enteritis & ulceration of in- testines(all ages) (119-120)	Diarrhea, enteritis & ulceration of in- testines(under 2 years) (119)	Diarrhea, enteritis & ulceration of in- testines(2 yrs. & over) (120)
All Japan	32.4	66.6	9.6	25.9	104.7	60.9	43.8
All "Shi"	21.9	61.3	9.1	23.8	78.1	48.9	25.2
All "Gun"	38.0	69.5	9.9	27.1	118.8	67.2	51.5
Aichi	34.3	56.1	8.8	21.9	77.2	40.5	36.7
Akita	38.1	66.4	11.5	23.5	183.2	130.6	52.6
Asahi	40.8	97.2	9.5	18.1	207.1	161.2	45.9
Chiba	32.0	61.4	12.6	31.8	83.1	42.7	40.4
Chino	36.2	66.2	8.1	24.2	85.7	45.2	40.5
Fukuoka	48.6	60.8	10.2	26.1	199.3	117.2	82.1
Fukuoka	23.9	61.5	10.0	27.9	79.4	51.4	28.0
Fukuoka	33.8	68.9	11.4	26.8	105.8	68.3	37.6
Gifu	39.1	59.2	10.4	23.8	113.1	63.6	49.5
Gunma	32.2	76.8	7.8	29.0	102.5	40.1	62.4
Hiroshima	29.6	60.9	9.2	30.8	94.4	50.3	44.1
Hokkaido	30.9	80.0	8.5	16.2	134.0	99.9	34.1
Ibigo	30.4	57.6	8.5	24.3	104.5	54.0	50.5
Ibaraki	35.4	58.5	11.0	28.2	88.2	49.5	36.7
Ishikawa	45.2	83.9	6.8	31.8	174.0	119.6	54.4
Iwate	41.8	108.7	9.4	24.9	163.7	123.3	40.4
Kagawa	32.7	72.6	7.4	30.1	89.4	45.3	40.1
Kagoshima	36.9	88.7	11.4	32.4	119.1	68.2	50.9
Kanagawa	17.1	62.6	7.3	22.3	61.1	39.6	21.5
Kochi	33.1	69.6	12.1	22.3	92.0	47.6	44.5

TABLE 57. - DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population)

Area	Bronchitis (106)	Pneumonia (107-109)	Ulcer of Plourisy stomach or (all forms) duodenum (117)	Diarrhea, enteritis & ulceration of in- testines (all ages) (119-120)		Diarrhea, enteritis & ulceration of in- testines (under 2 years) (119)		Diarrhea, enteritis & ulceration of in- testines (2 yrs. & over) (120)	
				(110)	(119-120)	(119)	(119)	(120)	(120)
Kumamoto	39.3	73.3	12.1	31.1	102.8	56.4	56.4	46.4	46.4
Kyoto	26.7	52.3	8.9	23.8	85.7	42.7	42.7	43.0	43.0
Mie	43.3	63.1	10.5	28.6	112.7	57.1	57.1	55.6	55.6
Miyagi	22.9	78.9	9.1	23.6	104.4	78.1	78.1	26.4	26.4
Miyazaki	34.5	69.1	12.0	25.0	104.8	61.9	61.9	42.9	42.9
Nagano	30.0	58.0	8.3	27.3	91.1	38.3	38.3	52.8	52.8
Nagasaki	40.7	77.5	12.5	30.0	103.2	69.8	69.8	33.4	33.4
Nara	29.6	51.9	10.5	31.5	131.1	69.3	69.3	61.8	61.8
Niigata	49.6	76.8	9.7	25.3	141.4	68.9	68.9	72.5	72.5
Oita	47.9	69.1	13.5	33.7	113.7	56.0	56.0	57.7	57.7
Okayama	32.1	64.4	9.6	28.3	109.8	47.3	47.3	62.4	62.4
Osaka	20.1	59.9	9.0	23.4	85.1	47.3	47.3	37.9	37.9
Saga	36.1	59.7	10.0	29.4	116.5	77.3	77.3	39.2	39.2
Saitama	38.6	62.0	9.4	26.3	105.6	48.2	48.2	57.4	57.4
Shiga	33.1	58.8	7.3	31.0	146.4	73.5	73.5	72.9	72.9
Shimane	38.8	74.9	10.7	35.0	110.7	63.1	63.1	47.6	47.6
Shizuoka	27.3	57.7	6.1	24.1	85.8	51.8	51.8	34.0	34.0
Tochigi	36.3	57.8	11.3	26.8	109.9	49.7	49.7	62.2	62.2
Tokushima	44.8	86.2	8.7	25.0	107.4	55.8	55.8	51.6	51.6
Tokyo	15.9	58.4	8.7	22.0	49.7	33.9	33.9	15.7	15.7
Tottori	30.5	59.9	10.3	26.1	114.5	66.3	66.3	48.2	48.2
Toyama	54.4	78.1	8.4	26.6	186.6	116.0	116.0	70.5	70.5
Wakayama	27.9	60.0	10.4	26.6	98.0	47.6	47.6	50.4	50.4
Yamagata	41.6	72.4	11.0	26.3	119.9	87.7	87.7	62.2	62.2
Yamaguchi	28.9	67.4	12.5	33.2	86.3	45.8	45.8	40.5	40.5
Yamanashi	36.4	56.0	11.2	28.8	107.2	46.9	46.9	60.4	60.4

See footnotes at end of table.

TABLE 57. - DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population)

Area	Appendicitis (121)	Nephritis (137-132)	Diseases of Preg- nancy, childbirth & puerperium(140- 150)			Congenital Malformations (157)	Congenital Debility (158)	Birth (159)	Injury at Birth (160)	Senility (162)	Suicide (163-164)	Homicide (165-168)
All Japan	4.8	45.9	5.6	7.2	47.8	17.1	1.3	80.4	16.1	2.0		
All 'Shi'	6.0	40.2	5.5	6.7	35.6	15.3	1.3	56.6	15.8	2.4		
All 'Gun'	4.1	48.9	5.6	7.5	54.2	18.2	1.2	93.0	16.3	1.8		
Aichi	3.8	36.8	4.9	6.1	53.1	19.1	1.1	82.1	17.0	1.6		
Akita	7.2	58.5	8.6	9.1	64.1	27.0	1.7	83.3	16.7	1.4		
Aomori	7.0	38.8	8.2	8.9	92.8	18.9	1.0	95.7	11.2	2.1		
Chiba	5.0	55.3	6.3	7.9	46.8	24.7	1.6	107.9	13.7	2.4		
Ehime	4.3	38.5	4.3	7.6	48.3	18.7	2.0	111.9	15.7	1.8		
Fukui	5.3	41.1	5.3	6.3	74.6	23.7	1.1	116.8	19.9	1.4		
Fukuoka	4.9	47.0	5.9	7.8	42.4	13.6	0.9	62.5	12.3	3.3		
Fukushima	5.8	41.8	6.1	8.2	52.4	17.5	1.4	77.7	13.2	2.0		
Gifu	3.0	36.9	4.9	5.4	62.1	22.6	1.1	85.9	22.4	1.7		
Gumma	4.2	44.5	5.6	7.8	42.9	12.6	1.6	69.0	13.3	1.7		
Hiroshima	4.3	45.4	5.0	6.5	42.6	13.0	1.2	89.6	16.8	1.6		
Ho'kaido	4.7	28.7	6.6	7.9	42.0	11.3	1.1	54.3	13.1	2.2		
Hyogo	4.8	42.8	5.0	5.8	42.8	16.3	0.9	83.0	18.4	1.6		
Ibaraki	5.2	56.1	6.0	8.1	56.9	25.2	1.8	93.2	11.6	2.5		
Ishikawa	5.2	45.8	7.0	8.5	60.2	20.9	0.7	96.1	14.1	0.7		
Iwate	4.7	44.4	8.7	7.8	70.0	23.9	1.5	81.8	15.2	1.2		
Kagawa	4.4	47.3	4.6	8.0	65.5	25.1	1.3	95.7	16.1	1.9		
Kagoshima	3.8	58.2	6.4	6.6	36.9	13.4	1.0	79.7	12.7	1.1		
Kanagawa	4.5	37.9	4.8	8.2	26.8	11.6	1.0	57.7	16.4	2.8		
Kochi	4.6	47.6	4.8	8.0	49.2	21.9	1.8	136.4	17.4	2.9		

TABLE 57. - DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population)

Area	Appendicitis (121)	Nephritis (130-132)	Diseases of Preg- nancy, childbirth & puerperium(140- 150)		Congenital Malformations (157)	Congenital Debility (158)	Premature Birth (159)	Injury at Birth (160)	Senility (162)	Suicide (163-164)	Homicide (165-168)
Kumamoto	5.2	60.4		6.0	5.5	42.1	15.2	0.7	83.7	11.0	2.4
Kyoto	5.3	36.3		3.8	5.7	38.3	16.8	1.4	80.2	23.9	1.9
Mie	4.0	43.5		5.4	7.6	51.6	20.3	1.0	92.6	17.5	1.4
Miyagi	5.5	39.2		6.8	7.5	55.3	17.4	2.2	70.3	9.3	1.2
Miyazaki	4.2	53.9		7.5	7.1	45.4	19.6	1.4	71.2	14.4	2.3
Nagano	4.9	52.5		4.5	6.7	35.2	14.8	0.8	82.8	19.0	2.2
Nagasaki	3.5	48.2		5.9	7.3	52.3	12.9	1.0	98.4	11.5	2.2
Nara	4.0	52.3		6.2	5.4	62.6	16.3	1.5	90.2	18.3	1.8
Niigata	6.2	54.6		5.4	7.6	44.1	18.1	1.4	74.3	23.8	1.3
Oita	5.6	59.3		7.1	6.2	55.1	19.3	1.4	109.5	16.1	1.8
Okayama	4.5	43.0		4.8	6.2	60.6	20.7	1.5	119.3	15.1	1.8
Osaka	4.4	47.9		4.6	6.6	40.5	13.6	0.9	63.7	16.8	2.0
Saga	4.5	68.0		5.6	7.2	72.4	21.7	1.1	91.1	10.8	2.0
Saitama	3.7	50.3		5.7	10.2	51.8	17.6	1.0	81.7	14.0	1.9
Shiga	6.5	53.6		3.2	7.1	53.6	21.2	2.5	99.0	26.7	1.7
Shimane	6.6	50.1		7.6	8.3	53.7	21.3	1.7	94.4	20.0	1.3
Shizuoka	4.0	39.6		4.7	7.5	41.5	14.9	0.7	72.2	16.9	1.7
Tochigi	4.1	46.0		6.2	8.7	39.1	16.0	0.8	72.5	16.3	1.7
Tokushima	3.2	49.8		5.6	6.2	68.1	21.4	1.4	112.7	17.7	2.5
Tokyo	4.6	39.3		4.7	6.6	26.3	13.7	1.2	44.6	16.3	2.7
Tottori	6.7	59.4		6.9	5.1	51.8	18.7	2.4	122.4	15.5	1.3
Toyama	6.9	51.5		3.9	6.0	55.0	24.6	2.2	63.5	19.7	1.3
Wakayama	4.0	34.9		4.1	8.5	37.2	18.1	1.0	95.2	25.8	2.6
Yamagata	5.9	58.1		7.1	9.4	66.0	21.2	3.0	75.1	18.6	1.2
Yamaguchi	5.0	52.4		4.9	5.0	42.3	9.8	0.9	96.1	18.3	3.4
Yamanashi	4.5	56.9		5.5	5.8	34.0	12.5	1.0	74.6	13.1	1.5

See footnotes at end of table.

TABLE 57. - DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population)

Area	Accidental Deaths (1949-1955)		Ill-defined & Unknown Causes (200a, 200c)		All Other Causes	
All Japan	49.3		22.0		165.5	
All "Shi"	48.1		21.1		146.3	
All "Gun"	49.9		22.5		175.6	
Aichi	35.2		19.2		144.0	
Akita	48.9		22.2		183.2	
Aomori	51.9		26.3		182.9	
Chiba	38.1		22.4		161.8	
Ehime	39.1		21.7		171.6	
Fukui	520.2		34.7		204.0	
Fukuoka	61.3		19.4		160.0	
Fukushima	48.2		21.7		153.7	
Gifu	38.5		22.4		161.5	
Gunma	45.8		16.8		161.7	
Hiroshima	50.2		19.6		172.2	
Hokkaido	56.1		30.0		150.2	
Iyogo	44.0		19.7		160.9	
Ibaraki	34.4		21.5		165.2	
Ishikawa	47.9		25.6		237.6	
Iwate	81.9		25.6		168.0	
Kagawa	51.4		28.9		174.4	
Kagoshima	39.9		20.8		199.4	
Kanagawa	48.6		21.6		120.2	
Kochi	49.4		24.6		180.0	

TABLE 57. - DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population)

Area	Accidental Deaths (199-195)		Ill-defined & Unknown Causes (200a, 200c)		All Other Causes	
Kumamoto	38.5		20.1		186.6	
Kyoto	34.4		20.0		182.2	
Mie	36.0		29.4		182.8	
Miyagi	46.3		20.2		159.0	
Miyazaki	42.4		14.6		179.0	
Nagano	35.4		19.6		156.7	
Nagasaki	54.0		19.0		207.3	
Nara	34.1		33.4		179.3	
Niligata	42.6		21.9		178.0	
Oita	45.1		19.5		214.1	
Okayama	60.4		22.8		188.5	
Osaka	38.7		24.5		134.9	
Saga	61.1		25.1		213.1	
Saitama	34.3		25.5		160.5	
Shiga	34.0		21.1		204.9	
Shimane	49.9		17.6		179.1	
Shizuoka	37.0		18.5		146.9	
Tochigi	35.6		20.7		156.5	
Tokushima	45.9		27.8		186.3	
Tokyo	39.4		19.2		123.2	
Tottori	38.1		12.3		187.7	
Toyama	54.6		28.0		205.4	
Wakayama	38.9		23.4		174.0	
Yamagata	44.7		18.8		181.8	
Yamaguchi	62.4		21.3		177.6	
Yamanashi	43.7		20.1		180.5	

See footnotes on next page.

TABLE 57. - DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.

FOOTNOTES:-

Data refer to deaths of Japanese nationals in Japan Proper.

A dash (-) indicates that no deaths were reported and the death rate was zero.

A rate of 0.0 indicates that there were some deaths but the rate was less than 0.1.

SOURCES:-

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of death data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER (1):													
All Japan	1,481	89	86	71	80	129	123	204	228	171	121	95	84
All "Shi"	806	47	47	45	46	67	71	106	135	75	60	48	59
All "Gun"	675	42	39	26	34	62	52	98	93	96	61	47	25
Aichi	68	2	2	3	2	3	6	16	11	5	8	6	4
Akita	15	-	-	-	-	2	-	2	3	3	3	1	1
Asomori	20	1	1	2	3	3	1	2	2	4	4	1	-
Chiba	53	3	6	1	-	2	4	6	11	8	7	2	3
Ehime	13	-	1	2	1	2	-	3	2	1	1	-	-
Fukui	14	1	-	-	-	1	1	3	2	3	-	1	2
Fukuoka	30	3	1	1	-	3	3	6	3	1	4	4	1
Fukushima	31	1	3	1	1	2	3	5	7	1	2	3	2
Gifu	55	6	5	1	2	10	6	7	4	2	5	2	5
Gunma	22	2	-	6	1	2	-	4	2	4	-	-	1
Hiroshima	36	1	5	2	4	2	3	4	6	1	5	-	3
Hokkaido	46	5	2	1	1	6	2	8	9	5	2	1	4
Hyogo	79	4	10	4	6	8	7	6	11	15	3	4	1
Ibaraki	22	3	1	3	-	3	2	2	1	4	1	2	-
Ishikawa	10	-	2	-	2	1	2	-	2	-	-	-	1
Iwate	17	-	-	1	-	2	1	3	-	3	2	3	2
Kagawa	17	5	1	2	-	-	1	2	-	2	1	2	1
Kagoshima	5	1	-	-	-	-	-	-	-	2	1	1	-
Kochi	26	2	2	1	2	2	4	3	-	4	3	1	2

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER (1) - Cont'd:													
Kumamoto	6	-	2	1	1	-	-	-	1	-	-	-	1
Kyoto	50	-	7	-	-	1	6	5	12	7	6	1	5
Mie	36	1	-	2	1	3	2	10	6	3	4	4	-
Miyagi	32	-	-	1	1	3	3	2	6	6	3	2	5
Miyazaki	6	1	-	-	2	-	-	-	1	2	-	-	-
Nagano	49	3	1	2	2	1	-	18	10	9	1	1	1
Nagasaki	30	5	1	2	2	3	4	2	6	-	2	-	3
Nara	18	1	1	1	-	-	2	3	2	4	4	1	-
Niigata	48	2	3	4	4	3	2	3	9	9	3	5	1
Oita	9	-	1	-	1	2	1	2	1	1	-	-	-
Okayama	43	2	2	-	4	4	2	5	10	9	3	1	1
Osaka	87	3	3	4	9	8	11	7	18	11	5	5	3
Saga	5	1	-	-	-	-	1	-	1	1	-	-	1
Saitama	45	4	-	4	1	1	8	8	6	7	4	-	2
Shiga	8	1	-	-	-	2	-	1	2	2	-	-	-
Shimane	16	-	-	1	1	4	-	1	3	1	3	1	1
Shizuoka	34	1	3	-	1	3	3	9	2	5	2	3	2
Tochigi	33	3	-	-	1	5	1	7	6	4	2	3	1
Tokushima	16	2	-	-	3	1	2	-	2	1	3	2	-
Tokyo	175	10	9	14	10	18	14	20	22	7	15	17	19
Tottori	5	-	1	-	-	-	-	1	1	1	-	-	1
Toyama	32	1	2	-	2	3	4	2	6	3	4	4	1
Wakayama	18	-	-	1	3	2	2	2	3	1	3	-	1
Yamagata	11	1	1	-	2	3	1	1	1	-	-	1	-
Yamaguchi	13	1	1	-	1	-	1	1	2	2	2	2	-
Yamanashi	2	-	-	-	-	-	1	-	1	-	-	-	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 -Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER (2):													
All Japan	171	7	11	9	16	16	20	13	27	14	18	11	9
All "Shi"	92	4	5	3	10	9	13	4	17	9	10	4	4
All "Gun"	99	3	6	6	6	7	7	9	10	5	8	7	5
Aichi	7	-	-	-	-	1	-	2	2	-	-	1	1
Akita	3	-	-	-	1	-	-	-	1	-	-	1	-
Aomori	5	1	-	1	-	1	1	-	-	1	-	-	-
Chiba	5	1	-	-	1	-	-	1	1	1	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	2	-	-	1	-	-	-	-	-	1	-	-	-
Fukuoka	1	-	-	-	-	-	-	1	-	-	-	-	-
Fukushima	3	-	-	-	1	-	-	-	-	-	1	-	1
Gifu	9	-	1	1	2	2	-	-	-	2	-	-	1
Gunma	2	-	1	-	1	-	-	-	-	-	-	-	-
Hiroshima	2	-	-	-	-	-	-	-	-	-	-	1	1
Hokkaido	7	-	-	-	-	-	1	-	2	-	1	1	2
Hyogo	2	1	-	-	-	1	-	-	-	-	-	-	-
Ibaraki	5	1	1	1	-	1	-	-	2	-	-	-	-
Ishikawa	1	-	1	-	-	-	-	-	-	-	-	-	-
Iwate	8	-	1	-	-	1	2	-	2	1	1	-	-
Kagawa	2	-	-	-	1	-	-	1	-	-	-	-	-
Kagoshima	1	-	-	-	-	-	1	-	-	-	-	-	-
Kanagawa	1	-	-	-	-	-	-	-	-	1	-	-	-
Kochi	1	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Causes of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER (2) - Cont'd:													
Kanazawa	1	-	1	-	-	-	1	-	-	-	-	-	-
Kyoto	3	-	-	1	-	-	1	-	-	-	-	-	-
Mie	7	-	-	1	2	-	-	-	2	1	-	1	-
Miyagi	14	1	1	-	-	1	3	2	3	-	2	1	-
Miyazaki	2	-	-	-	-	-	-	-	-	1	1	-	-
Nagano	4	-	-	-	1	-	-	-	1	1	1	-	-
Nagasaki	1	-	-	-	-	-	1	-	1	-	-	-	-
Nara	1	-	-	-	-	-	-	-	1	-	-	-	-
Migata	6	1	1	-	-	-	-	2	-	-	2	-	-
Oita	2	-	-	1	-	1	-	-	-	-	-	-	-
Okayama	2	-	-	-	-	-	-	-	-	-	1	1	-
Osaka	6	-	-	-	-	-	1	-	1	-	1	1	2
Saga	2	1	-	-	-	-	-	-	-	-	-	-	-
Saitama	6	-	1	1	1	-	1	-	-	-	2	-	1
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	1	-	-	-	-	-	-	-	1	-	-	-	-
Shizuoka	4	-	-	-	-	-	-	-	1	1	2	-	-
Tochigi	5	-	-	-	-	1	1	-	2	-	-	1	-
Tokushima	1	-	-	-	-	-	-	1	-	-	-	-	-
Tokyo	27	-	-	-	5	5	5	1	5	2	3	1	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	3	-	-	1	-	-	-	1	-	-	-	1	-
Wakayama	2	-	-	-	-	-	1	-	-	1	-	-	-
Yamagata	1	-	-	-	-	-	1	-	-	-	-	-	-
Yamaguchi	1	1	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	2	-	2	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CEREBROSPINAL (MENINGOCOCCUS)													
MENINGITIS (6):													
All Japan	661	46	55	83	78	56	48	46	72	57	33	28	39
All "Shi"	342	26	28	45	40	30	26	28	44	28	16	17	16
All "Gun"	319	20	29	38	38	26	22	18	48	29	17	11	23
Aichi	10	2	1	-	-	1	1	1	1	1	-	-	2
Akita	18	1	-	3	3	2	-	-	-	5	1	1	2
Aomori	21	2	2	2	2	-	-	2	1	8	1	1	-
Chiba	11	-	-	-	1	1	1	1	5	2	-	-	-
Ehime	8	-	1	1	1	2	-	-	-	1	-	1	1
Fukui	3	-	-	1	1	1	-	-	-	-	-	-	-
Fukuoka	17	1	1	2	5	1	1	-	1	2	-	2	1
Fukushima	25	-	1	4	4	5	1	-	2	3	2	1	2
Gifu	5	-	1	-	-	-	-	1	3	-	-	1	-
Gunma	10	2	-	-	1	-	1	-	1	1	1	1	2
Hiroshima	10	-	2	1	2	2	1	-	1	-	-	1	-
Hokkaido	55	5	5	5	8	7	5	5	4	4	2	2	3
Iyogo	17	3	1	4	1	2	-	-	1	2	1	1	1
Ibaraki	23	1	5	4	2	-	1	4	4	1	1	1	-
Ishikawa	5	1	-	-	-	-	1	1	1	-	1	-	-
Iwate	6	-	1	-	-	-	2	1	-	1	1	-	-
Kagawa	3	-	-	-	-	-	1	1	1	-	-	-	-
Kagoshima	6	-	-	-	1	1	1	2	-	-	-	-	2
Kanagawa	24	2	3	5	2	1	-	-	5	-	1	2	1
Kochi	4	-	-	1	1	-	-	1	-	-	1	-	-

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CEREBROSPINAL (MENINGOCOCCUS)													
MENINGITIS (6) - Cont'd:													
Kumamoto	12	3	1	1	-	2	-	1	1	-	1	-	2
Kyoto	33	4	2	2	4	2	-	1	6	6	4	-	2
Kie	-	-	-	-	-	-	-	-	-	-	-	-	2
Miyagi	24	1	1	6	2	-	1	1	5	-	1	5	1
Miyazaki	4	-	-	-	-	-	-	1	2	-	-	-	1
Nagano	19	1	-	3	1	-	3	3	3	2	2	-	1
Nagasaki	17	-	-	3	1	3	3	-	3	3	1	-	-
Nara	2	-	1	1	-	1	-	-	-	-	-	-	-
Niigata	23	1	4	-	3	1	1	-	10	3	-	-	-
Oita	5	-	-	-	1	-	1	-	-	2	1	-	-
Okayama	5	1	1	-	1	-	1	1	-	-	-	-	-
Osaka	38	1	1	3	5	2	6	6	1	4	1	3	5
Saga	3	-	-	2	1	-	-	-	1	-	1	1	-
Saitama	9	1	1	2	1	1	1	-	2	-	-	-	-
Shiga	3	-	-	1	-	-	1	-	-	-	1	-	-
Shimane	9	-	-	-	-	2	3	-	2	1	1	-	-
Shizuoka	19	1	2	1	2	3	1	-	6	-	2	-	1
Tochigi	2	-	-	-	-	-	-	-	-	-	-	-	2
Tokushima	5	2	-	-	2	-	-	-	1	-	-	-	-
Tokyo	99	6	10	19	13	12	6	10	13	-	3	3	4
Tottori	6	2	1	2	-	-	-	-	1	-	-	1	3
Toyama	11	1	2	1	-	-	1	-	1	-	1	-	-
Wakayama	4	1	-	2	1	-	-	-	-	-	-	-	-
Yamagata	15	-	3	2	3	-	2	-	2	2	1	-	-
Yamaguchi	7	-	-	-	2	1	-	1	1	1	-	1	-
Yamanashi	6	-	1	2	-	-	1	1	1	-	-	-	-

See footnotes at end of table.

TABLE 58 . - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER (8):													
All Japan	42	3	1	4	6	4	3	3	4	1	2	4	7
All "Shi"	21	-	1	2	3	2	1	1	2	1	2	3	3
All "Gun"	21	3	-	2	3	2	2	2	2	-	-	1	4
Aichi	3	-	-	-	-	-	-	-	1	-	-	1	1
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	1	-	-	-	-	-	-	-	-	1	-	-	-
Ehime	2	2	-	-	-	-	-	-	-	-	-	-	-
Fukui	1	-	-	-	-	-	-	-	-	-	-	1	-
Fukuoka	2	-	1	-	-	-	-	1	-	-	-	-	-
Fukushima	1	-	-	1	-	-	1	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	4	-	-	1	1	-	-	-	1	-	-	-	1
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	6	-	-	1	-	1	1	-	1	-	-	-	2
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	1	-	-	-	-	1	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	4	-	-	1	1	-	-	1	-	-	-	-	1
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER (8) - Cont'd:													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	2	1	-	1	-	-	-	-	-	-	-	-	-
Miyazaki	1	-	-	1	-	-	-	-	-	-	-	-	-
Nagano	2	-	-	-	-	-	-	-	-	-	-	-	2
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	1	-	-	-	-	1	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	1	-	-	-	-	-	1	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	1	-	-	-	-	-	-	-	-	-	-	1	-
Shiga	1	-	-	-	-	-	-	1	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	1	-	-	1	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	6	-	-	-	1	1	-	-	1	-	2	1	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	1	-	-	-	1	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death And Area	Total Deaths	WHOOPING COUGH (9):											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	4793	482	368	292	314	365	418	563	554	426	260	301	450
All "Shi"	1516	126	116	87	85	106	132	179	180	150	101	107	147
All "Gun"	3277	356	252	205	229	259	286	384	374	276	159	194	303
Aichi	146	6	12	5	8	10	11	20	28	13	9	10	14
Akita	105	15	7	5	9	4	7	8	8	12	3	9	18
Aomori	102	13	8	5	3	6	5	6	13	6	9	14	14
Chiba	85	7	6	4	8	9	12	8	17	6	5	-	3
Ehime	61	5	4	5	4	3	8	9	8	8	3	-	4
Fukui	53	4	5	4	4	5	6	5	8	4	2	4	2
Fukuoka	188	30	19	6	16	16	8	29	21	12	10	5	16
Fukushima	161	22	18	12	13	17	15	15	12	5	5	8	19
Gifu	102	5	5	5	2	7	11	13	15	13	6	6	14
Gunma	200	13	6	5	13	18	11	32	25	14	16	16	31
Hiroshima	47	4	8	3	2	3	6	3	7	6	1	1	3
Hokkaido	498	21	18	19	20	16	17	40	61	83	59	62	82
Iyogo	131	12	4	6	4	11	18	16	16	15	8	9	12
Ibaraki	85	16	6	6	10	7	6	8	8	7	2	4	5
Ishikawa	90	9	5	6	12	4	9	8	8	5	6	9	9
Iwate	129	18	11	10	5	11	19	8	10	11	5	9	12
Kagawa	32	4	4	3	4	3	1	5	2	1	2	2	1
Kagoshima	130	17	4	4	14	9	14	17	22	11	6	6	6
Kanagawa	99	11	11	2	4	16	6	11	18	6	5	3	6
Kochi	30	7	8	4	1	1	2	1	1	3	1	-	1

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH (9) - Cont'd:													
Kumamoto	68	15	9	7	3	2	12	12	11	4	3	3	7
Kyoto	75	9	2	6	4	2	6	12	9	7	7	7	4
Mie	47	6	9	3	3	4	2	3	6	3	-	5	3
Miyagi	131	18	9	11	20	7	11	23	8	5	1	4	14
Miyazaki	61	12	7	6	2	3	4	12	5	3	4	-	3
Nagano	168	15	7	4	13	16	27	16	15	16	7	13	19
Nagasaki	76	7	9	6	9	9	7	10	9	3	5	2	-
Nara	8	-	-	-	-	3	-	1	2	-	-	-	2
Niigata	290	31	25	24	19	13	37	34	23	28	19	18	19
Oita	62	9	6	6	2	1	6	10	9	1	2	6	4
Okayama	73	13	8	4	6	7	6	11	7	10	-	1	-
Osaka	103	4	7	7	2	11	5	17	13	12	6	8	11
Saga	58	5	8	6	3	6	2	8	7	4	3	3	3
Saitama	136	6	10	9	9	9	11	24	24	6	4	3	21
Shiga	53	4	2	1	2	6	4	12	7	7	-	3	5
Shimane	124	7	8	14	6	17	13	21	11	12	3	7	5
Shizuoka	77	7	3	4	6	9	7	7	17	5	4	4	4
Tochigi	113	18	10	9	7	15	6	12	9	10	4	6	7
Tokushima	18	3	4	4	3	1	2	-	-	1	-	-	-
Tokyo	213	19	18	20	13	19	26	16	27	17	11	9	18
Tottori	13	2	-	-	1	1	2	3	-	2	-	1	1
Toyama	91	4	11	9	9	5	11	12	10	4	3	8	5
Wakayama	21	4	5	1	3	1	4	-	1	-	-	2	-
Yamagata	86	7	8	4	7	10	6	4	3	15	8	3	11
Yamaguchi	76	9	6	2	4	7	3	10	10	9	1	6	9
Yamanashi	58	9	8	6	2	5	6	11	3	1	2	2	3

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA (10):													
All Japan	1920	278	236	207	132	98	82	50	56	94	148	244	295
All "Shi"	746	123	90	86	54	29	36	16	18	33	48	84	129
All "Gun"	1174	155	146	121	78	69	46	34	38	61	100	160	166
Aichi	51	5	9	7	4	1	3	-	1	1	1	7	12
Akita	49	10	2	5	3	3	2	3	-	3	4	6	5
Aomori	30	3	1	2	2	1	1	2	1	2	2	7	6
Chiba	28	2	5	3	-	3	-	-	-	-	1	6	8
Ehime	41	10	9	5	4	-	1	-	1	1	-	1	9
Fukui	15	2	2	2	-	-	1	3	1	-	1	1	2
Fukuoka	90	20	8	7	5	2	4	2	1	6	7	12	16
Fukushima	36	4	2	2	3	2	1	1	-	4	7	4	6
Gifu	19	3	2	3	1	-	-	-	2	1	2	3	2
Gumma	62	6	12	9	1	1	3	1	1	2	5	10	11
Hiroshima	39	4	3	3	1	3	2	1	-	2	4	10	6
Hokkaido	227	39	16	18	16	11	9	8	8	18	20	33	31
Hyogo	56	8	10	6	5	6	5	1	2	-	2	6	5
Ibaraki	16	2	1	2	1	1	1	1	2	2	-	4	1
Ishikawa	28	5	4	3	2	3	-	1	1	1	-	4	4
Iwate	51	7	5	3	2	2	-	-	5	2	7	6	12
Kagawa	15	2	3	5	-	2	-	-	-	1	1	1	2
Kagoshima	56	7	7	4	5	4	1	3	1	3	7	9	5
Kanagawa	62	7	4	7	4	-	6	2	2	2	6	3	9
Kochi	12	3	4	2	1	-	-	-	-	-	1	1	-

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA (10): - Cont'd:													
Kumamoto	25	2	3	4	3	3	1	-	1	-	4	1	3
Kyoto	25	-	2	2	3	1	2	2	1	2	1	1	8
Nie	24	5	5	2	2	2	3	1	2	-	1	2	3
Miyagi	48	3	6	8	5	3	4	-	-	2	-	4	8
Miyazaki	55	6	6	3	5	2	2	5	3	5	7	6	5
Nagano	41	7	5	5	3	5	2	2	1	2	2	3	4
Nagasaki	42	5	6	-	1	-	2	1	1	3	8	7	6
Nara	19	3	1	4	3	-	1	1	1	2	1	1	3
Niigata	48	5	10	7	4	7	2	1	-	1	6	11	14
Oita	47	12	5	1	4	3	-	-	-	4	2	5	11
Okayama	32	6	3	5	2	2	2	-	-	2	3	2	5
Osaka	42	4	7	6	6	2	2	-	1	1	3	5	5
Saga	48	8	6	6	5	4	1	-	1	2	2	8	5
Saitama	28	6	4	3	3	-	1	1	2	-	4	2	3
Shiga	11	1	1	2	-	2	-	-	-	-	2	1	2
Shimane	24	7	5	2	-	-	4	-	1	-	-	2	3
Shizuoka	38	9	3	5	3	-	2	1	2	2	3	5	3
Tochigi	24	5	3	3	2	2	-	-	1	1	2	-	5
Tokushima	32	2	5	5	-	4	3	1	2	1	2	6	1
Tokyo	147	15	22	25	10	8	5	3	3	4	5	21	26
Tottori	10	1	5	1	-	-	-	-	-	-	-	3	-
Toyama	25	4	3	1	1	1	-	1	1	4	2	5	2
Wakayama	9	2	2	1	-	1	-	-	-	1	1	-	1
Yamagata	43	5	5	4	2	2	2	1	1	3	4	3	11
Yamaguchi	35	7	3	4	5	1	2	-	-	1	3	4	4
Yamanashi	5	-	1	-	-	-	-	-	-	1	-	2	2

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12):													
All Japan	2,157	152	120	143	201	177	179	243	294	197	153	189	169
All "Sai"	747	56	40	46	71	54	66	86	79	53	65	65	66
All "Guns"	1,410	96	80	97	130	123	113	157	155	144	88	124	103
Aichi	102	3	2	7	5	7	12	13	17	12	3	8	13
Akita	22	1	1	3	4	-	2	-	1	2	2	2	4
Aomori	31	5	1	-	2	1	3	1	6	8	-	3	1
Chiba	140	15	10	8	15	11	18	19	10	12	6	7	9
Ehime	46	5	5	1	4	1	3	8	3	1	6	5	4
Fukui	14	1	1	1	-	-	1	6	-	2	1	-	1
Fukuoka	72	4	6	5	9	3	2	6	9	5	2	7	14
Fukushima	43	4	1	1	6	7	3	5	5	6	1	4	-
Gifu	35	2	2	2	-	7	5	5	3	3	1	2	5
Gumma	63	4	2	8	4	7	5	10	6	2	6	6	3
Hiroshima	35	1	2	-	5	3	4	3	4	3	4	2	4
Hokkaido	47	3	3	2	6	3	3	4	6	6	1	5	5
Ibigo	48	4	2	3	4	4	7	1	9	4	7	2	1
Ibaraki	133	11	12	6	14	10	9	14	13	12	9	16	7
Ishikawa	27	2	-	4	1	2	2	8	2	2	-	2	1
Iwate	21	-	1	-	5	2	4	4	-	1	1	3	-
Kagawa	30	3	4	-	1	2	1	4	4	1	3	6	1
Kagoshima	109	9	4	9	12	2	3	7	14	10	3	13	15
Kanagawa	64	2	3	2	9	5	7	8	2	8	6	4	8
Kochi	30	1	1	4	5	2	4	1	5	3	3	1	-

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12) Cont'd.													
Kumamoto	69	7	4		6	12	2	1	7	9	4	3	5
Kyoto	29	4	-	1	1	-	2	4	4	1	5	5	2
Mie	30	4	2	2	-	3	2	4	1	3	1	5	3
Miyagi	41	4	2	4	6	2	1	1	7	2	4	4	4
Miyazaki	49	4	3	5	9	3	8	4	3	2	3	4	1
Nagano	51	4	1	1	4	11	6	5	8	5	3	1	2
Nagasaki	69	4	7	8	3	6	6	5	5	8	7	4	6
Nara	15	1	1	3	-	2	1	3	5	-	7	1	3
Niigata	19	1	-	1	1	1	-	3	3	3	-	2	-
Oita	46	3	1	8	4	1	2	5	4	5	5	5	3
Okayama	40	2	1	2	6	1	2	5	4	-	3	8	6
Osaka	59	3	8	4	3	2	6	4	5	8	10	4	2
Saga	33	2	1	1	1	3	3	3	2	2	2	5	2
Saitama	77	8	3	4	5	5	6	13	12	5	3	8	5
Shiga	12	-	1	-	-	2	2	-	3	3	-	1	-
Shimane	28	2	1	1	1	1	-	8	4	5	2	3	-
Shizuoka	61	4	4	5	6	8	4	4	4	5	9	5	3
Tochigi	38	2	4	2	2	4	2	4	4	5	2	3	4
Tokushima	28	-	-	2	3	2	4	4	2	3	4	2	2
Tokyo	123	11	4	9	17	13	7	18	12	7	10	6	9
Tottori	8	-	1	1	1	1	1	1	1	-	-	1	-
Toyama	15	-	2	1	-	3	4	2	1	1	-	1	1
Wakayama	13	-	1	1	-	1	3	2	2	-	-	1	2
Yamagata	20	-	2	1	2	1	2	5	-	1	1	3	2
Yamaguchi	45	1	2	1	4	2	3	8	9	1	3	6	5
Yamanashi	27	-	1	-	5	3	3	1	6	4	2	1	1

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) (13-22):													
All Japan	145256	10976	11,039	12,697	12,988	13,236	12,844	12,833	12,545	12,032	11,865	11,197	11,024
All "Shi"	62327	4641	4,639	5,282	5,503	5,591	5,506	5,617	5,367	5,145	5,217	4,932	4,787
All "Gun"	82929	6335	6,380	7,315	7,485	7,645	7,338	7,216	7,178	6,887	6,648	6,265	6,237
Aichi	5552	434	406	514	451	490	505	500	449	454	466	424	459
Akita	2290	175	185	203	233	228	216	168	175	190	187	168	162
Aomori	2857	207	201	267	277	253	264	257	265	224	225	209	211
Chiba	3088	226	226	260	261	287	300	245	257	271	250	231	274
Ehime	2479	179	206	225	218	232	230	208	220	200	199	196	166
Fukui	1205	85	96	133	126	126	89	104	106	104	96	72	68
Fukuoka	7222	577	552	611	641	569	629	629	641	611	649	597	556
Fukushima	3129	184	221	262	291	330	300	257	280	276	251	250	227
Gifu	2978	212	210	253	240	274	268	306	257	272	246	223	217
Gunma	2330	168	178	206	209	237	244	219	184	180	190	147	168
Hiroshima	3694	245	286	309	308	324	316	359	349	319	311	306	262
Hokkaido	9840	772	735	906	956	916	835	820	826	845	753	745	731
Hyogo	5829	506	443	477	524	545	482	520	508	478	474	438	434
Ibaraki	2359	183	195	193	208	233	248	194	215	197	179	164	186
Ishikawa	1724	118	133	149	162	156	117	152	154	164	138	154	127
Iwate	2764	181	204	238	279	294	270	226	225	228	210	209	200
Kagawa	1550	115	134	121	136	145	145	125	132	137	136	125	107
Kagoshima	2952	231	224	231	236	245	255	218	281	244	275	233	279
Kanagawa	4411	396	353	412	395	386	359	381	368	330	362	355	314
Kochi	1253	90	105	109	117	123	105	104	104	106	83	99	108

TABLE 53. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) (13-22) - Cont'd.													
Kumamoto	2833	216	222	228	258	259	246	267	228	248	222	238	201
Kyoto	3955	301	293	322	345	365	336	389	370	308	342	301	283
Mie	2233	201	173	170	189	194	170	208	203	192	177	186	170
Miyagi	2575	204	192	241	216	256	224	220	188	187	194	209	244
Miyazaki	1794	139	137	156	127	155	151	144	156	149	166	157	157
Nagano	3061	229	247	323	280	267	269	291	271	258	208	189	229
Nagasaki	2828	226	199	252	224	252	236	233	248	267	265	231	195
Nara	1286	86	97	96	115	116	122	115	114	107	94	130	94
Niigata	4532	340	362	375	433	444	396	358	393	346	362	368	365
Oita	2475	199	182	203	207	226	232	234	232	182	205	187	186
Okayama	2752	196	198	238	234	242	248	241	252	236	236	232	199
Osaka	7375	559	557	637	577	613	635	656	677	628	650	611	575
Saga	1781	163	134	181	146	138	164	166	149	157	140	123	120
Saitama	2951	168	243	256	263	268	255	273	287	233	257	243	227
Shiga	1447	108	109	134	151	139	145	114	113	119	102	99	114
Shimane	1915	134	144	153	210	201	170	193	163	150	137	125	135
Shizuoka	3475	268	300	309	312	304	319	318	279	256	279	249	282
Tochigi	2028	131	158	201	163	196	201	187	174	161	142	171	143
Tokushima	1532	104	121	113	157	146	118	132	159	132	132	99	119
Tokyo	11970	916	910	1018	1136	11081	1071	1103	991	929	987	881	947
Tottori	1119	84	77	110	113	106	79	100	79	102	96	87	86
Toyama	1888	113	127	166	171	176	161	195	172	183	153	156	115
Wakayama	1539	107	109	150	132	118	126	132	127	162	134	128	114
Yamagata	2339	174	229	229	225	224	239	191	181	161	186	183	176
Yamaguchi	3215	256	248	277	274	276	283	305	275	281	260	267	223
Yamanashi	852	70	53	67	77	90	73	76	88	68	60	61	69

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
LEPROSY (23)													
All Japan	148	17	16	19	7	19	8	10	10	9	8	12	13
All "Shi"	10	4	2	-	-	1	-	1	1	-	-	1	-
All "Gun"	138	13	14	19	7	18	8	9	9	9	8	11	13
Aichi	4	-	1	-	-	-	-	-	1	-	-	1	1
Akita	5	-	-	2	1	-	2	-	-	-	-	-	-
Aomori	5	1	1	1	-	2	-	-	-	-	-	-	-
Chiba	2	1	1	-	-	-	-	-	-	-	-	-	-
Edo	1	-	-	-	-	-	-	-	1	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	1	-	-	-	-	-	-	-	-	-	-	-
Fukushima	1	-	-	-	-	-	-	-	-	-	-	1	-
Gifu	1	-	-	-	-	1	-	-	-	-	-	-	-
Gumma	6	-	-	-	1	-	-	-	1	1	-	1	2
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	3	2	-	-	-	1	-	-	-	-	-	-	-
Hyogo	4	1	1	-	-	-	1	-	-	-	-	-	1
Ibaraki	2	1	-	-	-	-	-	1	-	-	-	-	-
Ishikawa	1	-	1	-	-	-	-	-	-	-	-	-	-
Iwate	8	-	-	-	-	3	-	-	2	1	1	1	-
Kagawa	1	-	-	-	-	-	1	-	-	-	-	-	-
Kagoshima	7	2	-	1	-	1	-	1	-	1	-	-	1
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	3	-	1	-	-	-	1	-	-	1	-	-	-

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
LEPROSY (23) - Cont'd.													
Kumamoto	38	1	6	5	3	2	1	5	2	3	3	6	1
Kyoto	2	-	1	-	-	1	-	-	-	-	-	-	-
Kie	3	-	-	-	-	-	-	1	1	-	1	-	-
Miyagi	19	2	-	3	1	3	2	-	1	2	1	1	3
Niizaki	4	-	2	1	-	-	-	1	-	-	-	-	-
Nagano	1	-	1	-	-	-	-	-	-	-	-	-	-
Nagasaki	2	-	-	1	-	-	-	-	-	-	-	1	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	1	-	-	-	-	1	-	-	-	-	-	-	-
Oita	5	1	-	1	-	2	-	-	-	-	-	-	1
Okuyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	1	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	1	1	-	-	-	-	-	-	-	-	-	-	1
Shiga	3	-	-	2	-	1	-	-	-	-	-	-	-
Shimane	1	-	-	-	-	-	-	1	-	-	-	-	-
Shizuoka	3	1	-	2	-	-	-	-	-	-	-	-	-
Tochigi	4	1	-	-	-	1	-	-	1	-	-	-	1
Tokushima	1	-	-	-	-	-	-	-	-	-	1	-	-
Tokyo	1	-	-	-	-	-	-	-	-	-	-	-	1
Tottori	1	1	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	2	-	-	-	1	-	-	-	-	-	1	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1912 - Cont'd

Cause of Death and Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY (27):													
All Japan	5,258	48	63	80	135	201	459	1,402	1,492	898	351	113	76
All "Shi"	1,616	21	27	34	58	66	151	376	423	269	115	45	31
All "Gun"	3,642	27	36	46	77	135	308	1,026	1,069	569	236	68	45
Aichi	367	1	5	3	6	7	29	111	95	68	27	10	5
Akita	55	-	1	1	4	2	6	10	15	9	4	2	1
Aomori	33	-	-	-	2	2	-	8	10	7	4	-	-
Chiba	143	-	-	7	4	6	13	26	55	14	14	1	3
Ehime	137	2	2	-	3	6	26	39	35	15	7	2	-
Fukui	34	-	-	-	1	1	2	9	13	4	2	2	-
Fukuoka	163	2	2	1	6	10	16	38	42	20	19	4	3
Fukushima	132	-	-	2	3	3	8	34	44	27	8	3	-
Gifu	182	2	-	1	3	4	9	66	59	26	11	-	1
Gumma	128	3	2	1	2	4	11	44	47	12	-	2	-
Hiroshima	170	1	2	-	4	9	11	36	57	35	10	3	2
Hokkaido	113	-	3	3	2	1	9	21	40	20	2	9	3
Iyogo	125	1	-	3	5	11	10	32	35	12	14	1	1
Ibureki	340	2	4	1	7	6	30	115	99	46	15	9	6
Ishikawa	17	-	-	-	2	-	3	4	6	2	-	-	-
Iwate	77	1	3	-	-	5	3	14	27	18	3	1	2
Kagawa	111	2	-	-	3	3	7	20	34	21	18	-	3
Kanagawa	79	-	1	1	4	5	13	19	19	13	2	4	-
Kenagawa	103	6	1	2	4	5	10	20	29	15	8	2	1
Kochi	54	-	-	-	1	4	7	8	15	12	5	2	-

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY (27) - Cont'd:													
Kumamoto	126	-	-	3	6	10	17	39	25	14	7	3	2
Kyoto	74	2	-	-	4	3	11	17	22	8	5	-	2
Mie	67	1	-	1	-	1	10	21	13	10	9	1	-
Miyagi	42	1	1	-	-	2	1	12	14	7	4	-	-
Miyazaki	118	2	1	2	4	9	8	34	30	14	8	4	2
Nagano	89	1	-	1	4	2	15	18	31	13	3	-	1
Nagasaki	133	1	2	3	2	3	11	43	25	31	9	1	2
Nara	13	1	-	-	-	-	1	1	3	5	2	-	-
Niigata	128	2	2	3	4	7	12	21	35	30	5	4	3
Oita	108	-	2	1	3	3	10	31	30	18	4	5	1
Okayama	105	-	2	-	2	2	9	25	32	18	10	5	-
Oosaka	172	-	6	1	4	10	20	42	32	31	15	7	4
Saga	69	1	-	3	2	4	8	28	12	7	2	1	1
Saitama	222	-	2	3	2	7	23	80	67	27	5	4	2
Shiga	31	-	-	-	-	1	5	6	10	7	1	1	-
Shimane	91	1	-	2	-	3	3	13	44	16	5	3	1
Shizuoka	188	2	2	3	3	9	20	54	49	26	17	2	1
Tochigi	139	1	2	3	7	3	11	45	36	23	7	-	1
Tokushima	72	1	-	3	-	1	3	20	20	17	5	1	1
Tokyo	402	6	11	14	18	17	22	110	103	55	24	10	12
Tottori	39	-	-	2	1	4	1	9	13	4	5	-	-
Toyama	22	-	1	1	-	-	3	6	6	3	2	1	-
Wakayama	21	1	-	1	-	-	1	6	3	4	1	1	3
Yamagata	41	-	-	2	2	3	4	12	10	7	1	-	-
Yamaguchi	142	1	3	3	3	2	4	28	36	40	19	2	1
Yamanashi	41	-	-	-	-	-	3	7	15	7	3	-	5

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1943 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MAINLAND (26)													
All Japan	233	22	27	25	21	26	13	15	22	29	19	10	4
All "Shi"	73	9	7	7	5	9	4	6	7	8	6	4	1
All "Gun"	160	13	20	18	16	17	9	9	15	21	13	6	3
Aichi	4	-	-	-	1	-	-	-	-	1	1	1	-
Akita	1	1	-	-	-	-	-	-	-	-	-	-	-
Aomori	1	-	-	-	-	-	-	-	-	-	1	-	-
Chiba	3	-	-	-	-	-	1	1	-	-	1	-	-
Ehime	5	1	1	1	-	1	-	-	-	1	-	-	-
Fuku	3	-	-	1	-	-	-	-	1	1	-	-	-
Fukuka	7	1	2	-	-	-	1	-	1	2	1	-	-
Fukushima	6	1	-	-	1	2	-	1	-	1	-	-	-
Gifu	4	-	-	1	-	3	-	-	-	-	-	-	-
Gunma	5	1	-	1	1	-	-	1	-	-	-	1	-
Hiroshima	3	-	-	1	-	2	-	-	-	-	-	-	-
Hokkaido	6	1	1	-	3	-	-	1	-	-	-	-	-
Hyo	9	1	1	1	-	1	-	-	3	2	-	-	-
Ibaraki	3	-	1	-	-	1	-	-	1	-	-	-	-
Ishikawa	4	1	-	-	2	1	-	-	-	-	-	-	-
Iwate	3	-	-	2	-	-	-	-	-	1	-	-	-
Kagawa	2	-	1	-	-	-	-	-	-	-	1	-	-
Kagoshima	11	2	1	1	1	-	1	-	5	1	-	-	-
Kanagawa	4	-	1	-	-	-	2	-	-	-	1	-	-
Kochi	5	-	1	2	-	-	-	-	-	-	-	-	-

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA - Cont'd.													
Kumamoto	13	3	1	1	1	2	-	-	2	2	-	1	-
Kyoto	9	-	2	-	-	-	1	3	2	-	1	-	-
Mie	5	-	1	-	1	-	1	-	-	-	1	-	1
Miyagi	6	-	1	-	-	-	-	1	-	1	-	-	-
Miyazaki	2	-	-	-	1	-	-	-	-	-	1	-	-
Nagano	2	-	-	-	-	-	-	1	-	-	1	-	-
Nagasaki	12	-	2	1	2	3	-	-	1	2	-	1	-
Nara	3	-	-	1	1	-	-	-	1	1	-	-	-
Niigata	7	-	-	1	-	1	1	1	1	-	-	-	1
Oita	8	2	-	-	1	-	-	-	1	2	1	1	-
Okayama	6	-	1	-	-	-	-	-	1	2	1	-	1
Osaka	5	1	-	-	-	1	-	-	-	-	1	1	1
Saga	5	-	-	1	-	1	-	1	1	-	1	-	-
Saitama	3	-	1	1	1	-	1	-	-	1	-	-	-
Shiga	14	-	1	1	1	1	1	1	1	4	2	1	-
Shimane	4	1	-	1	-	-	1	-	-	-	1	-	-
Shizuoka	5	-	-	2	-	-	-	-	1	1	-	1	-
Tochigi	4	-	-	2	-	-	-	1	-	1	1	-	-
Tokushima	2	-	-	-	-	-	-	1	-	-	-	-	-
Tokyo	12	1	2	1	1	3	1	1	-	1	-	1	-
Tottori	2	-	1	-	-	1	-	-	-	-	-	-	-
Toyama	3	-	1	-	-	1	-	-	-	1	-	-	-
Wakayama	5	2	1	2	-	-	-	-	-	-	-	-	-
Yamagata	3	-	2	-	-	-	-	-	-	-	1	-	-
Yamaguchi	2	1	-	-	-	-	-	-	-	-	-	1	-
Yamanashi	2	-	1	1	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYNTHESIS (30):													
All Japan	4,382	360	403	420	339	323	311	320	324	336	360	390	496
All "Shi"	1,889	167	184	177	145	141	131	137	131	137	149	175	215
All "Gun"	2,493	193	219	243	194	182	180	183	193	199	211	215	281
Aichi	174	26	16	18	12	10	13	13	9	13	14	14	16
Akita	77	5	9	6	5	11	6	6	9	9	2	3	6
Aomori	87	8	8	8	8	7	7	8	7	7	6	7	7
Chiba	133	15	15	12	10	13	3	12	14	7	10	6	16
Ehime	82	9	7	8	3	7	5	4	10	9	7	6	7
Fuku	30	4	4	4	1	1	-	4	-	5	3	3	1
Fukuoka	232	17	29	19	26	14	13	11	16	21	18	18	30
Fukushima	107	1	7	10	3	8	8	14	5	9	14	10	18
Gifu	48	-	7	7	7	7	3	4	5	1	3	7	4
Gunma	64	8	7	5	6	5	4	2	4	5	4	11	3
Hiroshima	79	6	4	11	2	4	9	8	8	3	6	12	6
Hokkaido	271	20	25	28	24	18	21	15	8	24	22	35	31
Hyogo	132	13	14	12	7	12	9	8	6	11	10	17	13
Ibaraki	126	17	11	8	6	11	10	9	13	6	10	13	12
Ishikawa	43	2	3	5	3	-	2	5	8	2	6	4	3
Iwate	69	2	4	9	11	6	4	6	8	6	4	2	7
Kagawa	46	2	2	7	2	10	4	2	4	2	3	5	3
Kagoshima	138	12	14	14	14	6	12	5	7	10	10	16	18
Kanagawa	122	9	12	17	10	7	8	9	6	5	11	5	23
Kochi	49	2	1	4	2	5	5	3	6	5	4	3	9

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd

Cause of Death and Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS (30) - Cont'd:													
Kumamoto	101	12	9	10	5	8	10	9	7	8	8	7	8
Kyoto	139	8	18	11	14	12	8	9	9	9	16	15	10
Mie	70	7	4	8	4	2	3	7	7	3	5	8	12
Miyagi	98	6	10	10	9	6	7	4	10	5	5	12	10
Miyazaki	66	4	7	5	6	7	6	5	7	7	5	3	4
Nagano	77	8	5	2	6	7	5	4	5	13	7	5	10
Negasaki	140	8	17	11	9	8	11	10	10	9	14	9	24
Nara	37	4	1	5	5	1	4	1	5	4	3	2	2
Niigata	106	7	8	12	9	8	5	8	5	5	14	14	11
Oita	62	4	5	6	7	5	5	3	6	5	6	7	3
Okayama	76	6	5	4	9	12	8	6	5	2	5	6	8
Osaka	195	15	20	19	11	15	8	19	11	11	17	21	28
Saga	78	5	11	17	4	2	5	5	5	10	4	4	6
Seitama	106	9	14	16	3	10	8	4	10	7	9	7	9
Shiga	42	6	5	2	5	1	9	1	2	2	3	2	4
Shimane	49	7	1	3	7	3	3	6	3	5	3	3	8
Shizuoka	89	6	7	14	7	4	3	4	8	7	6	11	12
Tochigi	78	5	5	4	5	2	7	9	6	12	5	6	12
Tokushima	29	2	2	6	2	3	3	3	3	1	1	3	3
Tokyo	356	27	27	33	25	29	23	32	28	33	29	29	41
Tottori	35	5	7	1	2	-	4	3	1	1	7	1	3
Toyama	43	4	1	5	4	4	2	4	2	1	-	7	2
Wakayama	45	2	4	3	3	4	3	8	2	3	5	5	6
Yamagata	58	5	3	3	9	5	7	2	4	-	4	5	6
Yamaguchi	62	6	4	4	4	5	4	5	6	5	5	4	10
Yamanashi	36	4	4	1	3	1	7	1	4	3	3	1	4

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA (33):													
All Japan	516	85	68	94	56	25	30	23	15	20	30	25	45
All "Shi"	155	26	19	27	12	9	7	11	5	4	9	9	17
All "Gm"	361	59	49	67	44	16	23	12	10	16	21	16	28
Aichi	14	5	2	1	3	2	1	-	-	-	-	-	-
Akita	10	-	1	1	-	-	1	-	-	1	1	4	1
Aomori	21	1	-	4	1	-	7	2	-	1	2	4	2
Chiba	9	1	1	3	1	1	-	-	-	-	1	-	2
Ehime	19	4	3	4	2	1	1	1	1	-	-	-	2
Fukui	4	1	-	1	-	-	-	-	-	-	1	-	1
Fukuoka	22	6	4	4	-	-	1	-	-	-	2	2	2
Fukushima	5	1	1	1	1	-	1	-	-	-	-	-	1
Gifu	4	-	1	-	-	-	-	1	-	-	-	1	-
Gunma	14	1	2	7	3	-	-	-	-	1	-	-	-
Hiroshima	9	1	1	2	3	-	-	1	-	-	-	-	1
Hokkaido	21	1	3	2	4	2	-	2	2	2	-	1	2
Iyogo	15	5	3	3	-	1	-	-	-	1	-	1	1
Ibaraki	5	1	1	1	1	1	-	-	-	-	-	-	1
Ishikawa	11	1	4	3	1	1	-	-	-	-	-	-	1
Iwate	5	1	-	1	-	1	1	-	-	-	1	1	-
Kagawa	2	-	-	-	-	-	-	-	-	-	1	1	-
Kagoshima	9	3	1	1	-	-	-	-	-	1	-	1	1
Kanagawa	15	2	-	6	2	1	2	1	-	1	-	1	-
Kochi	4	-	1	1	-	-	-	-	-	1	1	-	-

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA (33): Cont'd:													
Kumamoto	15	6	2	1	2	1	-	1	-	1	1	-	-
Kyoto	13	1	-	2	3	-	1	1	-	1	2	-	-
Mie	13	1	1	3	-	-	3	3	1	1	1	-	2
Miyagi	6	1	1	-	1	1	-	-	-	-	-	1	2
Miyazaki	10	-	4	1	-	-	1	2	-	-	1	1	1
Nagano	14	5	1	1	3	1	2	-	-	-	-	-	-
Nagasaki	10	2	2	1	-	1	-	-	1	2	1	-	1
Nara	2	-	1	-	-	-	-	-	-	-	-	-	1
Niigata	20	1	1	6	5	-	-	-	-	2	-	1	1
Oita	19	5	2	3	3	1	1	1	1	-	-	1	1
Okayama	8	2	1	1	-	1	2	-	-	-	-	-	1
Osaka	18	3	3	1	3	1	-	-	2	-	2	1	2
Saga	2	-	-	-	-	1	-	-	-	-	1	-	-
Saitama	6	1	1	2	1	1	-	-	-	-	-	-	-
Shiga	6	1	1	-	-	1	1	-	-	-	1	-	1
Shimane	8	3	1	3	1	-	-	-	-	-	-	-	-
Shizuoka	22	1	3	3	2	1	1	2	1	2	-	-	4
Tochigi	2	-	1	-	1	-	-	-	-	-	-	-	-
Tokushima	9	5	1	2	-	-	-	-	-	-	-	1	-
Tokyo	39	5	4	8	3	2	3	3	1	1	4	4	1
Tottori	2	-	-	-	1	-	-	-	-	-	-	-	1
Toyama	17	3	-	3	2	2	1	-	1	-	1	1	3
Wakayama	13	2	3	5	-	1	-	-	1	1	-	-	-
Yamagata	3	1	-	-	-	-	-	1	-	-	-	-	-
Yamaguchi	15	-	2	1	3	-	1	-	3	-	-	1	4
Yamanashi	6	1	2	1	-	-	-	1	-	-	1	-	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX (34):													
All Japan	22	6	2	4	1	1	2	1	1	2	2	-	-
All "Shi"	5	1	-	1	-	1	-	-	-	-	2	-	-
All "Gun"	17	5	2	3	1	-	2	1	1	2	-	-	-
Aichi	1	-	-	1	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	1	-	-	-	-	-	-	-	-	1	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fuku	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	1	-	-	1	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	1	-	-	-	-	-	-	-	-	1	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	1	-	-	-	1	-	-	-	-	-	-	-	-
Hyogo	3	-	2	-	-	-	-	-	-	-	1	-	-
Ibureki	1	-	-	1	-	-	-	-	-	-	-	-	-
Ishikawa	3	3	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	1	1	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX (34) - Cont'd:													
Kumamoto	1	1	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	1	-	-	-	-	-	1	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okeyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Oosaka	1	-	-	-	-	-	-	-	-	-	1	-	-
Sega	-	-	-	-	-	-	-	-	-	-	-	-	-
Seitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	1	-	-	-	-	1	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	2	-	-	1	-	-	-	1	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	1	-	-	-	-	-	1	-	-	-	-	-	-
Tokyo	1	1	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	1	-	-	-	-	-	-	-	1	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES (35):													
All Japan	5,670	409	413	725	568	737	745	616	385	187	172	279	434
All "Shi"	1,461	85	97	166	118	158	195	206	124	57	37	75	143
All "Gin"	4,209	324	316	559	450	577	550	410	261	130	135	204	291
Aichi	74	4	1	7	9	16	16	13	2	2	-	2	2
Akita	117	18	8	7	5	14	7	10	11	4	10	9	14
Aomori	250	31	14	15	17	23	18	17	20	14	14	24	43
Chiba	18	-	-	2	4	5	1	2	1	2	1	-	-
Ehime	223	22	24	69	34	24	19	18	5	2	3	-	3
Fukui	77	5	1	2	9	8	15	21	12	1	-	-	3
Fukuoka	97	5	2	6	2	16	12	8	7	2	1	5	31
Fukushima	133	2	6	9	23	14	12	10	8	7	12	14	16
Gifu	168	12	19	31	29	21	28	13	5	2	2	5	1
Gunma	37	3	2	4	4	4	7	3	3	-	1	1	5
Hiroshima	195	10	16	24	21	35	36	36	6	3	2	3	3
Hokkaido	832	30	18	19	18	21	41	126	119	76	68	126	170
Hyogo	324	9	19	49	40	59	80	47	16	2	1	-	2
Ibakeki	67	3	7	17	9	3	16	8	3	1	-	-	-
Isukawa	126	5	4	11	12	31	18	16	9	3	1	4	12
Iwate	303	20	18	30	24	52	47	35	30	18	7	5	17
Kagawa	183	8	25	47	34	33	22	11	3	-	-	-	-
Kagoshima	179	24	24	30	12	33	18	11	7	4	1	10	5
Kanagawa	16	1	1	-	1	2	3	1	1	2	-	-	3
Kochi	123	16	14	29	20	15	9	9	5	2	2	-	2

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES (35) - Cont'd:													
Kumamoto	95	6	5	13	9	17	26	11	3	-	1	2	2
Kyoto	40	2	5	1	3	3	7	9	5	-	1	1	2
Mie	119	17	14	22	23	13	12	7	2	1	2	2	5
Miyagi	230	39	21	35	33	28	33	14	11	2	4	5	-
Miyazaki	71	17	10	11	9	10	7	6	1	-	-	-	-
Nagano	132	11	13	28	14	26	23	9	4	1	-	1	2
Nagasaki	94	6	17	9	5	9	16	10	4	1	2	8	7
Nara	11	-	-	1	-	1	2	2	1	1	1	1	1
Niigata	160	18	15	14	8	19	19	11	21	10	5	7	13
Oita	47	4	3	2	5	1	10	5	1	-	2	10	4
Okayama	219	9	19	46	42	56	27	13	5	2	-	-	-
Osaka	143	2	3	16	13	14	34	32	8	5	3	5	8
Saga	32	4	5	1	4	5	10	3	-	-	-	-	-
Saitama	11	-	1	1	1	3	3	1	-	-	-	-	1
Shiga	60	15	8	19	4	5	5	3	1	-	-	-	-
Shimane	32	5	2	1	1	-	2	1	3	2	2	6	7
Shizuoka	95	3	13	19	16	17	10	7	4	-	2	-	4
Tochigi	31	1	5	4	1	9	5	5	1	-	-	-	-
Tokushima	102	3	9	28	13	14	18	7	4	1	2	2	1
Tokyo	45	3	3	3	9	5	6	6	2	2	2	1	3
Tottori	74	5	3	13	9	17	8	8	8	2	-	1	-
Toyama	28	4	-	3	5	3	6	10	3	1	1	-	2
Wakayama	64	2	4	2	5	14	10	8	6	1	5	1	7
Yamagata	135	5	7	11	4	10	17	9	13	9	9	16	25
Yamaguchi	42	-	5	13	5	7	3	4	1	-	-	1	3
Yamanashi	6	-	-	1	-	2	1	-	-	-	2	-	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE "B" ENCEPHALITIS (37B):													
All Japan	2621	2	3	1	2	1	7	21	1654	787	103	27	13
All "Std"	1491	-	-	-	2	1	3	13	1016	381	50	17	8
All "Gun"	1130	2	3	1	-	-	4	8	638	406	53	10	5
Aichi	128	-	-	-	-	-	-	-	100	20	5	3	-
Akita	49	-	-	-	-	-	-	-	13	31	4	-	1
Aomori	31	-	-	-	-	-	-	-	4	22	3	1	1
Chiba	122	1	1	-	-	-	-	2	102	9	6	1	-
Ehime	34	-	-	-	-	1	-	-	10	22	1	-	-
Fukui	34	-	-	-	-	-	-	-	11	22	1	-	-
Fukuoka	7	-	-	-	-	-	-	-	-	6	-	1	-
Fukushima	40	-	-	-	-	-	-	-	23	12	3	2	-
Gifu	40	-	-	-	-	-	-	-	29	10	1	-	-
Gunma	49	-	-	-	-	-	-	2	39	6	2	-	-
Hiroshima	16	-	-	-	-	-	-	-	4	10	2	-	-
Hokkaido	10	-	-	1	-	-	-	2	2	4	1	-	-
Ibogo	84	-	-	-	-	-	2	-	35	51	4	1	1
Ibureki	97	-	-	-	-	-	-	-	71	20	3	3	-
Ishikawa	111	-	-	-	-	-	-	-	22	17	2	-	-
Iwate	76	-	-	-	-	-	-	-	18	54	3	-	1
Kagawa	7	-	-	-	-	-	1	-	4	2	-	-	-
Kagoshima	25	-	-	-	-	-	-	1	9	14	-	-	1
Kanagawa	205	-	-	-	-	-	-	2	179	16	5	-	3
Kochi	11	-	-	-	-	-	-	-	9	3	1	-	1

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE "B" ENCEPHALITIS (37B):													
Kumamoto	17	-	-	-	-	-	-	-	6	8	3	-	-
Kyoto	22	-	-	-	-	-	-	-	11	11	-	-	-
Me	33	-	-	-	-	-	1	1	19	11	1	-	-
Miyagi	66	-	-	-	-	-	-	-	37	27	2	-	-
Miyazaki	25	-	-	-	-	-	-	2	4	14	4	1	-
Nagano	75	-	-	-	-	-	2	-	96	90	6	-	1
Nagasaki	2	-	-	-	-	-	-	-	-	2	-	-	-
Nara	7	-	-	-	-	-	-	-	4	3	-	-	-
Niigata	76	-	1	-	-	-	-	-	32	39	2	2	-
Oita	4	-	-	-	-	-	-	-	4	-	-	-	-
Okayama	41	-	1	-	-	-	-	-	13	25	2	-	-
Osaka	58	-	-	-	1	-	-	-	31	26	-	-	-
Saga	12	-	-	-	-	-	-	-	-	9	2	-	1
Saitama	86	1	-	-	-	-	-	-	71	13	1	-	-
Shiga	22	-	-	-	-	-	-	-	15	5	2	-	-
Shimane	9	-	-	-	-	-	-	-	3	4	2	-	-
Shizuoka	153	-	-	-	-	-	-	1	109	37	5	1	-
Tochigi	45	-	-	-	-	-	-	2	26	15	2	-	-
Tokushima	25	-	-	-	-	-	-	-	13	12	-	-	-
Tokyo	527	-	-	-	1	-	1	3	429	68	16	7	2
Tottori	13	-	-	-	-	-	-	-	3	9	1	-	-
Toyama	60	-	-	-	-	-	-	2	34	22	1	1	-
Wakayama	11	-	-	-	-	-	-	-	3	7	1	-	-
Yamagata	59	-	-	-	-	-	-	-	34	23	2	-	-
Yamaguchi	15	-	-	-	-	-	-	-	7	7	-	1	-
Yamanashi	39	-	-	-	-	-	-	1	26	9	1	2	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
RAIETS (38B):													
All Japan	40	4	5	-	1	1	1	3	5	6	3	4	7
All "Shi"	20	4	4	-	1	1	1	2	4	1	1	1	-
All "Gm"	20	-	1	-	-	-	-	1	1	5	2	3	7
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	18	-	1	-	-	-	-	2	1	5	2	2	5
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwata	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kenagawa	3	2	-	-	-	-	-	-	-	-	-	-	1
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
RAKETS (38B):													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	2	-	-	-	-	-	-	-	-	-	-	1	1
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	17	2	4	-	1	1	1	1	4	1	1	1	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER AND TYPHUS-LIKE DISEASES (39):													
All Japan	110	16	12	7	7	13	7	9	11	5	6	11	6
All "Shi"	49	7	5	5	4	5	3	1	5	-	4	7	3
All "Gun"	61	9	7	2	3	8	4	8	6	5	2	4	3
Aichi	3	-	1	1	-	-	-	-	-	-	-	1	-
Akita	3	-	-	-	-	-	-	1	2	-	-	-	-
Asomori	2	-	1	-	-	1	-	-	-	-	-	-	-
Chiba	2	1	-	-	-	-	-	1	-	-	-	-	-
Eniwa	6	-	-	-	-	1	-	-	-	-	1	4	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	1	-	-	-	-	-	-	-	-	-	-
Fukushima	1	-	-	1	-	-	-	-	-	-	-	-	-
Gifu	3	-	1	2	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	3	-	1	-	1	-	-	-	-	-	-	-	1
Hokkaido	7	4	-	-	-	1	-	-	-	-	-	2	-
Hyogo	10	4	1	-	-	1	-	-	2	-	2	-	-
Ibaraki	3	1	-	-	-	2	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	1	-	1	-	-	-	-	-	-	-	-	-	-
Kagawa	2	-	-	-	1	-	-	1	-	-	-	-	-
Kagoshima	1	-	-	-	-	1	-	-	-	-	-	-	-
Kanagawa	3	1	-	-	1	1	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 56. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER AND TYPHUS-LIKE DISEASES (39) - Cont'd:													
Kumamoto	2	-	1	-	-	-	-	-	1	-	-	-	-
Kyoto	2	-	-	-	-	-	1	-	-	-	1	-	-
Mie	2	-	1	-	-	-	-	-	-	-	-	1	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	1	-	-	-	-	-	-	-	-	-	1	-	-
Nagano	2	1	-	-	-	-	-	-	-	-	-	-	1
Nagasaki	1	1	-	-	-	-	-	-	-	-	-	-	-
Nara	2	-	-	-	-	-	1	-	1	-	-	-	-
Niigata	13	-	-	-	1	-	-	4	4	4	-	-	-
Oita	3	-	-	-	-	1	1	-	-	1	-	-	-
Okayama	8	1	-	-	1	2	1	2	-	-	-	-	1
Osaka	4	-	-	2	-	1	-	-	-	-	-	1	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	1
Saitama	2	-	-	-	-	-	1	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	1	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	1	-	-	-	1	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	11	1	1	1	1	-	1	-	1	-	1	2	2
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	1	-	-	-	-	-	1	-	-	-	-	-	-
Yamagata	1	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	2	1	-	-	-	1	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH B' PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CANCER & OTHER MALIGNANT													
TUMORS (45-55):													
All Japan	55933	4287	4020	4427	4388	4601	4663	4939	4898	4963	5096	4836	4815
All *Chi*	20454	1520	1474	1601	1694	1687	1676	1791	1759	1841	1899	1763	1809
All *Gun*	35479	2767	2546	2826	2754	2914	2987	3148	3139	3122	3197	3073	3006
Aichi	2237	165	161	171	165	186	183	207	170	200	218	212	199
Akita	774	58	56	64	69	57	74	69	67	64	62	63	71
Aomori	628	46	47	48	41	47	71	70	58	46	47	51	56
Chiba	1774	134	130	151	142	143	145	152	160	158	159	163	137
Ekine	1082	73	78	87	83	106	96	104	100	94	80	94	87
Fukui	477	36	42	37	37	30	45	34	54	41	42	40	39
Fukuoka	2401	182	168	198	179	183	203	209	215	222	219	209	214
Fukushima	1276	96	83	118	94	102	100	111	94	124	120	120	114
Gifu	935	81	85	67	81	72	72	91	80	83	76	74	73
Gumma	1117	96	64	93	83	97	83	109	95	96	117	90	94
Hiroshima	1485	111	120	120	124	132	105	122	127	130	144	124	126
Hokkaido	2223	150	168	189	193	184	185	184	187	233	189	183	178
Hyogo	2128	145	146	199	157	182	178	179	200	161	209	185	187
Ibaraki	1537	132	105	126	109	123	145	133	143	115	129	130	147
Ishikawa	774	55	56	48	58	60	56	90	73	76	74	61	67
Iwate	591	48	40	42	37	56	42	49	45	52	54	60	66
Kagawa	767	55	53	48	58	66	66	73	59	65	78	73	73
Kagoshima	925	84	62	64	69	85	70	68	96	74	100	84	69
Kanagawa	1425	109	98	127	133	110	113	136	123	130	130	110	106
Kochi	608	34	36	52	55	40	60	70	56	47	57	51	50

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CANCER & OTHER MALIGNANT TUMORS (45-55): Cont'd.													
Kumamoto	1164	97	79	90	84	107	83	91	114	113	113	105	88
Kyoto	1361	97	102	111	106	122	123	140	106	119	114	115	126
Mie	1058	91	83	75	76	70	79	94	79	103	113	105	90
Miyagi	1133	85	71	100	97	90	115	101	100	98	87	104	92
Miyazaki	615	52	45	41	57	54	49	45	61	48	53	55	55
Nagano	1632	128	135	129	151	148	131	135	136	121	142	131	145
Nagasaki	989	81	74	77	73	94	74	78	93	76	93	78	98
Nara	791	58	56	62	62	71	62	67	86	68	70	75	54
Niigata	2050	160	146	158	173	169	179	162	177	185	170	195	176
Oita	865	74	65	53	78	80	71	78	72	77	79	68	70
Okayama	1360	105	89	95	99	101	104	137	142	133	133	99	123
Osaka	2669	197	178	208	211	225	230	241	231	240	239	229	240
Saga	801	72	48	50	50	71	79	81	62	74	77	71	66
Saitama	1536	101	113	131	135	119	107	144	147	132	132	134	141
Shiga	640	43	53	54	42	53	50	49	63	50	64	59	60
Shimane	697	45	64	62	46	43	60	61	63	64	60	70	59
Shizuoka	1361	107	95	97	110	122	119	116	110	113	125	133	114
Tochigi	1138	94	98	83	80	77	90	111	86	93	114	102	110
Tokushima	574	51	41	99	46	41	59	41	54	49	52	53	48
Tokyo	3613	279	252	267	281	292	322	289	313	338	354	298	328
Tottori	495	37	31	45	38	43	39	44	46	48	44	35	45
Toyama	807	59	60	56	60	69	81	67	74	86	72	60	63
Wakayama	820	64	60	66	58	61	72	81	65	91	72	67	63
Yamagata	979	90	71	85	68	97	67	92	73	88	88	76	84
Yamaguchi	1016	84	72	60	89	81	76	73	92	103	90	88	88
Yamanashi	585	46	41	64	51	40	50	61	51	50	42	54	35

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIABETES MELLITUS (61):													
All Japan	1804	217	202	142	169	142	118	136	136	119	131	135	157
All "Shi."	499	57	54	34	41	35	35	37	42	40	35	42	47
All "Gun"	1305	160	148	108	128	107	83	99	94	79	96	93	110
Aichi	78	7	8	6	8	10	4	9	4	3	4	5	10
Akita	23	2	2	-	4	2	1	4	2	-	2	2	2
Aomori	23	1	4	3	2	3	2	-	3	1	2	-	2
Chiba	49	8	7	5	4	5	2	3	2	3	4	2	4
Ehime	46	6	6	1	2	5	7	5	3	2	1	3	5
Fukui	25	5	1	1	5	-	-	-	3	3	3	3	1
Fukushima	69	8	8	10	8	7	2	2	4	2	2	3	8
Gifu	40	4	3	5	1	1	2	3	3	2	1	2	3
Gunma	36	4	3	3	3	3	5	4	1	3	4	5	4
Hiroshima	63	7	4	6	8	1	3	8	6	9	1	5	5
Hokkaido	75	5	9	2	4	8	5	4	8	10	6	8	6
Ibigo	65	6	10	4	2	3	4	3	7	3	6	5	9
Ibaraki	32	3	4	2	2	3	3	5	3	2	4	1	2
Ishikawa	34	5	3	6	-	3	1	2	3	-	6	4	1
Iwate	19	4	1	1	1	2	-	1	2	1	1	3	2
Kagawa	34	3	3	2	4	5	3	1	6	2	3	-	2
Kagoshima	59	8	9	5	5	4	7	5	2	3	2	4	5
Kanagawa	32	1	1	3	3	3	-	2	3	1	7	2	3
Kochi	49	7	5	2	5	4	5	4	1	3	3	2	8

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIABETES MELLITUS (61) - Cont'd.													
Kumamoto	56	4	11	2	5	4	6	4	5	2	5	2	6
Kyoto	31	2	2	4	1	5	-	3	5	2	2	4	1
Mie	33	7	-	3	4	4	-	3	1	2	4	-	5
Miyagi	34	5	5	3	4	2	2	3	1	4	1	2	2
Miyazaki	27	4	3	-	4	1	3	1	1	2	1	3	4
Nagano	38	5	2	4	3	5	1	1	2	4	4	5	2
Nagasaki	35	1	1	2	4	2	4	3	5	3	4	3	3
Nara	13	3	1	2	1	1	-	-	1	3	1	-	-
Niigata	54	7	6	6	3	10	3	3	1	2	4	2	7
Oita	36	6	5	2	3	2	1	1	3	2	5	3	3
Okayama	55	5	4	5	4	4	3	4	6	6	2	7	5
Osaka	48	2	8	5	4	5	5	3	4	2	3	4	3
Saga	31	6	6	2	8	-	-	4	-	1	-	2	2
Seitama	30	5	1	6	2	-	-	2	-	-	1	3	4
Shiga	29	2	2	1	1	3	3	5	3	-	1	5	3
Shimane	41	3	7	-	7	1	2	6	5	4	3	2	1
Shizuoka	30	3	3	-	2	3	5	2	3	1	1	4	3
Tochigi	25	3	4	3	2	1	2	2	1	1	1	1	1
Tokushima	42	7	4	4	2	2	4	1	6	4	1	3	4
Tokyo	84	13	9	5	9	7	4	9	7	5	7	5	4
Tottori	19	1	3	2	4	1	1	-	-	1	4	1	1
Toyama	36	6	7	3	3	4	1	1	2	1	4	4	-
Wakeyama	26	4	6	1	4	1	1	2	-	-	1	3	3
Yamagata	20	5	2	3	1	1	1	-	1	1	1	2	1
Yamaguchi	38	3	5	4	5	-	3	3	2	3	3	5	2
Yamanashi	13	2	1	2	2	-	2	1	-	2	1	-	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BERIBERI (66):													
All Japan	6362	709	724	681	576	477	476	464	489	425	407	442	492
All "Shi"	2076	235	240	212	191	154	133	157	181	165	119	143	146
All "Gun"	4286	474	484	469	385	323	343	307	308	260	288	299	346
Aichi	273	31	38	35	22	17	20	21	24	13	23	15	14
Akita	153	13	15	16	16	18	9	5	14	14	12	8	13
Aomori	245	26	27	18	27	12	26	23	17	17	18	18	16
Chiba	163	16	24	14	17	14	13	13	11	7	12	10	12
Ehime	58	7	7	6	5	3	8	4	2	2	4	4	6
Fukui	85	4	4	9	8	10	9	5	8	9	7	5	7
Fukuoka	187	24	17	17	23	19	17	13	13	14	11	8	11
Fukushima	128	10	13	15	19	12	10	5	9	7	9	10	9
Gifu	83	11	10	11	5	2	10	1	3	3	7	5	11
Gunma	52	4	5	10	2	4	5	5	3	3	2	5	4
Hiroshima	149	18	8	21	10	7	10	13	12	15	18	4	13
Hokkaido	345	35	32	36	28	23	22	17	27	20	36	37	32
Iyogo	256	35	25	21	29	11	23	20	22	22	14	18	18
Ibaraki	125	17	19	16	10	8	12	10	8	6	7	5	7
Ishikawa	134	11	18	12	12	8	8	9	11	9	12	11	13
Iwate	190	21	18	15	26	20	16	12	9	9	9	13	22
Kagawa	30	3	1	4	1	4	3	2	3	2	1	1	5
Kagoshima	113	12	13	8	5	10	8	11	12	8	4	12	10
Kanagawa	133	20	15	10	13	13	11	7	9	14	5	6	10
Kochi	66	12	8	2	4	7	7	3	4	1	5	10	3

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BERIBERI (66) - Cont'd.													
Kumamoto	131	18	19	12	6	12	8	11	13	8	7	6	11
Kyoto	163	20	15	23	17	13	12	12	13	11	7	10	10
Mie	128	11	17	16	14	6	11	6	10	14	6	11	6
Miyagi	162	21	26	18	10	16	10	5	11	5	6	16	19
Miyazaki	59	7	3	4	3	3	1	5	10	5	9	6	3
Nagano	66	5	6	7	7	3	6	5	4	2	5	9	7
Nagasaki	113	12	11	15	8	6	9	7	8	7	5	13	12
Nara	71	5	8	7	10	1	6	8	8	5	4	6	3
Niigata	262	24	30	38	26	20	22	14	18	15	15	19	21
Oita	82	11	10	5	7	4	4	11	6	4	8	3	9
Okayama	141	11	12	23	15	11	9	12	16	9	7	8	8
Osaka	408	45	41	33	36	30	30	40	34	38	21	32	28
Saga	112	19	14	16	6	5	4	8	10	9	7	7	7
Settsu	112	16	18	12	8	10	7	8	6	6	5	9	7
Shiga	68	11	5	7	7	3	4	5	3	4	8	4	7
Shimane	48	1	2	1	4	6	6	4	5	8	1	5	5
Shizuoka	135	21	27	26	17	20	12	16	17	5	12	9	13
Tochigi	109	16	21	13	9	6	7	8	7	7	3	5	7
Tokushima	34	5	4	4	2	2	2	1	1	4	3	4	2
Tokyo	368	41	58	32	22	35	26	31	22	39	20	27	21
Tottori	70	5	5	13	7	6	6	4	3	4	5	3	9
Toyama	139	11	16	20	16	10	8	11	14	4	8	8	13
Wakayama	53	2	5	6	2	5	6	7	8	3	4	3	2
Yamagata	131	20	15	18	15	11	7	12	3	8	8	5	9
Yamaguchi	134	18	17	12	18	11	6	12	11	5	5	5	14
Yamanashi	33	3	2	4	2	-	-	2	7	3	3	4	3

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Totals Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SIMPLE MENINGITIS (81a):													
All Japan	10485	991	895	1011	1072	1044	933	994	866	653	667	656	703
All "Shi"	3317	274	272	308	368	326	309	326	256	211	221	210	236
All "Gun"	7168	717	623	703	704	718	624	668	610	442	446	446	467
Aichi	481	31	44	40	42	49	55	53	36	25	45	36	25
Akita	226	19	18	21	21	18	14	20	11	11	18	18	16
Aomori	163	18	11	18	14	21	12	21	8	15	6	11	8
Chiba	354	37	32	33	36	28	30	34	35	21	18	28	22
Ehime	232	16	23	22	16	21	27	17	30	15	15	12	18
Fukui	115	11	8	12	9	16	11	11	17	3	5	4	8
Fukuoka	311	30	28	34	22	32	34	29	19	21	26	19	17
Fukushima	240	21	16	27	26	21	22	22	27	16	14	19	12
Gifu	279	25	21	25	25	31	26	34	30	18	15	16	13
Gumma	183	25	14	26	18	10	20	25	9	9	9	6	12
Hiroshima	305	25	16	27	40	32	31	32	26	22	14	22	18
Hokkaido	676	62	62	63	64	61	61	47	51	43	45	46	51
Hyogo	436	48	35	33	47	44	46	48	38	19	29	23	26
Ibaraki	231	26	20	24	23	17	23	22	24	12	12	10	18
Ishikawa	159	14	12	8	20	22	16	12	10	13	13	6	13
Iwate	196	17	15	14	25	25	24	15	20	10	6	10	15
Kagawa	116	11	10	16	12	14	11	8	5	4	6	6	13
Kagoshima	252	26	23	30	20	28	18	26	16	23	8	14	20
Kanagawa	236	32	20	23	23	13	28	25	20	12	13	18	17
Kanagawa	236	32	20	23	23	13	28	25	20	12	13	18	17
Kochi	120	10	17	11	8	15	15	7	7	8	8	8	6

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SIMPLE MENINGITIS (81a) - Cont'd.													
Kumamoto	209	20	14	18	17	16	16	26	18	11	18	14	21
Kyoto	189	21	18	21	24	17	15	17	15	13	14	5	9
Mie	246	20	25	28	28	23	23	21	17	10	17	18	16
Miyagi	186	14	16	26	15	24	15	17	13	12	11	9	14
Miyazaki	140	16	12	14	15	13	13	11	13	10	6	10	7
Nagano	224	28	18	26	20	13	19	21	18	14	13	21	13
Nagasaki	220	19	15	24	18	26	12	19	25	16	20	10	16
Nara	67	10	11	6	7	4	8	4	6	3	3	2	3
Niigata	440	38	37	32	44	48	29	18	33	40	28	32	31
Oita	196	26	16	16	20	14	12	24	10	13	10	21	14
Okayama	236	17	16	16	28	27	18	26	20	22	20	7	19
Osaka	406	44	33	32	58	37	41	37	24	22	23	27	28
Saga	104	18	10	12	16	12	11	15	11	17	9	7	6
Saitama	293	27	29	33	24	27	16	31	32	18	15	16	25
Shiga	102	8	12	11	16	8	6	10	13	2	5	7	4
Shimane	118	14	7	13	13	13	8	8	10	6	10	7	9
Shizuoka	295	32	26	21	30	28	33	25	34	15	19	19	13
Tochigi	180	18	15	21	13	16	16	19	16	10	17	8	11
Tokushima	126	16	7	9	15	15	6	9	14	11	10	8	6
Tokyo	376	30	34	29	42	30	34	41	28	21	24	26	37
Tottori	86	5	8	5	14	12	10	7	6	4	4	6	5
Toyama	164	9	22	14	18	14	17	18	16	4	10	11	11
Wakayama	142	8	13	19	14	16	10	20	7	7	8	10	10
Yamagata	141	12	7	18	19	18	13	11	8	9	10	9	7
Yamaguchi	181	7	18	19	26	21	8	20	16	8	12	12	14
Yamanashi	97	10	8	11	7	14	8	14	4	7	6	2	6

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INTRACRANIAL LESIONS OF VASCULAR ORIGIN (83):													
All Japan	94,906	10,063	9,453	9,608	7,913	7,528	6,736	6,177	6,590	7,053	7,278	7,961	8,606
All "Shi"	25,737	2,713	2,500	2,630	2,174	2,000	1,859	1,647	1,828	1,875	2,022	2,122	2,367
All "Gun"	69,169	7,350	6,953	6,978	5,739	5,528	4,877	4,530	4,762	5,178	5,256	5,839	6,239
Aichi	3,659	444	392	381	251	266	284	239	230	244	279	292	357
Akita	2,515	255	264	259	234	208	195	135	169	184	177	207	228
Amori	1,773	153	172	171	138	154	130	134	124	212	126	124	135
Chiba	3,273	355	329	347	254	247	201	212	228	223	276	281	320
Ehime	1,459	158	152	141	113	125	113	81	87	99	126	130	134
Fukui	806	81	71	98	66	61	46	47	67	53	70	73	73
Fukoka	3,421	410	375	326	280	273	213	233	205	265	273	277	291
Fukushima	2,964	300	274	323	275	229	210	204	220	224	213	252	240
Gifu	1,730	166	173	167	147	129	130	139	123	113	139	146	158
Gunma	2,089	246	186	242	196	141	168	113	143	145	148	185	176
Hiroshima	2,192	455	202	205	152	209	167	145	144	183	200	172	198
Hokkaido	3,264	315	304	306	282	231	253	231	254	238	254	282	314
Iwago	2,974	310	297	282	252	241	212	177	239	264	220	218	262
Ibaragi	3,199	393	316	333	273	235	225	200	211	183	239	284	307
Ishikawa	1,078	112	92	114	111	80	71	71	67	95	87	97	81
Iwate	2,374	226	236	240	217	196	159	132	209	222	164	192	181
Kagawa	1,014	115	129	76	75	73	54	83	71	63	73	101	101
Kagoshima	2,152	225	208	191	163	179	156	151	138	151	153	228	209
Kanagawa	2,313	238	243	255	194	199	144	128	174	165	158	191	224
Kochi	1,170	109	116	124	88	74	82	74	81	65	92	113	132

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INTRACRANIAL LESIONS OF VASCULAR ORIGIN (83) - Cont'd:													
Kumamoto	2,079	246	232	205	156	140	145	148	147	150	173	160	177
Kyoto	1,640	163	153	163	121	114	130	113	120	107	135	151	170
Mie	1,660	182	153	155	155	155	172	123	92	111	121	148	147
Miyagi	2,168	204	219	250	191	175	161	139	137	156	148	168	220
Miyazaki	1,110	148	100	100	88	89	86	69	69	85	73	90	113
Nagano	3,089	287	277	281	241	239	228	222	213	269	268	273	291
Nagasaki	1,549	168	154	168	129	126	101	84	95	120	128	141	135
Nara	987	96	104	84	76	77	81	73	73	79	78	82	84
Niigata	3,965	347	415	418	387	359	287	255	281	277	257	299	383
Oita	1,590	177	183	173	133	113	119	81	107	128	120	116	140
Okayama	2,016	229	186	194	160	160	135	132	137	172	161	168	182
Osaka	2,823	296	257	288	230	222	214	203	192	222	218	234	247
Saga	1,087	131	122	89	100	75	63	72	68	88	80	91	108
Seitama	2,841	292	304	300	211	241	195	186	174	202	236	246	254
Shiga	1,031	136	90	122	77	82	67	64	78	79	72	75	87
Shimane	1,184	126	106	118	115	102	88	66	84	93	94	98	94
Shizuoka	2,641	281	268	293	222	254	167	159	181	155	202	233	226
Tochigi	2,189	234	251	225	186	173	145	142	142	146	175	172	198
Tokushima	928	108	88	80	83	76	61	61	62	65	70	74	100
Tokyo	4,753	512	458	526	407	355	329	322	347	335	355	410	397
Tottori	774	75	80	75	63	66	54	54	49	59	58	74	67
Toyama	1,275	118	133	129	109	117	91	70	82	82	117	103	124
Wakayama	1,073	105	88	106	94	90	70	60	74	102	83	86	115
Yamagata	2,298	236	189	225	210	186	174	165	166	164	181	199	203
Yamaguchi	1,753	225	206	152	148	119	141	123	102	127	121	150	139
Yamanashi	984	113	106	91	67	66	90	82	74	69	87	75	84

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DISEASES OF THE HEART													
(90 - 95):													
All Japan	49,254	4,797	4,728	4,948	4,170	3,942	3,762	3,687	3,478	3,478	3,826	4,122	4,316
All "Shi"	14,881	1,535	1,446	1,467	1,255	1,200	1,156	1,104	1,051	1,051	1,102	1,229	1,337
All "Gun"	34,373	3,262	3,282	3,481	2,915	2,742	2,606	2,583	2,427	2,427	2,724	2,893	2,979
Aichi	2,007	220	189	214	146	144	156	163	153	136	160	146	180
Akita	868	75	89	87	90	72	64	61	71	67	51	74	67
Aomori	648	51	59	62	46	52	49	58	37	60	57	66	51
Chiba	1,567	130	153	161	143	136	114	120	108	111	109	151	131
Ehime	953	88	109	90	73	82	82	93	69	64	73	72	58
Fuku	431	31	48	42	37	44	38	28	27	33	29	43	31
Fukuoka	1,634	188	154	162	116	117	111	123	121	105	146	137	154
Fukushima	1,357	133	131	138	119	111	97	101	93	111	97	108	118
Gifu	982	94	70	85	86	75	75	78	71	84	86	91	87
Gunma	1,133	116	122	123	85	82	93	81	78	82	91	85	95
Hiroshima	1,385	131	136	139	129	106	101	121	118	83	89	110	120
Hokkaido	2,002	191	165	200	164	151	180	132	158	141	160	179	181
Iyogo	1,671	172	182	192	133	142	120	118	118	105	115	136	138
Ibategi	1,500	130	146	153	135	143	119	113	106	96	118	113	128
Ishikawa	648	60	84	56	48	43	54	43	41	49	49	66	55
Iwate	857	78	82	81	70	57	69	57	64	73	72	78	76
Kagawa	589	52	51	54	50	45	50	46	50	44	32	61	57
Kanagawa	1,043	97	103	102	84	97	93	82	75	66	71	97	92
Kanagawa	1,159	117	108	113	97	89	88	82	80	85	87	96	117
Kochi	407	50	35	53	31	36	25	29	30	32	18	36	32

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DISEASES OF THE HEART (90 - 95) - Cont'd:													
Kumamoto	1,097	104	102	116	89	96	84	80	77	71	88	90	100
Kyoto	1,074	96	117	120	79	88	71	79	62	68	100	86	108
Mie	989	123	108	123	68	66	74	75	69	64	80	71	94
Miyagi	944	94	89	84	88	80	76	75	57	61	61	92	87
Miyazaki	580	53	51	59	46	44	49	41	45	39	47	52	54
Nagano	1,442	137	119	153	134	103	119	99	108	103	99	123	115
Nagasaki	987	120	83	95	75	81	75	79	80	78	89	78	54
Nara	509	41	52	43	39	47	38	34	43	47	24	52	49
Niigata	1,611	140	150	195	138	151	109	127	109	93	118	115	136
Oita	808	82	66	69	75	81	57	53	49	64	73	69	70
Okayama	1,002	99	88	86	80	83	88	90	74	68	82	75	89
Osaka	1,994	209	177	177	184	160	136	141	149	141	142	172	206
Saga	632	59	63	53	58	54	47	51	51	52	51	45	48
Saitama	1,401	123	171	141	131	108	106	114	92	105	101	101	108
Shiga	652	76	67	65	59	45	42	48	44	42	46	60	58
Shimane	719	73	62	64	53	50	44	55	42	61	72	83	60
Shizuoka	1,439	128	138	138	119	125	117	121	90	118	111	102	132
Tochigi	1,056	104	93	124	94	82	79	91	52	60	79	99	99
Tokushima	691	56	66	64	67	57	49	37	53	52	62	63	65
Tokyo	2,667	279	270	261	262	281	212	180	164	175	194	212	240
Tottori	371	34	41	35	40	20	33	20	33	33	32	22	28
Toyama	683	62	53	76	59	59	55	62	44	44	65	46	58
Wakayama	568	55	47	53	46	46	38	42	33	50	48	58	60
Yamagata	972	84	88	113	96	75	65	77	64	60	94	87	69
Yamaguchi	901	98	89	86	92	65	71	60	74	64	80	74	68
Yamanashi	624	64	60	56	49	47	50	44	52	41	48	50	63

See footnote at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106):													
All Japan	26,024	3,689	3,511	3,315	2,492	1,988	1,591	1,258	1,141	1,325	1,608	1,764	2,342
All "Shi"	6,075	915	846	766	550	445	343	279	270	303	378	420	600
All "Gun"	19,949	2,774	2,665	2,549	1,942	1,543	1,248	979	871	1,022	1,230	1,344	1,742
Aichi	1,105	168	155	137	103	74	71	65	46	50	56	81	99
Akita	489	52	61	61	48	51	41	18	22	18	30	34	53
Aomori	497	58	49	58	35	48	44	30	19	26	36	36	60
Chiba	685	120	105	92	61	53	45	32	30	27	36	38	46
Ehime	536	91	63	69	49	25	31	28	23	24	33	39	61
Fukui	356	40	33	45	40	30	36	20	20	17	19	13	43
Fukunaka	793	130	123	88	67	52	50	43	35	39	55	37	74
Fukushima	684	95	79	92	69	61	39	36	32	26	46	47	62
Gifu	596	76	93	74	60	46	44	29	25	26	33	42	48
Gunma	518	76	60	70	51	46	25	25	18	32	37	29	49
Hiroshima	606	76	79	87	63	49	28	39	29	27	32	43	54
Hokkaido	1,243	140	164	171	110	100	75	45	58	86	73	84	137
Hyogo	958	165	156	112	97	66	49	32	40	64	47	52	78
Ibaragi	722	107	109	97	64	47	45	29	37	33	47	51	57
Ishikawa	426	60	58	51	43	32	28	13	21	16	22	38	44
Iwate	541	50	71	69	55	38	50	29	22	28	38	40	51
Kagawa	305	49	47	50	30	22	12	13	7	7	15	20	23
Kagoshima	652	86	84	68	54	57	35	48	17	33	39	69	82
Kanagawa	396	66	53	47	37	29	26	22	19	17	26	28	28
Kochi	287	45	49	34	26	11	15	9	6	24	19	21	28

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106) - Cont'd:													
Kumamoto	702	100	96	66	61	56	40	37	39	41	52	51	61
Kyoto	477	76	58	62	57	34	23	22	21	23	27	30	44
Mie	628	101	93	90	53	39	41	25	34	32	37	43	40
Miyagi	366	59	50	39	44	36	18	18	15	12	14	23	36
Miyazaki	363	37	41	40	27	27	24	19	25	24	32	27	40
Nagani	624	88	95	88	59	55	29	29	19	28	42	38	54
Nagasaki	637	82	88	70	45	55	33	30	40	43	57	44	50
Nara	230	37	26	29	15	12	19	9	12	17	12	23	19
Niigata	1,207	152	132	149	133	122	83	64	53	49	94	69	107
Oita	596	80	74	86	63	44	41	28	33	28	31	33	55
Okeyama	530	78	59	79	52	36	36	25	18	30	29	33	55
Ooka	706	115	102	87	61	52	44	22	38	40	32	46	67
Saga	336	50	50	35	32	18	16	27	15	22	17	31	23
Saitama	824	130	111	121	77	57	52	42	33	42	37	62	60
Shiga	289	44	35	47	29	21	19	12	7	12	18	16	29
Shimane	350	44	47	46	46	23	16	27	17	11	17	23	33
Shizuoka	657	104	96	93	64	54	33	31	29	30	31	34	58
Tochigi	565	68	80	76	60	41	35	33	20	28	41	38	45
Tokushima	389	59	53	55	42	26	19	12	13	22	32	29	27
Tokyo	863	128	116	110	76	64	48	43	35	43	58	61	81
Tottori	181	19	33	24	13	17	9	6	4	15	16	13	12
Toyama	543	67	85	65	58	37	36	21	25	28	35	40	46
Wakayama	273	32	31	31	24	20	11	17	10	16	26	29	26
Yamagata	560	69	62	52	78	54	32	22	28	25	40	40	58
Yamaguchi	435	70	61	60	36	28	26	21	19	26	31	28	29
Yamanashi	297	50	46	43	25	21	19	11	13	18	11	18	22

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) (107-109):													
All Japan	53428	8052	7667	7526	5382	3910	3120	2338	2140	2090	2569	3464	5170
All "Shi"	16973	2552	2409	2330	1559	1143	927	788	722	701	823	1136	1883
All "Gun"	36455	5500	5258	5196	3823	2767	2193	1550	1418	1389	1746	2328	3287
Aichi	1810	317	261	231	152	124	126	60	71	68	98	126	176
Akita	852	83	90	104	89	76	55	44	36	34	51	74	116
Aomori	1184	140	101	146	123	86	93	65	50	76	62	99	143
Chiba	1315	217	122	122	104	88	73	49	60	44	64	82	102
Ehime	981	135	155	174	104	79	65	36	33	42	44	53	61
Fukui	446	58	59	68	52	39	22	21	31	15	22	24	35
Fukushima	2036	357	340	241	169	138	97	101	93	85	101	120	184
Gifu	1396	186	142	197	167	119	112	59	69	54	59	103	129
Gunma	902	137	138	109	79	73	62	55	35	36	31	62	85
	1236	196	202	155	137	86	70	48	69	47	57	62	107
Hiroshima	1246	192	187	177	126	88	75	67	49	36	61	77	111
Hokkaido	3244	397	403	421	312	229	208	169	147	126	167	244	391
Iwago	1818	274	256	278	177	145	102	72	71	58	71	115	200
Ibaraki	1196	195	177	207	123	85	80	46	45	38	51	63	86
Ishikawa	790	126	92	106	81	79	40	30	22	33	40	61	80
Iwate	1406	178	172	186	169	132	92	46	41	63	89	117	121
Kagawa	678	99	121	123	61	48	36	33	22	23	26	38	48
Kagoshima	1566	256	206	173	112	112	73	88	71	84	111	132	118
Kanagawa	1450	247	223	212	129	87	81	61	61	59	70	73	147
Kochi	603	102	103	76	76	43	30	28	21	18	17	34	53

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) (107-109):													
Kusamoto	1309	202	179	164	106	110	89	72	68	58	78	91	92
Kyoto	933	151	137	140	83	85	61	42	41	38	34	54	67
Kie	916	155	158	138	111	65	43	36	19	25	34	47	85
Miyagi	1260	184	184	158	139	91	69	47	47	51	62	108	134
Miyazaki	727	100	88	108	59	45	44	35	47	29	38	67	67
Nagano	1206	207	189	157	134	91	78	58	35	29	45	68	115
Nagasaki	1213	173	217	158	129	61	63	53	38	66	64	70	99
Nara	404	68	61	53	37	26	19	14	16	11	22	25	52
Niigata	1870	221	223	275	223	170	113	71	94	79	87	128	186
Oita	860	141	142	117	69	57	45	39	27	48	51	52	72
Okayama	1063	182	160	188	103	77	60	43	28	33	42	50	97
Osaka	2107	303	299	308	192	138	111	102	85	94	94	149	232
Saga	556	85	97	73	59	36	41	26	17	25	23	27	47
Saitama	1322	184	225	220	131	78	63	42	60	53	64	74	128
Shiga	513	91	81	75	64	31	40	19	13	11	20	25	43
Shimane	676	106	106	89	92	46	37	35	21	18	32	40	54
Shizuoka	1388	221	222	216	140	99	60	61	54	59	68	65	123
Tochigi	900	182	138	121	101	53	43	33	37	38	29	45	80
Tokushima	749	118	128	125	67	64	37	15	18	27	34	39	77
Tokyo	3463	481	465	488	281	191	153	130	135	102	143	211	383
Tottori	355	43	46	46	57	26	31	15	8	22	16	14	31
Toyama	779	114	76	95	108	55	62	44	33	32	34	44	82
Wakayama	588	102	92	103	49	37	28	21	17	20	20	42	57
Yamagata	975	117	104	123	117	87	64	45	23	35	55	78	127
Yamaguchi	1015	168	142	132	98	76	56	46	43	35	55	70	94
Yamanashi	456	75	76	60	43	39	18	16	20	11	28	27	43

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PLEURISY (NOT SPECIFIED AS TUBERCULOSIS) (110).													
All Japan	7,733	749	693	754	723	716	665	611	630	604	526	522	540
All "Shi"	2,534	242	231	256	237	228	222	198	212	203	157	170	178
All "Gun"	5,199	507	462	498	486	488	443	413	418	401	369	352	362
Aichi	285	33	19	20	24	28	27	21	24	26	9	26	28
Akita	147	8	7	14	17	17	18	17	11	9	8	13	8
Aomori	116	7	7	9	12	8	11	12	10	16	7	11	6
Chiba	269	25	21	30	34	17	25	17	19	29	10	23	19
Ehime	120	12	13	11	9	12	13	9	14	5	6	8	8
Fukui	75	5	9	4	11	5	7	9	6	3	8	7	1
Fukuoka	332	31	30	38	22	20	28	26	27	40	26	19	25
Fukushima	230	19	20	23	22	22	23	26	16	10	19	14	16
Gifu	158	16	11	4	9	22	16	19	17	10	13	11	10
Gumme	125	12	11	10	12	17	10	11	16	5	8	4	9
Hiroshima	189	19	43	15	23	17	21	12	18	17	8	14	12
Hokkaido	341	30	29	42	33	29	26	20	27	28	24	26	27
Hyogo	289	27	20	28	27	31	28	25	18	17	15	15	20
Ibaraki	225	22	30	27	22	15	14	15	18	17	14	13	18
Ishikawa	64	4	7	8	5	6	1	4	4	9	3	5	8
Iwate	122	12	14	9	16	16	10	11	12	8	7	3	4
Kagawa	69	8	4	6	7	6	11	5	4	7	2	4	5
Kagoshima	202	13	20	17	17	21	13	15	18	14	19	15	15
Kanagawa	168	11	19	17	13	12	22	15	14	17	7	16	5
Kochi	105	11	11	13	14	9	4	6	6	3	9	8	11

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	216	26	22	20	22	10	19	16	17	21	19	13	11
Kyoto	158	20	13	10	13	10	11	13	12	11	16	13	16
Mie	133	15	12	30	14	7	16	10	10	14	6	8	11
Miyagi	146	9	10	21	22	11	12	16	8	12	7	3	15
Miyazaki	126	13	10	12	8	11	7	10	14	9	12	12	8
Nagano	172	16	15	14	15	12	13	11	15	15	17	17	12
Nagasaki	195	16	16	16	15	21	12	10	19	16	19	15	20
Nara	82	9	11	4	7	10	5	6	7	10	3	8	2
Niigata	236	30	20	21	27	25	18	18	24	14	17	9	13
Oita	168	15	18	21	10	17	14	6	12	20	15	10	10
Okayama	158	19	18	21	12	14	15	17	6	13	11	8	10
Osaka	317	39	35	31	24	35	19	23	31	14	21	21	24
Saga	93	5	9	14	8	8	9	8	8	7	8	6	3
Saitama	200	17	20	14	17	20	16	19	24	12	13	15	13
Shiga	64	2	4	7	11	6	6	5	6	3	8	-	6
Shimane	97	9	5	10	15	7	4	6	5	14	10	9	3
Shizuoka	146	14	10	12	11	16	12	14	14	9	9	6	19
Tochigi	176	22	13	20	13	17	16	7	17	17	11	14	9
Tokushima	76	6	6	6	8	5	7	8	5	3	6	6	10
Tokyo	469	51	57	44	38	54	42	38	34	31	28	34	18
Tottori	61	8	9	5	7	6	3	3	4	4	-	3	9
Toyama	84	10	8	5	6	12	9	6	4	5	6	6	8
Wakayama	102	8	12	10	4	8	10	10	9	8	6	9	8
Yamagata	148	16	9	16	18	15	22	14	8	7	9	6	8
Yamaguchi	188	15	15	19	20	21	16	14	14	17	19	7	11
Yamanashi	91	11	8	3	9	8	6	8	5	8	8	9	8

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ULCER OF STOMACH OR DUODENUM (117):													
All Japan	20802	2298	1987	1993	1781	1626	1560	1440	1358	1454	1657	1790	1858
All "Shi"	6596	759	631	644	551	491	482	423	453	445	554	558	605
All "Gun"	14206	1539	1356	1349	1230	1135	1078	1017	905	1009	1103	1232	1253
Aichi	705	86	50	71	62	43	50	43	51	45	67	76	61
Akita	302	29	25	20	29	27	27	20	33	29	27	15	21
Aomori	220	24	15	18	18	21	16	23	20	20	20	13	12
Chiba	680	87	64	60	61	46	61	52	46	44	44	58	57
Ehime	358	37	29	35	28	23	27	26	29	28	28	31	37
Fukui	191	19	18	19	19	17	7	16	16	12	15	11	22
Fukuoka	925	105	110	85	73	58	67	75	60	60	73	73	86
Fukushima	543	63	50	59	49	28	51	39	31	37	36	48	52
Gifu	362	35	28	27	32	43	22	26	23	35	41	26	24
Gunma	466	39	44	46	43	44	34	25	31	38	31	49	42
Hiroshima	630	61	49	49	49	61	54	50	28	42	63	57	67
Hokkaido	652	69	63	59	61	39	47	46	45	51	55	43	70
Iyogo	766	87	66	67	62	62	50	62	49	61	62	76	66
Ibaraki	576	61	47	60	46	52	50	29	39	43	44	55	50
Ishikawa	300	35	27	28	32	23	16	22	18	17	27	28	27
Iwate	322	34	36	25	35	29	18	26	17	24	21	29	28
Kagawa	281	29	32	24	23	28	15	19	17	14	25	28	27
Kagoshima	573	80	61	50	51	39	45	36	38	43	30	41	59
Kanagawa	516	66	44	40	40	40	35	34	22	39	52	42	51
Kochi	193	29	22	15	13	13	11	14	15	14	13	15	19

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ULCER OF STOMACH OR DUODENUM (117) - Cont'd.													
Kumamoto	555	72	57	50	39	50	42	32	43	43	37	49	41
Kyoto	425	33	44	44	38	31	36	27	28	36	38	40	30
Mie	415	51	47	44	29	26	34	37	28	23	31	23	42
Miyagi	377	52	37	43	31	23	21	17	32	23	25	43	30
Miyazaki	263	30	24	25	21	19	18	8	23	22	28	21	24
Nagano	568	46	48	49	47	54	36	45	33	42	64	48	56
Nagasaki	469	56	52	48	35	40	33	37	30	23	37	34	44
Nara	245	22	22	25	22	13	31	14	17	23	19	17	20
Niigata	617	63	58	69	74	39	54	42	38	37	37	63	43
Oita	420	39	47	38	42	36	39	26	17	26	41	43	26
Okayama	467	58	47	45	28	33	27	33	33	36	43	44	40
Osaka	822	106	76	78	72	81	54	52	46	45	60	66	86
Seiga	274	39	31	31	17	16	17	14	16	23	20	26	24
Seitama	560	51	71	62	40	47	41	43	39	39	36	50	41
Shiga	271	28	28	28	21	22	18	28	15	16	24	28	15
Shimane	316	36	23	35	19	22	29	22	20	22	28	31	29
Shizuoka	581	68	49	73	51	53	41	21	39	25	40	44	61
Tochigi	417	44	40	29	48	31	33	21	32	22	43	28	46
Tokushima	217	20	17	23	18	25	18	14	14	12	20	19	17
Tokyo	1193	131	109	118	121	83	87	74	78	81	92	95	124
Tottori	155	15	24	15	18	17	11	7	9	14	6	13	6
Toyama	265	27	28	23	30	16	25	25	15	17	15	25	24
Wakayama	261	32	28	22	16	18	17	17	15	18	21	27	30
Yamagata	354	31	27	44	29	26	36	24	30	30	27	31	29
Yamaguchi	499	47	45	42	35	50	39	48	35	41	40	45	32
Yamanashi	235	26	28	22	14	19	25	13	15	19	11	23	20

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (ALL AGES) (119-120):													
All Japan	83979	5389	5493	6259	5808	6088	7245	11709	11549	8118	5664	5610	5047
All "Shi"	21648	1463	1567	1769	1666	1635	1934	2942	2690	1856	1408	1479	1299
All "Gun"	62331	3926	3926	4490	4202	4453	5311	8767	8859	6262	4256	4131	3748
Aichi	2492	181	199	234	191	181	218	332	266	199	156	170	165
Akita	2351	125	117	154	146	167	244	327	346	266	185	159	115
Aomori	2322	75	87	114	123	130	222	405	499	436	203	130	98
Chiba	1778	131	126	131	127	145	119	228	239	158	113	144	117
Ehime	1269	64	72	72	74	108	140	192	164	108	109	90	76
Fukui	1461	77	64	77	65	74	116	301	273	177	88	85	64
Fukuoka	2829	177	218	194	169	161	241	344	266	229	172	243	195
Fukushima	2144	111	120	164	184	165	167	273	302	205	152	151	150
Gifu	1724	134	100	137	118	126	138	265	205	145	120	110	126
Gumma	1650	125	165	167	134	146	123	182	206	113	105	89	95
Hiroshima	1931	121	126	119	120	128	171	331	300	161	139	111	104
Hokkaido	5365	282	281	311	282	310	380	626	1079	771	402	370	291
Iyogo	3298	196	224	254	219	237	287	532	478	275	220	204	172
Ibaraki	1803	128	150	158	119	124	152	214	186	186	112	125	149
Ishikawa	1699	82	83	108	105	107	145	284	260	184	116	86	79
Iwate	2118	107	104	126	131	120	166	291	386	320	154	102	111
Kagawa	798	50	44	67	41	55	65	102	90	87	81	64	52
Kagoshima	2103	175	123	102	125	175	214	307	213	194	142	176	157
Kanagawa	1416	86	102	122	112	117	141	179	117	117	69	98	87
Kochi	797	56	59	43	57	64	90	103	105	70	53	47	50

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (ALL AGES) (119-120) Cont'd.													
Kumamoto	1836	150	118	120	130	156	191	253	194	119	120	153	132
Kyoto	1529	128	101	134	111	112	117	199	221	154	84	92	76
Kie	1635	114	109	123	115	112	159	279	193	125	100	94	112
Miyagi	1667	112	115	134	131	122	159	209	197	174	104	112	98
Miyazaki	1102	98	82	60	47	109	121	132	113	72	77	101	90
Nagano	1894	146	135	164	157	155	159	219	239	179	117	123	101
Nagasaki	1615	107	110	140	99	156	179	210	163	131	109	119	92
Nara	1020	59	60	72	87	84	77	187	142	84	59	55	54
Niigata	3444	182	191	289	286	276	286	443	509	328	250	232	172
Oita	1415	90	104	115	92	111	130	152	161	134	111	89	126
Okayama	1811	117	89	123	107	125	137	294	290	171	137	121	100
Osaka	2993	222	208	275	232	239	265	486	331	219	168	184	164
Saga	1085	85	90	82	95	111	110	141	93	79	66	58	75
Saitama	2252	161	179	184	162	146	193	314	284	191	143	144	151
Shiga	1278	69	88	84	85	91	95	246	190	121	74	81	54
Shimane	1000	51	53	53	57	50	85	143	191	117	67	59	74
Shizuoka	2066	160	150	170	150	173	237	254	249	139	110	133	141
Tochigi	1713	121	129	128	122	113	129	213	257	176	92	120	113
Tokushima	933	44	53	58	56	59	87	123	137	104	76	65	71
Tokyo	2692	243	250	270	228	200	207	304	285	169	164	191	181
Tottori	679	43	37	51	44	44	36	106	115	74	46	38	44
Toyama	1862	112	95	126	140	134	178	280	259	188	141	118	91
Wakayama	960	43	77	67	93	63	68	156	116	75	76	67	59
Yamagata	2017	98	134	204	171	167	156	227	279	202	136	148	95
Yamaguchi	1299	72	113	108	87	80	83	186	180	122	112	90	66
Yamanashi	874	77	59	71	62	60	62	130	119	70	34	68	62

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (UNDER 2 YEARS) (119):													
All Japan	4843	2972	2817	3111	2939	3350	4600	7978	7152	4488	2950	3427	3059
All "Shi"	13561	865	877	994	923	1026	1336	2156	1740	1076	786	973	869
All "Gan"	35282	2107	1940	2117	2016	2324	3264	5822	5412	3412	2164	2454	2250
Aichi	1307	102	90	113	90	87	124	211	131	87	62	107	103
Akita	1676	75	68	85	83	112	195	277	277	189	112	123	82
Aomori	1963	46	59	65	78	92	179	352	412	340	164	105	71
Chiba	914	64	61	57	61	69	64	121	126	80	55	84	72
Ehime	669	36	31	36	42	62	74	116	84	59	40	47	42
Fukui	859	26	27	29	28	29	75	233	195	88	41	53	35
Fukuoka	1702	119	128	107	117	109	173	249	177	134	100	167	122
Fukushima	1383	72	67	109	100	88	110	202	202	123	104	101	105
Gifu	969	84	53	66	51	68	87	171	112	68	65	63	81
Gumma	646	46	48	46	36	52	61	86	89	54	38	41	49
Hiroshima	1029	49	50	53	57	60	104	226	184	68	55	59	64
Hokkaido	4015	196	202	212	209	219	279	498	817	582	299	289	213
Iwago	1705	99	112	114	97	118	158	343	257	112	91	110	94
Ibaraki	1011	81	88	89	51	61	103	120	100	90	55	82	91
Ishikawa	1127	52	44	55	57	68	113	227	210	120	74	53	54
Iwate	1595	76	78	96	91	77	127	242	296	239	106	76	91
Kagawa	423	35	22	33	19	28	38	62	59	35	24	34	34
Kagoshima	1204	83	73	49	64	117	140	199	120	100	84	90	85
Kanagawa	918	53	63	63	68	78	108	130	111	74	35	73	62
Koeti	412	35	18	20	36	34	58	65	49	38	16	17	26

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (UNDER 2 YEARS) (119) Cont'd.													
Kumamoto	1008	75	52	56	72	96	127	143	106	60	55	91	75
Kyoto	762	72	45	67	52	52	57	119	116	60	42	49	31
Mie	828	55	43	46	48	52	96	179	111	55	38	50	55
Miyagi	1246	86	82	88	93	89	122	176	151	125	72	87	75
Miyazaki	651	63	49	34	32	81	79	86	56	24	34	58	55
Nagano	797	55	42	67	48	56	80	106	111	75	53	55	49
Nagasaki	1093	68	67	91	59	130	150	153	111	69	65	72	58
Nara	539	30	27	33	39	42	49	124	71	44	19	32	29
Niigata	1678	74	73	97	104	102	158	293	279	156	114	136	92
Oita	697	44	42	50	37	64	73	86	87	59	42	44	69
Okayama	781	44	32	38	30	45	65	165	153	63	52	54	40
Osaka	1661	117	118	163	132	130	150	326	154	86	80	111	94
Saga	720	53	52	49	59	73	81	108	58	48	44	42	53
Saitama	1028	84	86	81	70	65	90	156	123	74	54	67	78
Shiga	642	30	28	35	35	42	52	164	97	53	33	45	28
Shimane	570	23	31	22	32	26	44	104	142	52	32	23	39
Shizuoka	1248	102	79	77	77	109	170	176	156	67	49	87	99
Tochigi	775	56	44	56	47	49	56	113	113	70	45	66	60
Tokushima	485	37	26	23	29	24	46	71	72	44	31	37	45
Tokyo	1839	162	169	177	142	138	154	237	188	111	92	138	131
Tottori	393	14	18	30	22	19	25	81	78	49	19	16	22
Toyama	1158	62	57	68	80	75	108	203	170	110	93	79	53
Wakayama	466	15	30	36	38	31	30	101	69	24	29	35	34
Yamagata	1180	59	65	50	70	72	94	169	216	138	78	95	64
Yamaguchi	689	30	51	60	39	38	50	132	110	62	53	45	29
Yamaneishi	382	33	27	20	18	22	24	79	52	30	12	39	26

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (2 YEARS & OVER) (120):													
All Japan	35136	2417	2676	3148	2869	2738	2645	3731	4397	3630	2714	2183	1988
All "Shi"	8087	598	690	775	683	609	598	786	950	780	622	506	490
All "Gun"	27049	1819	1986	2373	2186	2129	2047	2945	3447	2850	2092	1677	1498
Aichi	1185	79	109	121	101	94	94	121	135	112	94	63	62
Akita	675	50	49	69	63	55	49	52	69	77	73	36	33
Aomori	559	29	28	49	45	32	43	53	87	96	39	25	27
Chiba	864	67	65	74	66	76	55	107	113	78	58	60	45
Ehime	600	28	41	36	32	46	66	76	80	49	69	43	34
Fukui	602	51	37	48	37	45	41	68	78	89	47	32	29
Fukuoka	927	58	90	87	72	52	68	95	89	95	72	76	73
Fukushima	761	39	53	55	84	77	57	71	100	82	48	50	45
Gifu	755	50	47	71	67	58	51	94	93	77	55	47	45
Gunma	1004	79	117	121	98	94	62	96	117	59	67	48	46
Hiroshima	902	72	76	66	63	68	67	105	116	93	84	52	40
Hokkaido	1370	86	79	99	73	91	101	128	262	189	103	81	78
Ibigo	1593	97	112	140	122	119	129	189	221	163	129	94	78
Ibaraki	792	47	62	69	68	63	49	94	86	96	57	43	58
Ishikawa	512	30	39	53	48	39	32	57	50	64	42	33	25
Iwate	523	31	26	30	40	43	39	49	90	81	48	26	20
Kagawa	375	15	22	34	22	27	27	40	31	52	57	30	18
Kagoshima	899	92	50	53	61	58	74	108	93	94	58	86	72
Kanagawa	498	35	39	59	44	39	33	54	68	43	34	25	25
Kochi	385	21	41	23	221	30	32	38	56	32	37	30	24

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (2 YEARS & OVER) (120) Cont'd.													
Kumamoto	828	75	66	64	58	60	64	110	88	59	65	62	57
Kyoto	767	56	56	67	59	60	60	80	105	94	42	43	45
Mie	807	59	66	77	67	60	63	100	82	70	62	44	57
Miyagi	421	26	33	46	38	33	37	33	46	49	32	25	23
Miyazaki	451	35	33	26	15	28	42	46	57	48	43	43	35
Nagano	1097	91	93	97	109	99	79	113	128	104	64	68	52
Nagasaki	522	39	43	49	40	26	29	57	52	62	44	47	34
Nara	481	29	33	39	48	42	28	63	71	40	40	23	25
Niigata	1766	108	118	192	182	174	128	150	230	172	136	96	80
Oita	718	46	62	65	55	47	57	66	74	75	69	45	57
Okayama	1030	73	57	85	77	80	72	129	137	108	85	67	60
Osaka	1332	105	90	112	100	109	115	160	177	133	88	73	70
Saga	365	32	38	33	36	38	29	33	35	31	22	16	22
Saitama	1224	77	93	103	92	81	103	158	161	117	89	77	73
Shiga	636	39	60	49	50	49	43	82	93	68	41	36	26
Shimane	430	28	22	31	25	24	41	39	49	65	35	36	35
Shizuoka	818	58	71	93	73	64	67	78	93	72	61	46	42
Tochigi	938	65	85	72	75	64	73	100	144	106	47	54	53
Tokushima	448	7	27	35	27	35	41	52	65	60	45	28	26
Tokyo	853	81	81	93	86	62	53	67	97	58	72	53	50
Tottori	286	29	19	21	22	25	11	25	37	25	27	23	22
Toyama	704	50	38	58	60	59	70	77	89	78	48	39	38
Wakayama	494	28	47	31	55	32	38	55	53	51	47	32	25
Yamagata	837	39	69	144	101	95	63	58	63	64	58	53	31
Yamaguchi	610	42	62	58	48	42	33	54	70	60	59	45	37
Yamanashi	492	44	32	51	44	38	38	51	67	40	22	29	36

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
APPENDICITIS (121):													
All Japan	3,828	283	341	332	351	294	345	360	393	354	285	256	234
All "Shi"	1,550	107	157	131	157	118	159	157	191	169	118	99	87
All "Gun"	2,178	176	184	201	194	176	186	203	202	185	167	157	147
Aichi	124	8	10	13	15	8	9	8	19	9	8	13	4
Akita	92	3	7	14	12	5	6	7	6	9	6	7	10
Aomori	85	8	6	7	9	3	13	6	10	10	5	5	3
Chiba	108	8	5	15	6	11	6	12	10	10	9	5	11
Ehime	64	3	3	1	8	4	5	8	2	8	8	5	9
Fukui	39	3	1	3	7	2	1	4	5	3	2	5	3
Fukuoka	162	12	12	11	17	8	22	14	15	14	13	14	10
Fukushima	117	12	7	16	9	7	17	8	6	8	13	7	7
Gifu	45	4	6	2	5	5	-	3	6	5	3	3	3
Gunma	67	4	7	4	10	7	8	7	7	2	5	5	1
Hiroshima	87	7	12	9	7	6	8	10	9	6	6	6	1
Hokkaido	188	10	18	12	15	12	10	17	23	22	18	15	16
Ibogo	153	20	13	13	14	13	13	5	26	13	11	8	10
Ibaraki	106	6	11	12	8	7	5	7	8	14	11	10	7
Ishikawa	49	4	6	6	6	5	1	2	4	5	3	3	4
Iwate	61	2	10	6	7	1	2	7	5	6	3	5	7
Kagawa	41	1	4	2	7	3	3	5	2	5	6	2	1
Kagoshima	67	4	6	5	5	6	5	5	9	5	7	8	3
Kanagawa	105	6	8	14	8	9	12	6	7	16	6	8	4
Kochi	40	4	3	5	3	4	3	1	3	4	4	2	4

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
APPENDICITIS (121) - Cont'd:													
Kanamoto	93	8	3	6	5	3	10	10	3	6	10	9	5
Kyoto	94	2	9	8	8	11	12	7	11	6	6	7	7
Mie	58	3	3	-	4	7	7	9	8	6	4	4	3
Miyagi	88	10	9	7	6	6	13	10	6	6	9	3	3
Miyazaki	44	5	4	4	3	4	4	5	2	5	4	3	1
Nagano	102	11	9	5	7	10	14	12	8	6	3	7	10
Nagasaki	54	7	4	9	5	4	4	4	3	7	4	1	2
Nara	31	-	5	5	1	1	3	2	4	4	2	3	2
Niigata	150	13	17	20	19	10	10	17	12	11	9	7	4
Oita	70	7	4	7	5	3	3	10	4	3	7	7	4
Okeyama	74	6	4	7	6	8	5	8	8	6	7	6	4
Osaka	156	9	19	11	13	10	13	23	27	11	11	5	5
Saga	42	3	6	5	3	6	2	5	3	3	5	5	1
Saitama	78	5	10	7	10	10	7	6	10	10	4	2	6
Shiga	57	2	4	1	8	5	4	5	14	6	4	1	3
Shimane	40	4	6	2	5	11	7	3	9	1	3	5	4
Shizuoka	96	9	6	4	8	8	15	6	12	15	4	4	4
Tochigi	54	5	1	5	7	3	8	6	8	8	4	5	3
Tokushima	28	-	3	1	3	5	1	5	4	2	2	2	2
Tokyo	249	17	26	20	24	14	28	21	27	26	19	13	14
Tottori	40	3	1	3	4	1	4	3	7	5	2	4	3
Toyama	56	6	3	6	6	6	10	3	5	8	5	6	5
Wakayama	39	4	3	5	2	4	5	4	3	1	1	6	1
Yamagata	79	7	8	6	6	5	8	8	9	9	5	6	10
Yamaguchi	75	6	7	8	7	5	7	7	6	9	3	3	7
Yamanashi	37	2	9	3	5	-	4	2	5	2	1	1	3

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
NEPHRITIS (ALL FORMS)													
(130-132):													
All Japan	36824	3815	3460	3343	2951	3028	2787	2746	2584	2812	3075	3069	3124
All "She"	11146	1154	1128	1052	963	979	840	806	764	794	881	869	916
All "Gun"	25678	2661	2332	2291	1988	2049	1947	1940	1820	2048	2194	2200	2208
Aichi	1187	127	115	116	98	113	70	94	91	88	99	73	103
Akita	750	53	60	58	64	59	53	60	58	77	73	68	67
Aomori	472	39	42	47	39	35	28	35	29	42	42	54	40
Chiba	1184	132	106	104	101	104	109	94	68	94	95	98	100
Ehime	570	56	47	63	55	58	40	33	31	46	50	48	43
Fukui	301	27	31	18	26	27	22	26	15	25	24	29	31
Fukuoka	1555	184	135	126	139	128	95	109	113	124	139	124	139
Fukushima	847	90	76	80	62	55	48	50	62	84	96	80	64
Gifu	563	67	50	52	45	47	38	46	37	38	42	50	51
Gumma	716	90	77	59	59	56	58	54	49	49	47	59	59
Hiroshima	928	94	95	74	76	89	72	63	63	86	78	67	71
Hokkaido	1155	104	107	115	101	79	69	91	75	79	97	100	138
Hyogo	1351	124	140	127	101	96	116	103	97	109	103	122	113
Ibaraki	1147	118	106	95	99	97	75	91	91	78	99	99	99
Ishikawa	431	36	33	44	36	33	28	33	35	39	44	40	33
Iwate	575	51	54	41	45	51	49	54	47	33	48	51	51
Kagawa	442	41	35	40	29	40	25	53	30	37	37	37	45
Kagoshima	1028	138	91	69	63	85	73	92	67	91	104	80	75
Kanagawa	877	109	112	79	87	70	61	58	56	44	70	69	62
Kochi	412	39	40	32	34	40	23	26	33	36	39	36	34

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
NEPHRITIS (ALL FORMS) (130-132),													
Kumamoto	1078	109	117	103	72	93	91	88	74	87	80	91	72
Kyoto	647	61	59	71	50	51	50	49	53	38	53	56	58
Mie	631	69	55	59	54	44	60	51	44	45	45	54	51
Miyagi	625	69	62	52	59	49	52	46	41	52	54	54	50
Miyazaki	567	55	45	34	37	49	50	46	44	52	42	60	53
Nagano	1092	108	107	98	75	76	103	90	93	71	85	88	98
Nagasaki	755	76	80	62	51	63	56	61	55	61	66	59	65
Nara	407	51	31	46	26	29	38	26	23	33	29	35	40
Niigata	1329	128	134	130	111	117	118	98	79	101	98	121	94
Oita	738	80	68	71	63	52	50	46	53	56	76	56	67
Okayama	709	69	57	58	48	59	64	54	56	66	59	61	58
Osaka	1684	192	184	169	154	199	127	115	94	120	125	140	125
Saga	633	71	53	55	51	42	58	40	61	59	39	47	57
Saitama	1072	114	105	110	82	75	70	84	85	96	74	86	91
Shiga	468	58	36	39	19	30	46	33	37	37	45	43	45
Shimane	452	39	53	41	29	40	29	38	33	34	39	38	39
Shizuoka	954	107	81	87	70	93	78	75	57	60	90	67	89
Tochigi	717	69	63	61	58	57	45	58	48	52	69	61	78
Tokushima	433	46	38	37	37	44	34	32	25	29	26	33	34
Tokyo	2128	203	201	210	181	213	151	167	165	146	167	154	170
Tottori	352	34	34	38	26	30	25	18	23	28	33	33	30
Toyama	514	47	46	40	47	41	47	32	34	47	44	47	42
Wakayama	313	32	35	20	19	30	21	23	23	27	27	21	35
Yamagata	782	78	66	82	74	59	65	38	51	70	73	68	58
Yamaguchi	789	84	60	79	64	58	68	56	55	54	73	68	70
Yamanashi	464	47	38	34	35	33	42	44	31	40	38	44	38

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (140-150):													
All Japan	4,480	416	437	413	356	336	326	353	400	395	370	320	358
All *Shi*	1,590	143	149	126	113	113	120	122	136	147	192	111	118
All *Gun*	2,950	273	288	287	243	223	206	231	264	248	238	209	240
Aichi	158	12	16	14	12	12	12	11	10	15	14	12	18
Akita	110	12	17	13	6	10	6	7	9	7	5	8	10
Aomori	100	14	9	13	11	11	9	8	9	9	5	3	5
Chiba	135	11	17	8	9	13	6	16	9	11	17	13	5
Ehime	63	1	5	3	8	7	8	5	4	9	5	3	5
Fukui	39	2	3	5	-	4	5	2	4	2	4	5	3
Fukuoka	197	16	22	13	17	14	13	15	16	17	24	17	13
Fukushima	124	12	14	11	11	6	9	8	11	16	8	5	13
Gifu	75	8	8	6	6	4	6	7	9	9	9	2	1
Gunma	90	13	7	6	12	7	9	8	7	8	2	3	8
Hiroshima	102	13	12	4	8	10	4	13	4	14	9	4	7
Hokkaido	264	21	27	32	21	23	15	28	21	17	23	18	18
Hyogo	159	21	15	17	21	7	10	5	12	13	11	12	15
Ibaraki	122	6	16	11	11	10	10	10	13	11	12	9	3
Ishikawa	66	2	6	5	4	4	6	7	6	6	7	8	5
Iwate	113	12	10	11	8	12	4	8	5	16	9	5	13
Kagawa	43	3	3	3	5	3	2	6	2	4	5	4	3
Kagoshima	113	10	9	10	7	5	11	12	12	4	8	11	14
Kanagawa	111	15	6	12	5	4	12	6	13	12	9	7	8
Kochi	42	5	1	3	2	3	3	4	6	2	6	4	3

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (140-150) - Cont'd.													
Kumamoto	108	2	9	13	7	8	6	13	11	7	8	6	11
Kyoto	68	6	8	6	6	6	5	3	4	7	7	6	4
Mie	78	4	6	4	2	5	9	7	6	7	12	4	5
Miyagi	108	13	8	18	6	11	9	8	8	4	11	6	6
Miyazaki	79	8	9	7	8	4	9	5	4	6	3	7	9
Nagano	94	6	7	4	6	6	9	8	14	8	12	11	3
Nagasaki	93	12	7	11	8	3	6	8	9	9	7	9	4
Nara	48	1	6	6	5	-	4	1	10	4	3	6	2
Niigata	131	14	10	17	11	13	12	5	7	16	8	8	10
Oita	88	9	8	3	5	6	6	7	8	7	5	8	16
Okayama	80	11	14	5	5	9	5	3	5	9	1	8	5
Osaka	160	14	18	11	15	11	14	13	17	16	11	11	9
Saga	52	4	2	7	-	3	5	2	8	7	5	3	6
Seitama	122	10	7	8	11	10	8	14	13	7	10	7	17
Shiga	28	3	5	1	1	1	-	1	4	4	2	4	2
Shimane	69	6	10	13	1	5	2	9	7	4	4	4	4
Shizuoka	114	12	10	15	6	10	6	6	15	12	7	9	5
Tochigi	97	8	11	8	7	9	7	8	9	8	4	8	10
Tokushima	49	4	2	3	7	3	8	3	4	4	3	4	4
Tokyo	254	26	24	18	20	14	14	24	28	20	26	21	19
Tottori	41	4	5	8	2	5	1	-	2	3	4	5	2
Toyama	39	1	4	3	3	3	3	5	3	5	4	1	4
Wakayama	40	6	6	4	3	4	3	4	3	2	-	3	2
Yamagata	95	7	9	11	9	10	5	4	10	7	3	1	16
Yamaguchi	74	7	5	5	9	6	4	4	5	8	12	3	6
Yamanashi	45	2	2	4	2	2	6	2	4	8	6	1	6

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL MALFORMATIONS (157):													
All Japan	5781	549	533	593	444	392	368	448	427	469	457	511	590
All "Shi"	1856	158	178	199	133	122	113	152	137	167	143	161	193
All "Gun"	3925	391	355	394	311	270	255	296	290	302	314	350	397
Aichi	198	25	18	16	19	14	9	14	14	19	15	18	17
Akita	117	12	16	13	11	5	6	6	9	9	11	10	9
Aomori	108	8	8	14	8	5	9	12	6	6	10	10	12
Chiba	168	21	17	17	19	7	6	6	14	17	14	15	15
Ehime	112	17	8	8	11	8	8	7	9	11	9	3	13
Fukui	46	5	1	5	2	2	-	5	4	7	5	4	6
Fukuoka	257	26	17	25	16	24	10	18	19	21	27	26	28
Fukushima	167	15	15	16	14	13	8	15	6	18	17	9	21
Gifu	82	10	8	6	8	6	5	4	7	4	12	3	9
Gumma	126	13	10	17	14	4	5	11	7	14	9	13	9
Hiroshima	133	7	13	11	13	10	6	4	17	11	14	12	15
Hokkaido	319	21	28	28	32	23	23	18	29	27	18	26	46
Ibigo	182	21	17	20	9	13	11	19	13	23	10	14	22
Ibaraki	165	20	12	17	12	9	10	11	16	13	10	16	19
Ishikawa	80	3	7	7	9	11	9	1	8	9	8	3	5
Iwate	101	13	15	10	7	7	3	10	4	9	3	12	8
Kagawa	75	5	2	12	5	8	5	4	9	3	5	8	9
Kagoshima	116	10	10	16	2	7	6	10	10	7	12	11	15
Kanagawa	189	20	18	17	19	10	12	17	13	14	9	21	19
Kochi	69	8	6	8	5	3	6	4	4	7	4	7	7

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL MALFORMATIONS (157):													
Kumamoto	98	13	3	15	7	7	9	9	4	6	9	8	8
Kyoto	102	2	9	14	7	11	5	14	8	10	6	4	12
Mie	110	6	11	14	8	3	4	7	12	12	10	14	15
Miyagi	119	9	13	16	13	3	10	13	12	6	6	8	10
Miyazaki	75	9	6	9	7	2	7	12	5	5	2	6	5
Nagano	139	10	14	10	7	14	16	7	10	10	11	19	11
Nagasaki	115	12	14	10	6	7	8	6	5	12	6	15	14
Nara	42	1	6	2	4	4	1	7	2	2	2	7	4
Niigata	186	14	15	21	17	17	14	13	13	17	14	17	14
Oita	77	8	9	6	5	6	7	5	8	5	9	6	3
Okayama	102	9	6	11	4	7	2	11	10	10	9	13	10
Osaka	233	27	26	22	11	14	13	19	16	24	21	22	18
Saga	67	8	5	9	3	2	3	5	5	6	8	3	10
Seitama	217	18	20	19	17	13	13	23	14	22	16	17	25
Shiga	62	6	5	10	4	5	2	4	1	6	3	7	9
Shimane	75	9	4	7	3	7	6	6	8	10	5	3	7
Shizuoka	181	13	27	16	13	13	17	10	13	8	17	18	16
Tochigi	136	15	10	16	13	11	14	14	5	6	8	11	13
Tokushima	54	3	6	5	4	3	4	6	5	3	5	-	9
Tokyo	358	33	35	39	31	20	28	37	25	22	27	25	36
Tottori	30	3	2	4	-	5	5	1	2	2	2	3	1
Toyama	60	9	6	6	2	5	2	4	3	7	3	9	4
Wakayama	83	10	6	6	3	5	9	3	5	7	9	12	8
Yamagata	127	12	12	11	9	17	6	5	13	5	13	12	12
Yamaguchi	76	3	12	10	8	1	3	7	5	4	11	4	8
Yamanashi	47	7	5	2	3	1	3	5	4	3	3	7	4

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL DEBILITY (158):													
All Japan	38,323	5,425	5,184	4,661	2,952	2,373	2,171	2,184	2,109	2,153	2,326	2,882	3,903
All "Shi"	9,867	1,448	1,353	1,158	761	633	567	592	551	523	553	692	1,030
All "Gun"	28,456	3,977	3,831	3,503	2,191	1,740	1,604	1,586	1,558	1,630	1,773	2,190	2,873
Aichi	1,713	274	213	200	127	87	106	91	89	88	103	130	205
Akita	1,079	126	157	164	100	48	60	40	42	80	59	97	106
Aomori	1,130	92	110	120	106	76	76	86	90	103	71	74	126
Chiba	1,001	133	138	125	66	62	61	57	62	57	66	79	95
Ehime	715	109	93	69	44	37	47	26	50	49	53	69	69
Fukui	547	71	90	62	64	31	28	31	31	28	27	33	51
Fukunaka	1,405	216	157	159	102	112	69	77	86	79	104	112	132
Fukushima	1,062	141	138	163	111	80	65	47	38	60	52	66	101
Gifu	947	150	144	121	63	45	48	52	50	37	50	77	110
Gumma	690	101	104	108	72	51	29	36	38	31	27	41	55
Hiroshima	871	140	104	105	76	60	60	48	56	47	40	61	74
Hokkaido	1,687	189	162	164	144	117	129	114	133	104	119	143	169
Iyogo	1,352	194	212	175	99	75	56	79	68	70	80	101	143
Ibaragi	1,163	188	160	134	69	73	71	66	63	74	78	68	99
Ishikawa	567	65	77	71	49	43	27	41	31	26	44	37	56
Iwate	906	105	131	99	73	58	51	44	56	53	54	75	107
Kagawa	612	77	91	79	48	34	38	37	37	36	34	45	56
Kagoshima	687	122	95	45	52	35	35	45	46	38	40	59	85
Kanagawa	621	102	97	83	42	47	28	33	19	29	29	30	70
Kochi	426	61	64	43	34	22	22	24	26	26	29	41	34

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL DEBILITY (158) - Cont'd:													
Kimemoto	752	118	95	71	37	67	54	33	41	37	60	62	77
Kyoto	683	103	98	106	40	37	36	35	39	35	37	44	73
Mie	748	110	96	91	50	43	46	45	38	40	53	51	85
Miyagi	883	118	139	124	77	56	46	44	27	41	46	71	92
Miyazaki	478	83	62	41	28	30	30	27	29	35	28	38	47
Nagano	731	97	101	80	53	54	39	41	39	29	53	49	96
Nagasaki	819	112	115	91	43	49	47	49	56	48	53	76	80
Nara	487	69	63	65	36	33	25	34	19	28	29	41	45
Niigata	1,074	111	159	141	88	70	63	76	60	58	77	87	84
Oita	686	112	96	79	45	41	32	45	37	44	43	53	59
Okayama	1,000	151	145	130	79	64	51	54	45	53	62	72	84
Osaka	1,422	218	192	169	95	83	88	95	67	65	77	112	161
Saga	674	98	71	103	41	48	43	41	36	36	77	45	65
Seitama	1,105	162	136	121	89	57	64	71	52	63	75	87	128
Shiga	468	71	68	57	35	31	23	37	26	22	19	35	44
Shimane	485	68	64	49	35	24	23	29	34	31	38	46	44
Shizuoka	999	159	149	124	75	53	53	62	54	44	61	58	107
Tochigi	809	83	80	87	49	39	31	25	36	49	32	39	59
Tokushima	592	86	94	75	47	29	23	30	29	33	39	46	61
Tokyo	1,424	234	213	205	110	88	85	67	66	68	66	94	128
Tottori	307	48	47	35	25	24	17	15	7	21	26	16	26
Toyama	549	77	73	83	43	29	23	32	30	29	29	50	51
Wakayama	365	53	55	22	26	20	16	25	24	27	16	26	55
Yamagata	888	100	120	121	95	46	98	53	53	40	51	80	91
Yamanashi	637	76	78	62	33	49	44	36	40	39	43	52	85
Yamanashi	277	42	35	40	17	16	25	9	14	19	13	14	33

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Death	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PREMATURE BIRTH (159):													
All Japan	13,754	1,574	1,469	1,327	991	954	940	916	955	940	1,077	1,222	1,389
All "Shi"	4,227	461	401	371	293	301	309	297	328	323	324	381	438
All "Gun"	9,527	1,113	1,068	956	698	653	631	619	627	617	753	841	951
Aichi	615	62	63	56	39	33	43	38	48	41	60	60	72
Akita	346	45	45	49	35	24	23	14	16	16	35	25	19
Asadori	230	18	22	20	17	18	19	22	27	14	18	22	13
Chiba	528	73	52	40	27	27	43	38	44	28	40	55	52
Ehime	277	34	30	30	24	18	14	18	20	23	14	23	29
Fukui	174	18	16	27	14	12	10	15	7	9	12	12	22
Fukuoka	452	60	44	35	31	27	28	24	32	32	39	50	50
Fukushima	355	37	38	37	31	28	23	16	15	30	35	27	38
Gifu	344	35	40	37	23	19	23	23	17	15	34	39	39
Gunma	203	27	21	19	14	10	20	14	11	16	11	21	19
Hiroshima	266	35	28	24	19	12	21	18	16	27	26	19	21
Hokkaido	453	48	45	38	32	35	39	39	37	26	40	33	41
Hyogo	514	64	65	55	36	36	36	33	30	33	33	45	48
Ibaraki	515	58	48	61	35	44	24	35	31	33	44	54	48
Ishikawa	197	19	22	22	16	6	14	9	14	21	14	14	26
Iwate	309	28	32	30	17	27	21	20	24	33	20	32	25
Kagawa	234	19	22	17	18	15	21	21	21	18	19	19	24
Kagoshima	236	30	19	25	15	15	7	15	25	18	21	24	22
Kanagawa	268	36	22	22	20	23	15	15	22	14	22	27	21
Kochi	190	20	14	11	23	14	15	16	10	6	20	21	20

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Death	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PREMATURE BIRTH (199) - Cont'd:													
Kumamoto	271	33	24	17	19	17	20	19	18	20	23	27	34
Kyoto	300	29	34	26	18	23	22	16	22	20	15	30	45
Mie	294	28	31	34	12	32	18	15	30	17	17	34	26
Miyagi	277	28	29	24	26	14	18	13	17	15	26	16	41
Miyasaki	206	23	16	12	16	22	19	10	15	13	22	20	18
Nagano	307	29	33	30	18	26	14	25	24	21	28	32	27
Nagasaki	202	19	18	11	14	14	19	11	11	23	15	22	25
Nara	127	19	19	18	8	6	5	8	6	7	10	8	13
Niigata	441	49	46	45	47	33	39	19	35	28	42	34	24
Oita	247	34	32	18	12	10	14	17	14	11	22	27	36
Okayama	341	46	43	33	22	23	19	19	19	25	29	30	33
Osaka	477	43	47	48	30	39	39	43	33	30	35	42	48
Saga	202	23	31	17	9	10	13	13	12	17	15	15	27
Seitama	375	45	32	40	26	25	24	27	32	25	17	37	45
Shiga	185	19	24	28	15	11	17	9	6	11	14	11	20
Shimane	192	26	25	19	11	17	15	12	14	16	9	10	18
Shizuoka	359	44	41	40	21	25	26	32	15	20	24	29	42
Tochigi	250	24	24	16	19	16	17	28	20	18	22	17	24
Tokushima	186	25	24	20	16	9	13	11	13	12	11	11	21
Tokyo	740	93	77	61	51	61	46	46	57	51	53	63	81
Tottori	111	11	12	15	9	6	5	4	6	11	8	15	9
Toyama	246	26	28	20	16	18	16	16	22	22	14	22	26
Wakayama	177	23	18	11	17	11	9	10	13	20	17	13	15
Yamagata	286	34	32	32	25	22	21	22	24	17	21	18	18
Yamaguchi	147	22	20	22	13	10	5	10	7	7	5	8	18
Yamanashi	102	13	16	5	6	11	3	11	11	3	3	14	6

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INJURY AT BIRTH (166):													
All Japan	1007	106	109	97	77	80	70	81	89	75	54	67	102
All "Shi"	32	31	31	25	32	28	28	33	35	25	21	32	39
All "Gun"	646	74	78	72	45	52	42	48	54	50	33	35	63
Aichi	35	1	3	1	-	2	1	6	6	4	4	4	3
Akita	22	3	1	8	2	-	2	-	1	-	4	-	1
Aomori	12	2	2	1	1	2	1	-	1	-	1	-	1
Chiba	35	6	2	5	3	1	2	2	5	1	1	2	5
Ehime	30	1	3	1	4	2	1	4	7	-	4	1	2
Fukui	8	-	1	-	2	1	-	2	-	-	1	-	1
Fukuoka	29	3	6	-	2	1	2	3	2	4	1	3	2
Fukushima	29	5	1	3	3	3	4	5	1	-	1	1	2
Gifu	17	2	4	3	1	1	1	1	3	-	-	1	3
Gumma	25	2	1	5	2	-	4	3	3	1	-	3	1
Hiroshima	25	1	3	1	4	1	2	2	3	1	-	3	4
Hokkaido	45	4	7	12	7	6	-	1	1	1	2	2	2
Hyogo	29	3	1	6	2	3	1	1	4	5	1	2	3
Ibaraki	37	3	7	5	3	1	4	5	1	2	-	4	1
Ishikawa	7	-	-	5	-	1	-	1	1	1	-	2	1
Iwate	20	5	3	1	2	1	1	1	1	-	1	2	2
Kagawa	12	-	-	1	1	1	1	2	3	5	-	-	1
Kagoshima	18	1	-	-	-	1	1	2	-	6	2	-	2
Kanagawa	23	2	5	1	-	1	1	-	1	1	5	2	4
Kochi	16	2	2	1	1	2	-	1	3	-	1	1	2

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INJURY AT BIRTH (166):													
Runamoto	13	-	-	1	-	-	2	4	1	1	-	1	3
Kyoto	25	-	3	2	3	4	4	2	1	2	1	2	1
Mie	14	1	-	2	1	-	3	-	1	2	2	4	-
Miyagi	35	6	4	6	1	1	3	2	1	2	3	2	4
Miyazaki	15	2	-	1	1	3	5	-	-	-	1	-	2
Nagano	17	2	3	2	1	2	1	3	1	1	-	-	1
Nagasaki	15	6	3	1	1	-	1	-	1	3	-	-	-
Nara	12	-	1	-	-	2	3	1	3	-	1	1	-
Niigata	34	7	5	2	2	3	2	3	1	2	-	4	3
Oita	17	1	1	-	3	2	-	2	-	1	2	4	1
Okayama	24	1	1	3	-	4	4	2	2	3	1	1	2
Osaka	30	2	3	2	-	1	2	5	2	1	1	2	9
Saga	10	1	-	2	1	-	-	1	2	1	-	1	1
Saitama	22	2	-	1	1	4	1	-	5	3	1	-	4
Shiga	22	4	1	1	3	1	3	1	2	2	1	1	2
Shimane	15	3	1	2	-	1	1	2	-	2	-	1	2
Shizuoka	17	1	4	-	-	2	3	2	2	1	1	1	-
Tochigi	12	2	1	1	-	-	1	-	2	2	2	1	1
Tokushima	12	1	2	-	-	2	-	1	2	-	1	1	2
Tokyo	64	8	6	5	12	4	3	2	3	3	2	5	11
Tottori	14	1	1	2	-	1	-	-	2	3	-	-	4
Toyama	22	1	2	3	2	3	1	1	3	4	1	-	1
Wakayama	10	1	2	3	-	-	1	2	1	1	-	1	1
Yamagata	41	6	9	5	4	5	1	2	2	1	3	2	1
Yamaguchi	13	1	4	1	-	-	-	1	2	2	1	-	1
Yamanashi	8	-	-	-	-	2	-	1	2	-	-	-	2

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SENILITY (162):													
All Japan	64,503	8,120	7,231	7,222	5,687	4,357	4,058	4,151	4,327	4,182	4,686	4,925	5,557
All "shi"	15,594	2,024	1,806	1,730	1,400	1,080	1,003	1,009	1,051	1,008	1,095	1,133	1,355
All "gun"	48,909	6,096	5,425	5,492	4,287	3,277	3,055	3,142	3,276	3,174	3,591	3,792	4,202
Aichi	2649	351	308	307	232	163	155	177	172	175	197	176	236
Akita	1069	109	119	138	105	81	67	70	78	63	84	73	82
Aomori	1166	91	124	155	111	70	81	86	101	96	97	77	77
Chiba	2308	345	278	300	173	132	143	134	143	151	164	179	196
Ehime	1657	211	151	178	139	120	112	109	116	101	129	138	153
Fuku	856	81	108	99	74	57	68	64	47	75	52	59	72
Fukuoka	2070	299	271	307	156	138	92	114	145	133	158	178	179
Fukushima	1575	161	157	183	171	131	90	106	130	83	119	120	124
Gifu	1309	130	136	143	126	70	105	89	85	94	96	107	128
Gunma	1111	141	141	139	105	66	80	79	64	64	62	79	91
Hiroshima	1834	237	211	195	161	119	98	130	139	135	122	139	148
Hokkaido	2183	247	277	247	195	150	151	120	142	153	152	163	186
Ibigo	2621	333	270	275	229	208	189	188	188	186	184	203	187
Ibaraki	1905	282	241	255	187	112	129	96	111	100	122	137	133
Ishikawa	905	111	95	105	89	68	56	61	60	47	67	76	70
Iwate	1058	120	116	131	95	80	53	61	67	84	74	85	92
Kagawa	894	124	107	100	68	55	56	71	50	51	69	71	72
Kagoshima	1408	203	150	101	117	94	91	100	82	87	97	130	156
Kanagawa	1336	174	160	160	99	107	101	79	99	67	74	99	117
Kochi	1181	168	151	114	79	72	72	66	68	78	85	106	122

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SENILITY (162):													
Kumamoto	1494	193	176	148	112	98	91	107	116	92	91	126	144
Kyoto	1430	176	172	149	137	93	86	101	102	99	116	94	105
Me	1344	213	168	188	118	69	70	72	81	78	77	95	115
Miyagi	1122	147	148	142	104	83	65	53	71	62	73	75	99
Miyazaki	749	110	86	68	56	49	44	51	45	47	58	67	68
Nagano	1721	201	185	170	164	129	99	112	117	103	145	124	172
Nagasaki	1540	205	153	142	116	117	103	103	116	97	119	123	146
Nara	702	79	65	48	51	51	44	59	57	58	72	49	69
Miigata	1810	210	166	200	221	147	137	110	119	103	114	130	153
Oita	1363	150	117	145	115	90	88	116	89	109	101	112	131
Okayama	1968	231	187	188	152	120	111	154	152	157	189	160	167
Osaka	2239	261	227	219	197	166	172	158	174	136	169	174	186
Saga	848	120	110	109	56	50	52	48	57	60	59	57	70
Saitama	1741	202	203	217	159	111	113	100	115	111	115	139	156
Shiga	864	88	111	90	77	57	61	63	62	67	69	62	57
Shimane	852	94	90	114	90	57	34	45	46	59	73	80	70
Shizuoka	1739	267	204	197	162	139	113	95	82	109	105	125	141
Tochigi	1130	142	138	134	92	67	67	74	67	86	90	90	99
Tokushima	979	124	115	98	68	70	77	61	79	59	58	82	88
Tokyo	2414	310	248	303	240	156	147	135	159	142	180	157	237
Tottori	726	100	73	85	56	63	43	45	43	47	68	54	49
Toyama	634	79	85	72	62	39	37	40	27	44	44	56	63
Wakayama	933	123	98	93	74	51	57	55	67	60	76	96	83
Yamagata	1011	110	109	132	104	54	74	64	66	56	73	76	93
Yamaguchi	1447	223	164	165	133	90	79	89	92	93	102	91	128
Yamanashi	608	74	62	74	60	48	35	40	39	41	50	36	49

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SUICIDE (153-164):													
All Japan	12,921	799	842	1,133	1,240	1,361	1,219	1,362	1,207	1,089	985	839	845
All "Shi"	4,379	293	287	364	377	407	433	452	412	386	349	337	282
All "Gun"	8,542	506	555	769	863	954	786	910	795	703	636	502	563
Aichi	547	40	39	49	51	53	48	64	45	58	35	29	36
Akita	214	9	9	19	18	23	21	29	24	21	10	13	18
Aomori	137	3	15	14	11	15	12	12	14	13	12	5	11
Chiba	293	18	24	18	29	43	20	32	24	16	19	31	19
Ehime	233	14	10	23	18	23	32	29	17	22	18	12	15
Fukui	146	4	11	10	10	20	8	20	11	15	17	12	8
Fukuoka	406	25	25	35	28	50	37	45	41	33	37	28	22
Fukushima	267	9	14	24	27	34	12	29	26	29	23	17	23
Gifu	342	22	19	36	38	36	32	41	15	31	30	22	20
Gunma	214	7	17	17	27	16	21	21	17	24	15	16	16
Hiroshima	343	18	20	22	31	25	38	41	42	31	24	28	23
Hokkaido	527	25	21	59	54	53	56	66	53	32	48	35	25
Ibuki	580	36	43	52	46	70	34	55	70	53	57	32	32
Ibaragi	237	12	18	15	21	31	17	25	33	17	21	10	17
Ishikawa	133	7	9	15	12	15	12	12	15	7	18	4	7
Iwate	197	12	9	17	20	20	22	15	17	22	10	9	24
Kagawa	150	5	8	14	11	10	28	14	20	16	10	7	7
Kagoshima	225	13	8	15	26	27	17	33	18	23	13	17	15
Kenagawa	341	30	27	40	41	45	29	25	36	33	20	31	24
Kochi	151	7	11	14	16	12	11	14	13	12	10	12	19

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	196	16	11	15	19	17	24	20	19	14	14	11	16
Kyoto	427	26	30	31	41	50	39	35	40	33	43	38	21
Mie	254	17	13	37	26	22	23	23	23	20	21	16	13
Miyagi	149	15	6	18	10	15	13	15	15	7	17	10	8
Miyazaki	151	5	8	14	18	15	18	17	12	10	10	11	13
Nagano	395	27	20	31	35	51	50	33	31	24	36	32	25
Nagasaki	180	14	23	11	18	18	19	17	11	17	10	12	10
Nara	142	9	10	11	11	15	24	16	12	13	9	7	7
Niigata	579	34	30	61	72	69	43	68	54	43	32	38	35
Oita	200	6	18	18	18	20	18	30	22	5	19	10	15
Okayama	249	9	18	23	22	23	25	21	29	19	27	12	21
Osaka	591	45	50	48	51	60	71	50	44	60	38	33	41
Saga	101	5	5	8	10	12	9	14	12	9	7	3	7
Saitama	299	21	20	25	29	25	24	41	33	22	13	22	24
Shiga	233	25	12	23	26	22	18	31	19	16	11	20	10
Shimane	181	19	15	14	15	15	12	20	19	17	15	8	12
Shizuoka	407	31	31	30	31	35	34	42	36	47	33	26	31
Tochigi	254	19	22	11	35	23	31	17	31	17	17	9	12
Tokushima	154	8	6	18	23	8	11	12	12	17	15	8	7
Tokyo	881	65	44	72	75	90	82	93	76	77	76	71	60
Tottori	92	7	12	8	7	7	9	5	9	8	4	7	9
Toyama	197	6	20	22	24	19	24	27	13	13	8	10	11
Wakayama	253	21	16	27	22	27	29	26	18	20	15	12	20
Yamagata	250	6	17	20	20	31	30	21	33	20	18	20	14
Yamaguchi	276	23	19	24	38	27	22	24	23	21	24	15	16
Yamanashi	107	4	9	7	9	15	10	12	9	12	6	8	6

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
HOMICIDE (165-168):													
All Japan	1594	115	113	146	173	150	119	166	149	117	120	102	124
All "Shi"	672	56	43	53	67	74	50	63	59	50	54	52	51
All "Gun"	922	59	70	93	106	76	69	103	90	67	66	50	73
Aichi	52	2	9	3	6	5	2	7	6	3	1	7	1
Akita	18	-	4	2	1	2	1	-	2	2	2	1	1
Aomori	26	-	2	2	-	1	1	1	2	2	10	2	3
Chiba	51	5	2	9	3	7	3	6	4	3	2	1	6
Ehime	26	-	-	1	3	1	4	2	6	2	5	1	1
Fukui	10	2	-	1	1	1	-	-	1	-	1	2	1
Fukuoka	108	5	12	8	12	10	4	17	7	6	9	9	9
Fukushima	41	1	3	6	3	3	5	3	6	5	1	2	3
Gifu	26	3	-	6	3	2	1	3	1	3	1	-	4
Gunma	27	4	1	1	2	6	3	2	1	-	1	1	1
Hiroshima	33	2	1	3	4	7	5	4	1	3	2	-	1
Hokkaido	90	6	5	16	13	7	11	2	2	7	6	6	10
Iwago	51	3	1	3	4	2	5	9	2	9	1	5	7
Ibaraki	51	5	2	4	8	4	4	4	6	2	6	2	4
Ibikawa	7	1	1	1	1	1	1	-	1	-	-	-	-
Iwate	16	-	4	1	4	1	1	2	-	-	1	2	-
Kagawa	18	3	3	2	2	1	-	1	3	-	2	-	1
Kagoshima	19	3	2	-	-	2	1	4	-	3	2	-	2
Kanagawa	64	3	4	-	7	16	2	4	-	5	-	7	3
Kochi	25	-	1	1	2	2	2	8	1	2	-	5	1

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
HOMICIDE (165-168):													
Kumamoto	42	1	5	2	3	2	3	9	2	5	3	4	3
Kyoto	34	2	4	-	5	2	-	5	4	2	10	-	-
Mie	21	1	1	2	1	4	1	2	2	-	3	3	-
Miyagi	19	-	3	1	3	3	1	2	4	2	-	-	-
Miyazaki	24	2	-	-	1	3	3	2	3	1	6	3	-
Nagano	46	3	-	13	6	1	2	4	-	7	2	2	6
Nagasaki	35	6	3	-	2	4	1	6	4	1	4	-	4
Nara	14	1	1	-	1	3	1	-	-	3	2	1	-
Niigata	31	1	1	1	4	3	1	5	-	1	2	2	7
Oita	23	1	1	2	2	-	5	3	2	2	1	3	1
Okayama	29	1	7	3	1	3	2	1	6	-	1	1	3
Osaka	71	4	4	6	7	7	7	7	9	10	6	2	2
Saga	19	1	-	3	1	-	2	4	2	2	1	-	3
Settsu	40	4	2	1	7	2	2	2	9	1	4	3	3
Shiga	15	1	-	1	2	-	1	3	3	1	2	1	-
Shimane	12	-	-	3	2	1	-	-	1	-	1	-	4
Shizuoka	40	1	1	2	7	4	-	5	3	6	5	2	-
Tochigi	27	3	1	2	9	-	2	1	5	2	1	-	1
Tokushima	22	3	1	3	2	1	1	1	7	1	-	1	1
Tokyo	146	24	14	15	11	14	12	10	13	6	5	11	11
Tottori	8	-	-	4	1	1	1	1	-	-	-	-	-
Toyama	13	-	1	1	3	1	1	1	1	2	2	-	-
Wakayama	25	-	3	1	1	1	4	4	3	1	-	4	1
Yamagata	16	-	3	3	3	1	3	-	1	-	-	-	-
Yamaguchi	51	-	-	1	5	6	3	8	10	3	3	6	6
Yamaguchi	12	4	1	1	-	2	-	1	-	1	2	-	-

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195):													
All Japan	39,529	2,664	2,338	2,590	2,644	2,802	4,035	5,864	5,425	3,692	2,744	2,226	2,505
All "Shi"	13,330	941	916	941	912	952	1,176	1,798	1,553	1,356	916	789	980
All "Gun"	26,199	1,723	1,422	1,649	1,732	1,850	2,859	4,066	3,772	2,336	1,828	1,437	1,525
Aichi	1,137	108	61	76	69	80	96	164	149	86	90	80	78
Akita	627	25	46	39	48	43	74	88	89	58	48	41	28
Aomori	632	51	34	36	44	59	58	95	64	45	64	41	41
Chiba	816	43	70	48	56	55	71	131	87	106	54	39	56
Ehime	579	40	44	43	55	55	33	68	63	50	51	35	42
Fukui	3,813	21	14	20	28	26	803	1,403	1,233	112	52	41	30
Fukuoka	2,030	168	159	156	137	171	243	209	216	165	118	116	172
Fukushima	977	63	50	68	73	81	88	124	97	100	102	61	70
Gumma	737	50	55	47	66	62	78	110	59	70	55	47	38
Gifu	587	32	38	40	42	60	54	68	75	43	51	47	37
Hiroshima	1,028	79	69	91	80	88	74	100	129	92	87	65	74
Hokkaido	2,335	138	169	177	177	196	242	260	313	168	172	148	175
Hyogo	1,388	95	117	110	103	131	122	166	144	109	106	83	102
Ibaragi	704	37	48	39	44	49	69	130	86	57	53	42	50
Ishikawa	451	17	38	36	35	23	56	64	50	38	34	36	24
Iwate	1,060	40	26	44	53	49	71	91	80	417	70	53	66
Kagawa	480	42	33	29	47	36	37	55	75	39	31	16	40
Kagoshima	705	98	38	51	41	47	67	98	84	49	54	41	37
Kanagawa	1,127	71	80	78	70	78	97	183	127	91	87	67	98
Kochi	428	32	23	31	37	41	30	45	51	38	32	26	47

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195) - Cont'd:													
Kumamoto	687	48	56	50	49	41	71	90	86	62	46	48	42
Kyoto	614	42	43	48	54	50	36	62	65	45	52	41	76
Mie	523	40	36	39	31	40	32	70	68	55	40	32	40
Miyagi	739	41	41	37	38	70	63	100	107	86	68	34	54
Miyazaki	446	39	26	43	24	28	28	59	53	39	31	41	35
Nagano	736	42	43	50	50	52	86	120	96	55	61	37	44
Nagasaki	845	71	53	56	51	62	66	88	78	153	63	42	62
Nara	265	25	18	20	15	23	22	31	40	18	21	9	23
Niigata	1,038	60	49	72	74	80	122	135	154	80	78	75	59
Oita	561	30	36	44	43	41	51	70	67	49	55	37	38
Okayama	997	248	65	74	82	54	60	70	94	88	66	62	34
Oosaka	1,359	112	98	136	102	114	121	147	160	103	90	85	91
Saga	569	29	36	20	45	28	44	64	86	129	41	24	23
Saitama	732	43	55	48	58	48	69	117	69	79	64	36	46
Shiga	297	21	12	24	34	18	26	25	43	33	29	14	18
Shimane	451	25	30	42	30	36	44	45	59	40	36	25	39
Shizuoka	891	72	67	64	68	57	82	98	101	90	63	53	76
Tochigi	554	40	31	35	32	53	41	91	62	55	53	26	35
Tokushima	399	29	16	26	36	30	32	62	56	30	62	30	24
Tokyo	2,137	169	148	179	196	164	190	264	199	190	150	142	146
Tottori	226	8	17	17	5	38	28	41	24	19	9	8	12
Toyama	545	22	23	32	35	49	66	81	63	46	53	41	34
Wakayama	381	24	18	28	27	36	27	55	69	24	19	26	28
Yamagata	601	32	32	44	42	40	45	73	109	65	33	45	41
Yamaguchi	939	81	55	80	84	101	79	107	93	77	33	54	62
Yamanashi	356	21	22	23	34	19	41	47	53	19	18	26	33

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ILL-DEFINED AND UNKNOWN (200A, 200C):													
All Japan	17,646	1,884	1,799	1,888	1,596	1,444	1,348	1,311	1,347	1,180	1,255	1,242	1,412
All "Shi"	5,835	655	621	611	467	507	448	430	400	383	407	405	501
All "Gun"	11,811	1,229	1,178	1,277	1,069	937	900	881	947	797	848	837	911
Aichi	620	72	61	70	55	55	43	45	39	48	42	39	51
Akita	285	23	29	37	19	33	33	17	21	16	20	25	12
Aomori	320	26	30	19	24	23	24	24	33	33	35	15	34
Chiba	479	42	37	51	37	43	39	49	45	20	29	30	57
Ehime	321	43	25	36	16	20	26	31	37	22	21	26	18
Fukui	254	25	19	29	24	8	20	18	25	20	25	17	24
Fukuoka	641	57	59	75	63	66	53	49	41	40	41	42	55
Fukushima	440	47	39	53	44	39	37	34	37	26	24	35	25
Gifu	341	37	36	42	36	25	24	24	23	17	32	18	27
Gunma	271	25	35	33	19	22	18	14	18	23	18	17	29
Hiroshima	400	51	36	43	30	46	27	33	25	34	30	21	24
Hokkaido	1,204	93	112	113	104	109	105	83	107	97	87	86	108
Ibigo	622	72	64	66	46	54	47	48	48	40	40	40	57
Ibaraki	440	51	35	52	32	32	33	29	21	28	28	35	41
Ishikawa	241	18	28	27	35	19	16	23	14	20	10	16	15
Iwate	331	24	41	37	38	23	24	19	28	32	22	16	27
Kagawa	270	31	20	28	24	22	24	16	27	19	19	22	18
Kagoshima	358	38	37	25	37	31	25	29	39	25	28	25	29
Kanagawa	501	53	65	44	42	41	39	47	39	30	32	32	37
Kochi	213	26	15	32	16	21	11	14	14	15	16	22	11

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ILL-DEFINED AND UNKNOWN (2004,200C) - Cont'd:													
Kumamoto	359	50	35	44	28	25	27	21	22	26	29	27	25
Kyoto	357	46	41	36	35	30	23	17	30	26	25	19	29
Mie	426	49	53	53	38	28	35	30	27	26	29	35	25
Miyagi	322	35	28	31	18	34	23	23	31	31	29	26	31
Miyazaki	154	17	20	16	9	9	11	17	14	9	7	16	9
Nagano	407	52	61	42	44	29	30	28	29	13	25	24	30
Nagasaki	297	33	22	25	31	24	23	19	35	17	24	18	26
Nara	260	31	21	22	22	23	13	21	21	19	19	21	22
Niigata	534	45	55	74	56	60	98	42	34	31	26	34	39
Oita	243	24	20	31	16	23	24	11	21	20	21	20	12
Okayama	376	29	44	30	33	42	30	28	27	23	30	30	30
Osaka	860	103	95	96	73	59	61	74	63	62	64	55	55
Saga	234	36	37	24	18	8	14	21	14	16	18	15	13
Seitama	544	63	72	60	54	31	53	39	43	28	35	38	28
Shiga	184	15	10	17	18	19	16	13	12	13	16	11	24
Shimane	159	19	16	19	13	15	9	14	8	9	11	14	12
Shizuoka	446	45	49	50	28	50	40	32	25	30	32	23	42
Tochigi	322	42	40	30	25	24	22	21	17	32	23	15	25
Tokushima	241	25	20	29	32	14	17	20	23	17	17	16	17
Tokyo	1,041	121	92	98	81	75	84	75	66	65	75	93	116
Tottori	73	9	11	6	5	6	5	7	6	5	7	3	3
Toyama	279	30	35	33	22	15	20	23	17	19	20	24	21
Wakayama	229	25	30	29	21	17	17	11	13	10	24	18	14
Yamagata	253	30	16	20	23	20	17	24	26	16	24	15	22
Yamaguchi	320	36	38	37	24	24	14	16	29	13	22	35	13
Yamanashi	164	20	15	19	12	10	14	18	8	6	13	18	11

See footnotes at end of table.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ALL OTHER CAUSES:													
All Japan	132711	13688	13146	13138	10928	10253	9649	10424	10799	10151	9950	10043	10542
All "Hsh"	40752	4018	3896	3937	3405	3205	3022	3283	3306	3143	3107	3032	3198
All "Gun"	92159	9670	9250	9201	7523	7048	6627	7141	7493	7008	6843	7011	7344
Aichi	16444	483	467	438	386	377	350	355	358	345	351	368	366
Akita	2351	217	232	249	188	187	213	168	177	215	170	163	172
Aomori	2228	207	187	230	186	163	155	191	194	196	149	179	191
Chiba	3462	362	363	384	289	261	245	245	296	243	268	235	271
Ehime	2541	255	262	245	185	183	213	210	222	183	202	173	208
Fukui	1495	128	127	153	111	111	105	132	117	115	118	129	119
Fukuoka	5298	602	520	450	413	410	388	434	490	386	408	373	424
Fukushima	3114	326	268	321	275	260	226	230	223	223	225	249	241
Gifu	2462	224	245	219	212	189	194	218	209	174	187	195	196
Gunma	2602	278	259	272	213	190	179	232	194	174	192	214	200
Hiroshima	3524	352	338	337	287	283	261	277	288	289	269	253	290
Hokkaido	6040	565	585	563	544	493	413	469	505	480	456	493	474
Iyogo	5079	542	516	511	432	404	389	415	391	364	374	370	371
Ibaraki	3377	393	356	383	238	246	232	254	292	236	242	234	269
Ishikawa	2238	226	251	260	205	165	144	153	178	192	159	164	141
Iwate	2174	198	181	201	194	165	141	181	200	197	171	194	151
Kagawa	1629	172	158	155	126	117	123	117	143	122	123	136	137
Kagoshima	3522	348	343	288	263	272	252	296	312	267	309	312	288
Kanagawa	2784	291	291	269	238	221	215	213	234	194	206	204	208
Kochi	1559	166	132	155	118	128	109	128	136	99	121	122	145

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ALL OTHER CAUSES:													
Kumamoto	3333	364	308	292	251	263	256	282	273	267	256	266	255
Kyoto	2894	278	291	286	266	212	206	220	224	207	210	237	210
Mie	2653	273	295	266	236	205	179	218	171	205	203	237	202
Miyagi	2538	272	245	274	210	182	151	187	209	194	193	194	226
Miyazaki	1883	214	180	157	136	142	150	158	145	166	134	159	112
Nagano	3258	353	332	331	277	242	231	238	277	226	234	235	262
Nagasaki	3244	312	312	291	251	262	251	264	264	256	260	252	269
Nara	1395	150	137	155	97	104	101	135	98	98	91	107	122
Niigata	4334	447	425	428	396	345	329	297	350	329	304	354	330
Oita	2866	256	283	244	215	192	178	232	207	211	216	224	208
Okayama	3110	314	304	310	240	229	238	220	239	271	258	245	242
Osaka	4742	501	437	475	406	339	326	370	378	370	419	338	383
Saga	1984	184	205	184	142	160	150	161	182	155	142	115	174
Saitama	3422	367	362	351	260	273	240	281	292	263	217	230	286
Shiga	1789	192	198	190	168	140	130	132	145	122	118	118	136
Shimane	1617	171	168	167	147	125	113	116	128	111	111	124	136
Shizuoka	3535	374	369	348	280	280	287	282	292	270	250	270	273
Tochigi	2438	239	281	241	186	174	180	190	189	167	177	186	228
Tokushima	1619	199	178	157	144	132	110	118	127	129	92	98	135
Tokyo	6675	670	679	723	584	549	499	548	495	495	466	454	521
Tottori	1113	118	110	108	92	84	87	84	83	73	96	85	93
Toyama	2050	228	204	231	177	147	128	141	169	159	154	155	157
Wakayama	1705	182	143	167	135	142	114	136	128	148	142	136	132
Yamagata	2447	239	257	261	204	186	180	171	210	176	173	191	199
Yamaguchi	2873	283	221	261	203	204	200	207	217	240	214	202	221
Yamaguchi	1471	172	141	157	117	115	104	118	101	119	103	116	108

See footnotes next page.

TABLE 58. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

FOOTNOTES:

Data refer to deaths of Japanese nationals in Japan Proper.

No deaths were reported during 1948 for plague, cholera, anthrax, glanders, and yellow fever.

A dash (-) indicates that no deaths were reported.

Sources were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER (1):													
All Japan	1.8	1.3	1.4	1.0	1.2	1.9	1.9	3.0	3.4	2.6	1.8	1.4	1.2
All "Shi"	2.9	2.0	2.1	1.9	2.0	2.9	3.1	4.5	5.8	3.3	2.6	2.1	2.5
All "Gun"	1.3	0.9	0.9	0.6	0.8	1.4	1.2	2.2	2.1	2.2	1.4	1.1	0.6
Aichi	2.1	0.7	0.8	1.1	0.8	1.1	2.3	5.9	4.0	1.9	2.9	2.3	1.5
Akita	1.2	-	-	-	-	1.8	-	1.8	2.8	2.9	2.8	1.0	0.9
Aomori	1.6	1.0	1.0	1.9	3.0	2.9	1.0	1.9	1.9	4.0	-	1.0	-
Chiba	2.5	1.7	3.5	0.6	-	1.1	2.3	3.3	6.1	4.6	3.9	1.1	1.7
Ehime	0.9	-	0.9	1.6	0.8	1.6	-	2.4	1.6	0.8	0.8	-	-
Fukui	1.9	1.6	-	-	-	1.6	1.7	4.8	3.2	5.0	-	1.7	3.2
Fukuoka	0.9	1.1	0.4	0.4	-	1.1	1.1	2.1	1.1	0.4	1.4	1.5	0.4
Fukushima	1.5	0.6	1.9	0.6	0.6	1.2	1.8	2.9	4.1	0.6	1.2	1.8	1.2
Gifu	3.6	4.6	4.1	0.8	1.6	7.7	4.8	5.4	3.1	1.6	3.9	1.6	3.9
Gunma	1.4	1.5	-	4.4	0.8	1.5	-	2.9	1.5	3.0	-	-	0.7
Hiroshima	1.8	0.6	3.1	1.2	2.4	1.2	1.8	2.3	3.5	0.6	2.9	-	1.7
Hokkaido	1.1	1.5	0.6	0.3	0.3	1.8	0.6	2.3	2.6	1.5	0.6	0.3	1.2
Hyogo	2.5	1.5	4.0	1.5	2.3	3.0	2.7	2.2	4.1	5.8	1.1	1.5	0.4
Iwaki	1.1	1.7	0.6	1.7	-	1.7	1.2	1.2	0.6	2.4	0.6	1.2	-
Ishikawa	1.1	-	2.7	-	2.6	1.3	2.6	-	2.5	-	-	-	1.3
Iwate	1.3	-	-	0.9	-	1.8	0.9	2.7	-	2.8	1.8	2.8	1.8
Kagawa	1.8	6.3	1.4	2.5	-	-	1.3	2.5	-	2.6	1.3	2.6	1.3
Kagoshima	0.3	0.7	-	-	-	-	-	-	-	1.4	0.7	0.7	-
Kenegawa	3.2	3.1	3.8	1.5	1.6	2.5	3.2	6.1	6.1	3.7	2.0	4.2	1.0
Kochi	3.0	2.7	2.9	1.4	2.8	2.7	5.6	4.1	-	5.6	4.1	1.4	2.7

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER (1) - Cont'd:													
Kumamoto	0.3	-	1.4	0.7	0.7	-	-	-	0.7	-	-	-	0.7
Kyoto	2.8	-	5.0	-	-	0.7	4.1	3.3	7.9	4.8	4.0	0.7	3.3
Mie	2.5	0.8	-	1.6	0.8	2.4	1.7	8.1	4.9	2.5	3.3	3.4	-
Miyazaki	0.6	1.1	-	-	2.3	-	-	-	1.1	2.3	-	-	-
Miyagi	2.0	-	-	0.7	0.8	2.2	2.3	1.5	4.4	4.6	2.2	1.5	3.7
Nagano	2.4	1.7	0.6	1.1	1.2	0.6	-	10.2	5.7	5.3	0.6	0.6	0.6
Nagasaki	1.9	3.8	0.8	1.5	1.6	2.3	3.1	1.5	4.5	-	1.5	-	2.3
Nara	2.3	1.5	-	1.5	-	-	3.1	4.6	3.0	6.3	6.1	1.6	-
Niigata	2.0	1.0	1.6	1.9	2.0	1.5	1.0	1.5	4.4	4.5	1.5	2.5	0.5
Oita	0.7	-	1.0	-	1.0	1.9	1.0	1.9	0.9	1.0	-	-	-
Okayama	2.6	1.4	1.5	-	3.0	2.9	1.5	3.6	7.2	6.7	2.1	0.7	0.7
Oosaka	2.5	1.0	1.1	1.3	3.1	2.7	3.8	2.4	6.0	3.8	1.7	1.7	1.0
Saga	0.5	1.3	-	-	-	-	1.3	-	1.3	1.3	-	-	1.3
Saitama	2.1	2.2	-	2.2	0.6	0.6	4.6	4.4	3.3	4.0	2.2	-	1.1
Shiga	0.9	1.4	-	-	-	2.7	-	1.4	2.7	2.8	-	-	-
Shimane	1.8	-	-	1.3	1.4	5.2	-	1.3	3.9	1.4	3.9	1.4	1.3
Shizuoka	1.4	0.5	1.6	-	0.5	1.5	1.5	4.4	1.0	2.5	1.0	1.5	1.0
Tochigi	2.1	2.3	-	-	0.8	3.9	0.8	5.3	4.5	3.1	1.5	2.3	0.8
Tokushima	1.8	2.7	-	-	4.2	1.4	2.8	-	2.7	1.4	4.1	2.8	-
Tokyo	3.2	2.2	2.1	3.1	2.3	3.9	3.2	4.4	4.8	1.6	3.3	3.8	4.1
Tottori	0.8	-	2.1	-	-	-	-	2.0	2.0	2.1	-	-	2.0
Toyama	3.2	1.2	2.5	-	2.4	3.5	4.9	2.4	7.1	3.7	4.7	4.9	1.2
Wakayama	1.8	-	-	1.2	3.7	2.4	2.5	2.4	3.6	1.2	3.6	-	1.2
Yamagato	0.8	0.9	0.9	-	1.8	2.6	0.9	0.9	0.9	-	-	0.9	-
Yamaguchi	0.9	0.8	0.8	-	0.8	-	0.8	0.8	1.6	1.6	1.6	1.6	-
Yamanashi	0.2	-	-	-	-	-	1.5	-	1.4	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER (2):													
All Japan	0.2	0.1	0.2	0.1	0.2	0.2	0.3	0.2	0.4	0.2	0.3	0.2	0.1
All "Shi"	0.3	0.2	0.2	0.1	0.4	0.4	0.6	0.2	0.7	0.4	0.4	0.2	0.2
All "Gun"	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1
Aichi	0.2	-	-	-	-	0.4	-	0.7	0.7	-	-	0.4	0.4
Akita	0.2	-	-	-	1.0	-	-	-	0.9	-	-	1.0	-
Aomori	0.4	1.0	-	1.0	-	1.0	1.0	-	-	1.0	-	-	-
Chiba	0.2	0.6	-	-	0.6	-	-	0.6	0.6	0.6	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	0.3	-	-	1.6	-	-	-	-	-	1.7	-	-	-
Fukuoka	0.0	-	-	-	-	-	-	0.4	-	-	-	-	-
Fukushima	0.1	-	-	-	0.6	-	-	-	-	-	0.6	-	0.6
Gifu	0.6	-	0.8	0.8	1.6	1.5	-	-	-	1.6	-	-	0.8
Gunma	0.1	-	0.8	-	0.8	-	-	-	-	-	-	-	-
Hiroshima	0.1	-	-	-	-	-	-	-	-	-	-	0.6	0.6
Hokkaido	0.2	-	-	-	-	-	0.3	-	0.6	-	0.3	0.3	0.6
Iyogo	0.1	0.4	-	-	-	0.4	-	-	-	-	-	-	-
Ibaraki	0.2	-	0.6	0.6	-	0.6	-	-	1.2	-	-	-	-
Ishikawa	0.1	-	1.3	-	-	-	-	-	-	-	-	-	-
Iwate	0.6	-	1.0	-	-	0.9	1.9	-	1.8	0.9	0.9	-	-
Kagawa	0.2	-	-	-	1.3	-	-	1.3	-	-	-	-	-
Kagoshima	0.1	-	-	-	-	-	0.7	-	-	-	-	-	-
Kanagawa	0.0	-	-	-	-	-	-	-	-	0.5	-	-	-
Kochi	0.1	-	-	-	-	-	-	1.4	-	-	-	-	-

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kanamoto	0.1	-	0.7	-	-	-	-	-	-	-	-	-	-
Kyoto	0.2	-	-	0.7	-	0.7	0.7	-	-	-	-	-	-
Mie	0.5	-	-	0.8	1.7	-	-	-	1.6	0.8	-	0.8	-
Miyagi	0.9	0.7	0.8	-	-	0.7	2.3	1.5	2.2	-	1.5	0.8	-
Miyazaki	0.2	-	-	-	-	-	-	-	-	1.2	1.1	-	-
Nagano	0.2	-	-	-	0.6	-	-	-	0.6	0.6	-	-	-
Narasaki	0.1	-	-	-	-	-	0.8	-	-	-	-	-	-
Nara	0.1	-	-	-	-	-	-	-	1.5	-	-	-	-
Niigata	0.2	0.5	0.5	-	-	-	-	1.0	-	-	1.0	-	-
Oita	0.2	-	-	0.9	-	0.9	-	-	-	-	-	-	-
Okayama	0.1	-	-	-	-	-	-	-	-	-	0.7	0.7	-
Oosaka	0.2	-	-	-	-	-	0.3	-	0.3	-	0.3	0.3	0.7
Saga	0.2	1.3	-	1.3	-	-	-	-	-	-	-	-	-
Seitama	0.3	-	0.6	-	0.6	-	0.6	-	-	-	1.1	-	0.6
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	0.1	-	-	-	-	-	-	-	1.3	-	-	-	-
Shizuoka	0.2	-	-	-	-	-	-	-	0.5	0.5	-	-	-
Tochigi	0.3	-	-	-	-	0.8	0.8	-	1.5	-	1.0	0.8	-
Fukushima	0.1	-	-	-	-	-	-	1.4	-	-	-	-	-
Tokyo	0.5	-	-	-	1.1	1.1	1.1	0.2	1.1	0.5	0.7	0.2	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	0.3	-	-	1.2	-	-	-	1.2	-	-	-	1.2	-
Wakayama	0.2	-	-	-	-	-	1.2	-	-	1.2	-	-	-
Yamagata	0.1	-	-	-	-	-	0.9	-	-	-	-	-	-
Yamaguchi	0.1	0.8	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	0.2	-	3.1	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CEREBROSPINAL (MENINGOCOCCUS)													
MENINGITIS (6),													
All Japan	0.8	0.7	0.9	1.2	1.2	0.8	0.7	0.7	1.4	0.9	0.5	0.4	0.6
All "Shi"	1.2	1.1	1.2	1.9	1.8	1.3	1.1	1.2	1.9	1.2	0.7	0.7	0.7
All "Gun"	0.6	0.4	0.7	0.9	0.9	0.6	0.5	0.4	1.1	0.7	0.4	0.3	0.5
Aichi	0.3	0.7	0.4	-	-	0.4	0.4	0.4	0.4	0.4	-	-	0.7
Akita	1.4	0.9	-	2.8	2.9	1.8	-	-	-	4.8	0.9	1.0	1.8
Aomori	1.7	1.9	2.1	1.9	2.0	-	-	1.9	1.0	8.0	1.0	1.0	-
Chiba	0.5	-	-	0.6	0.6	0.6	0.6	0.6	2.8	1.1	-	-	-
Ehime	0.5	-	0.9	0.8	0.8	1.6	-	-	-	0.8	-	0.8	0.8
Fukui	0.4	-	-	1.6	1.7	1.6	-	-	-	-	-	-	-
Fukuoka	0.5	0.4	0.4	0.7	1.8	0.4	0.4	-	0.4	0.7	-	0.7	0.4
Fukushima	1.2	-	0.6	2.3	2.4	2.9	0.6	-	1.2	1.8	1.2	0.6	1.2
Gifu	0.3	-	-	-	-	-	-	0.8	2.3	-	-	-	-
Gunma	0.6	1.5	-	-	0.8	-	0.8	-	0.7	0.8	0.7	0.8	1.5
Hiroshima	0.5	-	1.2	0.6	1.2	1.2	0.6	-	0.6	-	-	0.6	-
Hokkaido	1.4	1.5	1.6	1.5	2.4	2.1	1.5	1.5	1.2	1.2	0.6	0.6	0.9
Hyogo	0.5	1.1	0.4	1.5	0.4	0.7	-	-	0.4	0.8	0.4	0.4	0.4
Ibaraki	1.1	0.6	3.1	2.3	1.2	-	0.6	2.3	2.3	0.6	-	0.6	-
Isikawa	0.5	1.3	-	-	-	-	1.3	1.3	1.3	-	1.3	-	-
Iwete	0.5	-	1.0	-	-	-	1.9	0.9	-	0.9	0.9	-	-
Kagawa	0.3	-	-	-	-	-	1.3	1.3	1.3	-	-	-	-
Kagoshima	0.3	-	-	-	0.7	0.7	-	1.3	-	-	-	-	1.3
Kanagawa	1.0	1.0	1.6	2.5	1.1	0.5	-	-	2.5	1.1	0.5	1.1	0.5
Kochi	0.5	-	-	1.4	1.4	-	-	1.4	-	-	-	-	-

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CEREBROSPINAL (MENINGOCOCCUS)													
MENINGITIS (b) - Cont'd:													
Kumamoto	0.1	2.0	0.7	0.7	-	1.3	-	0.7	0.7	-	0.7	-	1.3
Kyoto	1.8	2.6	1.4	1.3	2.7	1.3	-	0.7	4.0	4.1	2.6	-	1.3
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	1.5	0.7	0.8	4.4	1.5	-	0.8	0.7	3.7	-	0.7	3.8	0.7
Miyazaki	0.4	-	-	-	-	-	-	1.1	2.2	-	-	-	1.1
Nagano	0.9	0.6	-	1.7	0.6	-	1.8	1.7	1.7	1.2	1.1	-	0.6
Nagasaki	1.1	-	-	2.3	0.8	2.3	2.3	-	2.3	2.3	0.8	-	-
Nara	0.3	-	1.6	-	-	1.5	-	-	-	-	-	-	-
Niigata	0.9	0.5	2.1	-	1.5	0.5	0.5	-	4.8	1.5	-	-	-
Oita	0.4	-	-	-	1.0	-	1.0	-	-	2.0	0.9	-	-
Okayama	0.3	0.7	0.8	-	0.7	-	0.7	0.7	-	-	-	-	-
Osaka	1.1	0.3	0.4	1.0	1.7	0.7	2.1	2.0	0.3	1.4	0.3	1.0	1.7
Saga	0.3	-	-	-	1.3	-	-	-	-	-	1.3	1.3	-
Saitama	0.4	0.6	0.6	1.1	0.6	0.6	0.6	-	1.1	-	-	-	-
Shiga	0.3	-	-	1.4	-	-	1.4	-	-	-	1.3	-	-
Shimane	1.0	-	-	-	-	2.6	4.1	-	2.6	1.4	1.3	-	-
Shizuoka	0.8	0.5	1.0	0.5	1.0	1.5	0.5	-	2.9	-	1.0	-	0.5
Tochigi	0.1	-	-	-	-	-	-	-	-	-	-	-	1.5
Tokushima	0.6	2.7	-	-	2.8	-	-	-	1.4	-	-	-	-
Tokyo	1.8	1.3	2.3	4.1	2.9	2.6	1.4	2.2	2.8	-	0.7	0.7	0.9
Tottori	1.0	4.0	2.1	4.0	-	-	-	-	2.0	-	-	-	-
Toyama	1.1	1.2	2.5	1.2	-	-	1.2	-	1.2	-	1.2	1.2	3.5
Wakayama	0.4	1.2	-	2.4	1.2	-	-	-	-	-	-	-	-
Yamagata	1.1	-	2.8	1.8	2.7	-	1.8	-	1.8	1.8	0.9	-	-
Yamaguchi	0.5	-	-	1.6	1.6	0.8	-	0.8	0.8	0.8	-	0.8	-
Yamaguchi	0.7	-	1.5	2.9	-	-	1.5	1.4	1.4	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER (8):													
All Japan	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1
All "Shi"	0.1	-	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.1
All "Gun"	0.0	0.1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	0.0	0.1
Aichi	0.1	-	-	-	-	-	-	-	0.4	-	-	0.4	0.4
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	0.6	-	-	-
Chiba	0.0	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	0.1	1.6	-	-	-	-	-	-	-	-	-	-	-
Fukui	0.1	-	-	-	-	-	-	-	-	-	-	1.7	-
Fukuoka	0.1	-	0.4	-	-	-	0.6	0.4	-	-	-	-	-
Fukushima	0.0	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	0.2	-	-	0.7	0.8	-	-	-	0.7	-	-	-	0.7
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	0.1	-	-	0.3	-	0.3	0.3	-	0.3	-	-	-	0.6
Iyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	0.1	-	-	-	-	0.9	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	0.2	-	-	0.5	0.5	-	-	0.5	-	-	-	-	0.5
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER (8):													
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	0.1	0.7	-	-	0.8	-	-	-	-	-	-	-	-
Miyazaki	0.1	-	-	-	1.2	-	-	-	-	-	-	-	-
Nagano	0.1	-	-	-	-	-	-	-	-	-	-	-	1.1
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	0.0	-	-	-	-	0.5	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Oseka	0.0	-	-	-	-	-	0.3	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.0	-	-	-	-	-	-	-	-	-	-	0.6	-
Shiga	0.1	-	-	-	-	-	-	1.4	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	0.0	-	-	0.5	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.1	-	-	-	0.2	0.2	-	-	0.2	-	0.4	0.2	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	0.1	-	-	-	0.9	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOPPING COUGH (9):													
All Japan	6.0	7.1	5.8	4.3	4.8	5.4	6.4	8.3	8.2	6.5	3.8	4.6	6.6
All "Shi"	5.5	5.4	5.3	4.0	3.7	4.5	5.8	7.6	7.7	6.6	4.3	4.7	6.3
All "Gun"	5.2	8.0	8.1	4.6	5.3	5.8	6.6	8.6	8.4	6.4	3.6	4.5	6.8
Aichi	4.5	2.2	4.7	1.8	3.0	3.7	4.2	7.3	10.2	4.9	3.3	3.8	5.1
Akita	8.2	13.8	6.9	4.6	8.6	3.7	6.7	7.4	7.4	11.4	2.8	8.6	16.6
Aomori	8.4	12.6	8.3	4.8	3.0	5.8	5.0	5.8	12.6	6.0	8.7	14.0	13.6
Chiba	4.0	3.9	3.5	2.2	4.6	5.0	6.8	4.4	5.4	3.4	2.8	-	1.7
Ehime	4.1	4.0	3.4	4.0	3.3	2.4	6.6	7.2	6.4	6.6	2.4	-	3.2
Fukui	7.2	6.4	8.6	6.4	6.7	8.1	10.0	8.1	12.9	6.7	3.2	6.7	3.2
Fukuo	5.7	10.7	7.2	2.1	5.9	5.7	2.9	10.3	7.5	4.4	3.6	1.8	5.7
Fukushima	7.9	12.8	11.2	7.0	7.8	9.9	9.0	8.7	7.0	3.0	2.9	4.8	11.1
Gifu	6.7	3.9	4.1	3.9	1.6	5.4	8.8	10.0	11.6	10.4	4.6	4.8	10.8
Gumma	12.4	9.5	4.7	3.7	9.9	13.2	8.3	23.5	18.3	10.6	11.7	12.1	22.7
Hiroshima	2.3	2.3	4.9	1.7	1.2	1.7	3.6	1.7	4.0	3.6	0.6	0.6	1.7
Hokkaido	12.4	6.2	5.7	5.6	6.1	4.7	5.2	11.7	17.9	25.2	17.3	18.8	24.1
Iyogo	4.2	4.5	1.6	2.2	1.5	4.1	7.0	6.0	6.0	5.8	3.0	3.5	4.5
Ibaraki	4.2	9.2	3.7	3.5	6.0	4.0	3.6	4.6	4.6	4.2	1.2	2.4	2.9
Ishikawa	9.6	11.3	6.7	7.5	15.5	5.0	11.7	10.0	10.0	6.5	7.5	11.7	11.3
Iwate	10.0	16.4	10.7	9.1	4.7	10.0	17.9	7.3	9.1	10.4	4.6	8.5	10.9
Kagawa	3.4	5.1	5.4	3.8	5.2	3.8	1.3	6.3	2.5	1.3	2.5	2.6	1.3
Kanagawa	7.4	11.4	2.9	2.7	2.7	6.0	9.7	11.4	14.7	7.6	4.0	4.1	4.0
Kanagawa	4.3	5.6	6.0	1.0	2.1	8.2	3.2	5.6	9.2	3.2	2.5	1.6	3.1
Kochi	3.5	9.5	11.7	5.5	1.4	1.4	2.8	1.4	1.4	4.2	1.4	-	1.4

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH (?) - Cont'd:													
Kumamoto	4.9	9.9	6.4	4.6	2.0	1.3	8.2	7.9	7.3	2.7	2.0	2.0	4.6
Kyoto	4.2	6.0	1.4	4.0	2.7	1.3	4.1	7.9	6.0	4.8	4.6	4.8	2.6
Mie	3.2	4.9	7.8	2.4	2.5	3.3	1.7	2.4	4.9	2.5	4.2	4.2	2.4
Miyagi	8.2	13.3	7.1	8.1	15.3	5.2	8.4	17.0	5.9	3.8	0.7	3.1	10.4
Miyazaki	5.8	13.5	8.4	6.7	2.3	3.4	4.6	13.5	5.6	3.5	4.5	-	3.4
Nagano	8.1	8.5	4.2	2.3	7.6	9.1	15.8	9.1	8.5	9.4	4.0	7.6	10.8
Nagasaki	4.9	5.3	7.3	4.5	7.0	6.8	5.5	7.5	6.8	2.3	3.8	1.6	-
Nara	1.0	-	-	-	-	4.6	-	1.5	3.0	-	-	-	3.0
Niigata	11.9	15.0	13.0	11.6	9.5	6.3	18.5	16.5	11.2	14.0	9.2	9.0	9.2
Oita	5.0	8.5	6.1	5.7	2.0	0.9	5.9	9.5	8.5	1.0	1.9	5.9	3.8
Okeyama	4.4	9.3	6.1	2.9	4.4	5.0	4.4	7.9	5.0	7.4	-	0.7	-
Oosaka	2.9	1.3	2.5	2.4	0.7	3.7	1.7	5.7	4.4	4.2	2.0	2.8	3.7
Saga	6.2	6.3	10.8	7.6	3.9	7.6	2.6	10.1	8.9	5.2	3.8	3.9	3.8
Seitama	6.4	3.3	5.9	5.0	5.2	5.0	6.3	13.3	13.3	3.4	2.2	1.7	11.6
Shiga	6.1	5.4	2.9	1.4	2.8	8.1	5.6	16.2	9.5	9.8	-	4.2	6.8
Shimane	13.7	9.2	11.2	18.3	8.1	22.2	17.6	27.5	14.4	16.2	3.9	9.5	6.5
Shizuoka	3.2	3.4	1.6	2.0	3.0	4.4	3.5	3.4	8.3	2.5	2.0	2.0	2.0
Tochigi	7.3	13.6	8.1	6.8	5.5	11.4	4.7	9.1	6.8	7.8	3.0	4.7	5.3
Tokushima	2.1	4.1	5.8	5.4	4.2	1.4	2.8	-	-	1.4	-	-	-
Tokyo	3.9	4.1	4.2	4.4	2.9	4.1	5.9	3.5	5.9	3.8	2.4	2.0	3.9
Tottori	2.2	4.0	-	-	2.1	2.0	4.1	6.0	-	4.1	-	2.1	2.0
Toysama	9.1	4.7	13.9	10.6	11.0	5.9	13.4	14.2	11.8	4.9	3.5	9.8	5.9
Wakayama	2.1	4.8	6.4	1.2	3.7	1.2	5.0	-	1.2	-	-	2.5	-
Yamagata	6.4	6.1	7.5	3.5	6.3	8.8	5.4	3.5	2.6	13.6	7.0	2.7	9.6
Yamaguchi	5.0	7.1	5.0	1.6	3.2	5.5	2.4	7.8	7.8	7.3	0.8	4.9	7.1
Yamemashi	7.1	13.0	12.4	8.7	3.0	7.2	9.0	15.9	4.3	1.5	2.9	3.0	4.3

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Age	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA (10):													
All Japan	2.4	4.1	3.7	3.0	2.0	1.4	1.2	0.7	0.8	1.4	2.2	3.7	4.3
All "Shi"	2.7	5.2	4.1	3.7	2.4	1.2	1.6	0.7	0.8	1.5	2.0	3.7	5.5
All "Gm"	2.2	3.5	3.5	2.7	1.8	1.6	1.1	0.8	0.9	1.4	2.2	3.7	3.7
Aichi	1.6	1.8	3.5	2.6	1.5	0.4	1.1	-	0.4	0.4	0.4	2.6	4.4
Akita	3.8	9.2	2.0	4.6	2.9	2.8	1.9	2.8	2.8	2.9	3.7	5.7	4.6
Aomori	2.5	2.9	1.0	1.9	2.0	1.0	1.0	1.9	1.0	2.0	1.9	7.0	5.8
Chiba	1.3	1.1	2.9	1.7	-	1.7	-	-	-	-	0.6	3.4	4.4
Ehime	2.8	8.0	7.7	4.0	3.3	-	0.8	-	0.8	0.8	-	0.8	7.2
Fukui	2.0	3.2	3.4	3.2	-	-	1.7	4.8	1.6	-	1.6	1.7	3.2
Fukuoka	2.7	7.1	3.0	2.5	1.8	0.7	1.5	0.7	0.4	2.2	2.5	4.4	5.7
Fukushima	1.8	2.3	1.2	1.2	1.8	1.2	0.6	0.6	-	2.4	4.1	2.4	3.5
Gifu	1.2	2.3	1.7	2.3	0.8	-	-	-	1.5	0.8	1.5	2.4	1.5
Gunma	3.9	4.4	9.4	6.6	0.8	0.7	2.3	0.7	0.7	1.5	3.7	7.6	8.1
Hiroshima	1.9	2.3	1.9	1.7	0.6	1.7	1.2	0.6	-	1.2	2.3	6.0	3.5
Hokkaido	5.6	11.5	5.0	5.3	1.9	3.2	2.7	2.3	2.3	5.5	5.9	10.0	9.1
Hyogo	1.8	3.0	4.0	2.2	4.9	2.2	1.9	0.4	0.7	-	0.7	2.3	1.9
Ibaraki	0.8	1.2	0.6	1.2	0.6	0.6	0.6	0.6	-	1.2	-	5.4	0.6
Ishikawa	3.0	6.3	5.4	3.8	2.6	3.8	-	1.3	1.3	1.3	-	5.2	5.0
Iwate	3.9	6.4	4.9	2.7	1.9	1.8	-	-	4.6	1.9	6.4	5.7	10.9
Kagawa	1.6	2.5	4.1	6.3	-	-	-	-	-	1.3	1.3	1.3	2.5
Kagoshima	3.2	4.7	5.0	2.7	3.5	2.7	0.7	2.0	0.7	2.1	4.7	6.2	3.3
Kenegawa	2.2	3.6	2.2	3.6	2.1	-	3.2	1.0	1.0	1.1	3.1	1.6	4.6
Kochi	1.4	4.1	5.9	2.7	1.4	-	-	-	-	-	1.4	1.4	-

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA (10): Cont'd:													
Kumamoto	1.4	1.3	2.1	2.6	2.0	2.0	0.7	-	0.7	-	2.6	0.7	3.0
Kyoto	1.4	-	1.4	1.3	2.1	0.7	1.4	1.3	0.7	1.4	0.7	0.7	5.3
Mie	1.7	1.6	4.3	1.6	1.7	1.6	2.5	0.8	1.6	-	-	1.7	2.4
Miyagi	3.0	3.7	4.7	5.9	3.8	2.2	3.1	-	-	1.5	2.2	3.1	5.9
Miyazaki	5.2	6.7	7.2	3.4	5.8	2.2	2.3	5.6	3.4	5.8	7.9	7.0	5.6
Nagano	2.0	4.0	3.0	2.8	1.8	2.8	1.2	1.1	0.6	1.2	1.3	1.8	2.3
Nagasaki	2.7	3.8	4.8	-	2.3	-	1.6	0.8	0.8	2.3	6.0	5.5	4.5
Nara	2.4	4.6	1.6	6.1	1.6	-	1.6	1.5	1.5	3.1	1.5	1.6	4.6
Niigata	2.8	2.4	5.2	3.4	2.0	3.4	1.0	0.5	-	0.5	2.9	5.5	6.8
Oita	3.8	11.4	5.1	0.9	3.9	2.8	-	-	-	3.9	1.9	4.9	10.4
Okayama	1.9	4.3	2.3	3.6	1.5	1.4	1.5	-	-	1.5	2.1	1.5	3.6
Osaka	1.2	1.3	2.5	2.0	2.1	0.7	0.7	-	0.3	0.3	1.0	1.7	1.7
Saga	5.2	10.1	8.1	7.6	6.6	5.1	1.3	-	1.3	2.6	2.5	10.5	6.3
Seitama	1.3	3.3	2.4	1.7	1.7	-	-	0.6	1.1	-	2.2	1.1	1.7
Shiga	1.3	1.4	1.4	2.7	-	2.7	-	-	-	-	2.7	1.4	2.7
Shimane	2.7	9.2	7.0	2.6	-	-	5.4	-	1.3	-	-	2.7	3.9
Shizuoka	1.6	4.4	1.6	2.5	1.5	-	1.0	0.5	1.0	1.0	1.5	2.5	1.5
Tochigi	1.5	3.8	2.4	2.3	1.6	1.5	4.2	-	0.8	0.8	1.5	-	3.8
Tokushima	3.7	2.7	7.3	6.8	-	5.4	4.2	1.4	2.7	1.4	2.7	8.4	1.4
Tokyo	2.7	3.3	5.1	5.4	2.3	1.7	1.1	0.7	0.7	0.9	1.1	4.7	5.7
Tottori	1.7	2.0	10.6	2.0	-	1.2	-	-	-	-	-	6.2	-
Toyama	2.5	4.7	3.8	1.2	1.2	1.2	-	1.2	1.2	4.9	2.4	6.1	2.4
Wakayama	0.9	2.4	2.6	1.2	-	1.2	-	-	-	1.2	1.2	-	1.2
Yamagata	3.2	4.4	4.7	3.5	1.8	1.8	1.8	0.9	0.9	2.7	3.5	2.7	9.6
Yamaguchi	2.3	5.5	2.5	3.1	4.1	0.8	1.6	-	0.8	0.8	2.4	3.2	3.1
Yamanashi	0.6	-	1.5	-	-	-	-	-	-	-	-	3.0	2.9

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12)													
All Japan	2.7	2.2	1.9	2.1	3.1	2.6	2.7	3.6	3.4	3.0	2.3	2.9	2.5
All "Shi"	2.7	2.4	1.8	2.0	3.1	2.3	2.9	2.7	3.4	2.3	2.8	2.9	2.8
All "Gun"	2.7	2.2	1.9	2.2	3.0	2.8	2.6	3.5	3.5	3.3	2.0	2.9	2.3
Aichi	3.2	1.1	0.8	2.6	1.9	2.6	4.5	4.8	6.2	4.5	1.1	3.0	4.8
Akita	1.7	0.9	1.0	2.8	3.8	-	1.9	-	0.9	1.9	1.8	1.9	3.7
Aomori	2.5	4.8	1.0	-	2.0	1.0	3.0	1.0	5.8	8.0	-	3.0	1.0
Chiba	8.5	8.3	5.9	4.4	8.6	6.1	10.3	10.5	5.5	6.8	3.3	4.0	5.0
Ehime	3.1	4.0	4.3	0.8	3.3	0.8	2.5	6.4	2.4	0.8	4.8	4.1	3.2
Fukui	1.9	1.6	1.7	1.6	-	-	1.7	9.7	-	3.3	1.6	-	1.6
Fukuoka	2.2	1.4	2.3	1.8	3.3	1.1	0.7	2.1	3.2	1.8	0.7	2.6	5.0
Fukushima	2.1	2.3	0.6	0.6	3.6	4.1	1.8	2.9	2.9	3.6	0.6	2.4	-
Gifu	2.3	1.5	1.7	1.5	-	5.4	3.2	1.5	3.9	2.4	0.8	1.6	3.9
Gumma	3.9	2.9	1.6	5.9	3.0	5.1	3.8	7.3	4.4	1.5	4.4	4.5	2.2
Hiroshima	1.7	0.6	1.2	-	3.0	1.7	2.4	1.7	2.3	1.8	2.3	1.2	2.3
Hokkaido	1.2	0.9	0.9	0.6	1.8	0.9	0.9	1.2	1.8	1.8	0.3	1.5	1.5
Hyogo	1.5	1.5	0.8	1.1	1.5	1.5	2.7	0.4	3.4	1.5	2.6	1.5	0.4
Ibaraki	6.5	6.4	7.4	3.5	8.4	5.8	5.4	8.1	7.5	7.2	5.2	9.5	4.0
Isikawa	2.9	3.8	-	5.0	1.3	2.5	2.6	10.0	2.5	2.6	-	2.6	1.3
Iwate	1.6	-	1.0	-	4.7	1.8	3.8	3.6	-	0.9	0.9	2.8	-
Kagawa	3.2	3.8	5.4	-	1.3	2.5	1.3	5.1	5.1	1.3	3.8	7.8	1.3
Kagoshima	6.2	6.0	2.9	6.0	8.3	4.7	2.1	4.7	9.4	6.9	4.0	9.0	10.0
Kanagawa	2.8	1.0	1.6	1.0	4.7	2.5	3.7	4.1	1.0	4.2	3.1	2.1	4.1
Kochi	3.5	1.4	1.5	5.5	7.0	2.7	5.6	1.4	6.8	4.2	4.1	1.4	-

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TESTANTES (12): (Cont'd):													
Kumamoto	3.9	4.6	2.8	5.9	4.1	7.9	1.4	0.7	4.6	6.1	2.6	2.0	3.3
Kyoto	1.6	2.6	-	0.7	0.7	-	1.4	2.6	2.6	0.7	3.3	3.4	1.3
Mie	2.1	3.3	1.7	1.6	-	2.4	1.7	3.3	0.8	2.5	0.8	4.2	2.4
Miyagi	2.6	3.0	1.6	3.0	4.6	1.5	0.8	0.7	5.2	1.5	3.0	3.1	3.0
Miyazaki	4.7	4.5	3.6	5.6	10.4	3.4	9.3	4.5	3.4	2.3	3.4	4.6	1.1
Nagano	2.5	2.3	0.6	0.6	2.3	6.2	3.5	2.8	4.5	2.9	1.7	0.6	1.1
Nagasaki	4.4	3.0	5.6	6.0	2.3	4.5	4.7	3.8	3.8	6.2	5.3	3.1	4.5
Nara	1.9	1.5	1.6	4.6	-	3.0	1.6	4.6	-	-	-	1.6	4.6
Niigata	0.8	0.5	-	0.5	0.5	0.5	-	2.4	1.5	1.5	1.0	1.0	-
Oita	3.7	2.8	1.0	7.6	3.9	0.9	2.0	4.7	3.8	4.9	4.7	4.9	2.8
Okayama	2.4	1.4	0.8	1.4	4.4	0.7	1.5	3.6	2.9	-	2.1	5.9	4.3
Osaka	1.7	1.0	2.9	1.3	1.0	0.7	2.1	1.3	1.7	2.8	3.4	1.4	0.7
Saga	3.5	2.5	1.4	1.3	1.3	3.8	3.9	3.8	2.5	10.5	2.5	6.6	2.5
Saitama	3.6	4.4	1.8	2.2	2.9	2.8	3.4	7.2	6.6	2.9	1.7	4.6	2.8
Shiga	1.4	-	1.4	-	-	2.7	2.8	-	4.1	4.2	-	1.4	-
Shimane	3.1	2.6	1.4	1.3	1.4	1.3	-	10.5	5.2	6.8	2.6	4.1	-
Shizuoka	2.5	2.0	2.1	2.5	3.0	3.9	2.0	2.0	2.0	2.5	4.4	2.5	1.5
Tochigi	2.4	1.5	3.2	1.6	1.6	3.0	1.6	3.0	3.0	3.9	1.5	2.3	3.0
Tokushima	3.2	-	-	2.7	4.2	2.7	5.6	5.4	2.7	4.2	5.4	2.8	2.7
Tokyo	2.3	2.4	0.9	2.0	3.8	2.8	1.6	3.9	2.6	1.6	2.2	1.4	2.0
Tottori	1.3	-	2.1	2.0	2.1	2.0	2.1	2.0	2.0	-	-	2.1	-
Toyama	1.5	-	2.5	1.2	-	3.5	4.9	2.4	1.2	1.2	-	-	1.2
Wakayama	1.3	-	1.3	1.2	-	1.2	3.7	4.4	2.4	-	-	1.2	2.4
Yamagata	1.5	-	1.9	0.9	1.8	0.9	1.8	4.4	-	0.9	0.9	2.7	1.8
Yamaguchi	3.0	0.8	1.7	0.8	3.2	1.6	2.4	6.3	7.1	0.8	2.4	4.9	3.9
Yamanashi	3.2	-	1.5	-	7.5	4.3	4.5	1.4	2.7	6.0	2.9	1.5	1.4

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) (13-22):													
All Japan	181.1	161.6	173.4	186.9	197.6	194.9	195.4	188.9	184.7	183.0	174.7	170.3	162.3
All "Shi"	224.9	197.7	211.3	249.3	242.3	238.2	242.4	239.3	228.7	226.5	222.3	217.1	204.0
All "Gun"	158.0	142.5	153.4	164.5	174.0	172.0	170.6	162.3	161.5	160.1	149.5	145.6	140.3
Aichi	172.1	158.8	158.8	188.1	170.6	179.3	191.0	183.0	164.3	171.7	170.5	160.3	168.0
Akita	178.5	161.0	182.0	186.8	221.6	209.8	205.4	154.6	161.0	180.7	172.1	159.8	149.1
Aomori	234.6	200.7	208.3	255.9	277.5	245.2	264.4	249.1	256.9	224.4	218.1	209.3	204.5
Chiba	144.3	124.7	133.3	143.4	148.8	158.3	171.0	135.2	141.8	154.5	137.9	131.7	151.2
Eniine	167.4	142.7	175.5	179.4	179.6	184.9	189.5	165.8	175.4	164.8	158.6	161.5	132.3
Fukui	164.4	136.9	165.3	214.2	209.7	202.9	148.1	167.5	170.7	173.1	154.6	119.8	109.5
Fukuo	218.1	205.7	210.3	217.8	236.1	202.8	231.7	224.2	228.5	225.1	231.4	205.2	198.2
Fukushima	154.4	107.2	137.7	152.7	175.2	192.3	180.7	149.8	163.2	166.2	146.3	150.5	132.3
Gifu	195.4	164.2	173.9	196.0	192.1	212.3	214.5	237.1	199.1	217.7	190.6	178.5	168.1
Gumma	144.8	123.3	139.6	151.2	158.5	173.9	185.0	160.7	135.0	136.5	139.4	111.5	123.3
Hiroshima	180.5	141.4	176.4	178.3	183.7	187.0	188.4	207.2	201.4	190.2	179.5	182.5	151.2
Hokkaido	244.8	22.7	230.8	266.1	290.1	269.0	253.4	240.8	242.6	256.4	221.2	226.1	214.7
Iburo	184.7	180.3	177.2	178.4	202.7	203.9	186.3	194.5	190.0	184.8	177.3	160.3	162.4
Ibaraki	115.4	105.7	98.2	111.5	124.1	134.6	148.0	114.1	124.2	117.6	103.4	97.9	107.4
Ishikawa	183.0	147.9	178.2	186.7	209.8	195.5	151.5	190.5	193.0	212.4	173.0	199.4	159.2
Iwate	213.6	165.1	199.0	217.2	263.0	268.2	254.6	206.2	205.3	215.0	191.6	197.0	182.5
Kagawa	166.0	145.4	181.1	173.2	158.1	171.9	189.4	158.0	166.9	179.0	171.9	163.3	135.3
Kanagawa	167.2	154.4	160.1	154.4	163.0	163.8	176.2	145.7	187.9	168.6	183.8	161.0	166.5
Kanagawa	190.4	201.8	192.3	209.9	208.0	198.7	189.0	194.1	187.5	173.8	184.5	186.9	160.0
Kochi	144.7	122.7	153.0	148.6	164.8	167.7	147.9	141.8	141.8	149.3	113.2	139.5	147.2

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) (13-22) - Cont'd:													
Kumamoto	158.6	142.8	156.9	150.7	176.2	171.2	168.0	176.5	150.7	169.4	146.8	162.6	132.9
Kyoto	221.7	199.2	207.3	213.1	235.9	241.6	229.8	237.4	244.9	210.6	226.3	205.8	187.3
Mie	153.9	163.5	150.5	138.3	158.9	157.9	142.9	169.2	165.2	161.4	151.3	148.8	138.3
Miyagi	161.3	150.9	151.8	178.3	165.1	189.4	171.2	162.7	139.1	142.9	143.5	159.8	180.5
Miyazaki	170.5	156.0	164.4	175.1	147.3	174.0	175.1	161.6	175.1	172.8	186.3	182.1	176.2
Nagano	147.2	130.0	149.9	183.4	164.3	151.6	157.9	165.3	153.9	151.4	118.1	110.9	130.0
Nagasaki	180.7	170.5	160.5	190.1	174.6	190.1	184.0	175.8	187.1	208.1	199.9	180.1	147.1
Nara	165.3	130.5	157.4	145.7	180.3	176.0	191.3	174.5	173.0	167.8	142.6	203.9	142.6
Niigata	186.1	164.9	187.6	181.8	216.9	215.3	198.4	173.6	190.6	173.4	175.5	179.4	177.0
Oita	198.8	188.7	184.5	192.5	202.8	214.3	227.3	221.9	220.0	178.3	194.4	183.2	176.4
Okayama	166.8	140.2	151.4	170.3	173.0	173.2	183.4	172.4	180.3	174.5	168.9	171.5	142.4
Osaka	209.8	187.8	200.0	214.0	200.3	205.9	220.4	220.3	227.4	218.0	218.3	212.1	193.1
Saga	191.3	206.7	181.7	229.5	191.3	175.0	214.9	210.5	189.0	205.7	177.5	161.2	152.2
Saitama	138.4	99.0	143.8	141.8	150.5	148.4	144.8	151.2	147.9	133.3	142.3	139.1	125.7
Shiga	165.8	146.1	157.6	181.2	211.0	188.0	202.6	154.2	152.8	166.3	137.9	138.4	154.2
Shimane	212.1	175.2	201.3	200.0	283.7	262.8	229.7	252.3	213.1	202.7	179.1	168.9	176.5
Shizuoka	144.4	131.5	157.3	151.6	158.1	149.1	161.7	156.0	136.9	129.8	136.9	126.2	138.3
Tochigi	130.2	99.3	128.0	152.3	127.6	148.5	137.4	141.7	131.9	126.1	107.6	133.9	108.4
Tokushima	176.3	141.3	175.7	153.5	220.4	198.4	165.7	179.3	216.0	185.3	179.3	139.0	161.7
Tokyo	221.0	199.6	212.0	221.9	255.8	235.6	241.2	240.4	216.0	209.2	215.1	198.4	206.4
Tottori	188.7	167.2	163.9	219.0	232.5	211.0	182.5	199.1	157.3	209.8	191.1	179.0	174.2
Toyama	189.2	133.7	160.6	196.4	209.0	208.2	196.8	230.7	203.5	223.7	181.0	190.7	136.0
Wakayama	157.0	128.9	140.4	180.7	161.3	142.2	156.9	159.0	153.0	201.7	161.4	159.3	137.3
Yamagata	173.8	152.6	159.4	200.9	203.9	196.5	216.6	167.5	158.8	145.9	163.2	165.9	154.4
Yamaguchi	213.6	200.8	208.0	217.3	222.1	216.5	229.4	239.3	215.7	227.8	196.1	216.4	174.9
Yamanashi	104.5	101.4	82.1	97.1	115.3	130.4	109.3	110.1	127.5	101.8	86.9	91.3	100.0

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
LEPROSY (23):													
All Japan	0.2	0.3	0.3	0.3	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.2	0.2
All "Shi"	0.0	0.2	0.1	-	-	0.0	-	0.0	0.0	-	-	0.0	-
All "Gun"	0.3	0.3	0.3	0.4	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.3	0.3
Aichi	0.1	-	0.4	-	-	-	-	-	0.4	-	-	0.4	0.4
Akita	0.4	-	-	1.8	1.0	-	1.9	-	-	-	-	-	-
Amori	0.4	1.0	1.0	1.0	-	1.9	-	-	-	-	-	-	-
Chiba	0.1	0.6	0.6	-	-	-	-	-	-	-	-	-	-
Ehime	0.1	-	-	-	-	-	-	-	0.8	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	0.4	-	-	-	-	-	-	-	-	-	-	-
Fukushima	0.0	-	-	-	-	-	-	-	-	-	-	0.6	-
Gifu	0.1	-	-	-	-	0.8	-	-	-	-	-	-	-
Gumma	0.4	-	-	-	0.8	-	-	-	0.7	0.8	-	0.8	1.5
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	0.1	0.6	-	-	-	0.3	-	-	-	-	-	-	-
Hyogo	0.1	0.4	0.4	-	-	-	0.4	-	-	-	-	-	0.4
Ibaraki	0.1	0.6	-	-	-	-	-	0.6	-	-	-	-	-
Ishikawa	0.1	-	1.3	-	-	-	-	-	-	-	-	-	-
Iwate	0.6	-	-	-	-	2.7	-	-	1.8	0.9	0.9	0.9	-
Kagawa	0.1	-	-	-	-	-	1.3	-	-	-	-	-	-
Kagoshima	0.4	1.3	-	0.7	-	0.7	-	0.7	-	0.7	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	0.7
Kochi	0.3	-	1.5	-	-	-	1.4	-	-	1.4	-	-	-

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
LEPROSY (23):													
Nuonoto	2.1	0.7	4.2	3.3	2.0	1.3	0.7	3.3	1.3	2.0	2.0	4.1	0.7
Kyoto	0.1	-	0.7	-	-	0.7	-	-	-	-	-	-	-
Mie	0.2	-	-	-	-	-	-	0.8	0.8	-	0.8	-	-
Miyagi	1.2	1.5	-	2.2	0.8	2.2	1.5	-	0.7	1.5	-	0.8	2.2
Miyazaki	0.4	-	2.4	1.1	-	-	-	1.1	-	-	-	-	-
Nagano	0.0	-	0.6	-	-	-	-	-	-	-	-	-	-
Nagasaki	0.1	-	-	0.8	-	-	-	-	-	-	-	0.8	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	0.0	-	-	-	-	0.5	-	-	-	-	-	-	-
Oita	0.4	0.9	-	0.9	-	1.9	-	-	-	-	-	-	0.9
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	0.1	-	-	-	-	-	-	-	-	-	-	-	1.3
Saitama	0.0	0.6	-	-	-	-	-	-	-	-	-	-	-
Shiga	0.3	-	-	2.7	-	1.4	-	-	-	-	-	-	-
Shimane	0.1	-	-	-	-	-	-	1.3	-	-	-	-	-
Shizuoka	0.1	0.5	-	1.0	-	-	-	-	-	-	-	-	-
Tokachi	0.3	0.8	-	-	-	0.8	-	-	0.8	-	-	-	0.8
Tokushima	0.1	-	-	-	-	-	-	-	-	-	1.4	-	-
Tokyo	0.0	-	-	-	-	-	-	-	-	-	-	-	0.2
Tottori	0.2	2.0	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	0.1	-	-	-	0.9	-	-	-	-	-	0.9	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY (27):													
All Japan	6.6	0.7	1.0	1.2	2.1	3.0	7.0	20.6	22.0	12.7	5.2	1.7	1.1
All "Shi"	5.8	0.9	1.2	1.4	2.6	2.8	6.6	16.0	18.0	11.8	4.9	2.0	1.3
All "Gun"	6.9	0.6	0.9	1.0	1.8	3.0	7.2	23.1	24.0	13.2	5.3	1.6	1.0
Aichi	11.4	0.4	2.0	1.1	2.3	2.6	11.0	40.6	34.8	25.7	9.9	3.1	1.8
Akita	4.3	-	1.0	0.9	3.8	1.8	5.7	9.2	13.8	8.6	3.7	1.9	0.9
Aomori	2.7	-	-	-	2.0	1.9	-	7.8	9.7	7.0	3.9	-	-
Chiba	6.7	-	-	3.9	2.3	3.3	7.4	14.3	30.3	8.0	7.7	0.6	1.7
Eniue	9.3	1.6	1.7	-	2.5	4.8	21.4	31.1	27.9	12.4	5.6	1.6	-
Fukui	4.6	-	-	-	1.7	1.6	3.3	14.5	20.9	6.7	3.2	3.3	-
Fukuo	4.9	0.7	0.8	0.4	2.2	3.6	5.9	13.5	15.0	7.4	6.8	1.5	1.1
Fukushima	6.5	-	-	1.2	1.8	1.7	4.8	19.8	25.6	16.3	4.7	1.8	-
Gifu	11.9	1.5	-	0.8	2.4	3.1	7.2	51.1	45.7	20.8	8.5	-	0.8
Gumma	8.0	2.2	1.6	0.7	1.5	2.9	8.3	32.3	34.5	9.1	-	1.5	-
Hiroshima	8.3	0.6	1.2	-	2.4	5.2	6.6	20.8	32.9	20.9	5.8	1.8	1.2
Hokkaido	2.8	-	0.9	0.9	0.6	0.3	2.7	6.2	11.7	6.1	0.6	2.7	0.9
Iyogo	4.0	0.4	-	1.1	1.9	4.1	3.9	12.0	13.1	4.6	5.2	0.4	0.4
Ibaraki	16.6	1.2	2.5	0.6	4.2	3.5	17.9	66.4	57.2	27.5	8.7	5.4	3.5
Ishikawa	1.8	-	-	-	2.6	-	3.9	5.0	7.5	2.6	-	-	-
Iwate	6.0	0.9	2.9	-	-	4.6	2.8	12.8	24.6	17.0	2.7	0.9	1.8
Kagawa	11.9	2.5	-	-	3.9	3.8	9.1	25.3	43.0	27.4	22.8	-	3.8
Kagoshima	4.5	-	0.7	0.7	1.4	3.3	9.0	12.7	12.7	9.0	1.3	2.8	-
Kanagawa	4.4	3.1	0.5	1.0	2.1	2.5	5.3	16.2	14.8	7.9	4.1	1.1	0.5
Kochi	6.2	-	-	-	1.4	5.5	9.9	10.9	20.4	16.9	6.8	2.8	-

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY (27) - Cont'd:													
Kumamoto	7.1	-	-	2.0	4.1	6.6	11.6	25.8	16.5	9.6	4.6	2.0	1.3
Kyoto	4.1	1.3	-	-	2.7	2.0	7.5	11.3	14.5	5.5	3.3	-	1.3
Mie	4.6	0.8	-	0.8	-	0.8	8.4	17.1	10.6	8.4	7.3	0.8	-
Miyagi	2.6	0.7	0.8	-	-	1.5	0.8	8.9	10.4	5.4	3.0	-	-
Miyazaki	11.2	2.2	1.2	2.2	4.6	10.1	9.3	38.2	33.7	16.2	9.0	4.6	2.2
Nagano	4.3	0.6	-	0.6	2.3	1.1	8.8	10.2	17.6	7.6	1.7	-	0.6
Nagasaki	8.5	0.8	1.6	2.3	1.6	2.3	8.6	32.4	18.9	24.2	6.8	0.8	1.5
Nara	1.7	1.5	-	-	-	-	1.6	1.5	4.6	7.8	3.0	-	-
Niigata	5.3	1.0	1.0	1.5	2.0	3.4	6.0	10.2	17.0	15.0	2.4	2.0	1.5
Oita	8.7	-	2.0	0.9	2.9	2.8	9.8	29.4	28.4	17.6	3.8	4.9	0.9
Okeyama	6.4	-	1.5	-	1.5	1.4	6.7	17.9	22.9	13.3	7.2	3.7	-
Osaka	4.9	-	2.2	0.3	1.4	3.4	6.9	14.1	10.7	10.8	5.0	2.4	1.3
Saga	7.4	1.3	-	3.8	2.6	5.1	10.5	35.5	15.2	9.2	2.5	1.3	1.3
Saitama	10.4	-	1.2	1.7	1.1	3.9	13.2	44.3	37.1	15.5	2.8	2.3	1.1
Shiga	3.6	-	-	-	-	1.4	7.0	8.1	13.5	9.8	1.4	1.4	-
Shimane	10.1	1.3	-	2.6	-	3.9	4.1	17.0	57.5	21.6	6.5	4.1	1.3
Shizuoka	7.8	1.0	1.0	1.5	1.5	4.4	10.1	26.5	24.0	13.2	8.3	1.0	0.5
Tochigi	8.9	0.8	1.6	2.3	5.5	2.3	8.6	34.1	27.3	18.0	5.3	-	0.8
Tokushima	8.3	1.4	-	4.1	-	1.4	4.2	27.2	27.2	23.9	6.8	1.4	1.4
Tokyo	7.4	1.3	2.6	3.1	4.1	3.7	5.0	24.0	22.4	12.4	5.2	2.3	2.6
Tottori	6.6	-	-	4.0	2.1	8.0	2.1	17.9	25.9	8.2	10.0	-	-
Toyama	2.2	-	1.3	-	-	-	3.7	7.1	7.1	3.7	2.4	1.2	-
Wakayama	2.1	1.2	-	1.2	-	-	1.2	7.2	3.6	5.0	1.2	1.2	3.6
Yamagata	3.0	-	-	1.8	1.8	2.6	3.6	22.5	8.8	6.3	0.9	-	-
Yamaguchi	9.4	0.8	2.5	2.4	2.4	1.6	3.2	10.0	28.2	32.4	14.9	1.6	0.8
Yamaguchi	5.0	-	-	-	-	1.4	4.5	10.1	21.7	10.5	4.3	-	7.2

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA (28):													
All Japan	0.3	0.3	0.4	0.4	0.3	0.4	0.2	0.2	0.3	0.4	0.3	0.2	0.1
All "Shi"	0.3	0.4	0.3	0.3	0.2	0.4	0.2	0.3	0.3	0.4	0.3	0.2	0.0
All "Gun"	0.3	0.3	0.5	0.4	0.4	0.4	0.2	0.2	0.3	0.5	0.3	0.1	0.1
Aichi	0.1	-	-	-	0.4	-	-	-	-	0.4	0.4	0.4	-
Akita	0.1	0.9	-	-	-	-	-	-	-	-	-	-	-
Aomori	0.1	-	-	-	-	-	-	-	-	-	1.0	-	-
Chiba	0.1	-	-	-	-	-	0.6	0.6	-	-	0.6	-	-
Ehime	0.3	0.8	0.9	0.8	-	0.8	-	-	-	0.8	-	-	-
Fukui	0.4	-	-	1.6	-	-	-	-	1.6	1.7	-	-	-
Fukuoka	0.2	0.4	0.8	-	-	-	0.4	-	-	0.7	0.4	-	-
Fukushima	0.3	0.6	-	-	0.6	1.2	-	0.6	-	0.6	-	-	-
Gifu	0.3	-	-	0.8	-	2.3	-	-	-	-	-	-	-
Gunma	0.3	0.7	-	0.7	0.8	-	-	0.7	-	-	-	0.8	-
Hiroshima	0.1	-	-	0.6	-	1.2	-	-	-	-	-	-	-
Hokkaido	0.1	0.3	0.3	-	0.9	-	-	0.3	-	-	-	-	-
Hyogo	0.3	0.4	0.4	0.4	-	0.4	-	-	1.1	0.8	-	-	-
Ibaraki	0.1	-	0.6	-	-	0.6	-	-	0.6	-	-	-	-
Ishikawa	0.4	1.3	-	-	2.6	1.3	-	-	-	-	-	-	-
Iwate	0.2	-	-	1.8	-	-	-	-	-	0.9	-	-	-
Kagawa	0.2	-	1.4	-	-	-	-	-	-	-	1.3	-	-
Kagoshima	0.6	1.3	-	0.7	0.7	-	0.7	-	3.3	0.7	-	-	-
Kanagawa	0.2	-	0.5	-	-	-	1.1	-	-	-	0.5	-	-
Kochi	0.6	-	1.5	2.7	-	-	2.8	-	-	-	-	-	-

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA (28): - Continued:													
Kumamoto	0.7	2.0	0.7	0.7	0.7	1.3	-	-	1.3	1.4	-	0.7	-
Kyoto	0.5	-	1.4	-	-	-	0.7	2.0	1.3	-	0.7	-	-
Mie	0.3	-	0.9	-	0.8	-	0.8	-	1.3	-	0.8	-	0.8
Miyagi	0.4	-	0.8	1.5	-	0.7	-	0.7	-	0.8	-	-	-
Miyazaki	0.2	-	-	-	1.2	-	-	-	-	-	1.1	-	-
Nagano	0.1	-	-	-	-	-	-	0.6	-	-	0.6	-	-
Nagasaki	0.8	-	1.6	0.8	1.6	2.3	-	-	0.8	1.6	-	0.8	-
Nara	0.4	-	-	-	1.6	-	-	-	1.5	1.6	-	-	-
Niigata	0.3	0.5	-	0.5	-	0.5	0.5	0.5	0.5	-	-	-	0.5
Oita	0.6	1.9	-	-	1.0	-	-	-	0.9	2.0	0.9	1.0	-
Okayama	0.4	-	-	-	-	-	-	-	0.7	1.5	0.7	-	0.7
Osaka	0.1	0.3	-	-	-	0.3	-	-	-	-	0.3	0.3	0.3
Saga	0.5	-	-	1.3	-	1.3	-	1.3	1.3	-	1.3	-	-
Saitama	0.1	-	0.6	-	0.6	-	-	-	-	0.6	-	-	-
Shiga	1.6	-	1.4	1.4	1.4	1.4	1.4	1.4	1.4	5.6	2.7	1.4	-
Shimane	0.4	1.3	-	1.3	-	-	1.4	-	-	-	1.3	-	-
Shizuoka	0.2	-	-	-	1.0	-	-	-	0.5	0.5	-	0.5	-
Tochigi	0.3	-	-	1.5	-	-	-	0.8	0.5	0.8	-	-	-
Tokushima	0.2	-	-	-	-	-	-	1.4	-	-	1.4	-	-
Tokyo	0.2	0.2	0.5	0.2	0.2	0.7	0.2	0.2	-	0.2	-	0.2	-
Tottori	0.3	-	2.1	-	-	2.0	-	-	-	-	-	-	-
Toyama	0.3	-	1.3	-	-	1.2	-	-	-	1.2	-	-	-
Wakayama	0.5	2.4	1.3	-	-	-	-	-	-	-	-	-	-
Yamagata	0.2	-	1.9	2.4	-	-	-	-	-	-	0.9	-	-
Yamaguchi	0.1	0.8	-	-	-	-	-	-	-	-	-	0.8	-
Yamaguchi	0.2	-	1.5	1.4	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS (30):													
All Japan	5.5	5.3	6.3	6.2	5.2	4.8	4.7	4.7	4.8	5.1	5.3	5.9	7.3
All "Shi"	6.8	7.1	8.4	7.5	6.4	6.0	5.8	5.8	5.6	6.0	6.3	7.7	9.2
All "Gun"	4.7	4.3	5.3	5.5	4.5	4.1	4.2	4.1	4.3	4.6	4.7	5.0	6.3
Aichi	5.4	9.5	6.3	6.6	4.5	3.7	4.9	4.8	3.3	4.9	5.1	5.3	5.9
Akita	6.0	4.6	8.9	5.5	4.8	10.1	5.7	5.5	8.3	8.6	1.8	2.9	5.5
Aomori	7.1	7.8	8.3	7.8	8.0	6.8	7.0	7.8	6.8	7.0	5.8	6.0	6.8
Chiba	6.2	8.3	8.8	6.6	5.7	7.2	1.7	6.6	7.7	4.0	5.5	3.4	8.8
Ehime	5.5	7.2	6.0	6.4	2.5	5.6	4.1	3.2	8.0	7.4	5.6	4.9	5.6
Fukui	4.1	6.4	6.9	6.4	1.7	1.6	-	6.4	-	8.3	4.8	5.0	1.6
Fukunaka	7.0	6.1	11.1	6.8	9.6	5.0	4.8	3.9	5.7	7.7	6.4	6.6	10.7
Fukushima	5.3	0.6	4.4	5.8	1.8	4.7	4.8	8.2	2.9	5.4	8.2	6.0	10.5
Gifu	3.1	-	5.8	-	5.6	5.4	2.4	3.1	3.9	0.8	2.3	5.6	3.1
Gunma	4.0	5.9	5.5	3.7	4.5	3.7	3.0	1.5	2.9	3.8	2.9	8.3	2.2
Hiroshima	3.9	3.5	2.5	6.3	1.2	2.3	5.4	4.6	4.6	1.8	3.5	7.2	3.5
Hokkaido	6.7	5.9	7.8	8.2	7.3	5.3	6.4	4.4	2.3	7.3	6.5	10.6	9.1
Hyogo	4.2	4.9	5.6	4.5	2.7	4.5	3.5	4.4	2.2	4.3	3.7	6.6	4.9
Ibureki	8.2	9.8	6.8	4.6	3.6	6.4	6.0	5.2	7.5	3.6	5.8	7.8	6.9
Ishikawa	4.6	2.5	4.0	6.3	3.9	-	2.6	6.3	10.0	2.6	7.5	5.2	3.8
Iwate	5.3	1.8	3.9	8.2	10.4	5.5	3.8	5.5	7.3	5.7	3.6	1.9	6.4
Kagawa	4.9	2.5	2.7	8.8	2.6	12.6	5.2	2.5	5.1	2.6	3.8	6.5	3.8
Kagoshima	7.8	8.0	10.0	9.4	9.7	4.0	8.3	3.3	4.7	6.9	6.7	11.1	12.0
Kanagawa	5.3	4.6	6.5	8.7	5.3	3.6	4.2	4.6	3.1	2.6	5.6	2.6	11.7
Kochi	5.7	2.7	1.5	5.5	2.8	6.8	7.0	4.1	8.2	7.0	5.5	4.2	12.5

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYMPHILIS (30) - Cont'd:													
Kumamoto	5.7	7.9	6.4	6.6	3.4	5.3	6.8	5.9	4.6	5.5	5.5	4.8	5.3
Kyoto	4.8	5.3	12.7	7.3	9.6	7.9	5.5	6.0	6.0	6.2	10.6	10.3	6.6
Mie	4.8	5.7	3.5	6.5	3.4	1.6	2.5	5.7	5.7	2.5	4.1	6.7	9.8
Miyagi	6.1	4.4	7.9	7.4	6.9	4.4	5.4	3.0	7.4	3.8	6.7	9.2	7.4
Miyazaki	6.3	4.5	8.4	5.6	7.0	7.9	7.0	5.6	7.9	8.1	5.6	3.5	4.5
Nagano	3.7	4.5	3.0	1.1	3.5	4.0	2.9	2.3	2.8	7.6	4.0	2.9	5.7
Nagasaki	8.9	6.0	13.7	8.3	7.0	6.0	8.6	7.5	7.5	7.0	10.6	7.0	18.1
Nara	4.8	6.1	1.6	7.6	7.8	1.5	6.3	1.5	7.6	6.3	4.6	3.1	3.0
Niigata	4.4	3.4	4.1	5.8	4.5	3.9	2.5	3.9	2.4	2.5	6.8	7.0	5.3
Oita	5.0	3.8	5.1	5.7	6.9	4.7	4.9	2.8	5.7	4.9	5.7	6.9	2.8
Okayama	4.6	4.3	3.8	2.9	6.7	8.6	5.9	4.3	3.6	1.5	3.6	4.4	5.7
Ooka	5.5	5.0	7.2	6.4	3.8	5.0	2.8	6.4	2.7	3.8	5.7	7.3	9.4
Saga	8.4	6.3	14.9	21.6	5.2	2.5	6.6	6.3	6.3	13.1	5.1	5.2	7.6
Saitama	5.0	5.0	8.3	8.9	1.7	5.5	4.6	2.2	5.5	4.0	5.0	4.0	5.0
Shiga	4.8	8.1	7.2	2.7	7.0	1.4	12.6	1.4	2.7	2.8	4.1	2.8	5.4
Shimane	5.4	9.2	1.4	3.9	9.5	3.9	4.1	7.8	3.9	6.8	3.9	-	10.5
Shizuoka	3.7	2.9	3.7	6.9	3.5	2.0	1.5	2.0	3.9	3.5	2.9	5.6	5.9
Tochigi	5.0	3.8	4.1	3.0	3.9	1.5	5.5	6.8	4.5	9.4	3.8	4.7	9.1
Tokushima	3.3	2.7	2.9	8.2	2.8	4.1	-	4.1	4.1	1.4	1.4	4.2	4.1
Tokyo	6.6	5.9	5.3	7.2	5.6	6.3	5.2	7.0	6.1	7.4	6.3	6.5	8.9
Tottori	5.9	10.0	14.9	2.0	4.1	-	8.2	6.0	2.0	2.1	13.9	2.1	6.0
Toyama	4.3	4.7	1.3	5.9	4.9	4.7	2.4	4.7	2.4	1.2	-	8.6	10.6
Wakayama	4.6	2.4	5.2	3.6	3.7	1.2	3.7	9.6	2.4	3.7	6.0	6.2	7.2
Yamagata	4.3	4.4	2.8	2.6	8.2	4.4	6.3	1.8	3.5	4.5	3.5	4.5	5.3
Yamaguchi	4.1	4.7	3.4	3.1	3.2	3.9	3.2	3.9	3.5	4.1	3.9	3.2	7.8
Yamaneishi	4.4	5.8	6.2	1.4	4.5	1.4	10.5	1.4	5.8	4.5	4.3	1.5	5.8

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA (33):													
All Japan	0.6	1.3	1.1	1.4	0.9	0.4	0.5	0.3	0.2	0.3	0.4	0.4	0.7
All "Shi"	0.6	1.1	0.9	1.2	0.5	0.4	0.3	0.5	0.2	0.2	0.4	0.4	0.7
All "Gun"	0.7	1.3	1.2	1.5	1.0	0.4	0.5	0.3	0.2	0.4	0.5	0.4	0.6
Aichi	0.4	1.8	0.8	0.4	1.1	0.7	0.4	-	-	-	-	-	-
Akita	0.8	-	1.0	0.9	-	-	1.0	-	-	1.0	0.9	3.8	0.9
Aomori	1.7	1.0	-	3.9	1.0	-	7.0	1.9	-	1.0	1.9	1.0	1.9
Chiba	0.4	0.6	0.6	1.7	0.6	-	-	-	-	-	0.6	-	1.1
Ehime	1.3	3.2	2.6	3.2	1.6	0.8	0.8	0.8	0.8	-	-	-	1.5
Fukui	0.5	1.6	-	1.6	-	-	-	-	-	-	1.6	-	1.6
Fukuoka	0.7	2.1	1.5	1.4	-	-	0.4	-	-	-	0.7	0.7	1.1
Fukushima	0.2	0.6	0.6	0.6	0.6	-	0.6	-	-	-	-	-	-
Gifu	0.3	-	0.8	-	-	-	-	0.8	-	-	-	0.8	0.8
Gumma	0.9	0.7	1.6	5.1	2.3	-	-	-	-	0.8	-	-	-
Hiroshima	0.4	0.6	0.6	1.2	1.8	-	-	0.6	-	-	-	-	0.6
Hokkaido	0.5	0.3	0.9	0.6	1.2	0.6	-	0.6	0.6	0.6	-	0.3	0.6
Iyogo	0.5	1.2	1.1	1.1	-	0.4	-	-	-	0.4	-	0.4	0.4
Ibureki	0.2	0.6	0.6	0.6	0.6	-	-	-	-	-	-	-	0.6
Ishikawa	1.2	1.3	5.4	3.8	1.3	1.3	-	-	-	-	-	-	1.3
Iwate	0.4	0.9	-	0.9	-	0.9	0.9	-	-	-	0.9	-	-
Kagawa	0.2	-	-	-	-	-	-	-	-	-	1.3	1.3	-
Kagoshima	0.5	2.0	0.7	0.7	-	-	-	-	-	0.7	-	1.4	0.7
Kenegawa	0.6	1.0	-	3.1	1.1	0.5	1.1	0.5	-	-	-	0.5	-
Kochi	0.5	-	1.5	1.4	-	-	-	-	-	1.4	1.4	-	-

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA (33) - Cont'd:													
Kumamoto	0.8	4.0	1.4	0.7	1.4	0.7	-	0.7	-	0.7	0.7	-	-
Kyoto	0.7	0.7	-	1.3	2.1	0.7	0.7	-	-	0.7	1.3	-	1.3
Mie	0.9	0.8	0.9	2.4	-	-	-	2.4	0.8	0.8	0.8	-	1.6
Miyagi	0.4	0.7	0.8	-	0.8	0.7	-	-	-	-	-	0.8	0.7
Miyazaki	1.0	-	4.8	1.1	-	-	1.2	2.2	-	-	1.1	-	1.1
Nagano	0.7	2.8	0.6	0.6	1.8	0.6	1.2	-	-	-	0.6	-	-
Nagasaki	0.6	1.5	1.6	0.8	-	0.8	-	-	0.8	1.6	-	-	0.8
Nara	0.3	-	1.6	-	-	-	-	-	-	-	-	-	1.5
Niigata	0.8	0.5	1.0	2.9	2.5	-	0.5	-	-	1.0	1.0	0.5	-
Oita	1.5	4.7	2.0	2.8	2.9	0.9	1.0	0.9	0.9	-	-	1.0	0.9
Ookayama	0.5	1.4	0.8	0.7	-	0.7	1.5	-	-	-	-	-	0.7
Osaka	0.5	1.0	1.1	0.3	1.0	0.3	-	-	0.7	-	0.7	0.3	0.7
Saga	0.2	-	-	-	-	1.3	-	-	-	-	1.3	-	-
Seitama	0.3	0.6	0.6	1.1	0.6	-	-	-	-	-	-	-	-
Shiga	0.7	1.4	1.4	-	-	1.4	1.4	-	-	-	1.4	-	1.4
Shimane	0.9	3.9	1.4	3.9	1.4	-	-	-	-	-	-	-	-
Shizuoka	0.9	0.5	1.6	1.5	1.0	0.5	0.5	1.0	0.5	1.0	1.0	-	2.0
Tochigi	0.1	-	0.8	-	0.8	-	-	-	-	-	-	-	-
Tokushima	1.0	6.8	1.5	2.7	-	-	-	-	-	-	-	1.4	-
Tokyo	0.7	1.1	0.9	1.7	0.7	0.4	0.7	0.7	0.2	0.2	0.9	0.9	0.2
Tottori	0.3	-	-	-	2.1	-	-	-	-	-	-	-	2.0
Toyama	1.7	3.5	-	3.5	2.4	2.4	1.2	-	-	-	1.2	1.2	3.5
Wakayama	1.3	2.4	3.9	6.0	-	1.2	-	-	1.2	1.2	-	-	-
Yamagata	0.2	0.9	-	-	-	-	-	0.9	-	0.9	-	-	-
Yamaguchi	1.0	-	1.7	0.8	2.4	-	0.8	-	2.4	-	-	0.8	3.1
Yamanashi	0.7	1.4	3.1	1.4	-	-	-	1.4	-	-	1.4	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX (34):													
All Japan	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-
All "Shi"	0.0	0.0	-	0.0	-	0.0	-	-	-	-	0.1	-	-
All "Gun"	0.0	0.1	0.0	0.1	0.0	-	0.0	0.0	0.0	0.0	-	-	-
Aichi	0.0	-	-	0.4	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.0	-	-	-	-	-	-	-	-	0.6	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	0.0	-	-	0.6	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	0.1	-	-	-	-	-	-	-	-	0.8	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	0.0	-	-	-	0.3	-	-	-	-	-	-	-	-
Iyogo	0.1	-	0.8	-	-	-	-	-	-	-	0.4	-	-
Ibaraki	0.0	-	-	0.6	-	-	-	-	-	-	-	-	-
Ishikawa	0.3	3.8	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	0.1	0.7	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX (34):													
Funamoto	0.1	0.7	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	0.1	-	-	-	-	0.8	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	0.0	-	-	-	-	-	-	-	-	-	0.9	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	0.1	-	-	-	1.4	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	0.1	-	-	0.5	-	-	-	0.5	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	0.1	-	-	-	-	-	1.4	-	-	-	-	-	-
Tokyo	0.0	0.2	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	0.1	-	-	-	-	-	-	-	0.9	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES (35):													
All Japan	7.1	6.0	6.5	10.7	8.6	10.8	11.3	9.1	5.7	2.8	2.5	4.2	6.4
All "Shi"	5.3	3.6	4.4	7.1	5.2	6.7	8.6	8.8	5.3	2.5	1.6	3.3	6.1
All "Gun"	8.0	7.3	7.6	12.6	10.5	13.0	12.8	9.2	5.9	3.0	3.0	4.7	6.5
Aichi	2.3	1.5	0.4	2.6	3.4	5.9	6.1	4.8	0.7	0.8	-	0.8	0.7
Akita	9.1	16.6	7.9	6.4	4.8	12.9	6.7	9.2	10.1	3.8	9.2	8.6	12.9
Aomori	20.5	30.0	14.5	14.5	17.0	22.3	18.0	16.5	19.4	14.0	13.6	24.0	41.7
Chiba	0.8	-	-	1.1	2.3	2.8	0.6	1.1	0.6	1.1	0.6	-	-
China	15.1	17.5	20.5	55.0	28.0	19.1	15.7	14.3	4.0	1.6	2.4	-	2.4
Fuku	10.5	8.1	1.7	3.2	15.0	12.9	25.0	33.8	19.3	1.7	-	-	4.8
Fukuoka	2.9	1.8	0.8	2.1	0.7	5.7	4.4	2.9	2.5	0.7	0.4	1.8	11.1
Fukushima	6.6	1.2	3.7	5.2	13.8	8.2	7.2	5.8	4.7	4.2	7.0	8.4	9.3
Gifu	11.0	9.3	15.7	24.0	23.2	16.3	22.4	10.1	3.9	1.6	1.5	4.0	0.8
Gumma	2.3	2.2	1.6	2.9	3.0	2.9	5.3	2.2	2.2	-	0.7	0.8	3.7
Hiroshima	9.5	5.8	9.9	13.8	12.5	20.2	21.5	20.8	3.5	1.8	1.2	1.8	1.7
Hokkaido	20.7	8.8	5.7	5.6	5.5	6.2	12.4	37.0	34.9	23.1	20.0	38.2	49.9
Hyogo	10.3	3.4	7.6	18.3	15.5	22.1	30.9	17.6	6.0	0.8	0.4	-	0.7
Ibaraki	3.3	1.7	4.3	9.8	5.4	1.7	9.5	4.6	1.7	0.6	-	-	-
Ishikawa	13.4	6.3	5.4	13.8	15.5	38.9	23.3	20.1	11.3	3.9	1.3	5.2	15.0
Iwate	23.4	18.2	17.6	27.4	22.6	47.4	44.3	31.9	27.4	17.0	6.4	4.7	15.5
Kagawa	19.6	10.1	33.8	59.4	44.4	41.7	28.7	13.9	3.8	-	-	-	-
Kagoshima	10.1	16.0	17.2	20.1	8.3	22.1	12.4	7.4	4.7	2.8	0.7	6.9	3.3
Kanagawa	0.7	0.5	0.5	-	0.5	1.0	1.6	0.5	0.5	1.1	-	0.5	1.5
Kochi	14.2	21.8	20.4	39.5	28.2	20.4	12.7	12.3	6.8	2.8	2.7	-	2.7

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
MEASLES (35) - Cont'd:													
Kumamoto	5.3	4.0	3.5	8.6	6.1	11.2	17.8	7.3	2.0	-	0.7	1.4	1.3
Kyoto	2.2	1.3	3.5	0.7	2.1	2.0	4.8	6.0	3.3	0.7	0.7	0.7	1.3
Mie	8.2	13.8	12.2	17.9	19.3	10.6	10.1	5.7	1.6	-	1.6	1.7	4.1
Miyagi	14.4	28.9	16.6	25.9	25.2	20.7	25.2	10.4	8.1	1.5	3.0	3.8	3.7
Miyazaki	6.7	19.1	12.0	12.3	10.4	11.2	8.1	6.7	1.1	-	-	-	-
Nagano	6.3	6.2	7.9	15.9	8.2	14.8	13.5	5.1	2.3	0.6	-	0.6	1.1
Nagasaki	6.0	4.5	13.7	6.8	3.9	6.8	12.5	7.5	3.0	0.8	1.5	6.2	5.3
Nara	1.4	-	-	1.5	-	1.5	3.1	3.0	1.3	1.6	1.5	1.6	1.5
Niigata	6.6	8.7	7.8	6.8	4.0	9.2	9.5	5.3	10.2	5.0	2.4	3.5	6.3
Oita	3.8	3.8	3.0	1.9	4.9	0.9	9.8	4.7	0.9	-	1.9	9.8	3.8
Okayama	13.3	6.4	14.5	32.9	31.1	40.1	20.0	9.3	3.6	1.5	-	-	-
Osaka	4.1	0.7	1.1	5.4	4.5	4.7	11.8	10.7	2.7	1.7	1.0	1.7	2.7
Saga	3.4	5.1	6.8	1.3	5.2	6.3	13.1	3.8	-	-	-	-	-
Saitama	0.5	-	0.6	0.6	0.6	1.7	1.7	0.6	-	-	-	-	0.6
Shiga	6.9	20.3	11.6	25.7	5.6	6.8	7.0	4.1	1.4	-	-	-	-
Shimane	3.5	6.5	2.8	1.3	1.4	-	2.7	1.3	3.9	2.7	2.6	8.1	9.2
Shizuoka	3.9	1.5	6.8	9.3	8.1	8.9	5.1	3.4	2.0	-	1.0	-	2.0
Tochigi	2.0	0.8	4.1	3.0	0.8	6.8	3.9	3.8	0.8	-	-	-	-
Tokushima	11.7	4.1	13.1	38.0	18.3	19.0	25.3	9.5	5.4	1.4	2.7	2.8	1.4
Tokyo	0.8	0.7	0.7	0.7	2.0	1.1	1.4	1.3	0.4	0.5	0.4	0.2	0.7
Tottori	12.5	10.0	6.4	25.9	18.5	33.8	16.5	15.9	15.9	4.1	-	2.1	-
Toyama	3.8	4.7	-	3.5	6.1	3.5	7.3	11.8	3.5	1.2	1.2	-	2.4
Wakayama	6.5	2.4	5.2	2.4	6.2	16.9	12.4	9.6	7.2	-	6.0	1.2	8.4
Yamagata	10.0	4.4	6.6	9.6	3.6	8.8	15.4	7.9	11.4	8.2	7.9	14.5	21.9
Yamaguchi	2.8	-	4.2	10.2	4.1	5.5	2.4	3.1	0.8	-	-	0.8	2.4
Yamanashi	0.7	-	-	1.4	-	2.9	1.5	-	-	-	2.9	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE "B" ENCEPHALITIS (37b):													
All Japan	3.3	0.0	0.0	0.0	0.0	0.0	0.1	0.3	24.3	12.0	1.5	0.4	0.2
All "Shi"	5.4	-	-	-	0.1	0.0	0.1	0.6	43.3	16.8	2.1	0.7	0.3
All "Gun"	2.2	0.0	0.1	0.0	-	-	0.1	0.2	14.4	9.4	1.2	0.2	0.1
Aichi	4.0	-	-	-	-	-	-	-	36.6	7.6	1.8	1.1	-
Akita	3.8	-	-	-	-	-	-	-	12.0	29.5	3.7	-	0.9
Aomori	2.5	-	-	-	-	-	-	-	3.9	22.0	2.9	1.0	1.0
Chiba	5.7	0.6	0.6	-	-	-	-	1.1	56.3	5.1	3.3	0.6	-
Ehime	2.3	-	-	-	-	0.8	-	-	8.0	18.1	0.8	-	-
Fukui	4.6	-	-	-	-	-	-	-	17.7	36.6	1.6	-	-
Fukuoka	0.2	-	-	-	-	-	-	-	-	2.2	-	0.4	-
Fukushima	2.0	-	-	-	-	-	-	-	13.4	7.2	1.7	1.2	-
Gifu	2.6	-	-	-	-	-	-	-	22.5	8.0	0.8	-	-
Gumma	3.0	-	-	-	-	-	-	1.5	28.6	4.5	1.5	-	-
Hiroshima	0.8	-	-	-	-	-	-	-	2.3	6.0	1.2	-	-
Hokkaido	0.2	-	-	0.3	-	-	-	0.6	0.6	1.2	0.3	-	-
Iyogo	3.0	-	-	-	-	-	0.8	-	13.1	19.7	1.5	0.4	0.4
Ibaraki	4.7	-	-	-	-	-	-	-	11.0	11.9	1.7	1.8	-
Ishikawa	4.4	-	-	-	-	-	-	-	27.6	22.0	2.5	-	-
Iwate	5.9	-	-	-	-	-	-	-	16.4	50.9	2.7	-	0.9
Kagawa	0.7	-	-	-	-	-	1.3	-	5.1	2.6	-	-	-
Kagoshima	1.4	-	-	-	-	-	-	0.7	9.7	9.7	-	-	0.7
Kanagawa	8.8	-	-	-	-	-	-	-	81.2	8.4	2.5	-	1.5
Kochi	1.6	-	-	-	-	-	-	-	12.3	4.2	1.4	-	1.4

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE "B" ENCEPHALITIS (37b) - Cont'd:													
Kumamoto	1.0	-	-	-	-	-	-	-	4.0	5.5	2.0	-	-
Kyoto	1.2	-	-	-	-	-	-	-	7.3	7.5	-	-	-
Mie	2.3	-	-	-	-	0.8	0.8	0.8	15.5	9.2	0.8	-	-
Miyagi	4.1	-	-	-	-	-	-	-	27.4	20.6	1.5	-	-
Miyazaki	2.4	-	-	-	-	-	-	2.2	4.5	15.2	4.5	1.2	-
Nagano	3.6	-	-	-	-	-	1.2	-	20.4	17.6	3.4	-	0.6
Negeseki	0.1	-	-	-	-	-	-	-	-	1.6	-	-	-
Nara	0.9	-	-	-	-	-	-	-	6.1	4.7	-	-	-
Niigata	3.1	-	0.5	-	-	-	-	-	15.5	19.5	1.0	1.0	-
Oita	0.3	-	-	-	-	-	-	-	3.8	-	-	-	-
Okeyama	2.5	-	0.8	-	-	-	-	-	9.3	18.5	1.4	-	-
Osaka	1.7	-	-	-	0.3	-	-	-	10.4	9.0	-	-	-
Saga	1.3	-	-	-	-	-	-	-	-	11.8	2.5	-	1.3
Saitama	4.0	0.6	-	-	-	-	-	-	39.3	7.4	0.6	-	-
Shiga	2.5	-	-	-	-	-	-	-	20.3	2.0	2.7	-	-
Shimane	1.0	-	-	-	-	-	-	-	3.9	5.4	2.6	-	-
Shizuoka	6.4	-	-	-	-	-	-	0.5	53.5	18.8	2.5	0.5	-
Tochigi	2.9	-	-	-	-	-	-	1.5	19.7	11.7	1.5	-	-
Tokushima	2.9	-	-	-	-	-	-	-	17.7	15.8	-	-	-
Tokyo	9.7	-	-	-	-	0.2	0.2	0.7	93.5	15.3	3.5	1.6	0.4
Tottori	2.2	-	-	-	-	-	-	-	6.0	18.5	2.0	-	-
Toyama	6.0	-	-	-	-	-	-	2.4	40.2	28.9	1.2	1.2	-
Wakayama	1.1	-	-	-	-	-	-	-	3.5	8.7	1.2	-	-
Yamagata	4.4	-	-	-	-	-	-	-	29.8	20.8	1.8	-	-
Yamaguchi	1.0	-	-	-	-	-	-	-	5.5	5.7	-	0.8	-
Yamanashi	4.8	-	-	-	-	-	-	1.4	37.7	13.5	1.4	3.0	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
RABIES (38b)													
All Japan	0.0	0.1	0.1	-	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1
All "Shi"	0.1	0.2	0.2	-	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	-
All "Gun"	0.0	-	0.0	-	-	-	-	0.0	0.0	0.1	0.0	0.1	0.2
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.8	-	0.6	-	-	-	-	1.1	0.6	2.9	1.1	1.1	2.8
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	0.1	1.0	-	-	-	-	-	-	-	-	-	-	0.5
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
RABIES (38b)													
Rumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.1	-	-	-	-	-	-	-	-	-	-	0.6	0.6
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.3	0.4	0.9	-	0.2	0.2	0.2	0.2	0.9	0.2	0.2	0.2	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER AND TYPHUS-LIKE DISEASES (39):													
All Japan	0.1	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1
All "Shi"	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.0	0.2	-	0.2	0.3	0.1
All "Gun"	0.1	0.2	0.2	0.0	0.1	0.2	0.1	0.2	0.1	0.1	0.0	0.1	0.1
Aichi	0.1	-	0.4	0.4	-	-	-	-	-	-	-	0.4	-
Akita	0.2	-	-	-	-	-	-	0.9	1.8	-	-	-	-
Aomori	0.2	-	1.0	-	-	1.0	-	-	-	-	-	-	-
Chiba	0.1	0.6	-	-	-	-	-	0.6	-	-	-	-	-
Ehime	0.4	-	-	-	-	0.8	-	-	-	-	0.8	3.3	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	-	0.4	-	-	-	-	-	-	-	-	-	-
Fukushima	0.0	-	-	0.6	-	-	-	-	-	-	-	-	-
Gifu	0.2	-	0.8	1.5	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	0.1	-	0.6	-	0.6	-	-	-	-	-	-	-	0.6
Hokkaido	0.2	1.2	-	-	-	0.3	-	-	-	-	-	0.6	-
Hyogo	0.3	1.5	0.4	-	-	0.4	-	-	0.7	-	0.7	-	-
Ibaraki	0.1	0.6	-	-	-	1.2	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwete	0.1	-	1.0	-	-	-	-	-	-	-	-	-	-
Kagawa	0.2	-	-	-	1.3	-	-	1.3	-	-	-	-	-
Kagoshima	0.1	-	-	-	-	0.7	-	-	-	-	-	-	-
Kanagawa	0.1	0.6	-	-	0.5	0.5	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER AND TYPHUS-LIKE DISEASES (39) - Cont'd:													
Kumamoto	0.1	-	0.7	-	-	-	-	-	0.7	-	0.7	-	-
Kyoto	0.1	-	-	-	-	-	0.7	-	-	-	-	-	-
Mie	0.1	-	0.9	-	-	-	-	-	-	-	0.8	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	0.1	-	-	-	-	-	-	-	-	-	1.1	-	-
Nagano	0.1	0.6	-	-	-	-	-	-	-	-	-	-	0.6
Nagasaki	0.1	0.8	-	-	-	-	-	-	-	-	-	-	-
Nara	0.3	-	-	-	-	-	1.6	-	1.5	-	-	-	-
Niigata	0.5	-	-	-	0.5	-	-	1.9	1.9	2.0	-	-	-
Oita	0.2	-	-	-	-	0.9	1.0	-	-	1.0	-	-	-
Okayama	0.5	0.7	-	-	0.7	1.4	0.7	1.4	-	-	-	-	0.7
Osaka	0.1	-	-	0.7	-	0.3	-	-	-	-	-	0.3	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Seitama	0.1	-	-	-	-	-	0.6	-	-	-	-	-	0.6
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	0.1	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	0.0	-	1.4	-	0.5	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.2	0.2	0.2	0.2	0.2	-	0.2	-	0.2	-	0.2	0.5	0.4
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.1	-	-	-	-	-	1.2	-	-	-	-	-	-
Yamagata	0.1	-	0.9	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	0.2	1.4	-	-	-	1.4	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CANCER AND OTHER MALIGNANT TUMORS (45-55):													
All Japan	69.7	63.1	63.3	65.2	66.8	67.7	70.9	72.7	72.1	75.5	75.0	73.6	70.9
All "Shi"	73.8	64.8	67.1	68.2	71.9	71.9	73.8	76.3	74.9	81.1	80.9	77.6	77.1
All "Gm"	67.6	62.2	61.2	63.6	64.0	65.5	69.4	70.8	70.6	72.6	71.9	71.4	67.6
Aichi	69.3	60.4	63.0	62.6	62.4	68.1	69.2	75.8	62.2	75.6	79.8	80.2	72.8
Akita	60.3	53.4	55.1	58.9	65.6	52.5	70.4	63.5	61.7	60.9	57.1	59.9	65.3
Amori	51.6	44.6	48.7	46.5	41.1	45.6	71.1	67.9	56.2	46.1	45.6	51.1	54.3
Chiba	82.9	73.9	76.7	83.3	81.0	78.9	82.7	83.9	88.3	90.1	87.7	92.9	75.6
Chino	73.1	58.2	66.5	69.4	68.4	84.5	79.1	82.9	79.7	77.4	63.8	77.4	69.4
Fukui	65.1	58.0	72.3	59.6	61.6	48.3	74.9	54.8	87.0	68.2	67.6	66.6	62.8
Fukuoka	72.5	64.9	64.0	70.6	65.9	65.2	74.8	74.5	76.6	81.8	78.1	77.0	76.3
Fukushima	63.0	55.9	51.7	68.8	56.6	59.4	60.2	64.7	54.8	74.7	69.9	72.3	66.4
Gifu	61.4	62.8	70.4	51.9	64.8	55.8	57.6	70.5	62.0	66.4	58.9	59.2	56.6
Gunma	69.4	70.4	50.2	68.2	62.9	71.2	62.9	80.0	69.7	72.8	85.9	68.2	69.0
Hiroshima	72.6	64.1	74.0	69.2	73.9	76.2	62.6	70.4	73.3	77.5	83.1	73.9	72.7
Hokkaido	55.3	44.1	52.7	55.5	58.6	54.0	56.1	54.0	54.9	70.7	55.5	55.5	52.3
Hyogo	67.4	54.2	58.4	74.4	60.7	68.1	68.8	67.0	74.8	62.2	78.2	71.5	70.0
Ibaraki	75.2	76.2	64.8	72.8	65.1	71.0	86.5	76.8	82.6	68.6	74.5	77.6	84.9
Ishikawa	82.2	68.9	75.0	60.2	75.1	75.2	72.5	112.8	91.5	98.4	92.7	79.0	84.0
Iwate	45.7	43.8	39.0	38.3	34.9	51.1	39.6	44.7	41.1	49.0	49.3	56.6	60.2
Kagawa	82.1	69.5	71.6	60.7	75.8	83.4	86.2	92.3	74.6	84.9	98.6	95.4	92.3
Kagoshima	52.4	56.2	44.3	42.8	47.7	56.8	48.4	45.5	64.2	51.1	66.9	58.0	46.1
Kanagawa	61.5	55.5	53.4	64.7	70.0	56.1	59.5	69.3	62.7	68.5	66.2	57.9	54.0
Kochi	70.2	46.4	52.5	70.9	77.5	54.5	84.5	95.4	76.3	66.2	77.7	71.8	68.2

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CANCER AND OTHER MALIGNANT TUMORS (45-55) - Cont'd:													
Kumamoto	65.2	64.1	55.8	59.5	57.4	70.7	56.7	60.2	75.4	77.2	74.7	71.7	58.2
Kyoto	77.4	64.2	72.2	73.5	72.5	80.7	84.1	92.7	70.2	81.4	75.4	78.6	83.4
Mie	72.9	74.0	72.2	61.0	63.9	57.0	66.4	76.5	64.3	86.6	91.9	88.3	73.2
Miyagi	71.0	62.9	56.1	74.0	74.7	66.6	87.9	74.7	74.0	68.7	64.4	79.5	68.8
Miyazaki	58.5	58.4	54.0	46.0	66.1	60.6	56.8	50.5	68.5	55.7	59.5	63.8	61.7
Nagano	78.5	72.7	82.0	73.3	88.6	84.0	76.9	76.7	77.2	71.0	80.6	76.9	82.3
Nagasaki	63.2	61.1	59.7	58.1	56.9	70.9	57.7	58.8	70.2	59.2	70.2	60.8	73.9
Nara	101.7	88.0	90.8	94.1	97.2	107.7	97.2	101.7	130.5	106.6	106.2	117.6	81.9
Niigata	84.2	77.6	75.7	76.6	86.7	81.9	89.7	78.5	85.8	92.7	82.4	97.7	85.3
Oita	69.5	70.2	65.9	50.3	76.4	75.9	69.6	74.0	68.3	75.5	74.9	66.6	66.4
Okayama	82.4	75.1	68.1	68.0	73.2	72.3	76.9	98.0	101.6	98.3	95.2	73.2	88.0
Osaka	75.9	66.2	63.9	69.9	73.2	75.6	79.8	80.9	77.6	83.3	80.3	79.5	80.6
Saga	86.0	91.3	65.1	63.4	65.5	90.0	103.5	102.7	78.6	97.0	97.6	93.0	83.7
Saitama	72.0	55.9	66.9	72.5	77.3	65.9	61.2	79.7	81.4	75.5	73.1	76.7	78.1
Shiga	73.3	58.2	76.6	73.0	58.7	71.7	69.9	66.3	85.2	69.9	86.6	82.5	81.1
Shimane	77.2	58.8	89.4	81.1	62.1	56.2	81.1	79.8	82.4	86.5	78.4	94.6	77.1
Shizuoka	56.5	52.5	49.8	47.6	55.8	59.8	60.3	56.9	54.0	57.3	61.3	55.9	55.9
Tochigi	73.0	71.2	79.4	62.9	62.6	58.4	70.5	84.1	65.2	72.8	86.4	79.9	83.4
Tokushima	66.1	69.3	59.5	53.0	64.6	55.7	82.8	55.7	73.4	68.8	70.6	74.4	65.2
Tokyo	66.7	60.8	58.7	58.2	63.3	63.6	72.5	63.0	68.2	76.1	77.2	67.1	71.5
Tottori	83.5	73.7	66.0	89.6	78.2	85.6	80.2	87.6	91.6	98.8	87.6	72.0	89.6
Toyama	80.9	69.8	75.9	66.2	73.3	81.6	99.0	79.3	87.5	105.1	85.2	73.3	74.5
Wakayama	83.7	77.1	77.3	79.5	72.2	73.5	89.6	97.6	78.3	113.3	86.7	83.4	75.9
Yamagata	72.7	78.9	66.6	74.6	61.6	85.1	60.7	80.7	64.0	79.8	77.2	68.9	73.7
Yamaguchi	67.5	65.9	60.4	62.8	72.1	63.5	61.6	57.3	72.0	83.5	70.6	71.3	69.0
Yamanashi	71.8	66.6	63.5	92.7	76.3	57.9	74.8	88.4	73.9	74.8	60.8	80.8	50.7

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INTRACRANIAL LESIONS OF VASCULAR ORIGIN (83)													
All Japan	118.3	148.1	148.8	141.4	120.4	110.8	102.5	90.9	96.1	107.3	107.1	121.1	126.7
All "Shi"	92.9	115.6	113.9	112.1	95.7	85.2	81.8	70.2	77.9	82.5	86.1	93.4	100.8
All "Gun"	131.8	165.3	167.2	157.0	133.4	124.3	113.4	101.9	105.8	120.4	118.2	135.7	140.3
Aichi	113.4	162.5	153.4	139.4	94.9	97.4	107.4	87.5	84.2	92.3	102.1	110.4	130.7
Akita	196.0	234.7	259.7	238.3	222.5	191.4	185.4	124.2	155.5	175.0	162.9	196.8	209.8
Aomori	145.6	148.3	178.2	165.8	138.2	149.3	130.2	129.9	120.2	212.3	122.1	124.2	130.9
Chiba	152.9	195.9	194.0	191.4	144.8	136.3	114.6	117.0	125.8	127.1	152.3	160.2	176.5
Ehime	98.5	126.0	128.5	112.4	93.1	99.6	93.1	64.6	69.4	81.6	100.4	107.1	106.8
Fukui	110.0	130.5	122.2	157.8	109.8	98.3	76.6	75.7	107.9	88.2	112.7	121.5	117.6
Fukuoka	103.3	146.2	142.9	116.2	103.1	97.3	78.5	83.1	73.1	97.6	97.3	102.0	103.7
Fukushima	146.3	174.8	170.7	188.2	165.6	133.4	126.5	118.9	128.2	134.9	124.1	151.7	139.9
Gifu	113.5	128.6	143.3	129.4	117.7	99.9	104.1	107.7	95.3	90.5	107.7	116.9	122.4
Gumma	129.8	180.5	145.9	177.6	148.6	103.5	127.4	82.9	104.9	109.9	108.6	140.3	129.1
Hiroshima	107.1	124.1	124.6	118.3	90.6	120.6	99.6	83.7	83.1	109.1	115.4	102.6	114.3
Hokkaido	81.2	92.5	95.4	89.9	85.6	67.8	76.8	67.8	74.6	72.2	74.6	85.6	92.2
Hyogo	94.2	116.0	118.8	105.5	97.4	90.2	88.0	66.2	89.4	102.1	82.3	84.3	98.0
Ibaraki	156.5	227.0	195.1	192.3	162.9	135.7	134.3	115.5	121.9	109.2	138.0	169.5	177.3
Ishikawa	114.4	140.4	123.3	142.9	143.8	100.3	92.0	89.0	84.0	123.0	109.0	125.6	101.5
Iwate	183.5	206.2	230.2	219.0	204.6	178.8	149.9	120.4	190.7	209.3	149.6	181.0	165.1
Kagawa	108.6	145.4	174.3	96.1	98.0	92.3	70.5	104.9	89.7	82.3	92.3	131.9	127.7
Kagoshima	121.9	150.4	148.6	127.7	112.6	119.7	107.8	100.9	92.3	104.3	102.3	157.5	139.7
Kanagawa	99.8	121.3	132.4	129.9	102.1	101.4	75.8	65.2	88.7	86.9	80.5	100.6	114.1
Kochi	135.1	148.6	169.1	169.1	124.0	100.9	115.5	100.9	110.4	119.7	125.4	159.2	180.0

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INTRACRANIAL LESIONS OF VASCULAR ORIGIN (83):													
Kumamoto	116.4	162.6	163.9	135.5	106.6	92.5	99.0	97.8	97.2	102.5	114.4	109.3	117.0
Kyoto	91.9	107.9	108.2	107.9	82.7	75.4	88.9	74.8	79.4	73.2	89.3	103.3	112.5
Mie	114.4	148.1	133.1	140.0	130.3	126.1	84.9	100.1	74.9	93.3	98.5	124.4	119.6
Miyagi	135.8	150.9	173.2	184.9	146.0	129.5	123.1	102.8	101.3	119.2	109.5	128.4	162.7
Miyazaki	105.5	166.1	173.0	112.2	102.1	99.9	99.7	77.4	77.4	98.6	81.9	104.4	126.8
Nagano	148.6	163.0	168.2	159.6	141.4	135.7	133.8	126.1	121.0	157.9	152.2	160.2	165.3
Nagasaki	99.0	126.7	124.2	126.7	100.6	95.1	78.7	63.4	71.7	93.5	96.6	109.9	101.8
Nara	126.9	145.7	168.7	127.5	119.2	116.9	127.0	110.8	110.8	123.9	118.4	128.6	127.5
Niigata	162.8	168.2	215.1	202.7	193.9	174.1	143.8	123.6	136.2	138.8	124.6	149.8	185.7
Oita	127.7	167.9	185.5	164.1	130.3	107.2	116.6	76.8	101.5	125.4	113.8	113.7	132.8
Okayama	122.2	163.9	142.3	138.8	118.3	114.5	99.8	94.5	98.0	127.2	115.2	124.2	130.2
Osaka	80.3	99.4	92.3	96.7	79.8	74.6	74.3	68.2	64.5	77.1	73.2	81.2	83.0
Saga	116.8	166.1	165.4	112.9	131.0	95.1	82.6	91.3	86.2	115.3	101.5	119.2	137.0
Saitama	133.3	161.7	180.0	166.1	120.7	133.5	111.6	103.0	96.4	115.6	130.7	140.8	140.7
Shiga	118.1	186.6	130.1	165.0	107.6	110.9	93.6	86.6	105.5	110.4	97.4	104.8	117.7
Shimane	131.1	164.7	148.1	154.3	155.4	133.4	118.9	86.3	109.8	125.6	122.9	132.4	122.9
Shizuoka	107.7	137.8	140.5	143.7	112.5	124.6	84.6	78.0	86.8	76.6	99.1	118.1	110.9
Tochigi	140.5	177.3	203.3	170.5	145.6	131.1	113.5	107.6	107.6	114.3	132.6	134.7	150.0
Tokushima	106.8	146.7	127.8	108.7	106.7	112.8	85.6	82.9	84.2	91.3	95.1	103.9	135.9
Tokyo	87.7	111.6	106.7	114.6	91.7	77.4	74.1	70.2	75.6	75.4	77.4	92.3	86.5
Tottori	130.5	149.3	170.3	149.3	129.6	131.4	111.1	107.5	97.6	121.4	115.5	152.2	193.4
Toysama	127.8	139.6	168.2	152.6	133.2	138.4	111.2	82.8	97.0	100.2	138.4	125.9	146.7
Wakayama	109.5	128.5	113.3	127.7	117.0	108.4	87.1	72.3	89.2	127.0	100.0	107.1	138.5
Yamagata	170.7	207.0	177.2	197.4	190.3	163.2	157.7	144.7	145.6	148.6	158.8	180.4	178.1
Yamaguchi	116.5	176.5	172.7	119.2	120.0	93.4	114.3	96.5	80.0	103.0	94.9	121.6	109.0
Yamaguchi	120.7	163.7	164.1	131.8	100.3	95.6	134.7	89.8	107.2	103.3	126.0	112.3	121.7

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DISEASES OF THE HEART (90-95):													
All Japan	61.4	70.6	74.4	72.8	63.4	58.0	57.2	54.3	51.2	52.9	56.3	62.7	63.5
All "Shi"	53.7	65.4	65.9	62.5	55.3	61.7	50.9	47.0	42.6	46.3	47.0	57.1	57.0
All "Gun"	65.5	73.4	78.9	78.3	67.8	61.1	60.6	58.1	55.8	56.4	61.3	67.2	67.0
Aichi	62.2	80.5	73.9	78.3	55.2	52.7	59.0	59.7	56.0	51.4	58.6	55.2	65.9
Akita	67.7	69.0	87.5	80.1	85.6	66.3	60.9	56.1	65.3	63.7	46.9	70.4	61.7
Aomori	53.2	49.4	61.1	60.1	46.1	50.4	49.1	56.2	35.9	60.1	55.3	86.1	49.4
Chiba	73.2	71.7	90.2	88.8	81.5	75.0	65.0	66.2	59.6	63.3	60.1	72.3	72.3
Ehime	64.3	70.2	92.9	71.7	60.1	65.4	67.5	74.1	55.0	52.7	58.2	59.3	46.2
Fukui	58.8	49.9	82.6	67.6	61.6	70.9	63.2	45.1	43.5	54.9	46.7	71.6	49.9
Fukuoke	49.3	67.0	58.7	57.7	42.7	41.7	40.9	43.8	43.1	38.7	52.0	50.5	54.9
Fukushima	67.0	77.5	81.6	80.4	71.7	64.7	58.4	58.9	54.2	66.8	56.5	65.0	68.8
Gifu	64.4	72.8	58.0	65.8	68.8	58.1	60.0	60.4	55.0	67.2	66.6	72.8	67.4
Gumma	70.4	85.1	95.7	90.3	64.4	60.2	70.5	59.4	57.2	62.2	66.8	64.4	69.7
Hiroshima	67.7	75.6	85.1	80.2	76.9	61.2	60.2	69.8	68.1	49.5	51.4	65.6	69.2
Hokkaido	49.8	56.1	51.8	58.7	49.8	44.3	54.6	38.8	46.4	42.8	47.0	54.3	53.2
Iwago	52.9	64.3	72.8	71.8	51.4	53.1	46.4	44.1	43.0	40.6	43.0	52.6	51.6
Ibareki	73.4	75.1	90.1	88.4	80.6	82.6	71.0	65.3	61.2	57.3	68.2	67.4	73.9
Ishikawa	68.8	75.2	112.5	70.2	62.2	53.9	69.9	53.9	51.4	63.5	61.4	85.5	68.9
Iwate	66.2	71.2	80.0	73.9	66.0	52.0	65.1	52.0	58.4	68.8	65.7	73.5	69.3
Kagawa	63.1	65.7	68.9	68.3	65.3	56.9	65.3	58.1	63.2	53.6	40.5	79.7	72.1
Kagoshima	59.1	64.8	73.6	68.2	52.5	56.2	64.2	58.2	50.1	45.6	47.5	57.0	61.5
Kanagawa	50.0	59.6	58.8	57.6	51.1	45.4	46.3	41.8	40.8	44.8	44.3	50.5	59.6
Kochi	47.0	66.2	51.0	72.3	43.7	49.1	35.2	39.5	40.9	45.1	24.5	50.7	43.6

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DISEASES OF THE HEART (90-95) - Cont'd:													
Kumamoto	61.4	68.7	72.1	76.7	60.8	63.5	57.4	52.9	50.9	48.5	58.2	61.5	66.1
Kyoto	60.2	63.5	82.8	79.4	54.0	58.2	48.6	52.3	41.0	46.5	66.2	58.8	71.5
Mie	68.2	100.1	93.9	93.6	57.2	53.7	62.2	46.4	45.1	53.8	65.1	59.7	76.5
Miyagi	59.1	69.5	70.4	62.1	67.3	59.2	58.1	55.5	42.2	46.6	45.1	70.3	64.4
Miyazaki	55.1	59.5	61.2	66.2	53.3	49.4	56.8	46.0	50.5	45.2	52.7	60.3	60.6
Nagano	69.4	77.8	72.2	86.9	78.6	58.5	69.8	56.2	61.3	60.4	56.2	72.2	82.3
Nagasaki	63.1	90.5	66.9	71.7	58.5	61.1	58.5	59.6	60.4	60.8	67.1	60.8	40.7
Nara	65.4	62.2	84.4	65.3	61.2	71.3	59.6	53.6	65.3	73.7	36.4	81.5	74.4
Niigata	66.2	67.9	77.7	94.5	69.1	73.2	54.6	61.6	52.9	46.6	71.8	57.6	65.9
Oita	64.9	77.8	66.9	65.4	73.5	76.8	55.9	50.3	46.5	62.7	69.2	67.6	66.4
Okayama	60.7	70.8	67.3	61.5	59.2	59.4	65.1	64.4	53.0	50.3	58.7	55.5	63.7
Osaka	56.7	70.2	63.6	59.5	63.9	53.7	47.2	47.4	50.0	48.9	47.7	59.7	69.2
Saga	67.9	74.8	85.4	87.2	76.0	88.5	61.6	64.7	64.7	68.1	64.7	59.0	60.9
Seitama	65.7	68.1	101.2	78.1	75.0	59.8	60.7	63.1	50.9	60.1	55.9	57.8	59.8
Shiga	74.7	102.8	96.9	87.9	82.5	60.9	58.7	64.9	59.5	58.7	62.2	83.8	78.4
Shimane	79.6	95.4	86.7	83.7	71.6	65.4	59.4	71.9	54.9	82.4	94.1	112.1	78.4
Shizuoka	59.8	62.8	72.4	67.7	60.3	61.3	59.3	59.4	44.1	59.8	54.4	51.7	64.7
Tochigi	67.8	78.8	75.3	94.0	73.6	62.1	61.9	69.0	39.4	47.0	59.9	77.5	75.0
Tokushima	79.5	76.1	95.9	87.0	94.1	77.4	68.8	50.3	72.0	73.0	84.2	88.4	88.3
Tokyo	49.2	60.8	62.9	56.9	59.0	47.5	47.7	39.2	35.7	39.4	42.3	47.7	52.3
Tottori	62.6	67.7	87.3	69.7	82.3	39.8	67.9	39.8	65.7	67.9	63.7	45.3	55.7
Toysama	68.4	73.3	67.0	89.9	72.1	69.8	67.2	73.3	52.1	53.8	76.9	56.2	68.6
Wakayama	58.0	66.3	60.5	63.9	52.3	55.4	47.3	45.8	39.8	62.2	57.8	72.2	72.3
Yamagata	72.2	73.7	82.5	93.1	87.0	65.8	58.9	67.5	56.1	54.4	82.5	78.9	60.5
Yamaguchi	59.9	76.9	74.6	67.5	56.4	51.0	57.6	47.1	58.1	51.9	62.8	60.0	53.3
Yamanashi	76.6	92.7	92.9	81.1	73.3	68.1	74.8	63.7	75.3	61.4	69.5	74.8	91.3

See footnotes at end of table.

TABLE 59. -- DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 -- Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106):													
All Japan	32.4	54.3	55.3	48.8	37.9	29.3	24.2	18.5	16.8	20.2	23.7	26.8	34.5
All "Chi"	21.9	39.0	38.5	30.9	24.2	19.0	15.1	11.9	11.5	13.3	16.1	18.5	25.6
All "Gun"	38.0	62.4	64.1	58.2	45.1	34.7	29.0	22.0	19.6	23.8	27.7	31.2	39.2
Aichi	34.3	61.5	60.6	50.1	39.0	27.1	26.9	23.8	16.8	18.9	20.5	30.6	36.2
Akita	36.1	47.9	60.0	56.1	45.6	46.9	39.0	16.6	20.2	17.1	27.6	32.3	48.8
Aomori	40.8	56.2	50.8	56.2	35.1	44.6	44.1	29.1	18.4	26.0	34.9	36.1	58.2
Chiba	32.0	66.2	61.9	50.8	34.8	29.2	25.7	17.7	16.6	15.4	19.9	21.7	25.4
Chime	36.2	72.5	53.7	55.0	40.4	19.9	25.5	22.3	18.3	19.8	26.3	32.1	48.6
Fukui	48.6	64.4	56.8	72.5	66.6	48.3	59.9	32.2	32.2	28.3	30.6	21.6	69.3
Fukuoka	23.9	46.3	46.9	31.4	24.7	18.5	18.4	15.3	12.5	14.4	19.6	13.6	26.4
Fukushima	33.8	55.4	49.2	53.6	41.5	35.5	29.5	21.0	18.6	15.7	26.8	28.3	36.1
Gifu	39.1	58.9	77.0	57.3	48.0	35.6	35.2	22.5	19.4	20.8	25.6	33.6	37.2
Gumma	32.2	55.8	47.1	51.4	38.7	33.8	19.0	18.3	13.2	24.3	27.1	22.0	36.0
Hiroshima	29.6	43.9	48.7	50.2	37.6	28.3	16.7	22.5	16.7	16.1	18.5	25.6	31.2
Hokkaido	30.9	41.1	51.5	50.2	33.4	28.3	22.8	13.2	17.0	26.1	21.4	25.5	40.2
Hyogo	30.4	61.7	62.4	41.9	37.5	24.7	18.9	12.0	15.0	24.7	17.6	20.1	29.2
Ibaraki	35.4	61.8	67.3	56.0	38.2	27.1	26.9	16.8	21.4	19.7	27.1	30.4	32.9
Ishikawa	45.2	75.2	77.7	63.9	55.7	40.1	36.3	16.3	26.3	20.7	27.6	49.2	55.1
Iwate	41.8	45.6	69.2	63.0	51.9	34.7	47.1	26.5	20.1	26.4	34.7	37.7	46.5
Kagawa	32.7	61.9	63.5	63.2	39.2	27.8	15.7	16.4	8.8	9.1	19.0	26.1	41.7
Kagoshima	36.9	57.5	60.0	45.5	37.3	36.1	24.2	32.1	11.4	22.8	26.1	47.7	41.4
Kanagawa	17.1	33.6	28.9	23.9	19.5	14.8	13.7	11.2	9.7	9.0	13.2	14.7	13.2
Kochi	33.1	61.3	71.4	46.4	36.6	15.0	21.1	12.3	8.2	33.8	25.9	29.6	36.2

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106): - Cont'd.													
Kumamoto	39.3	66.1	67.8	43.6	41.7	38.3	27.3	24.5	25.8	28.0	34.4	34.8	40.3
Kyoto	26.7	50.3	41.0	41.0	39.0	22.5	15.7	14.6	13.9	15.7	17.9	20.5	29.1
Mie	43.3	82.2	80.9	73.2	44.6	31.7	34.5	20.3	27.7	26.9	30.1	36.2	32.5
Miyagi	22.9	43.6	39.5	28.9	28.1	13.8	13.3	13.3	11.1	9.2	10.4	17.6	26.6
Miyazaki	34.5	41.5	49.2	44.9	31.3	30.3	27.8	21.3	28.1	27.8	35.9	31.3	44.9
Nagano	30.0	50.0	57.7	50.0	34.6	31.2	17.0	16.5	10.8	16.4	23.9	22.3	30.7
Nagasaki	40.7	61.9	71.0	52.8	35.1	41.5	25.7	22.6	30.2	33.5	43.0	34.3	37.7
Nara	29.6	56.1	42.2	44.0	23.5	18.2	29.8	13.7	18.2	26.7	18.2	36.1	28.8
Niigata	49.6	73.7	68.4	72.2	66.6	59.2	41.6	31.0	25.7	24.6	45.6	34.6	51.9
Oita	47.9	75.9	75.0	81.6	61.7	41.7	40.2	26.6	31.3	27.4	29.4	32.3	52.2
Okeyama	32.1	55.8	45.1	56.5	38.4	25.8	26.6	17.9	12.9	22.2	20.8	24.4	39.4
Osaka	20.1	38.6	36.6	29.2	21.2	17.5	15.3	7.4	12.8	13.9	10.7	16.0	22.5
Saga	36.1	63.4	67.8	44.4	41.9	22.8	21.0	34.2	19.0	28.8	21.6	40.6	29.2
Seitama	38.6	72.0	65.7	67.0	44.1	31.6	29.8	23.3	18.3	24.0	20.5	35.5	33.2
Shiga	33.1	59.5	50.6	63.6	40.5	28.4	26.6	16.2	9.5	16.8	24.3	22.4	39.2
Shimane	38.8	57.5	65.7	60.1	62.1	30.1	21.6	35.3	22.2	14.9	22.2	31.1	43.1
Shizuoka	27.3	51.0	50.3	45.6	32.4	26.5	16.7	15.2	14.2	15.2	15.2	17.2	28.4
Tochigi	36.3	51.5	64.8	57.6	47.0	31.1	27.4	25.0	15.2	21.9	31.1	29.8	34.1
Tokushima	44.8	80.2	77.0	74.7	59.0	35.3	26.7	16.3	17.7	30.9	43.5	40.7	36.7
Tokyo	15.9	27.9	27.0	24.0	17.1	13.9	10.8	9.4	7.6	9.7	12.6	13.7	17.7
Tottori	30.5	37.8	70.2	47.8	26.7	33.8	18.5	11.9	8.0	30.9	31.9	26.7	23.9
Toyama	54.4	79.3	107.5	76.9	70.9	43.8	44.0	24.8	29.6	34.2	41.4	48.9	54.4
Wakayama	27.9	38.6	39.9	37.3	29.9	24.1	13.7	20.5	12.0	19.9	31.3	36.1	31.3
Yamagata	41.6	60.5	58.1	45.6	70.7	47.4	29.0	19.3	24.6	22.7	35.1	36.3	50.9
Yamaguchi	28.9	54.9	51.2	47.1	29.2	22.0	21.1	16.5	14.9	21.1	24.3	22.7	22.7
Yamanashi	36.4	72.4	71.2	62.3	37.4	30.4	28.4	15.9	18.8	26.9	15.9	26.9	31.9

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS)													
(107-109):													
All Japan	66.6	118.5	120.7	110.8	81.9	57.6	47.5	34.4	31.5	31.8	37.8	52.7	76.1
All "Shi"	61.3	108.7	109.7	99.3	68.6	48.7	40.8	33.6	30.8	30.9	35.1	50.0	80.2
All "Gun"	69.5	123.7	126.4	116.9	88.9	62.2	51.0	34.9	31.9	32.3	39.3	54.1	73.9
Aichi	56.1	116.0	102.1	84.5	57.5	45.4	47.7	22.0	26.0	25.7	35.9	47.7	64.4
Akita	66.4	76.4	88.5	95.7	84.6	69.9	52.3	40.5	33.1	32.3	46.9	70.4	106.7
Aomori	97.2	135.7	104.7	141.5	123.2	83.4	93.2	63.0	48.5	76.1	60.1	99.2	138.6
Chiba	61.4	119.7	120.3	115.9	69.6	48.5	41.6	27.0	33.1	25.1	35.3	46.7	56.3
Ehime	66.2	107.6	132.1	138.7	85.7	63.0	53.6	28.7	26.3	34.6	35.1	43.7	48.6
Fuku	60.8	93.4	101.6	109.5	86.5	62.8	36.6	33.8	49.9	25.0	35.4	39.9	56.4
Fukuoka	61.5	127.3	128.6	85.9	62.3	49.2	35.7	36.0	33.2	31.3	36.0	44.2	68.2
Fukushima	68.9	108.4	88.5	114.8	100.6	69.3	67.4	34.4	40.2	32.5	34.4	62.0	75.2
Gifu	59.2	106.1	114.3	84.4	63.2	56.6	49.6	42.6	27.1	28.8	24.0	49.6	65.8
Gumma	76.8	143.8	158.4	113.7	103.9	63.1	53.1	35.2	50.6	35.6	41.8	47.0	78.5
Hiroshima	60.9	110.8	115.4	102.1	75.1	50.8	44.7	38.7	28.3	21.5	35.2	45.9	64.1
Hokkaido	80.0	116.6	126.5	123.6	94.7	67.3	63.1	49.6	43.2	38.2	49.0	74.0	114.8
Ibake	57.6	102.5	102.4	104.0	68.4	54.2	39.4	26.9	26.2	22.4	26.6	44.5	74.8
Ibaraki	58.5	112.6	109.3	119.6	73.4	49.1	47.7	26.6	26.0	22.7	29.5	37.6	49.7
Ishikawa	83.9	157.9	123.3	132.9	104.9	99.0	51.8	37.6	27.6	42.7	50.1	79.0	100.3
Iwate	108.7	162.4	167.8	169.7	159.3	120.4	86.7	42.0	37.4	59.4	81.2	110.3	110.4
Kagawa	72.6	125.1	163.5	155.5	79.7	60.7	47.0	41.7	27.8	30.0	32.9	49.6	60.7
Kagoshima	88.7	171.1	147.2	115.7	98.1	74.9	50.4	58.8	47.5	58.0	74.2	91.2	78.9
Kanagawa	62.6	125.9	121.5	108.0	67.9	44.3	42.6	31.1	31.1	31.1	35.7	38.4	74.9
Kochi	69.6	139.1	150.1	106.3	107.1	58.6	42.3	38.2	28.6	25.4	23.2	47.9	72.3

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) (107-109) - Cont'd.													
Kumamoto	73.3	133.5	126.5	108.4	72.4	72.7	60.8	47.6	45.0	39.6	51.6	62.2	60.8
Kyoto	52.3	99.9	96.9	92.7	56.8	56.3	41.7	27.8	27.1	26.0	22.5	36.9	44.3
Mie	63.1	126.1	137.4	112.3	93.3	52.9	36.2	29.3	15.5	21.0	27.7	39.5	69.1
Miyagi	78.9	125.6	145.5	116.9	106.3	67.3	52.7	34.8	34.8	39.0	45.9	83.6	99.1
Miyazaki	69.1	112.2	105.6	121.2	64.4	50.5	51.0	39.3	52.7	33.6	42.6	77.7	75.2
Nagano	58.0	117.6	114.7	89.2	78.6	51.7	45.8	32.9	19.9	17.0	25.6	39.9	65.3
Nagasaki	77.5	130.5	175.0	119.2	100.6	61.1	49.1	40.0	28.7	53.0	48.3	54.6	74.7
Nara	51.9	103.2	99.0	80.4	58.0	39.5	29.8	21.2	24.3	17.2	33.4	39.2	78.9
Niigata	76.8	107.2	115.6	133.3	111.7	82.4	56.6	34.4	45.6	35.6	42.2	64.1	90.2
Oita	69.1	133.7	143.9	111.0	67.6	54.1	44.1	37.0	25.6	47.0	48.4	51.0	68.3
Okayama	64.4	130.2	122.4	134.5	76.2	55.1	44.4	30.8	20.0	24.4	30.1	37.0	69.4
Osaka	59.9	101.8	107.4	103.5	66.6	46.4	38.5	34.3	28.6	32.6	31.6	51.7	77.9
Saga	59.7	107.8	131.5	92.6	77.3	45.7	53.7	33.0	21.6	32.8	29.2	35.4	59.8
Seitama	62.0	101.9	133.2	121.8	75.0	43.2	36.1	23.3	33.2	30.3	35.4	42.3	70.9
Shiga	58.8	123.1	117.1	101.4	89.4	41.9	55.9	25.7	17.6	15.4	27.0	34.9	58.2
Shimane	74.9	138.6	148.1	116.4	124.3	60.1	50.0	45.8	27.5	24.3	41.8	54.0	70.6
Shizuoka	57.7	108.4	116.4	105.9	71.0	48.6	30.4	29.9	26.5	29.9	33.4	32.9	60.3
Tochigi	57.8	137.9	111.8	91.7	79.1	40.2	33.7	25.0	28.0	29.8	22.0	35.2	60.6
Tokushima	86.2	160.3	185.9	169.2	94.1	87.0	51.9	30.4	24.5	37.9	53.0	47.7	104.6
Tokyo	58.4	104.8	108.3	106.4	63.3	41.6	34.5	28.3	29.4	23.0	31.2	47.5	83.5
Tottori	59.9	85.6	97.9	91.6	117.3	51.8	63.8	29.9	15.9	45.3	31.9	28.8	61.7
Toyama	78.1	134.9	96.1	112.4	132.0	65.1	75.8	52.1	39.0	39.1	40.2	53.8	97.0
Wakayama	60.0	122.9	118.5	124.1	61.0	44.6	34.9	25.3	20.5	24.9	24.1	52.3	68.7
Yamagata	72.4	102.6	97.5	107.9	106.0	76.3	58.0	39.5	20.2	31.7	48.2	70.7	111.4
Yamaguchi	67.4	131.8	119.1	103.6	79.4	59.8	45.4	36.1	33.7	28.4	43.1	56.7	73.7
Yamanashi	56.0	108.6	117.7	86.9	64.4	56.5	26.9	23.2	29.0	16.5	40.6	40.4	62.3

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS & ULCERATION (OF THE INTESTINES (ALL AGES) (119-120))													
All Japan	104.7	79.3	86.4	92.1	88.4	89.6	110.2	172.4	170.0	123.5	83.4	85.3	74.3
All "Shi"	78.1	62.3	71.4	75.4	70.7	69.7	85.1	125.3	114.6	81.7	60.0	65.1	55.3
All "Gun"	118.8	88.3	94.4	101.0	97.7	100.2	123.4	197.2	199.3	145.5	95.7	96.0	84.3
Aichi	77.2	66.2	77.9	85.6	72.2	66.2	82.4	121.5	97.4	75.3	57.1	64.3	60.4
Akita	183.2	115.0	115.1	141.7	138.8	153.7	232.0	300.9	318.4	252.9	170.2	151.2	105.8
Aomori	207.1	72.7	90.1	110.5	123.2	126.0	222.4	392.6	483.7	436.7	196.8	130.2	95.0
Chiba	83.1	72.3	74.3	72.3	72.4	80.0	67.8	125.8	131.9	90.1	62.3	82.1	64.5
Ehime	65.7	51.0	61.4	57.4	61.0	86.1	115.3	153.1	130.7	89.0	86.9	74.1	60.6
Fukui	199.3	124.0	110.2	124.0	108.2	119.2	193.1	484.8	439.7	294.6	141.7	141.5	103.1
Fukuoka	79.4	63.1	83.1	69.2	69.6	57.4	88.8	122.6	94.8	84.4	61.3	89.5	69.5
Fukushima	105.8	64.7	74.8	95.6	110.8	96.2	100.6	159.1	176.0	123.4	88.6	90.9	87.4
Gifu	113.1	103.8	82.8	106.1	94.5	97.6	110.5	205.3	158.8	116.1	93.0	88.1	97.6
Gunma	102.5	91.7	129.4	122.5	101.6	107.1	93.3	133.5	151.2	85.7	77.0	87.5	69.7
Hiroshima	94.4	69.8	77.7	68.7	71.6	73.9	102.0	191.0	173.1	96.0	80.2	66.2	60.0
Hokkaido	134.0	82.8	88.2	91.3	85.6	91.0	115.3	183.9	316.9	234.0	118.1	112.3	85.5
Hyogo	104.5	73.3	89.6	95.0	84.7	86.7	110.9	199.0	178.8	106.3	82.3	78.9	64.3
Ibaraki	86.2	73.9	92.6	91.3	71.0	71.6	90.7	123.6	107.4	111.0	64.7	74.6	86.1
Ishikawa	174.0	102.8	111.2	135.4	136.0	134.1	187.8	355.9	925.9	238.3	145.4	111.4	99.0
Iwate	163.7	97.6	101.4	115.0	123.5	109.5	156.5	265.5	352.2	301.7	140.5	96.2	101.3
Kagawa	85.4	63.2	59.5	84.7	53.6	69.5	84.9	128.9	113.8	113.6	102.4	83.6	65.7
Kagoshima	115.1	117.0	87.9	68.2	86.4	117.0	147.8	205.2	142.4	134.0	94.9	121.6	105.0
Kanagawa	61.1	44.8	55.6	62.2	59.0	59.6	74.2	93.8	91.2	61.6	35.2	51.6	44.3
Kochi	92.0	76.3	86.0	58.6	80.3	87.3	126.8	140.4	143.1	98.6	72.3	66.2	68.2

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS & ULCERATION OF THE INTESTINES (ALL AGES) (119-120). Cont'd.													
Kumamoto	102.8	99.2	83.4	79.3	88.8	103.1	130.5	167.2	128.2	81.3	79.3	104.5	87.3
Kyoto	85.7	84.7	71.5	88.7	75.9	74.1	80.0	131.7	146.3	105.3	55.6	62.9	50.3
Mie	112.7	92.8	94.8	100.1	96.7	91.1	133.7	227.0	157.0	105.1	81.4	79.0	91.1
Miyagi	104.4	82.9	90.9	99.1	100.1	90.2	121.5	154.6	145.7	133.0	76.9	85.6	72.5
Miyazaki	104.8	110.0	98.4	87.3	54.5	122.3	140.3	148.1	126.8	83.5	86.4	117.1	101.0
Nagano	91.1	82.9	82.0	93.1	92.1	88.0	93.3	124.4	135.7	105.0	66.4	72.2	57.4
Nagasaki	103.2	80.7	86.7	105.6	77.2	117.7	139.5	158.4	123.0	102.1	82.2	92.8	69.4
Nara	131.1	89.5	97.3	109.3	136.4	127.5	120.7	263.8	215.5	131.7	89.5	86.2	81.9
Niigata	141.4	88.2	99.0	146.1	143.3	133.8	143.3	214.8	246.8	164.3	121.2	116.2	83.4
Oita	113.7	85.3	105.4	109.1	90.2	105.3	127.4	144.1	152.7	131.3	105.3	87.2	119.5
Okayama	109.8	89.7	68.1	88.0	79.1	86.4	101.3	210.4	207.5	126.4	98.0	89.5	71.6
Osaka	85.1	74.6	74.7	92.4	86.5	80.3	92.0	163.2	111.2	76.0	56.4	63.9	55.1
Saga	116.5	107.8	122.0	104.0	124.5	140.8	144.1	178.8	117.9	103.5	83.7	76.0	95.1
Saitama	105.6	89.2	106.0	101.9	92.7	80.9	110.4	173.9	157.3	109.3	79.2	82.4	83.6
Shiga	146.4	93.3	127.2	113.6	118.8	123.1	132.8	332.7	257.0	169.1	100.1	113.2	73.0
Shirane	110.7	66.7	74.1	69.3	77.0	65.4	114.8	187.0	249.7	158.1	87.6	79.7	96.8
Shizuoka	85.8	78.5	78.6	83.4	76.0	84.9	120.1	124.6	122.1	70.5	54.0	67.4	68.2
Tochigi	109.9	91.7	104.5	97.0	95.5	85.6	101.0	161.4	194.8	137.8	69.7	94.0	85.6
Tokushima	107.4	59.8	77.0	78.8	78.6	80.2	122.1	167.1	186.1	146.0	103.3	91.3	96.5
Tokyo	49.7	53.0	58.2	58.8	51.3	43.6	46.6	66.3	62.1	38.1	35.7	43.0	39.4
Tottori	114.5	85.6	78.7	101.5	90.5	87.6	74.1	211.0	229.0	152.2	91.6	80.2	87.6
Toyama	186.6	132.5	120.1	149.1	171.1	158.5	217.6	331.2	306.4	229.8	166.8	144.2	107.7
Wakayama	98.0	51.8	99.2	80.7	115.8	75.9	84.7	187.9	139.7	93.4	91.6	83.4	71.1
Yamagata	149.9	86.0	125.6	176.9	155.0	146.5	141.4	199.1	244.7	183.1	119.3	134.1	83.3
Yamaguchi	86.3	56.5	94.8	84.7	70.5	62.8	67.3	145.9	141.2	98.9	87.9	73.0	51.7
Yamanashi	107.2	111.5	91.4	102.9	92.8	86.9	92.8	188.3	172.4	104.8	49.3	101.8	89.8

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
NEPHRITIS (All forms) (130-132):													
All Japan	45.9	56.2	54.4	49.2	44.9	44.6	42.4	40.4	38.0	43.2	45.3	46.7	46.0
All "Shi"	40.2	49.2	51.4	44.8	42.4	41.7	37.0	34.3	32.6	35.0	37.5	38.3	39.0
All "Gun"	48.9	59.9	56.1	51.5	46.2	46.1	45.3	43.6	40.9	47.6	49.4	51.1	49.7
Aichi	36.8	46.5	45.0	42.5	37.1	41.4	26.5	34.4	33.3	33.3	36.2	27.6	37.7
Akita	58.5	48.8	59.0	53.4	60.9	54.3	50.4	55.2	53.4	73.2	67.2	64.7	61.7
Aomori	38.8	37.8	43.5	45.6	39.1	33.9	28.0	33.9	28.1	42.1	40.7	54.1	38.8
Chiba	55.3	72.8	62.5	57.4	57.6	57.4	62.1	40.3	37.5	53.6	52.4	55.9	55.2
Ehime	38.5	44.6	40.1	50.2	45.3	46.2	33.0	26.3	24.7	37.9	39.9	39.5	34.3
Fukui	41.1	43.5	53.4	29.0	43.3	43.5	36.6	41.9	24.2	41.6	38.7	48.3	49.9
Fukuoka	47.0	65.6	51.4	44.9	51.2	45.6	35.0	38.9	40.3	45.7	49.6	45.7	49.6
Fukushima	41.8	52.4	47.3	46.6	37.3	32.1	28.9	29.1	36.1	50.6	55.9	48.2	37.3
Gifu	36.9	51.9	41.4	40.3	36.0	36.4	30.4	35.6	28.7	30.4	32.5	40.0	39.5
Gumma	44.5	66.0	60.4	43.3	44.7	41.1	44.0	39.6	36.0	37.2	34.5	44.7	43.3
Hiroshima	45.4	54.2	58.6	42.7	45.3	51.4	42.9	36.4	36.4	51.3	45.0	40.0	41.1
Hokkaido	28.7	30.5	33.6	33.8	30.7	23.2	20.9	26.7	22.0	24.0	28.5	30.3	40.5
Iyogo	42.8	46.0	56.0	47.5	39.0	35.9	44.8	36.3	36.3	42.1	38.5	47.2	42.3
Ibaraki	56.1	68.2	65.4	54.9	59.1	56.0	44.8	52.6	52.6	46.6	57.2	59.1	57.2
Ishikawa	45.8	45.1	44.2	55.1	46.6	41.4	32.4	41.4	43.9	50.5	55.1	51.8	41.4
Iwate	44.4	46.5	52.7	37.4	42.4	46.5	46.2	49.3	42.9	31.1	43.8	48.1	46.5
Kagawa	47.3	51.8	47.3	50.6	37.9	50.6	32.7	37.9	37.9	39.2	46.8	48.3	56.9
Kagoshima	58.2	92.3	65.0	46.1	43.5	56.8	50.4	61.5	44.8	62.9	69.5	55.3	50.1
Kanagawa	37.9	55.5	61.0	40.3	45.8	35.7	32.1	29.6	28.5	23.2	35.7	36.3	31.6
Kochi	47.6	53.2	58.3	43.6	47.9	54.5	32.4	35.4	45.0	50.7	53.2	50.7	46.4

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
NEPHRITIS (all forms) (130-132) - Cont'd:													
Kumamoto	60.4	72.1	82.7	68.1	49.2	61.5	62.2	58.2	48.9	59.4	52.9	62.2	48.3
Kyoto	36.3	40.4	41.7	47.0	34.2	33.8	34.2	32.4	35.1	26.0	35.1	38.3	37.1
Mie	43.5	56.1	47.8	48.0	45.4	35.8	50.4	41.5	35.8	37.8	36.6	45.4	41.5
Miyagi	39.2	51.0	49.0	38.5	45.1	36.2	39.7	31.1	31.3	39.9	31.3	37.0	37.0
Miyazaki	53.9	61.7	54.0	38.2	42.9	55.0	58.0	51.6	49.4	60.3	47.1	69.6	59.5
Nagano	52.5	61.3	65.0	55.7	44.0	43.2	60.4	51.1	52.8	41.7	48.3	51.6	55.7
Nagasaki	48.2	57.3	64.5	46.8	39.8	47.5	43.7	46.0	41.5	47.6	49.8	46.0	49.0
Nara	52.3	77.4	50.3	69.8	40.8	44.0	59.6	39.5	34.9	51.7	44.0	54.9	60.7
Niigata	54.6	52.1	69.5	63.0	55.6	56.7	59.1	47.5	38.3	50.6	47.5	60.6	45.6
Oita	59.3	75.9	68.9	67.3	61.7	49.3	49.0	43.6	50.3	54.9	72.1	54.9	63.5
Okayama	43.0	49.4	43.6	41.5	35.5	42.2	47.3	38.6	40.1	48.8	42.2	45.1	41.5
Osaka	47.9	64.5	66.1	56.8	53.5	46.7	44.1	38.6	31.6	41.7	42.0	48.6	42.0
Saga	68.0	90.0	71.8	69.7	66.8	53.3	76.0	50.7	77.4	77.3	49.5	61.6	72.3
Saitama	50.3	63.1	62.2	60.9	46.9	41.5	40.1	46.5	47.1	54.9	41.0	49.2	50.4
Shiga	53.6	78.4	52.0	52.7	26.6	40.6	64.3	44.6	50.0	51.7	60.9	60.1	60.9
Shimane	50.1	51.0	74.1	53.6	39.2	52.3	39.2	49.7	43.1	45.9	51.0	51.3	51.0
Shizuoka	39.6	52.5	42.5	42.7	35.5	45.6	39.5	36.8	28.0	30.4	44.1	34.0	43.7
Tochigi	46.0	52.3	51.0	46.2	45.4	43.2	35.2	42.4	36.4	40.7	52.3	47.8	59.1
Tokushima	49.8	62.5	55.2	74.7	51.9	59.8	47.7	43.5	34.0	40.7	35.3	46.3	46.2
Tokyo	39.3	44.2	46.8	45.8	40.8	46.4	34.0	36.4	36.0	32.9	36.4	34.7	37.1
Tottori	59.4	67.7	72.4	75.7	53.5	59.7	51.4	35.8	45.8	57.6	65.7	67.9	59.7
Toyama	51.5	55.6	58.2	47.3	57.5	48.5	57.5	37.9	40.2	57.5	52.1	57.5	49.7
Wakayama	31.9	36.6	45.1	24.1	23.7	36.1	26.1	27.7	27.7	33.6	32.5	26.1	42.2
Yamagata	58.1	68.4	61.9	71.9	68.1	51.8	58.9	33.3	44.7	63.4	64.0	61.6	50.9
Yamaguchi	52.4	65.9	50.3	62.0	51.9	45.5	55.1	43.9	43.1	43.8	57.3	55.1	54.9
Yamanashi	56.9	68.1	58.8	49.3	52.4	47.8	62.9	63.7	44.9	59.9	55.0	65.9	55.0

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONCENTRAL DEBILITY (158):													
All Japan	47.8	79.9	81.6	68.6	44.9	34.9	33.0	32.2	31.0	32.8	34.2	43.8	57.5
All "Shi"	35.6	61.7	61.6	49.3	33.5	27.0	25.0	25.5	23.5	23.0	23.6	30.5	29.5
All "Gun"	54.2	89.5	92.1	78.8	50.9	39.1	37.3	35.7	35.0	37.9	39.9	50.9	64.6
Aichi	53.1	100.3	83.3	73.2	48.0	31.8	40.1	33.3	32.6	33.3	37.7	49.2	75.0
Akita	84.1	115.9	154.4	150.9	95.1	44.2	57.1	36.8	38.6	76.1	54.3	92.2	97.5
Aomori	92.8	89.2	114.00	116.3	106.2	73.7	76.1	83.4	87.2	103.2	68.8	74.1	122.1
Chiba	46.8	73.4	81.4	69.0	37.6	34.2	34.8	31.4	34.2	32.5	36.4	45.0	52.4
Ehime	48.3	86.9	79.3	55.0	36.2	29.5	38.7	20.7	39.9	40.4	42.3	56.8	55.0
Fukui	74.6	114.4	155.0	99.9	106.5	49.9	46.6	49.9	49.9	46.6	43.5	54.9	82.1
Fukuoka	42.4	77.0	59.8	56.7	37.6	39.9	25.4	27.4	30.7	29.1	37.1	41.3	47.1
Fukushima	52.4	82.2	86.0	95.0	66.8	46.6	39.1	27.4	22.1	36.1	30.3	39.7	58.9
Gifu	62.1	116.2	119.3	93.7	50.4	34.9	38.4	40.3	38.7	29.6	38.7	61.6	85.2
Gunma	42.9	74.1	79.2	79.2	54.6	37.4	22.0	26.4	27.9	23.5	19.8	31.1	40.4
Hiroshima	42.6	80.8	64.2	60.6	45.3	34.6	35.8	27.7	32.3	28.0	23.1	36.4	42.7
Hokkaido	42.0	55.5	50.9	48.2	43.7	34.4	39.1	33.5	39.1	31.6	34.9	43.4	49.6
Hyogo	42.8	72.6	84.8	65.5	38.3	28.1	21.6	29.6	25.4	27.1	29.9	39.0	53.5
Ibaraki	56.9	108.6	98.8	77.4	53.1	42.2	42.4	38.1	36.4	44.2	45.1	40.6	57.2
Ishikawa	60.2	81.5	103.2	89.0	63.5	53.9	35.0	51.4	38.9	33.7	55.1	47.9	70.2
Iwate	70.0	95.8	127.8	90.3	68.8	52.9	48.1	40.1	51.1	50.0	49.3	70.7	97.6
Kagawa	65.5	97.3	125.0	99.9	62.7	43.0	49.6	46.8	46.8	47.0	43.0	58.8	70.8
Kagoshima	38.9	81.6	67.9	30.1	29.0	23.4	24.2	30.1	30.8	26.3	26.7	40.8	56.8
Kanagawa	26.8	52.0	42.3	23.9	27.4	23.9	14.7	16.8	9.7	16.3	14.8	15.8	35.7
Kochi	49.2	83.2	93.3	58.6	47.9	30.0	31.0	32.7	35.4	36.6	39.5	57.8	46.4

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL DEBILITY (158) - Cont'd:													
Kumamoto	42.1	78.0	67.1	46.9	25.3	44.3	36.9	21.8	27.1	25.3	39.7	42.4	50.9
Kyoto	38.3	68.2	69.3	70.2	27.4	24.5	24.6	23.2	25.8	23.9	24.5	30.1	48.3
Mie	51.6	89.5	83.5	74.0	42.0	35.0	38.7	36.6	30.9	33.6	43.1	42.9	69.2
Miyagi	55.3	87.3	109.9	91.7	58.9	41.4	35.2	32.5	20.0	31.3	35.5	54.3	66.1
Miyazaki	45.4	93.1	74.4	46.0	32.5	33.7	34.8	30.3	32.5	40.6	31.4	44.1	52.7
Nagano	35.2	55.1	61.3	45.4	31.1	30.7	22.9	23.3	22.1	17.0	30.1	28.8	54.5
Nagasaki	52.3	84.5	92.7	68.7	33.5	37.0	36.6	37.0	42.2	37.4	40.0	59.2	60.4
Nara	62.6	104.7	102.2	98.6	56.5	50.1	39.2	51.6	28.8	43.9	44.0	64.3	68.3
Niigata	44.1	53.8	82.4	68.4	44.1	33.9	31.6	36.8	29.1	29.1	37.3	43.6	40.7
Oita	55.1	106.2	97.3	74.9	44.1	38.9	31.4	42.7	35.1	43.1	40.8	51.9	56.0
Okayama	60.6	115.2	110.9	93.0	58.4	45.8	37.7	38.6	32.2	39.2	44.4	53.2	60.1
Osaka	40.5	73.2	68.9	56.8	33.0	27.9	30.5	31.9	22.5	22.6	25.9	38.9	54.1
Saga	72.4	124.3	104.4	130.6	53.7	60.9	56.3	52.0	45.7	49.8	49.5	59.0	82.4
Saitama	51.8	89.7	80.5	67.0	50.9	31.6	35.6	39.3	28.8	36.1	41.5	49.8	70.9
Shiga	53.6	96.0	98.3	77.1	48.9	41.9	32.1	50.0	35.2	30.7	25.7	48.9	59.5
Shimane	53.7	88.9	89.4	64.1	47.3	31.4	31.1	37.9	44.5	41.9	49.7	62.1	57.5
Shizuoka	41.5	78.0	78.1	60.8	38.0	28.0	26.9	30.4	26.5	22.3	29.9	29.4	52.5
Tochigi	39.1	62.9	64.8	65.9	38.4	29.5	24.3	18.9	27.3	38.4	24.2	30.5	44.7
Tokushima	68.1	116.8	136.5	101.9	66.0	39.4	32.3	40.8	39.4	46.3	53.0	64.6	82.9
Tokyo	26.3	51.0	49.6	44.7	24.8	19.2	19.1	14.6	14.4	15.3	14.4	21.2	27.9
Tottori	51.8	95.6	100.0	69.7	51.4	47.8	35.0	29.9	13.9	43.2	51.8	32.9	51.8
Toyama	55.0	91.1	92.3	98.2	52.6	34.3	28.1	37.9	35.5	35.5	34.3	61.1	60.3
Wakayama	37.2	63.9	70.8	26.5	32.4	24.1	19.9	30.1	28.9	33.6	19.3	32.4	66.3
Yamagata	66.0	87.7	112.5	105.1	86.1	40.3	34.4	46.5	46.5	36.3	44.7	72.5	79.8
Yamaguchi	42.3	59.6	65.4	48.6	26.8	38.4	35.7	28.2	31.4	31.6	33.7	42.2	66.7
Yamaguchi	34.0	60.8	54.2	57.9	25.4	23.2	37.4	13.0	20.3	28.4	18.8	21.0	47.8

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SENILITY (162):													
All Japan	80.4	119.5	113.8	106.3	86.5	64.1	61.7	61.1	63.7	63.6	69.0	74.9	81.8
All "Shi"	56.6	86.2	82.3	73.7	61.6	46.0	44.2	43.0	44.8	44.4	46.7	49.9	43.9
All "Gun"	93.0	137.1	130.4	123.5	99.6	73.7	71.0	70.7	73.7	73.8	80.8	88.1	94.5
Aichi	82.1	128.5	120.5	112.4	87.7	59.7	58.6	64.8	62.9	66.2	72.1	66.6	86.4
Akita	83.3	100.3	117.1	127.0	99.8	74.5	63.7	64.4	71.8	59.9	77.3	69.4	75.5
Aomori	95.7	88.2	128.5	150.2	111.2	67.9	81.1	83.4	97.9	96.2	94.0	77.1	74.6
Chiba	107.9	173.8	164.0	165.5	98.6	72.8	81.5	73.9	78.9	86.1	90.5	102.0	108.1
Ehime	111.9	168.2	128.7	141.9	114.5	95.7	92.3	86.9	92.5	83.2	102.8	113.7	122.0
Fuku	116.8	130.5	186.0	159.5	123.2	91.8	113.2	103.1	75.7	124.8	83.8	98.2	116.0
Fukuoka	62.5	106.6	103.3	73.8	57.5	49.2	33.9	40.6	51.7	49.0	56.3	65.6	63.8
Fukushima	77.7	93.8	97.8	106.6	103.0	76.3	54.2	61.8	75.8	50.0	69.3	72.3	72.3
Gifu	85.9	100.7	112.6	110.8	100.9	54.2	84.1	68.9	65.8	75.2	74.4	85.7	99.2
Gumma	69.0	103.5	110.6	102.0	79.6	48.4	60.7	58.0	47.0	48.5	45.5	59.9	66.8
Hiroshima	89.6	136.8	130.2	112.5	96.0	68.7	58.4	75.0	80.2	80.5	70.4	82.9	85.4
Hokkaido	54.3	72.5	87.0	72.5	59.2	44.1	45.8	35.2	41.7	46.4	44.6	49.5	54.6
Hyogo	83.0	124.6	108.0	102.9	88.5	77.8	51.5	70.7	70.3	75.8	68.8	78.5	70.0
Ibaraki	93.2	162.9	148.8	147.3	111.6	64.7	77.0	55.5	51.1	59.7	70.5	81.8	76.8
Ishikawa	96.1	139.1	127.3	131.6	115.3	85.2	72.5	76.5	75.2	60.9	84.0	98.4	87.7
Iwate	81.8	109.5	113.1	119.5	89.6	73.0	50.0	55.7	61.1	79.2	67.5	80.1	83.9
Kagawa	95.7	156.7	144.6	126.4	88.8	69.5	73.1	89.7	63.2	66.6	87.2	92.7	91.0
Kagoshima	79.7	135.7	107.2	67.5	80.8	62.8	62.9	66.9	54.8	60.1	64.8	89.8	104.3
Kanagawa	57.7	88.7	87.2	81.5	52.1	54.5	53.2	40.3	50.4	35.3	37.7	52.1	59.6
Kochi	136.4	229.0	220.1	155.4	111.3	98.2	101.4	90.0	92.7	109.9	115.9	149.3	166.3

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SENILITY (162) - Cont'd:													
Kumamoto	89.7	127.6	124.4	97.8	76.5	64.8	62.2	70.7	76.7	62.8	60.2	86.1	95.2
Kyoto	80.2	116.5	121.7	98.6	93.7	61.5	58.8	66.8	67.5	67.7	76.8	64.3	69.5
Mie	92.6	173.3	146.1	153.0	99.2	56.1	58.9	58.6	65.9	65.6	62.7	79.9	93.6
Miyagi	70.3	108.7	117.0	105.0	79.5	61.4	49.7	39.2	52.5	47.4	54.0	57.3	72.2
Miyazaki	71.2	123.5	103.2	76.3	64.9	55.0	51.0	57.2	50.5	54.5	65.1	77.7	76.3
Nagano	82.8	114.1	112.3	96.5	96.2	73.3	58.1	63.6	66.4	60.4	82.3	72.8	97.7
Negasaki	98.4	154.7	123.4	107.1	90.4	88.3	80.3	77.7	87.5	75.6	89.8	95.9	110.1
Nara	90.2	119.9	105.4	72.8	80.0	77.4	69.0	89.5	86.5	91.0	109.3	76.8	104.7
Niigata	74.3	101.8	86.0	97.0	110.7	71.3	68.6	53.3	57.7	51.6	55.3	65.1	74.2
Oita	109.5	142.2	118.6	137.5	112.7	85.3	86.2	110.0	84.4	106.8	95.8	109.8	124.2
Okayama	119.3	165.3	143.0	134.5	112.4	85.9	82.1	110.2	102.8	114.1	135.2	118.3	119.5
Osaka	63.7	87.7	81.5	73.6	68.4	53.8	59.7	53.1	58.4	47.2	56.8	60.4	82.5
Saga	91.1	152.2	149.1	138.2	73.4	63.4	68.1	60.9	72.3	78.6	74.8	74.7	88.8
Saitama	81.7	111.9	120.2	120.2	91.0	61.5	64.7	55.4	63.7	63.5	63.7	79.5	86.4
Shiga	99.0	119.0	160.5	121.7	107.6	77.1	85.2	85.2	83.8	93.6	93.3	86.6	77.1
Shimane	94.4	122.9	125.8	149.1	121.6	74.5	45.9	58.8	60.1	79.7	95.4	108.1	91.5
Shizuoka	72.2	131.0	107.0	96.6	82.1	68.2	57.3	46.6	40.2	55.2	51.5	63.4	69.2
Tochigi	72.5	107.6	111.8	101.5	72.0	50.8	52.5	56.1	50.8	57.9	65.2	70.5	75.0
Tokushima	112.7	168.5	167.0	133.1	95.5	95.1	108.1	82.9	107.3	82.8	78.8	115.1	119.6
Tokyo	44.6	67.6	57.8	66.0	54.1	34.0	33.1	29.4	34.7	32.0	39.2	35.4	51.7
Tottori	125.4	199.1	155.4	169.2	115.2	125.4	88.5	89.6	85.6	96.7	135.4	111.1	97.6
Toyama	63.5	93.5	107.5	85.2	75.8	46.1	45.2	47.3	31.9	36.7	52.1	68.5	74.5
Wakayama	95.2	148.2	126.2	112.0	92.1	61.4	71.0	66.3	80.7	71.7	91.6	119.5	100.0
Yamagata	75.1	96.5	102.2	115.8	94.3	47.4	67.1	56.1	57.9	50.8	64.0	68.9	81.6
Yamaguchi	96.1	174.9	137.5	129.4	107.8	70.5	64.0	69.8	72.2	75.4	80.0	73.8	91.8
Yamanashi	74.6	107.2	96.0	107.2	89.8	69.5	52.4	57.9	56.5	61.4	72.4	53.9	72.0

See footnotes at end of table.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195):													
All Japan	49.3	39.2	36.8	38.1	40.2	41.2	61.4	86.3	79.9	56.2	40.4	33.9	36.9
All "Shi"	48.1	40.1	41.7	40.1	40.2	40.6	51.8	76.6	70.4	59.7	39.0	34.7	41.8
All "Gun"	49.9	38.8	34.2	37.1	40.3	41.6	66.5	91.5	84.8	54.3	41.1	33.4	34.3
Aichi	35.2	39.5	23.9	27.8	26.1	29.3	36.3	60.0	54.5	32.5	32.9	30.3	28.5
Akita	48.9	23.0	45.2	35.9	45.6	39.6	70.4	81.0	81.9	55.2	44.2	39.0	25.8
Aomori	51.9	49.4	35.2	34.9	44.1	57.2	58.1	92.1	62.0	45.1	62.0	44.1	39.7
Chiba	38.1	23.7	41.3	26.5	31.9	30.3	40.5	72.3	48.0	60.4	29.8	22.2	30.9
Ehime	39.1	31.9	37.5	34.3	45.3	43.8	27.2	54.2	50.2	41.2	40.7	28.8	33.5
Fukui	520.2	33.8	24.1	32.2	46.6	41.9	1336.5	2259.8	1986.0	236.3	85.8	68.2	48.3
Fukuoka	61.3	59.9	60.6	55.6	50.5	61.0	89.5	74.5	77.0	60.8	42.1	42.7	61.3
Fukushima	48.2	36.7	31.1	39.6	44.0	47.2	53.0	72.3	56.5	60.2	59.4	36.7	40.8
Gifu	38.5	24.8	31.5	31.0	33.6	46.5	43.2	52.7	58.1	34.4	59.5	37.6	28.7
Gunma	45.8	36.7	43.1	34.5	50.0	45.5	59.1	80.7	43.3	53.1	40.4	35.6	27.9
Hiroshima	50.2	45.6	42.6	52.5	47.7	50.8	44.1	57.7	74.4	54.9	50.2	38.8	42.7
Hokkaido	58.1	40.5	53.1	52.0	53.7	57.6	73.4	76.4	91.9	51.0	50.5	44.9	51.4
Hyogo	44.0	35.5	48.8	41.2	39.8	49.0	47.2	62.1	53.9	42.1	39.7	32.1	38.2
Ibureki	34.4	21.4	29.6	22.5	28.3	28.3	41.2	75.1	49.7	34.0	30.6	25.1	30.1
Ishikawa	47.9	21.3	50.9	45.1	45.3	28.8	72.5	80.2	62.7	49.2	42.6	46.6	38.9
Iwate	81.9	36.5	25.4	40.1	50.0	44.7	66.9	83.0	73.0	393.2	63.9	50.0	60.2
Kagawa	51.4	53.1	44.6	36.7	61.4	45.5	48.3	69.5	94.8	50.9	39.2	20.9	50.6
Kagoshima	39.9	65.5	27.2	34.1	28.3	31.4	46.3	65.5	56.2	33.9	36.1	28.3	24.7
Kanagawa	48.6	36.2	43.6	39.7	36.9	39.7	51.1	93.2	64.7	47.9	44.3	50.3	49.9
Koshi	49.4	43.6	33.5	42.3	52.1	55.9	42.3	61.3	69.5	53.5	43.6	36.6	57.3

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195):													
Kumamoto	38.5	31.7	39.6	33.0	33.5	27.1	48.5	59.5	56.9	42.4	30.4	32.8	26.4
Kyoto	34.4	27.8	30.4	31.8	36.9	33.1	24.5	41.0	43.0	30.8	34.4	28.0	50.3
Mie	36.0	32.5	31.3	31.7	26.1	32.5	26.9	57.0	55.3	46.2	32.5	33.6	26.0
Miyagi	46.3	30.3	32.4	27.4	29.0	51.8	48.2	74.0	79.2	65.7	50.3	26.0	39.9
Miyazaki	42.4	32.8	31.2	48.3	27.8	31.4	32.5	66.2	59.5	45.2	34.8	47.5	39.3
Nagano	35.4	23.9	26.1	28.4	29.3	29.5	50.5	68.1	54.5	32.3	34.6	21.7	25.0
Nagasaki	54.0	53.6	42.7	42.2	39.8	46.8	51.5	66.4	58.8	119.3	47.5	32.7	46.8
Nara	34.1	37.9	29.2	30.4	23.5	34.9	34.5	47.0	60.7	28.2	31.9	14.1	34.9
Niigata	42.6	29.1	25.4	34.9	37.1	38.8	61.1	65.5	74.7	40.1	37.8	37.6	28.6
Oita	45.1	28.4	36.5	41.7	42.1	38.9	50.0	66.4	63.5	48.0	52.2	36.3	36.0
Okayama	60.4	177.5	49.7	53.0	60.6	38.6	44.4	50.1	67.3	65.1	47.2	45.8	24.3
Osaka	38.7	37.6	35.2	45.7	35.4	38.3	42.0	49.4	53.7	35.7	30.2	29.5	30.6
Saga	61.1	36.8	48.8	25.4	59.0	35.5	57.7	81.2	109.1	169.0	52.0	31.5	29.2
Seitama	34.3	23.8	32.6	26.6	33.2	26.6	39.5	64.8	38.2	45.2	35.4	20.6	25.5
Shiga	34.0	28.4	17.3	32.5	47.5	24.3	36.3	33.8	58.2	46.1	39.2	19.6	24.3
Shimane	49.9	32.7	41.9	54.9	40.5	47.1	59.4	58.8	77.1	54.0	47.1	33.8	51.0
Shizuoka	37.0	35.3	35.1	31.4	34.5	28.0	41.6	48.1	49.5	45.6	30.9	26.9	37.3
Tochigi	35.6	30.3	25.1	26.5	25.1	40.2	32.1	69.0	47.0	43.1	40.2	20.4	26.5
Tokushima	45.9	39.4	23.2	35.3	50.5	40.8	44.9	84.2	76.1	42.1	38.0	42.1	32.6
Tokyo	39.4	36.8	34.5	39.0	44.1	35.7	42.8	57.5	43.4	42.8	32.7	32.0	31.8
Tottori	38.1	15.9	36.2	33.8	10.3	75.7	57.6	81.6	47.8	39.1	17.9	16.5	23.9
Toyama	54.6	26.0	29.1	37.9	42.8	58.0	80.7	95.8	74.5	56.2	62.7	50.1	40.2
Wakayama	38.9	28.9	23.2	32.7	33.6	43.4	33.6	66.3	89.1	29.9	22.9	32.4	33.7
Yamagata	44.7	28.1	30.0	38.6	38.1	35.1	40.8	64.0	95.6	58.9	28.9	40.8	36.0
Yamanashi	62.4	63.5	46.1	62.8	68.1	79.2	64.0	89.9	73.0	62.4	51.8	43.8	48.6
Yamaguchi	43.7	30.4	34.1	33.3	50.9	27.5	61.4	68.1	76.8	28.4	26.1	38.9	47.8

See footnotes on the next page.

TABLE 59. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY SEX: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

FOOTNOTES:

Data refer to deaths of Japanese nationals in Japan Proper.

A dash (-) indicates that no deaths were reported and the death rate was zero.

A rate of 0.0 indicates that there were some deaths but the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHF, SCAP.

Sources of death data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 60 - MATERNAL DEATHS AND DEATH RATES
BY MONTH: JAPAN 1948

Month	Live Births	Maternal Deaths (140-150)	Maternal Death Rates (per 1,000 live births)
TOTAL	2,709,871	4,480	1.7
Jan.	314,700	416	1.3
Feb.	260,481	437	1.7
Mar.	267,373	413	1.6
Apr.	224,293	356	1.6
May	201,575	336	1.7
June	187,732	326	1.7
July	205,602	353	1.7
Aug.	215,083	400	1.9
Sept.	215,088	395	1.8
Oct.	218,017	370	1.7
Nov.	219,476	320	1.5
Dec.	190,451	358	1.9

Data Refer to vital events of Japanese nationals in Japan Proper

Sources:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP
Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 61 - MATERNAL DEATHS AND DEATH RATES
BY PREFECTURE: JAPAN, 1948

Area	Live Births	Maternal Deaths (140-150)	Maternal Deaths (Rate per 1000)
All Japan	2,709,871	4,480	1.7
All "shi"	895,906	1,530	1.7
All "gun"	1,813,965	2,950	1.6
Aichi	110,905	158	1.4
Akita	44,005	110	2.5
Aomori	47,064	100	2.1
Chiba	67,326	135	2.0
Ehime	53,501	63	1.2
Fukui	26,106	39	1.5
Fukuoka	119,550	197	1.6
Fukushima	72,032	124	1.7
Gifu	53,319	75	1.4
Gumma	52,414	90	1.7
Hiroshima	62,385	102	1.6
Hokkaido	154,763	264	1.7
Hyogo	103,478	159	1.5
Ibaraki	67,624	122	1.8
Ishikawa	34,501	66	1.9
Iwate	47,301	113	2.4
Kagawa	33,968	43	1.3
Kagoshima	63,746	113	1.8
Kanagawa	73,661	111	1.5
Kochi	27,460	42	1.5
Kumamoto	61,264	108	1.8
Kyoto	54,783	68	1.2
Mie	47,459	78	1.6
Miyagi	56,699	108	1.9
Miyazaki	41,261	79	1.9
Nagano	60,594	94	1.6
Nagasaki	57,903	93	1.6
Nara	23,534	48	2.0
Niigata	82,482	131	1.6
Oita	43,923	88	2.0
Okayama	52,899	80	1.5
Osaka	113,163	160	1.4
Saga	33,027	52	1.6
Saitama	70,838	122	1.7
Shiga	27,474	28	1.0
Shimane	30,368	69	2.3
Shizuoka	83,600	114	1.4
Tochigi	54,397	97	1.8
Tokushima	32,233	49	1.5
Tokyo	164,867	254	1.5
Tokturi	20,011	41	2.0
Toyama	35,962	39	1.1
Wakayama	30,101	40	1.3
Yamagata	42,286	95	2.2
Yamaguchi	48,224	74	1.5
Yamanashi	25,140	45	1.8

Data refer to vital events of Japanese nationals in Japan proper.

Sources:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Monthly Vital Statistics Schedule Reports,
Ministry of Welfare.

TABLE 62. - MATERNAL DEATH RATES BY MONTH, BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.7	1.3	1.7	1.6	1.6	1.7	1.7	1.7	1.9	1.8	1.7	1.5	1.9
All "Shi"	1.7	1.4	1.8	1.5	1.6	1.7	1.7	1.7	1.9	2.0	1.8	1.5	1.9
All "Gun"	1.6	1.3	1.6	1.6	1.6	1.6	1.7	1.7	1.9	1.7	1.6	1.4	1.9
Aichi	1.4	0.9	1.5	1.5	1.3	1.5	1.6	1.2	1.1	1.6	1.6	1.3	2.4
Akita	2.5	2.6	3.4	2.9	1.5	3.3	2.2	2.2	2.8	2.1	1.4	2.2	2.9
Aomori	2.1	3.1	2.0	2.8	2.6	2.9	2.5	2.3	2.6	0.8	1.3	0.8	1.5
Chiba	2.0	1.3	2.6	1.2	1.6	2.6	1.4	3.2	1.7	2.1	3.2	2.4	1.1
Ehime	1.2	0.2	1.0	0.6	1.8	1.9	2.2	1.2	0.9	2.1	1.1	0.7	1.2
Fukui	1.5	0.7	1.2	1.9	-	1.8	2.7	1.0	2.0	1.0	2.1	2.6	1.9
Fukuoka	1.6	1.2	2.1	1.3	1.8	1.6	1.5	1.5	1.6	1.7	2.5	1.7	1.4
Fukushima	1.7	1.5	2.1	1.5	1.7	1.0	1.7	1.6	2.1	2.9	1.4	0.9	2.5
Gifu	1.4	1.3	1.5	1.2	1.4	1.0	1.6	1.8	2.1	2.2	2.1	0.5	0.3
Gunma	1.7	2.0	1.3	1.2	2.8	1.8	2.4	2.0	1.7	2.0	0.5	0.8	2.3
Hiroshima	1.6	1.7	2.1	0.7	1.5	2.1	0.9	2.7	0.8	2.8	1.8	0.8	1.7
Hokkaido	1.7	1.2	1.8	2.0	1.6	1.9	1.3	2.6	1.8	1.3	1.8	1.5	1.9
Ibigo	1.5	1.9	1.6	1.6	2.4	0.9	1.3	0.6	1.4	2.3	1.4	1.5	2.2
Ibaraki	1.8	0.7	2.3	1.6	1.9	1.9	2.2	2.1	2.5	2.3	2.3	1.7	0.6
Ishikawa	1.9	0.5	1.7	1.4	1.3	1.6	2.5	2.8	2.3	2.2	2.5	3.1	2.3
Iwate	2.4	2.5	2.1	2.5	1.8	3.2	1.3	2.4	1.5	4.5	2.3	1.2	3.5
Kagawa	1.3	0.8	0.9	0.9	1.8	1.2	0.8	2.2	0.7	1.5	1.9	1.4	1.3
Kagoshima	1.8	1.3	1.6	2.0	1.3	1.1	2.6	2.6	2.4	0.8	1.4	2.0	2.8
Kagawa	1.5	1.5	1.1	1.7	0.9	0.8	2.3	1.1	2.3	2.1	1.5	1.2	1.7
Kochi	1.5	1.7	0.4	1.2	0.9	1.6	1.7	1.9	2.6	0.9	2.6	1.6	1.4

TABLE 62. - MATERNAL DEATH RATES BY MONTH, BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	1.8	1.2	1.6	2.5	1.5	1.9	1.4	2.8	2.3	1.4	1.6	1.1	2.2
Kyoto	1.2	1.0	1.6	1.2	1.4	1.4	1.2	0.7	0.9	1.7	1.7	1.4	1.0
Mie	1.6	0.7	1.3	0.9	2.5	1.5	2.8	1.9	1.6	1.8	3.0	1.0	1.4
Miyagi	1.9	2.0	3.3	3.3	1.2	2.5	2.4	2.1	1.9	0.9	2.4	1.2	1.4
Miyazaki	1.9	1.6	2.4	2.0	2.5	1.4	3.3	1.6	1.2	1.8	0.8	1.9	2.7
Nagano	1.6	0.8	1.2	0.7	1.2	1.2	2.1	1.9	3.1	1.7	2.3	2.2	0.7
Nagasaki	1.6	1.9	1.3	2.2	1.8	0.7	1.6	1.8	1.9	1.8	1.4	1.7	0.8
Nara	2.0	0.4	2.8	2.6	2.8	-	2.4	0.5	5.3	2.2	2.2	2.9	1.1
Niigata	1.6	1.6	1.2	1.9	1.6	2.0	2.1	0.8	1.1	2.3	1.2	1.3	2.2
Oita	2.0	1.8	1.9	0.8	1.4	1.9	2.0	2.1	2.2	1.9	1.4	2.2	5.0
Okayama	1.6	1.7	2.6	1.0	1.1	2.3	1.4	0.7	1.2	2.3	0.2	1.9	1.5
Osaka	1.4	1.2	1.8	1.0	1.6	1.4	1.7	1.4	1.8	1.8	1.2	1.2	1.0
Saga	1.6	1.0	0.7	2.3	-	1.3	2.2	0.8	3.0	2.7	1.8	1.1	2.3
Saitama	1.7	1.3	0.9	1.2	2.0	2.0	1.7	2.6	2.3	1.2	1.7	1.2	3.3
Shiga	1.0	1.0	1.8	0.4	0.5	0.4	-	0.5	1.9	1.9	1.0	2.0	0.9
Shimane	2.3	1.6	3.3	4.4	0.4	2.2	1.0	4.0	2.9	1.6	1.6	1.7	1.9
Shizuoka	1.4	1.1	1.2	1.9	0.8	1.7	1.1	1.0	2.3	1.9	1.0	1.3	1.0
Tochigi	1.8	1.2	2.0	1.5	2.1	2.1	2.0	2.0	2.1	2.0	1.0	1.9	2.6
Tokushima	1.5	1.1	0.6	0.9	2.6	1.2	3.8	1.3	1.7	1.5	1.1	1.5	1.7
Tokyo	1.5	1.2	1.5	1.2	1.5	1.2	1.2	1.9	2.1	1.6	2.0	1.6	1.8
Tottori	2.0	1.5	2.4	4.1	1.1	3.4	0.8	-	1.4	2.0	2.6	3.2	1.6
Toyama	1.1	0.3	1.1	0.9	1.0	1.1	1.2	1.8	1.0	1.6	1.4	0.4	1.7
Wakayama	1.3	1.6	2.2	1.4	1.2	1.9	1.4	1.8	1.3	0.8	-	1.2	0.9
Yamagata	2.2	1.5	2.1	2.6	2.6	3.4	1.8	1.3	2.9	2.1	0.8	1.2	5.9
Yamaguchi	1.5	1.2	1.2	1.2	2.3	1.7	1.2	1.0	1.2	2.0	3.1	0.7	1.8
Yamanashi	1.8	0.6	0.8	1.7	0.9	1.0	3.7	1.1	2.1	4.1	2.9	0.5	3.9

Data refer to vital events of Japanese nationals in Japan Proper.

Sources: Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 63. - 1/ COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES: JAPAN, 1948
(Rates per 100,000 population per annum)

Disease and International List No.	Cases		Deaths	
	Number	Rate	Number	Rate
Typhoid fever (1)	9,426	11.8	1,481	1.8
Paratyphoid fever (2)	2,892	3.6	171	0.2
Plague (3)	-	-	-	-
Cholera (4)	-	-	-	-
Epidemic meningitis (6)	2,035	2.6	661	0.8
Anthrax (7)	4	0.0	-	-
Scarlet fever (8)	2,924	3.7	42	0.1
Whooping cough (9)	52,791	66.2	4,793	6.0
Diphtheria (10)	16,198	20.3	1,920	2.4
Tetanus (12)	1,947	2.4	2,157	2.7
Tuberculosis, all forms (13-22)	378,851	475.0	145,256	181.1
Leprosy (23)	708	0.9	148	0.2
Gonorrhea (25)	217,956	273.3	NA	NA
Glanders (26a)	3	0.0	-	-
Dysentery (27)	14,628	18.3	5,258	6.6
Malaria (28)	4,940	6.2	233	0.3
Syphilis (30)	214,466	268.9	4,382	5.5
Influenza (33)	2,822	3.5	516	0.6
Smallpox (34)	29	0.0	22	0.0
Measles (35)	54,698	68.6	5,670	7.1
Poliomyelitis (36)	980	1.2	NA	NA
Japanese "B" encephalitis (37b)	7,208	9.0	2,621	3.3
Yellow fever (38a)	-	-	-	-
Rabies (38b)	44	0.1	40	0.0
Typhus fever (39)	474	0.6	2/ 110	2/ 0.1
Chancroid (*44a)	36,426	45.7	NA	NA
Trachoma (*28)	150,215	188.3	NA	NA
Pneumonia, all forms (107-109)	110,649	138.7	53,428	66.6
Puerperal infection (140, 142a, 145a, 147)	969	1.2	NA	NA

* International list number includes some related diseases in addition to the one shown here.

1/ Cases are the number reported in weekly morbidity reports and are for 52 weeks. Deaths are the number reported in monthly analyses of death certificates and are for the calendar year.

2/ Death data include typhus-like diseases also.

"NA" indicates that data are not available.

A dash (-) indicates that no cases or deaths were reported and the case or death rate was zero.

A rate of 0.0 indicates that there were some cases or deaths but the rate was less than 0.1.

Sources:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data are as follows:

Case data: Weekly Morbidity Reports, Ministry of Welfare.

Death data: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 64. - COMMUNICABLE DISEASE CASES BY MONTH: JAPAN, 1948

Disease	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
Typhoid fever	9,426	553	403	358	425	928	802	1,596	1,244	1,013	895	548	661
Paratyphoid fever	2,892	191	117	109	145	321	298	458	401	311	248	120	173
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic meningitis	2,035	161	177	258	261	200	126	139	289	171	112	59	82
Anthrax	4	1	-	-	1	-	-	1	-	-	1	-	-
Scarlet fever	2,924	290	168	164	253	359	230	287	154	151	229	249	390
Whooping cough	52,791	3,909	3,260	2,708	3,123	4,506	5,184	8,511	6,779	4,735	3,692	2,540	3,844
Diphtheria	16,198	2,101	1,596	1,590	1,401	1,510	927	736	594	799	1,713	1,565	1,666
Tetanus	1,947	134	111	117	147	229	165	211	197	149	173	154	160
Tuberculosis, all forms	378,851	22,429	23,301	27,311	32,268	42,053	34,937	41,104	32,294	33,375	37,469	25,106	27,204
Leprosy	708	25	41	54	82	86	81	72	86	51	40	41	49
Gonorrhea	217,956	18,420	18,076	22,309	24,798	25,928	16,887	19,111	13,729	14,950	17,254	13,464	13,030
Glanders	3	-	-	-	-	-	2	-	1	-	-	-	-
Dysentery	14,628	126	154	292	290	600	1,093	3,852	3,925	2,547	1,228	342	179
Malaria	4,940	262	212	232	293	429	661	1,003	788	514	322	116	108
Syphilis	214,466	14,615	17,230	21,480	23,719	24,125	16,949	18,955	13,893	15,425	18,618	14,626	14,831
Influenza	2,822	504	395	380	466	367	166	131	67	62	68	74	142
Smallpox	29	2	2	1	4	5	1	7	-	1	4	1	1
Measles	54,698	3,590	3,527	6,116	6,534	10,413	8,011	5,761	2,467	921	1,283	2,189	3,886

TABLE 64. - COMMUNICABLE DISEASE CASES BY MONTH: JAPAN, 1948 - Cont'd.

Disease	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
Poliomyelitis	980	30	25	21	34	58	58	162	160	151	101	89	91
Japanese "B"	7,208	-	-	-	-	-	4	20	4,907	2,907	180	-	-
encephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellow fever	44	4	4	1	3	4	5	5	2	4	2	5	5
Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus fever	474	73	58	34	138	36	54	23	2	3	3	13	37
Chancroid	36,426	3,472	3,528	4,551	4,427	3,928	2,346	2,490	1,951	2,283	2,920	2,313	2,217
Trachoma	150,215	9,669	8,847	10,059	14,214	19,089	20,270	20,680	11,565	8,612	10,403	6,992	9,815
Pneumonia,	-	-	-	-	-	-	-	-	-	-	-	-	-
all forms	110,649	18,682	16,285	17,780	15,401	11,376	6,354	4,378	2,490	2,363	3,927	4,101	7,512
Puerperal infection	969	135	99	94	69	76	63	67	58	66	111	60	71

*Monthly totals for January, May, July and October refer to five-week periods. All other monthly data refer to four-week periods.

A dash (-) indicates that no cases were reported.

SOURCES:

Weekly Morbidity Reports, Ministry of Welfare.

TABLE 65. COMMUNICABLE DISEASE CASE RATES BY MONTH: JAPAN, 1948
(Rates per 100,000 population per annum)

Disease	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Typhoid fever	11.8	7.2	6.6	5.8	6.9	12.1	13.1	20.8	20.3	16.5	11.7	8.9	10.8
Paratyphoid fever	3.6	2.5	1.9	1.8	2.4	4.2	4.9	6.0	6.5	5.1	3.2	2.0	2.8
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Meningitis	2.6	2.1	2.9	4.2	4.3	2.6	2.1	1.8	4.7	2.8	1.5	1.0	1.3
Anthrax	0.0	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
Scarlet fever	3.7	3.8	2.7	2.7	4.1	4.7	3.7	3.7	2.5	2.5	3.0	4.1	6.4
Whooping cough	66.2	51.0	53.1	44.1	50.9	58.8	84.5	111.0	110.5	77.2	48.1	41.4	62.7
Diphtheria	20.3	27.4	26.0	25.9	22.8	19.7	15.1	9.6	9.7	13.0	22.3	25.5	27.2
Tetanus	2.4	1.7	1.8	1.9	2.4	3.0	2.7	2.8	3.2	2.4	2.3	2.5	2.6
Tuberculosis, all forms	475.0	292.4	379.8	445.1	525.9	548.3	569.4	535.9	526.3	544.0	488.6	409.2	443.4
Leprosy	0.9	0.3	0.7	0.9	1.3	1.1	1.3	0.9	1.4	0.8	0.5	0.7	0.8
Gonorrhea	273.3	240.2	294.6	363.6	404.2	338.1	275.2	245.2	223.8	243.7	225.0	219.4	212.4
Glanders	0.0	-	-	-	-	-	0.0	-	0.0	-	-	-	-
Dysentery	18.3	1.6	2.5	4.8	4.7	7.8	17.8	50.2	64.0	41.5	16.0	5.6	2.9
Malaria	6.2	3.4	3.5	3.8	4.8	5.6	10.8	13.1	12.8	8.4	4.2	1.9	1.8
Syphilis	288.9	190.6	280.8	350.1	386.6	314.6	276.2	247.2	226.4	251.4	242.8	238.4	241.7
Influenza	3.5	6.6	6.4	6.2	4.6	4.8	2.7	1.7	1.1	1.0	0.9	1.2	2.3
Smallpox	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	-	0.0	0.1	0.0	0.0
Measles	68.6	46.8	57.5	95.7	106.5	135.8	130.6	75.1	40.2	15.0	16.7	35.7	63.3

Table 65, pg. 2

Disease	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Poliomyelitis	1.2	0.4	0.4	0.3	0.6	0.8	0.9	2.1	2.6	2.5	1.3	1.5	1.5
Japanese "B"	9.0	-	-	-	-	-	0.1	0.3	80.0	34.2	2.3	-	-
encephalitis	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellow fever	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1
Rabies	0.6	1.0	0.9	0.6	2.2	0.5	0.9	0.3	0.0	0.0	0.0	0.2	0.6
Typhus fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Chancroid	45.7	45.3	57.5	74.2	72.2	51.2	38.2	32.5	31.8	37.2	38.1	37.7	36.1
Trachoma	188.3	126.1	144.2	163.9	231.7	248.9	330.4	269.6	188.5	140.4	135.6	114.0	160.0
Pneumonia,	-	-	-	-	-	-	-	-	-	-	-	-	-
all forms	138.7	243.6	265.4	289.8	251.0	148.9	103.6	57.1	40.6	38.5	51.2	66.8	122.4
Puerperal infec-	-	-	-	-	-	-	-	-	-	-	-	-	-
tions	1.2	1.8	1.6	1.5	1.1	1.0	1.0	0.9	0.9	1.1	1.4	1.0	1.2

A dash (-) indicates that no cases were reported and the case rate was zero.

A rate of 0.0 indicates that some cases were reported but the rate was less than 0.1.

Sources:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data were Weekly Morbidity Reports, Ministry of Welfare.

TABLE 66. - 1/ COMMUNICABLE DISEASE DEATHS BY MONTH: JAPAN, 1948

Disease and International List No.	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec
Typhoid fever (1)	1,481	89	86	71	80	129	123	204	228	171	121	95	84
Paratyphoid fever (2)	171	7	11	9	16	16	20	13	27	14	18	11	9
Plague (3)	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera (4)	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic meningitis (6)	661	46	55	83	78	56	48	46	92	57	33	28	39
Anthrax (7)	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever (8)	42	3	1	4	6	4	3	3	-	1	2	4	7
Whooping cough (9)	4,793	482	368	292	314	365	418	563	554	426	260	301	405
Diphtheria (10)	1,920	278	236	207	132	98	82	50	56	94	148	244	295
Tetanus (12)	2,157	152	120	143	201	177	179	243	234	197	153	189	169
Tuberculosis, all forms (13-22)	145,256	10,976	11,019	12,697	12,988	13,236	12,844	12,833	12,545	12,032	11,865	11,197	11,024
Leprosy (23)	148	17	16	19	7	19	8	10	10	9	8	12	13
Gonorrhea (25)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Glanders (26a)	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery (27)	5,258	48	63	80	135	201	459	1,402	1,492	838	351	113	76
Malaria (28)	233	22	27	25	21	26	13	15	22	29	19	10	4
Syphilis (30)	4,382	360	403	420	339	323	311	320	324	336	360	390	496
Influenza (33)	516	85	68	94	56	25	30	23	15	20	30	25	45
Smallpox (34)	22	6	2	4	1	1	1	1	1	2	2	-	-
Measles (35)	5,670	409	413	725	568	737	745	616	385	187	172	279	434
Polioomyelitis (36)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Japanese B* encephalitis (37b)	2,621	2	3	1	2	1	7	21	1,654	787	103	27	13
Yellow fever (38a)	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies (38b)	40	4	5	-	1	1	1	3	5	6	3	4	7
Typhus fever & typhus-like diseases (39)	110	16	12	7	7	13	7	9	11	5	6	11	6

TABLE 66. - 1/ COMMUNICABLE DISEASE DEATHS BY MONTH: JAPAN, 1948

Disease and International List No.	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec
Chancroid (*44a)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trachoma (*88)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pneumonia, all forms (107-109)	53,428	8,052	7,667	7,526	5,382	3,910	3,120	2,338	2,110	2,090	2,569	3,464	5,170
Puerperal Infection (140,142a, 145b, 147)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1/ Deaths are the number reported in monthly analyses of death certificates and are for calendar periods.

'NA' indicates that data are not available.

A dash (-) indicates that no deaths were reported.

Sources:

Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 67. - COMMUNICABLE DISEASE DEATH RATES BY MONTH: JAPAN, 1948
(Rates per 100,000 population per annum)

Disease and International List No.	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Typhoid fever (1)	1.8	1.3	1.4	1.0	1.2	1.9	1.9	3.0	3.4	2.6	1.8	1.4	1.2
Paratyphoid fever (2)	0.2	0.1	0.2	0.1	0.2	0.2	0.3	0.2	0.4	0.2	0.3	0.2	0.1
Plague (3)	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera (4)	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic meningitis (6)	0.8	0.7	0.9	1.2	1.2	0.8	0.7	0.7	1.4	0.9	0.5	0.4	0.6
Anthrax (7)	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever (8)	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1
Whooping cough (9)	6.0	7.1	5.8	4.3	4.8	5.4	6.4	8.3	8.2	6.5	3.8	4.6	6.6
Diphtheria (10)	2.4	4.1	3.7	3.0	2.0	1.4	1.2	0.7	0.8	1.4	2.2	3.7	4.3
Tetanus (12)	2.7	2.2	1.9	2.1	3.1	2.6	2.7	3.6	3.4	3.0	2.3	2.9	2.5
Tuberculosis (all forms) (13-22)	181.1	161.6	173.4	186.9	187.6	184.9	195.4	188.9	184.7	183.0	174.7	170.3	162.3
Leprosy (23)	0.2	0.3	0.3	0.3	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.2	0.2
Gonorrhea (25)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Glanders (26a)	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery (27)	6.6	0.7	1.0	1.2	2.1	3.0	7.0	20.6	22.0	12.7	5.2	1.7	1.1
Malaria (28)	0.3	0.3	0.4	0.4	0.3	0.4	0.2	0.2	0.3	0.4	0.3	0.2	0.1
Syphilis (30)	5.5	5.3	6.3	6.2	5.2	4.8	4.7	4.7	4.8	5.1	5.3	5.9	7.3
Influenza (33)	0.6	1.3	1.1	1.4	0.9	0.4	0.5	0.3	0.2	0.3	0.4	0.4	0.7
Smallpox (34)	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Measles (35)	7.1	6.0	6.5	10.7	8.6	10.8	11.3	9.1	5.7	2.8	2.5	4.2	6.4

TABLE 67. - COMMUNICABLE DISEASE DEATH RATES BY MONTH: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and International List No.	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Polioyelitis (36)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Japanese "B" encephalitis (37b) (38a)	3.3	0.0	0.0	0.0	0.0	0.0	0.1	0.3	24.3	12.0	1.5	0.4	0.2
Yellow fever (38b)	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies (38b)	0.0	0.1	0.1	-	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1
Typhus fever & typhus-like diseases (39)	0.1	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1
Chancroid (44a)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trachoma (48)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pneumonia, all forms (107-109)	66.6	118.5	120.7	110.8	81.9	57.6	47.5	34.4	31.5	31.8	37.8	52.7	76.1
Puerperal infection (140, 142a, 145a, 147)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

* International list number includes some related diseases in addition to the one shown here.

NA indicates that data are not available.

▲ dash (-) indicates that no deaths were reported and the death rate was zero.

▲ rate of 0.0 indicates that some deaths were reported but the rate was less than 0.1.

Sources:

Rates were computed by Public Health and Welfare Section, CHQ, SCAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948
(Rates per 100,000 population per annum)

Area	TYPHOID FEVER (1)				PARATYPHOID FEVER (2)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	9,426	11.8	1,481	1.8	2,892	3.6	171	0.2
Hokkaido	393	9.8	46	1.1	122	3.1	7	0.2
Aomori	135	11.1	20	1.6	52	4.3	5	0.4
Iwate	87	6.8	17	1.3	54	4.2	8	0.6
Miyagi	203	12.8	32	2.0	137	8.6	14	0.9
Akita	89	7.0	15	1.2	10	0.8	3	0.2
Yamagata	75	5.6	11	0.8	28	2.1	1	0.1
Fukushima	181	9.0	31	1.5	78	3.9	3	0.1
Ibaraki	156	7.7	22	1.1	84	4.1	5	0.2
Tochigi	137	8.8	33	2.1	51	3.3	5	0.3
Guma	127	7.9	22	1.4	56	3.5	2	0.1
Saitama	245	11.6	45	2.1	44	2.1	6	0.3
Chiba	242	11.4	53	2.5	59	2.8	5	0.2
Tokyo	1257	23.3	175	3.2	681	12.6	27	0.5
Kanagawa	455	19.7	75	3.2	117	5.1	1	0.0
Niigata	276	11.4	48	2.0	110	4.5	6	0.2
Toyama	152	15.3	32	3.2	28	2.8	3	0.3
Ishikawa	73	7.8	10	1.1	17	1.8	1	0.1
Fukui	125	17.1	14	1.9	22	3.0	2	0.3
Yamanashi	22	2.7	2	0.2	12	1.5	2	0.2
Nagano	447	21.6	49	2.4	70	3.4	4	0.2
Gifu	380	25.1	55	3.6	81	5.3	9	0.6
Shizuoka	326	13.6	34	1.4	165	6.9	4	0.2
Aichi	438	13.7	68	2.1	93	2.9	7	0.2
Mie	296	20.5	36	2.5	63	4.4	7	0.5
Shiga	53	6.1	8	0.9	15	1.7	-	-
Kyoto	271	15.3	50	2.8	67	3.8	3	0.2
Osaka	353	10.1	87	2.5	67	1.9	6	0.2
Hyogo	382	12.2	79	2.5	36	1.1	2	0.1
Hara	119	15.4	18	2.3	14	1.8	1	0.1
Wakayama	123	12.6	18	1.8	16	1.6	2	0.2
Tottori	93	15.8	5	0.8	13	2.2	-	-
Shimane	122	13.6	16	1.8	66	7.3	1	0.1
Okayama	179	10.9	43	2.6	16	1.0	2	0.1
Hiroshima	285	14.0	36	1.8	64	3.1	2	0.1
Yamaguchi	89	5.9	13	0.9	12	0.8	1	0.1
Tokushima	127	14.7	16	1.8	8	0.9	1	0.1
Kagawa	53	5.7	17	1.8	33	3.6	2	0.2
Ehime	165	11.2	13	0.9	33	2.2	-	-
Kochi	159	18.5	26	3.0	35	4.1	1	0.1
Fukuoka	195	5.9	30	0.9	56	1.7	1	0.0
Saga	55	5.9	5	0.5	17	1.8	2	0.2
Nagasaki	69	4.4	30	1.9	19	1.2	1	0.1
Kumamoto	25	1.4	6	0.3	21	1.2	1	0.1
Oita	116	9.4	9	0.7	23	1.9	2	0.2
Miyasaki	56	5.4	6	0.6	19	1.8	2	0.2
Kagoshima	20	1.1	5	0.3	8	0.5	1	0.1

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 -Cont'd.
(Rates per 100,000 population per annum)

Area	EPIDEMIC MENINGITIS (6)				ANTHRAX (7)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	2,035	2.6	661	0.8	4	0.0	-	-
Hokkaido	187	4.7	55	1.4	1	0.0	-	-
Aomori	63	5.2	21	1.7	-	-	-	-
Iwate	18	1.4	6	0.5	-	-	-	-
Miyagi	111	7.0	24	1.5	-	-	-	-
Akita	73	5.7	18	1.4	-	-	-	-
Yamagata	44	3.3	15	1.1	-	-	-	-
Fukushima	83	4.1	25	1.2	-	-	-	-
Ibaraki	74	3.6	23	1.1	-	-	-	-
Tochigi	12	0.8	2	0.1	-	-	-	-
Gunma	32	2.0	10	0.6	-	-	-	-
Saitama	23	1.1	9	0.4	-	-	-	-
Chiba	39	1.8	11	0.5	-	-	-	-
Tokyo	417	7.7	99	1.8	-	-	-	-
Kanagawa	108	4.7	24	1.0	2	0.1	-	-
Niigata	51	2.1	23	0.9	-	-	-	-
Toyama	27	2.7	11	1.1	-	-	-	-
Ishikawa	11	1.2	5	0.5	-	-	-	-
Fukui	16	2.2	3	0.4	-	-	-	-
Yamanashi	20	2.5	6	0.7	-	-	-	-
Nagano	40	1.9	19	0.9	1	0.0	-	-
Gifu	13	0.9	5	0.3	-	-	-	-
Shizuoka	53	2.2	19	0.8	-	-	-	-
Aichi	24	0.7	10	0.3	-	-	-	-
Mie	11	0.8	-	-	-	-	-	-
Shiga	8	0.9	3	0.3	-	-	-	-
Kyoto	63	3.6	33	1.8	-	-	-	-
Osaka	90	2.6	38	1.1	-	-	-	-
Hyogo	40	1.3	17	0.5	-	-	-	-
Nara	9	1.2	2	0.3	-	-	-	-
Wakayama	7	0.7	4	0.4	-	-	-	-
Tottori	24	4.1	6	1.0	-	-	-	-
Shimane	16	1.8	9	1.0	-	-	-	-
Okayama	9	0.5	5	0.3	-	-	-	-
Hiroshima	22	1.1	10	0.5	-	-	-	-
Yamaguchi	19	1.3	7	0.5	-	-	-	-
Tokushima	5	0.6	5	0.6	-	-	-	-
Kagawa	9	1.0	3	0.3	-	-	-	-
Ehime	20	1.4	8	0.5	-	-	-	-
Kochi	5	0.6	4	0.5	-	-	-	-
Fukuoka	44	1.3	17	0.5	-	-	-	-
Saga	7	0.8	3	0.3	-	-	-	-
Nagasaki	27	1.7	17	1.1	-	-	-	-
Kumamoto	19	1.1	12	0.7	-	-	-	-
Oita	10	0.8	5	0.4	-	-	-	-
Miyazaki	7	0.7	4	0.4	-	-	-	-
Kagoshima	25	1.4	6	0.3	-	-	-	-

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	DIPHTHERIA (10)				TETANUS (12)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	16,198	20.3	1,920	2.4	1,947	2.4	2,157	2.7
Hokkaido	1,289	32.2	227	5.6	39	1.0	47	1.2
Aomori	231	19.1	30	2.5	11	0.9	31	2.5
Iwate	290	22.5	51	3.9	16	1.2	21	1.6
Miyagi	459	28.9	48	3.0	46	2.9	41	2.6
Akita	566	44.4	49	3.8	23	1.8	22	1.7
Yamagata	289	21.6	43	3.2	12	0.9	20	1.5
Fukushima	220	10.9	36	1.8	42	2.1	43	2.1
Ibaraki	313	15.4	16	0.8	133	6.5	133	6.5
Tochigi	329	21.2	24	1.5	42	2.7	38	2.4
Gunma	255	15.9	62	3.9	52	3.2	63	3.9
Saitama	370	17.4	28	1.3	54	2.5	77	3.6
Chiba	181	8.5	28	1.3	83	3.9	140	6.5
Tokyo	1,034	19.2	147	2.7	120	2.2	123	2.3
Kanagawa	447	19.4	52	2.2	54	2.3	64	2.8
Niigata	665	27.5	68	2.8	23	0.9	19	0.8
Toyama	173	17.4	25	2.5	18	1.8	15	1.5
Ishikawa	281	30.0	28	3.0	39	4.2	27	2.9
Fukui	130	17.8	15	2.0	10	1.4	14	1.9
Yamanashi	65	8.0	5	0.6	29	3.6	27	3.3
Nagano	398	19.2	41	2.0	49	2.4	51	2.5
Gifu	130	8.6	19	1.2	29	1.9	35	2.3
Shizuoka	275	11.5	38	1.6	55	2.3	61	2.5
Aichi	458	14.3	51	1.6	118	3.7	102	3.2
Mie	264	18.3	24	1.7	36	2.5	30	2.1
Shiga	107	12.3	11	1.3	10	1.2	12	1.4
Kyoto	259	14.6	25	1.4	32	1.8	29	1.6
Osaka	304	8.7	42	1.2	52	1.5	59	1.7
Hyogo	486	15.5	56	1.8	35	1.1	48	1.5
Nara	141	18.2	19	2.4	10	1.3	15	1.9
Wakayama	119	12.2	9	0.9	11	1.1	13	1.3
Tottori	91	15.4	10	1.7	9	1.5	8	1.3
Shimane	304	33.9	24	2.7	30	3.3	28	3.1
Okayama	266	16.2	32	1.9	48	2.9	40	2.4
Hiroshima	428	21.0	39	1.9	59	2.9	35	1.7
Yamaguchi	326	21.8	35	2.3	26	1.7	45	3.0
Tokushima	127	14.7	32	3.7	24	2.8	28	3.2
Kagawa	117	12.6	15	1.6	21	2.3	30	3.2
Ehime	350	23.8	41	2.8	73	5.0	46	3.1
Kochi	146	17.0	12	1.4	34	3.9	30	3.5
Fukuoka	891	27.0	90	2.7	73	2.2	72	2.2
Saga	553	59.7	48	5.2	32	3.5	33	3.5
Nagasaki	460	29.6	42	2.7	49	3.1	69	4.4
Kumamoto	179	10.1	25	1.4	42	2.4	69	3.9
Oita	550	44.4	47	3.8	34	2.7	46	3.7
Miyazaki	419	40.0	55	5.2	47	4.5	49	4.7
Kagoshima	463	26.4	56	3.2	63	3.6	109	6.2

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	SCARLET FEVER (8)				WHOOPING COUGH (9)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	2,924	3.7	42	0.1	52,791	66.2	4,793	6.0
Hokkaido	482	12.1	6	0.1	6,110	152.8	498	12.4
Aomori	24	2.0	-	-	565	46.6	102	8.4
Iwate	19	1.5	1	0.1	655	50.9	129	10.0
Miyagi	93	5.9	2	0.1	1,107	69.7	131	8.2
Akita	24	1.9	-	-	835	65.4	105	8.2
Yamagata	27	2.0	1	0.1	718	53.6	86	6.4
Fukushima	39	1.9	1	0.0	679	33.7	161	7.9
Ibaraki	62	3.0	-	-	564	27.7	85	4.2
Tochigi	51	3.3	-	-	1,025	66.2	113	7.3
Gunma	92	5.7	4	0.2	1,787	111.7	200	12.4
Saitama	127	6.0	1	0.0	1,071	50.5	136	6.4
Chiba	21	1.0	1	0.0	415	19.5	85	4.0
Tokyo	632	11.7	6	0.1	4,003	74.3	213	3.9
Kanagawa	101	4.4	4	0.2	1,510	65.5	99	4.3
Niigata	35	1.4	1	0.0	3,227	133.3	290	11.9
Toyama	9	0.9	-	-	2,071	208.7	91	9.1
Ishikawa	4	0.4	-	-	1,285	137.2	90	9.6
Fukui	6	0.8	1	0.1	709	97.3	53	7.2
Yamanashi	33	4.1	-	-	271	33.4	58	7.1
Nagano	132	6.4	2	0.1	2,006	97.0	168	8.1
Gifu	56	3.7	-	-	957	63.1	102	6.7
Shizuoka	58	2.4	1	0.0	790	33.0	77	3.2
Aichi	131	4.1	3	0.1	1,916	59.7	146	4.5
Mie	46	3.2	-	-	618	42.8	47	3.2
Shiga	64	7.4	1	0.1	794	91.5	53	6.1
Kyoto	119	6.7	-	-	1,515	85.4	75	4.2
Osaka	97	2.8	1	0.0	1,202	74.4	103	2.9
Hyogo	55	1.8	-	-	1,004	32.0	131	4.2
Nara	7	0.9	-	-	120	15.5	8	1.0
Wakayama	6	0.6	-	-	150	15.4	21	2.1
Tottori	9	1.5	-	-	161	27.3	13	2.2
Shimane	19	2.1	-	-	1,830	203.8	124	13.7
Okayama	38	2.3	-	-	926	56.4	73	4.4
Hiroshima	23	1.1	-	-	923	45.4	47	2.3
Yamaguchi	20	1.3	-	-	402	26.9	76	5.0
Tokushima	4	0.5	-	-	125	14.5	18	2.1
Kagawa	18	1.9	-	-	257	27.7	32	3.4
Ehime	26	1.8	2	0.1	1,290	87.6	61	4.1
Kochi	12	1.4	-	-	216	25.1	30	3.5
Fukuoka	56	1.7	2	0.1	3,433	104.2	188	5.7
Saga	8	0.9	-	-	717	77.4	58	6.2
Nagasaki	17	1.1	-	-	612	39.3	76	4.9
Kumamoto	2	0.1	-	-	585	32.9	88	4.9
Oita	5	0.4	-	-	549	44.3	62	5.0
Miyazaki	7	0.7	1	0.1	327	31.3	61	5.8
Kagoshima	8	0.5	-	-	759	43.2	130	7.4

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	TUBERCULOSIS, ALL FORMS (13-22)				LEPROSY (23)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	378,851	475.0	145,256	181.1	708	0.9	148	0.2
Hokkaido	29,164	729.5	9,840	244.8	13	0.3	3	0.1
Aomori	5,465	451.2	2,857	234.6	12	1.0	5	0.4
Iwate	9,095	706.7	2,764	213.6	25	1.9	8	0.6
Miyagi	8,351	536.1	2,575	161.3	4	0.3	19	1.2
Akita	6,269	491.3	2,290	178.5	9	0.7	5	0.4
Yamagata	4,828	360.7	2,339	173.8	14	1.0	2	0.1
Fukushima	7,594	376.9	3,129	154.4	8	0.4	1	0.0
Ibaraki	5,462	268.7	2,359	115.4	10	0.5	2	0.1
Teichigi	4,938	318.7	2,028	130.2	7	0.5	4	0.3
Gunma	4,174	260.8	2,330	144.8	95	5.9	6	0.4
Saitama	6,232	293.9	2,951	138.4	5	0.2	1	0.0
Chiba	5,062	237.8	3,088	144.3	3	0.1	2	0.1
Tokyo	42,826	794.9	11,970	221.0	7	0.1	1	0.0
Kanagawa	15,066	653.8	4,411	190.4	19	0.8	-	-
Niigata	11,519	475.7	4,532	186.1	12	0.5	1	0.0
Toyama	8,517	858.1	1,888	189.2	-	-	-	-
Ishikawa	6,438	687.2	1,724	183.0	6	0.6	1	0.1
Fukui	3,351	322.5	1,205	164.4	6	0.8	-	-
Yamanashi	1,707	210.6	852	104.6	5	0.6	-	-
Nagano	8,776	424.4	3,061	147.2	14	0.7	1	0.0
Gifu	5,807	383.1	2,978	195.4	12	0.8	1	0.1
Shizuoka	8,836	369.1	3,475	144.4	24	1.0	3	0.1
Aichi	13,854	431.8	5,552	172.1	14	0.4	4	0.1
Mie	4,392	304.4	2,233	153.9	8	0.6	3	0.2
Shiga	3,271	376.7	1,447	165.8	1	0.1	3	0.3
Kyoto	11,451	645.4	3,955	221.7	35	2.0	2	0.1
Osaka	19,681	563.0	7,375	209.8	24	0.7	-	-
Hyogo	8,277	263.7	5,829	184.7	56	1.8	4	0.1
Nara	2,158	278.9	1,266	165.3	1	0.1	-	-
Wakayama	2,454	251.8	1,539	157.0	8	0.8	-	-
Totterri	3,863	655.0	1,119	188.7	7	1.2	1	0.2
Shimane	7,796	868.1	1,915	212.1	5	0.6	1	0.1
Okayama	7,431	452.8	2,752	166.8	12	0.7	-	-
Hiroshima	14,430	709.2	3,694	180.5	19	0.9	-	-
Yamaguchi	4,348	290.5	3,215	213.6	31	2.1	-	-
Tokushima	2,982	345.0	1,532	176.3	28	3.2	1	0.1
Kagawa	2,740	295.0	1,550	166.0	8	0.9	1	0.1
Ehime	9,201	624.7	2,479	167.4	14	1.0	1	0.1
Kochi	2,919	338.9	1,353	144.7	19	2.2	3	0.3
Fukuoka	19,405	589.1	7,222	218.1	36	1.1	1	0.0
Saga	3,922	423.6	1,781	191.3	6	0.6	1	0.1
Nagasaki	7,442	478.1	2,823	180.7	14	0.9	2	0.1
Kumamoto	4,330	243.8	2,833	158.6	12	0.7	38	2.1
Oita	5,448	440.0	2,475	198.8	11	0.9	5	0.4
Miyazaki	4,093	391.2	1,794	170.5	10	1.0	4	0.4
Kagoshima	4,486	255.4	2,952	167.2	19	1.1	7	0.4

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	GONORRHEA (25)				GLANDERS (26a)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	217,956	273.3	NA	NA	3	0.0	-	-
Hokkaido	9,266	231.8	NA	NA	-	-	-	-
Aomori	2,675	220.8	NA	NA	-	-	-	-
Iwate	1,043	81.0	NA	NA	-	-	-	-
Miyagi	2,552	160.8	NA	NA	-	-	-	-
Akita	2,107	165.1	NA	NA	-	-	-	-
Yamagata	1,034	77.2	NA	NA	-	-	-	-
Fukushima	3,111	154.4	NA	NA	-	-	-	-
Ibaraki	2,922	143.7	NA	NA	-	-	-	-
Tochigi	2,802	180.8	NA	NA	-	-	-	-
Gumma	2,386	149.1	NA	NA	-	-	-	-
Saitama	2,077	98.0	NA	NA	-	-	-	-
Chiba	6,071	285.3	NA	NA	-	-	-	-
Tokyo	14,119	262.1	NA	NA	-	-	-	-
Kanagawa	13,086	567.9	NA	NA	-	-	-	-
Niigata	2,906	120.0	NA	NA	-	-	-	-
Toyama	2,412	243.0	NA	NA	1	0.1	-	-
Ishikawa	2,184	233.1	NA	NA	-	-	-	-
Fukui	1,553	213.0	NA	NA	-	-	-	-
Yamanashi	1,348	166.3	NA	NA	-	-	-	-
Nagano	6,255	302.5	NA	NA	-	-	-	-
Gifu	3,762	248.2	NA	NA	-	-	-	-
Shizuoka	5,111	213.5	NA	NA	-	-	-	-
Aichi	19,611	611.2	NA	NA	-	-	-	-
Mie	2,467	171.0	NA	NA	-	-	-	-
Shiga	1,346	165.0	NA	NA	-	-	-	-
Kyoto	6,880	387.8	NA	NA	-	-	-	-
Osaka	10,827	309.7	NA	NA	-	-	-	-
Hyogo	14,282	455.0	NA	NA	-	-	-	-
Nara	2,347	303.3	NA	NA	-	-	-	-
Wakayama	4,155	426.3	NA	NA	1	0.1	-	-
Tottori	2,203	373.5	NA	NA	-	-	-	-
Shimane	836	93.1	NA	NA	-	-	-	-
Okayama	4,472	272.5	NA	NA	-	-	-	-
Hiroshima	7,962	391.3	NA	NA	-	-	-	-
Yamaguchi	7,898	527.7	NA	NA	-	-	-	-
Tokushima	1,164	134.7	NA	NA	-	-	-	-
Kagawa	1,169	125.8	NA	NA	1	0.1	-	-
Ehime	2,554	173.4	NA	NA	-	-	-	-
Kechi	1,473	171.0	NA	NA	-	-	-	-
Fukuoka	15,169	460.5	NA	NA	-	-	-	-
Saga	3,501	378.1	NA	NA	-	-	-	-
Nagasaki	5,528	355.2	NA	NA	-	-	-	-
Kumamoto	3,674	201.2	NA	NA	-	-	-	-
Oita	3,070	247.9	NA	NA	-	-	-	-
Miyazaki	1,737	166.0	NA	NA	-	-	-	-
Kagoshima	2,949	167.9	NA	NA	-	-	-	-

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	DYSENTERY (27)				MALARIA (16)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	14,628	18.3	5,258	6.6	4,940	6.2	233	0.3
Hokkaido	952	23.8	113	2.8	110	2.8	6	0.1
Aomori	120	9.9	33	2.7	40	3.3	1	0.1
Iwate	528	41.0	77	6.0	33	2.6	3	0.2
Miyagi	228	14.4	42	2.6	33	2.1	6	0.4
Akita	195	15.3	55	4.3	26	2.0	1	0.1
Yamagata	237	17.7	41	3.0	24	1.8	3	0.2
Fukushima	471	23.4	132	6.5	43	2.1	6	0.3
Ibaraki	746	36.7	340	16.6	49	2.4	3	0.1
Tochigi	279	18.0	139	8.9	38	2.5	4	0.3
Gunma	472	29.5	128	8.0	15	0.9	5	0.3
Saitama	406	19.1	222	10.4	26	1.2	3	0.1
Chiba	284	13.3	143	6.7	33	1.6	3	0.1
Tokyo	1,537	28.5	402	7.4	312	5.8	12	0.2
Kanagawa	296	12.8	103	4.4	82	3.6	4	0.2
Niigata	602	24.9	128	5.3	103	4.3	7	0.3
Toyama	61	6.1	22	2.2	50	5.0	3	0.3
Ishikawa	36	3.8	17	1.8	32	3.4	4	0.4
Fukui	202	27.7	34	4.6	25	3.4	3	0.4
Yamanashi	76	9.4	41	5.0	23	2.8	2	0.2
Nagano	331	16.0	89	4.3	16	0.8	2	0.1
Gifu	399	26.3	182	11.9	42	2.8	4	0.3
Shizuoka	331	13.8	188	7.8	43	1.8	5	0.2
Aichi	698	21.8	367	11.4	49	1.5	4	0.1
Mie	181	12.5	67	4.6	61	4.2	5	0.3
Shiga	94	10.8	31	3.6	2,258	260.1	14	1.6
Kyoto	293	16.5	74	4.1	86	4.8	9	0.5
Osaka	520	14.9	172	4.9	55	1.6	5	0.1
Hyogo	457	14.6	125	4.0	66	2.1	9	0.3
Nara	46	5.9	13	1.7	31	4.0	3	0.4
Wakayama	57	5.8	21	2.1	20	2.1	5	0.5
Totterri	67	11.4	39	6.6	47	8.0	2	0.3
Shimane	219	24.4	91	10.1	34	3.8	4	0.4
Okayama	200	12.2	105	6.4	51	3.1	6	0.4
Hiroshima	321	15.8	170	8.3	110	5.4	3	0.1
Yamaguchi	242	16.2	142	9.4	47	3.1	2	0.1
Tokushima	155	17.9	72	8.3	22	2.5	2	0.2
Kagawa	128	13.8	111	11.9	24	2.6	2	0.2
Ehime	359	24.4	137	9.3	107	7.3	5	0.3
Kochi	111	12.9	54	6.2	21	2.4	5	0.6
Fukuoka	433	13.1	163	4.9	246	7.5	7	0.2
Saga	182	19.7	69	7.4	41	4.4	5	0.5
Nagasaki	250	16.1	133	8.5	68	4.4	12	0.8
Kumamoto	218	12.3	126	7.1	63	3.5	13	0.7
Oita	191	15.4	108	8.7	54	4.4	8	0.6
Miyazaki	263	25.0	118	11.2	23	2.2	2	0.2
Kagoshima	155	8.8	79	4.5	158	9.0	11	0.6

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	SYPHILIS (30)				INFLUENZA (33)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	214,466	268.9	4,382	5.5	2,822	3.5	516	0.6
Hokkaido	7,621	190.6	271	6.7	159	4.0	21	0.5
Aomori	1,889	155.9	87	7.1	17	1.4	21	1.7
Iwate	1,576	122.5	69	5.3	34	2.6	5	0.4
Miyagi	2,523	159.0	98	6.1	13	0.8	6	0.4
Akita	2,329	182.5	77	6.0	-	-	10	0.8
Yamagata	2,267	169.4	58	4.3	10	0.7	3	0.2
Fukushima	2,999	148.8	107	5.3	28	1.4	5	0.2
Ibaraki	3,237	159.2	126	6.2	-	-	5	0.2
Tochigi	4,082	263.4	78	5.0	57	3.7	2	0.1
Guma	2,987	186.7	64	4.0	34	2.1	14	0.9
Saitama	2,157	101.7	106	5.0	70	3.3	6	0.3
Chiba	5,397	253.6	133	6.2	-	-	9	0.4
Tokyo	14,234	264.2	356	6.6	143	2.7	39	0.7
Kanagawa	9,743	422.8	122	5.3	63	2.7	15	0.6
Niigata	3,551	146.6	106	4.4	50	2.1	20	0.8
Toyama	2,623	264.3	43	4.3	73	7.4	17	1.7
Ishikawa	2,101	224.3	43	4.6	84	9.0	11	1.2
Fukui	1,700	235.2	30	4.1	100	13.7	4	0.5
Yamanashi	1,063	131.1	36	4.4	21	2.6	6	0.7
Nagano	5,244	253.6	77	3.7	35	1.7	14	0.7
Gifu	2,130	140.5	43	3.1	40	2.6	4	0.3
Shizuoka	5,523	230.7	89	3.7	24	1.0	22	0.9
Aichi	17,677	551.0	174	5.4	94	2.9	14	0.4
Mie	3,617	250.6	70	4.8	13	0.9	13	0.9
Shiga	1,561	179.8	42	4.8	208	24.0	6	0.7
Kyoto	7,737	436.1	139	7.8	121	6.8	13	0.7
Osaka	13,215	378.0	195	5.5	118	3.4	18	0.5
Hyoogo	20,116	640.9	132	4.2	28	0.9	15	0.5
Nara	2,695	348.3	37	4.8	9	1.2	2	0.3
Wakayama	3,047	312.6	45	4.6	68	7.0	13	1.3
Tottori	1,976	335.1	35	5.9	12	2.0	2	0.3
Shimane	1,083	120.6	49	5.4	42	4.7	8	0.9
Okayama	4,472	272.5	76	4.6	59	3.6	8	0.5
Hiroshima	4,731	281.6	79	3.9	299	14.7	9	0.4
Yamaguchi	6,634	443.2	62	4.1	8	0.5	15	1.0
Tokushima	1,358	157.1	29	3.3	71	8.2	9	1.0
Kagawa	1,916	206.3	46	4.9	10	1.1	2	0.2
Ehime	2,748	186.6	82	5.5	150	10.2	19	1.3
Kochi	1,269	147.3	49	5.7	4	0.5	4	0.5
Fukuoka	13,148	399.2	232	7.0	318	9.7	22	0.7
Saga	2,786	300.9	78	8.4	11	1.2	2	0.2
Nagasaki	4,414	283.4	140	8.9	9	0.6	10	0.6
Kumamoto	3,759	211.6	101	5.7	31	1.7	15	0.8
Oita	2,556	206.4	62	5.0	81	6.5	19	1.5
Miyasaki	1,361	130.1	66	6.3	-	-	10	1.0
Kagoshima	2,614	148.8	138	7.8	3	0.2	9	0.5

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	SMALLPOX (34)				MEASLES (35)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	29	0.0	22	0.0	54,698	68.6	5,670	7.1
Hokkaido	9	0.2	1	0.0	4,158	104.0	832	20.7
Aomori	-	-	-	-	738	60.9	250	20.5
Iwate	-	-	-	-	1,053	81.8	303	23.4
Miyagi	-	-	-	-	1,076	67.8	230	14.4
Akita	-	-	-	-	417	32.7	117	9.1
Yamagata	-	-	1	0.1	714	53.3	135	10.0
Fukushima	-	-	1	0.0	827	41.0	133	6.6
Ibaraki	1	0.0	1	0.0	657	32.3	67	3.3
Tochigi	-	-	-	-	256	16.5	31	2.0
Utsunomiya	-	-	1	0.1	418	26.1	37	2.3
Saitama	-	-	-	-	92	4.3	11	0.5
Chiba	2	0.1	1	0.0	99	4.7	18	0.8
Tokyo	-	-	1	0.0	1,005	18.7	45	0.8
Kanagawa	-	-	-	-	201	8.7	16	0.7
Niigata	-	-	-	-	1,715	70.8	160	6.6
Toyama	-	-	-	-	1,048	105.6	38	3.8
Ishikawa	-	-	3	0.3	827	88.3	126	13.4
Fukui	-	-	-	-	1,370	187.9	77	10.5
Yamanashi	-	-	-	-	49	6.0	6	0.7
Nagano	-	-	-	-	1,070	51.7	132	6.3
Gifu	1	0.1	-	-	2,089	137.8	168	11.0
Shizuoka	1	0.0	2	0.1	930	38.8	95	3.9
Aichi	-	-	1	0.0	1,087	33.9	74	2.3
Mie	-	-	-	-	1,373	95.1	119	8.2
Shiga	-	-	1	0.1	525	60.5	60	6.9
Kyoto	2	0.1	-	-	930	52.4	40	2.2
Osaka	2	0.1	1	0.0	894	25.6	143	4.1
Hyogo	-	-	3	0.1	1,364	43.5	324	10.3
Nara	-	-	-	-	105	13.6	11	1.4
Wakayama	1	0.1	-	-	398	40.8	64	6.5
Tottori	-	-	-	-	887	150.4	74	12.5
Shimane	1	0.1	-	-	988	110.0	32	3.5
Okayama	2	0.1	-	-	3,437	209.4	219	13.3
Hiroshima	1	0.0	-	-	4,756	233.7	195	9.5
Yamaguchi	-	-	-	-	372	24.9	42	2.8
Tokushima	-	-	1	0.1	1,674	193.7	102	11.7
Kagawa	-	-	-	-	2,223	239.3	183	19.6
Ehime	-	-	-	-	4,155	282.1	223	15.1
Kochi	-	-	-	-	2,171	252.1	123	14.2
Fukuoka	1	0.0	-	-	2,238	67.9	97	2.9
Saga	5	0.5	-	-	316	34.1	32	3.4
Nagasaki	-	-	1	0.1	805	51.7	94	6.0
Kumamoto	-	-	1	0.1	1,237	69.6	95	5.3
Oita	-	-	-	-	644	52.0	47	3.8
Miyazaki	-	-	-	-	390	37.3	71	6.7
Kagoshima	-	-	1	0.1	920	52.4	179	10.1

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	POLIOMYELITIS (36)				JAPANESE ENCEPHALITIS (37b)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	980	1.2	NA	NA	7,208	9.0	2,621	3.3
Hokkaido	41	1.0	NA	NA	7	0.2	10	0.2
Aomori	6	0.5	NA	NA	46	3.8	31	2.5
Iwate	11	0.9	NA	NA	140	10.9	76	5.9
Miyagi	124	7.8	NA	NA	165	10.4	66	4.1
Akita	18	1.4	NA	NA	139	10.9	49	3.8
Yamagata	4	0.3	NA	NA	152	11.4	59	4.4
Fukushima	11	0.5	NA	NA	66	3.3	40	2.0
Ibaraki	11	0.5	NA	NA	335	16.5	97	4.7
Teuchi	16	1.0	NA	NA	88	5.7	45	2.9
Gumma	5	0.3	NA	NA	143	8.9	49	3.0
Saitama	14	0.7	NA	NA	299	14.1	86	4.0
Chiba	2	0.1	NA	NA	337	15.8	122	5.7
Tokyo	105	1.9	NA	NA	1,969	36.5	527	9.7
Kanagawa	35	1.5	NA	NA	589	25.6	205	8.8
Niigata	23	0.9	NA	NA	239	9.9	76	3.1
Toyama	13	1.3	NA	NA	105	10.6	60	6.0
Ishikawa	17	1.8	NA	NA	81	8.6	41	4.4
Fukui	2	0.3	NA	NA	65	8.9	34	4.6
Yamanashi	3	0.4	NA	NA	111	13.7	39	4.8
Nagano	6	0.3	NA	NA	191	9.2	75	3.6
Gifu	9	0.6	NA	NA	107	7.1	40	2.6
Shizuoka	21	0.9	NA	NA	377	15.7	153	6.4
Aichi	3	0.1	NA	NA	389	12.1	128	4.0
Mie	1	0.1	NA	NA	84	5.8	33	2.3
Shiga	1	0.1	NA	NA	62	7.1	22	2.5
Kyoto	22	1.2	NA	NA	34	1.9	22	1.2
Osaka	40	1.1	NA	NA	100	2.9	58	1.7
Hyogo	9	0.3	NA	NA	136	4.3	94	3.0
Nara	1	0.1	NA	NA	15	1.9	7	0.9
Wakayama	2	0.2	NA	NA	18	1.8	11	1.1
Tottori	13	2.2	NA	NA	27	4.6	13	2.2
Shimane	11	1.2	NA	NA	18	2.0	9	1.0
Okayama	92	5.6	NA	NA	69	4.2	41	2.5
Hiroshima	30	1.5	NA	NA	34	1.7	16	0.8
Yamaguchi	17	1.1	NA	NA	30	2.0	15	1.0
Tokushima	5	0.6	NA	NA	26	3.0	25	2.9
Kagawa	4	0.4	NA	NA	18	1.9	7	0.7
Ehime	11	0.7	NA	NA	64	4.3	34	2.3
Kochi	3	0.3	NA	NA	34	3.9	14	1.6
Fukuoka	76	2.3	NA	NA	45	1.4	7	0.2
Saga	14	1.5	NA	NA	26	2.8	12	1.3
Nagasaki	22	1.4	NA	NA	32	2.1	2	0.1
Kumamoto	50	2.8	NA	NA	47	2.6	17	1.0
Oita	30	2.4	NA	NA	11	0.9	4	0.3
Miyazaki	9	0.9	NA	NA	66	6.3	25	2.4
Kagoshima	17	1.0	NA	NA	72	4.1	25	1.4

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	RABIES (38b)				TYPHUS FEVER (39)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	44	0.1	40	0.0	474	0.6	110	0.1
Hokkaido	-	-	-	-	5	0.1	7	0.2
Aomori	-	-	-	-	18	1.5	2	0.2
Iwate	-	-	-	-	7	0.5	1	0.1
Miyagi	-	-	-	-	4	0.3	-	-
Akita	-	-	-	-	5	0.4	3	0.2
Yamagata	-	-	-	-	4	0.3	1	0.1
Fukushima	-	-	-	-	4	0.2	1	0.0
Ibaraki	-	-	-	-	5	0.2	3	0.1
Tochigi	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-
Saitama	6	0.3	2	0.1	10	0.5	2	0.1
Chiba	8	0.4	18	0.8	6	0.3	2	0.1
Tokyo	22	0.4	17	0.3	55	1.0	11	0.2
Kanagawa	2	0.1	3	0.1	47	2.0	3	0.1
Niigata	-	-	-	-	2	0.1	13	0.5
Toyama	-	-	-	-	6	0.6	-	-
Ishikawa	-	-	-	-	1	0.1	-	-
Fukui	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	2	0.2
Nagano	-	-	-	-	1	0.0	2	0.1
Gifu	-	-	-	-	10	0.7	3	0.2
Shizuoka	-	-	-	-	-	-	1	0.0
Aichi	-	-	-	-	4	0.1	3	0.1
Mie	-	-	-	-	1	0.1	2	0.1
Shiga	-	-	-	-	1	0.1	-	-
Kyoto	-	-	-	-	38	2.1	2	0.1
Osaka	-	-	-	-	150	4.3	4	0.1
Hyogo	-	-	-	-	3	0.1	10	0.3
Nara	-	-	-	-	21	2.7	2	0.3
Wakayama	-	-	-	-	-	-	1	0.1
Tottori	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	12	1.3	1	0.1
Okayama	4	0.2	-	-	-	-	8	0.5
Hiroshima	-	-	-	-	12	0.6	3	0.1
Yamaguchi	-	-	-	-	1	0.1	-	-
Tokushima	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	8	0.9	2	0.2
Ehime	-	-	-	-	-	-	6	0.4
Kochi	-	-	-	-	-	-	-	-
Fukuoka	1	0.0	-	-	4	0.1	1	0.0
Saga	-	-	-	-	-	-	-	-
Nagasaki	1	0.1	-	-	26	1.7	1	0.1
Kumamoto	-	-	-	-	3	0.2	2	0.1
Oita	-	-	-	-	-	-	3	0.2
Miyazaki	-	-	-	-	-	-	1	0.1
Kagoshima	-	-	-	-	-	-	1	0.1

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	CHANCROID (*44a)				TRACHOMA (*68)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	35,426	45.7	NA	NA	150,215	188.3	NA	NA
Hokkaido	903	22.6	NA	NA	10,797	270.1	NA	NA
Aomori	358	29.6	NA	NA	3,963	327.2	NA	NA
Iwate	106	8.2	NA	NA	3,228	250.8	NA	NA
Miyagi	501	31.6	NA	NA	7,342	462.6	NA	NA
Akita	171	13.4	NA	NA	4,262	334.0	NA	NA
Yamagata	56	4.2	NA	NA	4,918	367.4	NA	NA
Fukushima	402	20.0	NA	NA	4,104	203.7	NA	NA
Ibaraki	642	31.6	NA	NA	2,265	160.6	NA	NA
Tochigi	314	20.3	NA	NA	2,534	163.5	NA	NA
Guma	251	15.7	NA	NA	3,700	231.2	NA	NA
Saitama	310	14.6	NA	NA	2,801	132.1	NA	NA
Chiba	912	42.9	NA	NA	2,129	100.0	NA	NA
Tokyo	1,932	35.9	NA	NA	5,887	109.3	NA	NA
Kanagawa	1,837	79.7	NA	NA	3,355	145.6	NA	NA
Niigata	382	15.8	NA	NA	2,024	83.6	NA	NA
Toyama	267	26.9	NA	NA	2,270	228.7	NA	NA
Ishikawa	394	43.1	NA	NA	1,361	145.3	NA	NA
Fukui	204	28.0	NA	NA	1,022	140.2	NA	NA
Yamanashi	160	19.7	NA	NA	501	61.8	NA	NA
Nagano	238	11.5	NA	NA	1,966	95.1	NA	NA
Gifu	546	36.0	NA	NA	1,587	104.7	NA	NA
Shizuoka	531	22.2	NA	NA	3,360	140.4	NA	NA
Aichi	7,418	231.2	NA	NA	8,828	275.2	NA	NA
Mie	561	38.9	NA	NA	1,579	109.4	NA	NA
Shiga	466	53.7	NA	NA	700	80.6	NA	NA
Kyoto	1,689	95.2	NA	NA	2,886	162.7	NA	NA
Osaka	1,922	55.0	NA	NA	6,303	180.3	NA	NA
Hyogo	2,409	76.8	NA	NA	7,601	242.2	NA	NA
Nara	633	81.8	NA	NA	770	99.5	NA	NA
Wakayama	706	72.4	NA	NA	1,085	103.1	NA	NA
Tottori	230	39.0	NA	NA	573	97.2	NA	NA
Shimane	121	13.5	NA	NA	1,622	180.6	NA	NA
Okayama	987	60.1	NA	NA	2,857	174.1	NA	NA
Hiroshima	1,187	58.3	NA	NA	5,474	269.0	NA	NA
Yamaguchi	1,202	80.3	NA	NA	959	64.1	NA	NA
Tokushima	214	24.8	NA	NA	3,473	401.9	NA	NA
Kagawa	314	33.8	NA	NA	1,520	163.5	NA	NA
Ehime	330	22.4	NA	NA	3,925	266.5	NA	NA
Kochi	228	26.5	NA	NA	841	97.6	NA	NA
Fukuoka	2,496	75.8	NA	NA	11,498	249.1	NA	NA
Saga	264	28.5	NA	NA	1,282	138.5	NA	NA
Nagasaki	648	41.2	NA	NA	1,490	95.7	NA	NA
Kumamoto	310	17.5	NA	NA	2,385	124.3	NA	NA
Oita	340	27.5	NA	NA	1,274	102.9	NA	NA
Miyasaki	108	10.3	NA	NA	1,468	140.3	NA	NA
Kagoshima	234	13.3	NA	NA	3,526	200.8	NA	NA

See footnotes at end of table.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Area	PNEUMONIA, ALL FORMS (107-109)				PUERPERAL INFECTION (140, 142a, 145a, 147)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	110,649	138.7	53,428	66.6	969	1.2	NA	NA
Hokkaido	8,362	209.2	3,214	80.0	85	2.1	NA	NA
Aomori	2,058	159.9	1,184	97.2	17	1.4	NA	NA
Iwate	1,831	142.3	1,406	108.7	14	1.1	NA	NA
Miyagi	2,753	173.4	1,260	78.9	19	1.2	NA	NA
Akita	2,027	158.9	852	66.4	24	1.9	NA	NA
Yamagata	1,496	111.8	975	72.4	22	1.6	NA	NA
Fukushima	3,209	159.3	1,396	68.9	23	1.1	NA	NA
Ibaraki	3,565	175.4	1,196	58.5	28	1.4	NA	NA
Tochigi	1,964	126.8	900	57.8	27	1.7	NA	NA
Gunma	2,231	139.4	1,236	76.8	16	1.0	NA	NA
Saitama	1,874	86.4	1,322	62.0	21	1.0	NA	NA
Chiba	1,085	51.0	1,315	61.4	10	0.5	NA	NA
Tokyo	6,204	115.2	3,163	58.4	34	0.6	NA	NA
Kanagawa	3,167	137.4	1,450	62.6	11	0.5	NA	NA
Niigata	4,454	183.9	1,870	76.8	34	1.4	NA	NA
Toyama	3,857	388.6	779	78.1	27	2.7	NA	NA
Ishikawa	2,077	221.7	790	83.9	15	1.6	NA	NA
Fukui	925	126.9	446	60.8	10	1.4	NA	NA
Yamanashi	696	85.9	456	56.0	27	3.3	NA	NA
Nagano	2,609	126.2	1,206	58.0	20	1.0	NA	NA
Gifu	2,582	170.4	902	59.2	25	1.6	NA	NA
Shizuoka	2,425	101.3	1,388	57.7	16	0.7	NA	NA
Aichi	3,211	100.1	1,810	56.1	32	1.0	NA	NA
Mie	1,804	125.0	916	63.1	7	0.5	NA	NA
Shiga	1,184	136.4	513	58.8	22	2.5	NA	NA
Kyoto	1,740	98.1	933	52.3	13	0.7	NA	NA
Osaka	2,614	74.8	2,107	59.9	12	0.3	NA	NA
Hyogo	1,602	51.0	1,818	57.6	14	0.4	NA	NA
Nara	470	60.7	404	51.9	10	1.3	NA	NA
Wakayama	1,949	200.0	588	60.0	10	1.0	NA	NA
Tottori	926	157.0	355	59.9	7	1.2	NA	NA
Shimane	2,786	310.2	676	74.9	56	6.2	NA	NA
Okayama	1,917	116.8	1,063	64.4	21	1.3	NA	NA
Hiroshima	3,585	176.2	1,246	60.9	42	2.1	NA	NA
Yamaguchi	1,255	83.8	1,015	67.4	5	0.3	NA	NA
Tokushima	2,018	233.5	749	86.2	31	3.6	NA	NA
Kagawa	1,125	121.1	678	72.6	7	0.8	NA	NA
Ehime	5,025	341.2	981	66.2	29	2.0	NA	NA
Kochi	1,513	175.7	603	69.6	12	1.4	NA	NA
Fukuoka	5,096	154.7	2,036	61.5	34	1.0	NA	NA
Saga	2,032	219.5	556	59.7	15	1.6	NA	NA
Nagasaki	1,821	117.0	1,213	77.5	9	0.6	NA	NA
Kumamoto	1,881	105.9	1,309	73.3	19	1.1	NA	NA
Oita	1,074	86.7	860	69.1	14	1.1	NA	NA
Miyazaki	921	88.0	727	69.1	10	1.0	NA	NA
Kagoshima	1,649	93.9	1,566	88.7	13	0.7	NA	NA

See footnotes on next page.

TABLE 68
COMMUNICABLE DISEASE CASES AND DEATHS AND COMMUNICABLE
DISEASE CASE AND DEATH RATES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

FOOTNOTES:

- * International list number includes some related diseases in addition to the one shown here.
- 1/ Death data include typhus-like diseases also.
Case data are for the 52 week period ended 25 December. Death data are for the calendar year.
There were no cases or deaths from plague, cholera or yellow fever.
"NA" indicates that data are not available.
A dash (-) indicates that no cases or deaths were reported and the case or death rate was zero.
A rate of 0.0 indicates that there were some cases or deaths but the case or death rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data are as follows:

Case data: Weekly Morbidity Reports, Ministry of Welfare.
Death data: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1948

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TYPHOID FEVER:													
Japan	9,426	553	403	358	425	928	802	1,596	1,244	1,013	895	548	661
Hokkaido	393	14	15	10	10	24	34	55	68	65	60	24	14
Aomori	135	1	11	5	4	5	8	13	20	23	25	10	10
Iwate	87	2	4	3	2	3	6	10	10	10	18	3	7
Miyagi	203	4	9	4	10	14	13	26	31	33	24	16	19
Akita	89	1	-	1	6	9	6	10	10	12	17	9	8
Yamagata	75	5	1	4	9	10	10	11	8	3	6	3	5
Fukushima	181	15	8	5	5	15	20	27	16	31	29	7	3
Ibakeki	156	15	9	10	6	12	16	28	14	17	14	5	10
Tochigi	137	6	5	4	2	12	15	27	29	19	12	4	2
Gumma	127	10	5	5	6	14	9	15	11	10	18	5	19
Seitama	245	17	8	11	14	21	21	22	34	32	27	20	18
Chiba	242	24	11	13	2	6	14	39	16	21	44	7	15
Tokyo	1,257	74	71	53	92	168	115	139	112	99	132	93	109
Kanagawa	455	43	18	25	17	46	33	80	66	44	28	19	34
Niigata	276	22	12	9	12	19	19	35	49	30	35	19	15
Toyama	152	2	9	3	11	15	13	37	27	15	4	6	10
Ishikawa	73	1	3	4	4	10	10	11	7	11	4	6	2
Fukui	125	5	5	6	1	10	16	15	30	19	9	3	6
Yamanashi	22	2	1	2	-	1	3	4	1	5	2	-	1
Nagano	447	3	3	10	12	15	16	269	76	22	9	5	7
Gifu	380	35	19	18	11	40	43	62	49	24	25	25	29
Shizuoka	326	24	27	9	12	30	32	38	36	27	29	27	35
Aichi	438	20	13	8	15	43	26	66	74	49	55	27	42
Mie	296	18	14	19	8	24	33	53	33	29	32	16	17
Shiga	53	3	-	-	1	4	6	5	15	8	3	3	5

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TYPHOID FEVER - Cont'd:													
Kyoto	271	13	6	7	14	34	43	45	31	33	25	9	11
Osaka	353	14	15	14	23	56	21	52	56	47	15	23	17
Hyogo	382	18	21	10	27	51	21	55	52	48	38	20	21
Nara	119	4	1	1	3	1	3	20	26	13	14	13	20
Wakayama	123	15	7	8	7	21	14	12	11	9	9	4	6
Tottori	93	5	-	4	2	8	10	20	9	19	4	6	6
Shimane	122	8	7	5	4	18	14	18	8	11	9	9	11
Okayama	179	11	5	1	12	14	11	41	27	30	22	7	8
Hiroshima	285	17	6	15	7	30	18	64	19	30	20	23	36
Yamaguchi	89	1	2	-	1	2	17	16	12	16	7	7	8
Tokushima	127	6	3	2	10	13	10	27	19	8	10	13	6
Kagawa	53	8	4	3	3	1	10	5	5	6	2	1	5
Ehime	185	8	6	8	11	12	11	22	31	21	13	14	8
Kochi	159	10	4	6	4	14	23	20	21	27	13	2	15
Fukuoka	195	18	18	17	8	13	13	24	17	13	21	13	20
Saga	55	1	3	-	-	3	9	13	4	11	1	5	5
Nagasaki	69	12	5	5	4	9	4	9	4	5	2	4	6
Kumamoto	25	1	2	3	2	5	3	3	-	-	2	1	3
Oita	116	8	3	4	3	47	4	25	11	3	1	3	4
Miyazaki	56	8	4	3	8	3	3	7	7	1	3	7	2
Kagoshima	20	1	-	1	-	1	3	1	2	5	3	2	1

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
PARATYPHOID FEVER:													
Japan	2,892	191	117	109	145	321	298	458	401	311	248	120	173
Hokkaido	122	4	5	5	1	5	10	21	25	26	16	2	2
Aomori	52	1	1	-	-	2	-	3	13	16	7	5	4
Iwate	54	-	1	1	-	8	10	7	9	11	3	1	2
Miyagi	137	3	3	3	6	9	14	21	26	14	26	3	9
Akita	10	-	-	-	-	2	1	1	3	1	2	-	-
Yamagata	28	1	-	-	2	-	4	6	3	5	4	-	3
Fukushima	78	4	-	-	1	4	17	15	12	12	7	5	1
Ibaraki	84	1	3	5	2	7	10	16	12	14	10	3	1
Tochigi	51	3	-	3	7	3	5	2	14	8	5	-	1
Gumma	56	4	4	1	2	13	4	9	10	6	1	-	2
Saitama	44	5	-	-	3	7	8	3	4	5	6	2	1
Chiba	59	3	-	4	-	1	8	14	12	5	5	1	6
Tokyo	681	48	39	45	62	113	79	84	77	39	36	17	42
Kanagawa	117	20	8	3	6	7	15	16	15	9	4	5	9
Niigata	110	10	5	2	5	6	10	19	12	12	9	10	10
Toyama	28	1	1	-	1	4	3	10	1	4	2	1	-
Ishikawa	17	2	1	-	-	-	1	-	2	3	1	6	1
Fukui	22	-	1	1	2	-	6	1	3	3	2	1	2
Yamanashi	12	6	2	-	-	-	1	-	-	2	-	-	1
Nagano	70	2	-	1	7	5	3	10	17	12	4	6	3
Gifu	81	7	5	2	2	9	6	6	13	10	3	5	13
Shizuoka	165	11	3	5	6	19	12	34	21	12	15	11	16
Aichi	93	9	4	3	3	12	5	21	10	9	8	4	5
Mie	63	6	1	6	2	4	3	13	6	5	8	3	5
Shiga	15	1	1	-	-	2	3	1	2	-	4	-	1

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER - Cont'd:													
Kyoto	67	2	8	-	-	20	12	6	8	6	4	1	-
Osaka	67	2	1	4	2	13	8	11	6	1	12	5	2
Kyogo	36	2	-	-	-	1	3	4	15	3	2	1	5
Nara	14	-	-	1	-	-	-	1	3	5	2	2	-
Wakayama	16	-	-	-	1	3	4	2	2	-	3	1	-
Tottori	13	1	1	2	-	-	-	3	2	4	-	-	-
Shimane	66	1	1	-	2	2	-	48	4	3	1	2	2
Okayama	16	1	1	-	-	3	1	1	4	1	6	1	2
Hiroshima	64	4	1	3	1	3	5	13	3	11	9	2	9
Yamaguchi	12	3	2	-	-	-	3	1	1	-	1	1	-
Tokushima	8	1	-	-	-	3	-	-	2	-	1	-	1
Kagawa	33	-	1	5	6	2	4	4	7	-	2	2	-
Ehime	33	5	2	-	2	2	4	6	7	4	2	-	1
Kochi	35	2	4	-	1	12	-	9	4	1	2	-	-
Fukuoka	56	8	3	2	2	4	3	3	4	8	4	9	6
Saga	17	1	-	-	-	1	4	1	3	6	-	-	1
Nagasaki	19	-	1	1	2	4	3	4	-	2	-	-	2
Kumamoto	21	1	1	1	4	1	1	1	5	5	1	-	-
Oita	23	1	1	-	1	2	1	4	2	4	6	1	-
Miyazaki	19	4	-	-	-	1	3	3	1	-	3	1	-
Kagoshima	8	-	-	-	-	1	1	-	-	4	1	1	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
EPIDEMIC MENINGITIS:													
Japan	2,035	161	177	258	261	200	126	139	269	171	112	59	82
Hokkaido	187	23	15	27	18	26	15	16	15	9	11	5	7
Aomori	63	5	2	4	10	3	2	5	6	13	7	2	4
Iwate	18	-	6	3	-	2	1	1	-	3	-	1	1
Miyagi	111	9	4	12	13	8	8	6	19	19	6	4	3
Akita	73	6	2	11	11	7	3	4	5	12	6	3	3
Yamagata	44	2	3	5	8	4	4	1	5	3	3	3	3
Fukushima	83	6	4	20	15	11	2	2	7	4	5	4	3
Ibaraki	74	3	9	14	9	10	5	7	7	2	4	2	2
Tochigi	12	-	1	2	2	1	-	2	1	1	1	1	-
Gunma	32	3	1	4	2	5	-	-	4	4	3	1	3
Seitama	23	2	-	5	8	3	1	-	2	-	1	1	-
Chiba	39	-	1	-	6	5	3	1	13	7	2	1	-
Tokyo	417	34	53	61	52	42	20	33	69	16	13	11	13
Kanagawa	108	10	15	17	17	5	3	7	23	-	2	3	6
Niigata	51	4	2	3	6	1	3	1	18	9	4	-	-
Toyama	27	1	3	3	4	-	2	1	5	2	2	-	4
Ishikawa	11	1	1	1	1	-	1	1	1	2	-	1	-
Fukui	16	-	-	1	1	3	2	1	2	6	-	-	-
Yamanashi	20	-	4	1	3	1	1	1	7	-	2	-	-
Nagano	40	3	1	7	5	4	2	5	4	3	4	-	2
Gifu	13	1	2	-	2	-	-	2	3	3	-	-	2
Shizuoka	53	7	3	4	8	5	5	1	13	3	1	1	2
Aichi	24	2	2	4	2	3	3	2	3	1	-	1	1
Mie	11	-	-	3	2	2	1	-	1	1	-	-	-
Shiga	8	-	-	1	1	-	-	2	3	-	1	1	-

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	June	*Jul	Aug	Sep	*Oct	Nov	Dec
EPIDEMIC MENINGITIS - Cont'd:													
Kyoto	63	5	2	6	10	6	1	3	11	9	6	-	4
Osaka	90	8	3	4	11	15	10	6	12	8	5	2	6
Hyogo	40	5	3	5	5	2	2	4	6	3	2	1	2
Nara	9	-	3	-	1	2	1	1	-	-	-	1	-
Wakayama	7	1	1	1	1	1	1	-	-	1	-	-	-
Tottori	24	2	3	4	2	1	4	1	3	-	4	-	-
Shimane	16	-	1	1	1	3	1	-	2	4	1	1	1
Okayama	9	3	1	-	-	1	1	2	-	-	-	-	-
Hiroshima	22	1	1	4	2	2	4	3	-	2	-	3	-
Yamaguchi	19	-	2	1	6	2	-	3	-	2	1	1	1
Tokushima	5	-	1	-	1	1	-	-	1	1	-	-	-
Kagawa	9	1	-	1	-	-	4	2	1	-	-	-	-
Ehime	20	-	4	2	2	2	1	-	1	-	2	1	2
Kochi	5	-	3	1	-	-	-	1	4	-	-	-	-
Fukuoka	44	4	6	3	7	4	3	-	4	5	3	1	4
Saga	7	1	1	-	-	1	-	-	1	-	2	1	-
Nagasaki	27	1	-	5	1	5	-	4	1	5	3	1	1
Kumamoto	19	3	5	2	-	-	-	3	2	-	2	-	2
Oita	10	-	1	-	-	-	2	-	1	5	1	-	-
Miyazaki	7	1	-	-	1	-	1	1	2	1	-	-	-
Kagoshima	25	3	2	5	4	1	1	3	2	1	2	-	1

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ANTHRAX:													
Japan	4	1	-	-	1	-	-	1	-	-	1	-	-
Hokkaido	1	-	-	-	-	-	-	-	-	-	1	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	2	-	-	-	1	-	-	1	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	1	1	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
ANTHRAX - Cont'd:													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
SCARLET FEVER:													
Japan	2,924	290	168	164	259	359	230	287	154	151	229	249	390
Hokkaido	482	94	42	33	43	51	38	34	19	14	33	26	55
Aomori	24	2	1	1	-	2	-	5	2	-	3	3	5
Iwate	19	2	-	3	3	3	-	2	-	2	-	1	3
Miyagi	93	6	6	3	6	5	5	17	5	7	14	14	5
Akita	24	1	2	1	1	4	2	4	2	2	2	3	-
Yamagata	27	4	2	-	3	1	4	1	1	3	2	1	5
Fukushima	39	1	-	4	2	4	3	4	7	4	2	2	6
Ibaraki	62	3	2	4	6	13	4	10	3	1	4	4	8
Tochigi	51	-	3	3	2	12	5	7	4	1	5	5	4
Gunma	92	2	6	6	12	16	10	16	3	3	8	3	7
Seitama	127	4	4	3	11	8	21	14	6	8	12	9	27
Chiba	21	-	1	1	1	5	-	-	2	1	3	3	4
Tokyo	632	46	33	36	60	65	27	65	32	35	53	79	101
Kanagawa	101	13	7	9	12	14	6	6	2	6	9	7	16
Niigata	35	1	1	-	1	6	3	3	4	1	5	8	2
Toysama	9	1	2	-	1	-	-	2	1	-	-	1	1
Ishikawa	4	-	-	-	1	-	-	3	-	-	-	-	-
Fukui	6	-	-	-	-	1	1	1	-	-	-	3	-
Yamanashi	33	1	3	1	2	15	8	1	-	1	-	-	1
Nagano	132	7	2	9	6	11	19	16	15	13	14	8	12
Gifu	56	4	-	1	5	14	7	8	5	1	3	1	7
Shizuoka	58	8	2	4	2	12	3	4	1	6	2	5	9
Aichi	131	24	12	12	10	17	3	13	5	7	7	4	15
Mie	46	5	2	4	2	8	9	4	1	1	2	3	5
Shiga	64	2	5	2	6	6	1	7	5	4	5	3	18

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
SCARLET FEVER - Cont'd:													
Kyoto	119	9	4	3	18	11	11	12	7	3	9	8	24
Osaka	97	14	4	3	11	12	11	9	5	5	3	5	15
Hyogo	55	4	6	-	4	4	2	6	5	5	3	6	8
Nara	7	-	-	-	-	-	-	-	-	1	1	1	-
Wakayama	6	2	-	1	-	1	-	-	-	-	1	1	-
Tottori	9	-	-	-	-	2	1	-	1	1	1	2	2
Shimane	19	1	1	1	3	4	1	1	1	1	-	2	3
Okayama	38	2	3	1	3	1	12	2	1	1	8	2	2
Hiroshima	23	6	2	2	3	2	1	2	-	1	2	3	1
Yamaguchi	20	-	2	-	3	4	1	-	2	2	-	2	4
Tokushima	4	2	-	-	-	-	-	-	-	-	1	1	-
Kagawa	18	3	-	8	3	1	1	-	-	-	1	1	-
Ehime	26	5	-	2	1	6	1	4	2	1	1	2	1
Kochi	12	1	3	4	1	-	1	-	1	1	1	-	1
Fukuoka	36	4	4	-	-	7	4	1	2	7	8	12	7
Saga	8	-	-	1	2	1	-	1	1	1	-	-	2
Nagasaki	17	2	1	2	1	3	2	2	-	-	1	-	2
Kumamoto	2	1	-	-	-	-	-	-	-	-	-	1	-
Oita	5	1	1	1	1	-	-	-	-	-	-	-	1
Miyazaki	7	-	1	1	-	-	-	-	1	-	-	4	-
Kagoshima	8	2	-	-	2	1	1	-	-	-	1	-	1

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
WHOOPING COUGH:													
Japan	52,791	3,909	3,260	2,708	3,123	4,506	5,184	8,511	6,779	4,735	3,692	2,540	3,844
Hokkaido	6,110	202	212	152	159	269	441	968	1,054	806	658	502	687
Aomori	565	68	57	21	55	27	41	72	52	55	43	22	52
Iwate	655	145	41	41	46	46	52	51	59	46	33	19	74
Miyagi	1,107	80	85	79	84	128	142	185	122	61	56	52	52
Akita	835	96	51	70	55	43	65	108	54	69	73	60	91
Yamagata	718	46	23	20	33	46	73	107	91	98	75	31	75
Fukushima	679	116	59	55	40	58	59	97	59	43	13	29	51
Ibakeki	564	69	51	38	46	63	44	77	56	49	28	18	27
Tochigi	1,025	130	75	97	112	113	60	109	88	92	71	25	53
Gumma	1,787	138	72	53	76	189	152	328	154	93	131	190	211
Saitama	1,071	72	51	25	52	73	120	164	184	81	48	54	147
Chiba	415	28	33	34	30	40	77	97	20	22	16	10	8
Tokyo	4,003	240	163	215	276	407	403	684	609	368	235	153	230
Kanagawa	1,510	233	139	102	76	163	213	225	115	96	62	41	45
Niigata	3,227	237	157	159	171	412	492	605	317	209	208	107	153
Toyama	2,071	127	213	128	189	274	191	348	211	129	102	92	67
Ishikawa	1,285	92	68	100	94	127	132	219	174	72	53	49	105
Fukui	709	38	23	19	36	102	124	95	68	90	46	36	32
Yamanashi	271	46	28	23	21	31	24	28	25	20	13	6	6
Nagano	2,006	107	118	65	113	142	191	307	252	138	187	154	232
Gifu	957	33	32	48	39	53	96	107	90	128	62	76	193
Shizuoka	790	72	60	42	45	80	59	164	94	45	49	20	60
Aichi	1,916	42	60	44	88	136	184	282	517	198	162	87	116
Mie	618	72	56	45	34	36	58	91	55	48	34	45	42
Shiga	794	50	46	28	53	67	86	113	106	78	51	47	75

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
WHOOPING COUGH - Cont'd.													
Kyoto	1,515	52	40	20	64	119	202	276	249	174	127	85	107
Osaka	1,202	31	43	24	108	60	119	159	142	156	188	54	118
Hyogo	1,004	31	20	46	38	41	32	176	206	154	122	61	77
Nara	120	4	3	1	1	9	10	31	16	17	13	8	7
Wakayama	150	40	28	16	17	8	10	7	5	9	5	-	5
Tottori	161	17	5	6	13	13	22	31	25	11	11	-	7
Shimane	1,890	128	135	101	111	144	170	464	215	118	119	48	77
Okayama	926	78	67	55	30	103	92	120	125	79	72	53	52
Hiroshima	923	63	92	99	38	101	84	157	92	73	43	30	51
Yamaguchi	402	24	42	26	21	30	28	57	45	57	23	17	31
Tokushima	125	31	21	16	9	15	7	17	4	3	-	1	1
Kagawa	257	20	18	26	24	25	39	36	24	13	12	6	14
Ehime	1,290	115	59	81	63	95	157	160	149	164	91	85	71
Kochi	216	29	54	36	20	7	18	17	10	11	4	2	8
Fukuoka	3,433	290	302	227	270	276	253	588	471	270	177	112	197
Saga	717	87	99	39	38	47	84	167	65	29	20	6	36
Nagasaki	612	74	51	78	73	71	69	66	45	32	18	19	16
Kumamoto	585	57	61	49	51	67	65	99	54	27	17	16	22
Oita	549	84	36	22	43	36	34	122	71	50	24	9	18
Miyazaki	327	3	23	13	35	39	26	59	47	32	25	7	18
Kagoshima	759	72	94	24	27	77	84	71	92	122	54	15	27

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
DIPHTHERIA:													
Japan	16,198	2,101	1,596	1,590	1,401	1,510	927	736	594	799	1,713	1,565	1,666
Hokkaido	1,289	185	134	107	117	112	65	65	98	73	152	110	131
Aomori	231	27	19	29	29	20	13	8	4	17	23	15	27
Iwate	290	48	27	34	33	34	14	9	16	7	21	21	26
Miyagi	459	54	31	38	47	52	36	30	16	27	46	43	39
Akita	566	78	60	66	61	51	27	20	25	37	54	48-	39
Yamagata	289	32	19	21	31	37	20	9	7	18	33	21	41
Fukushima	220	15	18	18	23	22	13	9	9	6	40	25	22
Ibaraki	313	30	36	34	30	36	16	25	15	24	21	26	21
Tochigi	329	49	33	43	31	36	14	23	12	12	20	33	23
Guma	255	44	31	34	14	19	10	6	3	6	29	26	33
Saitama	370	47	35	49	27	38	24	13	14	18	28	44	33
Chiba	181	13	15	22	6	16	10	8	11	6	20	23	31
Tokyo	1,034	107	127	120	94	84	59	43	26	45	94	108	127
Kanagawa	447	54	39	46	38	51	33	20	11	24	49	38	44
Niigata	665	94	69	69	56	81	28	16	23	33	73	59	64
Toyama	173	13	10	10	10	9	5	5	12	11	32	33	23
Ishikawa	281	45	23	28	21	28	5	9	8	23	34	30	26
Fukui	130	8	13	9	8	15	5	13	6	9	13	12	19
Yamanashi	65	7	9	8	6	10	4	1	1	1	8	4	6
Nagano	398	62	41	42	23	44	23	24	10	19	44	31	35
Gifu	130	9	13	11	10	15	8	4	10	5	14	15	16
Shizuoka	275	35	21	29	26	24	23	25	13	13	13	24	29
Aichi	458	51	69	52	40	20	14	19	20	12	55	42	51
Mie	264	32	30	24	25	34	14	17	12	6	20	22	28
Shiga	107	12	9	8	12	8	2	2	4	7	10	15	18

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
DIPHTHERIA - Cont'd:													
Kyoto	259	34	23	22	14	29	21	19	18	15	22	16	26
Osaka	304	42	25	25	30	25	15	17	17	17	28	34	29
Hyogo	486	60	42	40	44	44	29	21	22	18	54	55	57
Nara	141	12	9	8	15	19	10	12	5	5	14	14	18
Wakayama	119	13	11	12	10	13	6	11	3	6	10	15	9
Tottori	91	9	12	9	8	4	5	2	-	3	13	12	14
Shimane	304	41	32	20	18	20	20	14	12	12	40	39	36
Okayama	266	33	26	28	26	30	22	11	2	10	26	33	19
Hiroshima	428	57	34	59	33	38	14	22	17	15	40	46	53
Yamaguchi	326	35	34	29	41	25	28	9	7	6	51	28	33
Tokushima	127	9	10	11	17	13	9	8	8	3	11	12	16
Kagawa	117	10	15	17	7	13	30	4	2	5	6	4	4
Ehime	350	76	45	45	32	28	19	15	6	14	18	22	30
Kochi	146	23	22	11	16	9	10	5	1	7	17	20	5
Fukuoka	891	127	87	79	62	71	49	38	32	46	103	84	113
Sega	553	94	68	65	42	47	13	21	14	20	63	52	54
Nagasaki	460	78	49	42	35	33	34	14	24	29	43	46	39
Kumamoto	179	25	17	9	15	21	8	4	3	13	19	26	19
Oita	550	74	28	49	53	50	28	20	22	30	86	54	48
Miyazaki	419	60	30	24	37	32	26	26	21	24	45	42	52
Kagoshima	463	38	52	35	28	50	33	20	31	34	56	44	40

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TETANUS:													
Japan	1,947	134	111	117	147	229	165	211	197	149	173	154	160
Hokkaido	39	2	2	1	7	5	5	5	2	2	1	5	2
Aomori	11	1	-	-	-	3	1	-	2	3	1	1	-
Iwate	16	-	-	-	2	1	3	1	2	2	2	2	1
Miyagi	46	5	-	3	3	12	3	1	2	5	1	5	6
Akita	23	-	4	2	5	3	3	1	-	2	-	2	1
Yamagata	12	-	-	-	1	2	-	1	-	-	3	5	-
Fukushima	42	4	-	3	2	9	5	6	4	3	2	4	-
Ibaraki	133	10	13	9	7	3	14	8	22	12	16	12	7
Tochigi	42	-	4	5	4	5	4	5	3	4	4	2	3
Gumma	52	4	5	4	2	5	3	7	5	4	2	6	5
Saitama	54	2	6	1	2	10	6	5	7	7	2	5	1
Chiba	83	6	8	7	4	3	4	16	12	6	9	5	3
Tokyo	120	4	7	11	13	21	10	12	11	4	11	8	8
Kanagawa	54	5	2	3	5	10	4	3	3	1	4	5	9
Niigata	23	1	-	2	1	3	2	2	1	2	3	3	3
Toyama	18	-	1	-	1	2	2	6	3	-	1	1	1
Ishikawa	39	3	2	1	-	3	8	16	1	2	-	2	1
Fukui	10	-	-	1	-	1	-	4	1	1	1	1	-
Yamanashi	29	-	1	3	3	14	2	1	-	2	2	1	-
Nagano	49	3	2	-	4	14	4	4	10	5	6	4	3
Gifu	29	1	3	2	1	8	1	2	2	2	2	3	2
Shizuoka	55	6	1	3	4	5	8	8	5	2	4	4	5
Aichi	118	8	4	11	14	9	10	16	17	8	4	7	10
Mie	36	4	2	3	1	1	4	4	1	4	4	5	4
Shiga	10	-	1	-	-	2	2	-	-	4	-	1	-

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TETANUS - Cont'd.													
Kyoto	32	5	-	-	3	2	2	3	7	-	5	3	3
Osaka	52	4	2	2	3	4	8	5	5	4	11	3	1
Kyogo	35	5	2	3	1	1	1	-	3	6	6	2	5
Nara	10	-	-	-	1	1	1	1	1	-	2	1	2
Wakayama	11	-	1	1	-	1	2	2	1	-	1	-	2
Tottori	9	-	1	1	-	3	-	-	1	-	1	2	-
Shimane	30	3	1	1	3	4	2	3	-	2	5	4	2
Okayama	48	2	3	-	2	2	4	4	6	-	3	12	10
Hiroshima	59	3	1	4	2	11	4	8	7	7	6	3	3
Yamaguchi	26	-	-	-	3	6	2	1	5	-	3	2	4
Tokushima	24	5	-	1	1	4	2	2	-	4	3	1	1
Kagawa	21	3	1	2	-	1	-	4	1	3	3	2	1
Ehime	73	8	2	6	7	5	5	8	7	9	7	3	6
Kochi	34	2	2	3	2	8	3	1	5	1	3	-	4
Fukuoka	73	4	3	1	12	3	3	7	9	6	9	4	12
Saga	32	2	-	-	2	2	-	7	7	5	2	2	3
Nagasaki	49	5	10	4	4	5	4	5	1	3	5	-	3
Kumamoto	42	4	3	1	4	10	4	3	3	5	2	1	2
Oita	34	2	-	4	5	5	-	5	7	3	1	1	1
Miyazaki	47	4	4	2	4	3	3	5	2	1	7	4	8
Kagoshima	63	4	7	6	3	4	7	3	3	4	4	6	12

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	*Feb	*Mar	*Apr	*May	*Jun	*Jul	*Aug	*Sep	*Oct	*Nov	Dec
TUBERCULOSIS (All Forms):													
Japan	378,851	22,429	23,301	27,311	32,268	42,053	34,937	41,104	32,294	33,375	37,469	25,106	27,204
Hokkaido	29,164	1,957	1,899	2,345	2,575	3,428	2,465	3,573	2,130	2,426	2,698	1,898	1,830
Aomori	5,465	372	342	395	590	611	567	705	417	500	420	205	341
Iwate	9,095	726	680	759	829	1,010	881	1,052	669	541	818	606	524
Miyagi	8,351	510	441	502	746	1,016	729	827	602	840	758	663	717
Akita	6,269	525	433	492	577	695	542	689	543	460	553	419	341
Yamagata	4,828	273	320	442	410	550	422	521	453	391	426	281	339
Fukushima	7,594	420	431	593	641	864	804	797	706	619	733	489	507
Ibaraki	5,462	363	339	316	391	572	378	532	588	502	608	377	496
Tochigi	4,938	305	294	360	406	494	436	547	443	418	540	396	299
Guma	4,174	265	298	212	399	495	420	388	397	287	417	314	282
Seitama	6,232	304	308	507	510	627	480	766	636	591	634	485	384
Chiba	5,062	239	319	417	322	793	596	519	553	395	356	252	301
Tokyo	42,826	1,768	1,800	2,905	3,784	5,324	4,362	5,603	3,617	3,274	4,303	2,774	3,292
Kenegawa	15,066	944	1,146	1,027	1,310	1,951	1,176	1,567	1,109	1,336	1,515	910	1,075
Niigata	11,519	763	859	919	1,174	1,137	1,043	1,244	896	935	1,088	686	775
Toyama	8,517	369	490	647	862	1,169	816	1,026	623	744	694	507	570
Ishikawa	6,438	382	455	519	511	649	649	678	531	587	581	490	406
Fukui	2,351	100	134	157	186	367	314	131	178	241	217	179	147
Yamanashi	1,707	151	150	164	151	180	135	169	152	136	134	57	128
Nagano	8,776	547	524	832	756	758	915	953	841	747	746	502	655
Gifu	5,807	343	355	394	485	594	578	647	472	430	599	485	435
Shizuoka	8,836	519	539	596	756	978	820	927	874	800	873	551	603
Aichi	13,854	732	714	1,041	1,072	1,434	1,465	1,107	1,547	1,397	1,356	808	1,181
Mie	4,392	280	238	255	334	409	367	489	460	448	398	315	379
Shiga	3,271	154	189	228	301	343	263	327	218	414	338	296	260

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	*Feb	*Mar	*Apr	*May	*Jun	*Jul	*Aug	*Sep	*Oct	*Nov	*Dec
TUBERCULOSIS (All Forms) - Cont'd:													
Kyoto	11,451	485	544	430	810	1,030	1,014	1,194	1,173	1,182	1,547	1,061	981
Osaka	19,481	1,184	1,336	1,316	1,442	2,010	1,840	2,132	1,904	1,583	2,132	1,133	1,669
Hyogo	8,277	433	431	479	472	605	390	763	871	959	1,144	724	1,006
Nara	2,158	160	106	157	205	213	203	315	186	198	212	98	145
Wakayama	2,454	150	200	217	218	206	184	186	192	277	243	179	202
Tottori	3,663	260	270	315	319	466	327	426	311	326	322	268	253
Shimane	7,796	469	645	615	615	907	779	749	516	750	828	409	514
Okayama	7,431	250	303	366	618	795	642	780	713	935	844	680	485
Hiroshima	14,430	711	901	1,230	1,252	1,613	1,500	1,495	1,146	1,469	1,252	908	953
Yamaguchi	4,348	255	284	270	292	499	339	406	256	442	560	367	358
Tokushima	2,982	261	236	297	256	384	321	323	155	151	226	194	178
Kagawa	2,740	169	178	199	190	306	373	256	276	242	253	151	147
Ehime	9,201	765	872	708	808	1,135	671	870	585	837	758	590	602
Kochi	2,919	204	239	250	251	313	231	334	212	279	284	133	189
Fukuoka	19,405	1,542	1,440	1,674	1,846	2,163	1,747	1,839	1,384	1,577	1,828	1,126	1,239
Saga	3,922	301	304	254	287	326	356	362	386	331	465	260	290
Nagasaki	7,442	402	376	467	686	772	772	915	571	676	817	532	455
Kumamoto	4,390	217	237	308	425	453	338	484	371	410	480	301	306
Oita	5,448	394	226	276	563	531	458	735	604	512	474	390	285
Miyazaki	4,093	272	241	261	318	455	373	391	407	346	437	310	282
Kagoshima	4,486	234	235	198	317	422	416	365	460	434	560	447	398

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
Japan	708	25	41	54	82	86	81	72	86	51	40	41	49
Hokkaido	13	1	-	-	1	1	3	1	-	2	1	3	-
Aomori	12	1	-	-	3	-	1	2	-	5	-	-	-
Iwate	25	-	2	-	-	7	4	8	1	1	1	-	1
Miyagi	4	-	2	1	1	-	-	-	-	-	-	-	-
Akita	9	-	-	-	1	1	2	2	1	-	1	-	1
Yamagata	14	1	2	1	1	2	-	1	-	-	-	5	1
Fukushima	8	-	-	1	-	2	1	-	-	2	-	2	-
Ibaraki	10	1	-	-	-	2	6	-	-	-	-	1	1
Tochigi	7	1	1	-	2	-	-	1	-	-	-	1	1
Gunma	95	1	5	6	9	15	8	3	10	7	7	8	16
Saitama	5	-	-	-	1	-	1	1	1	-	1	-	-
Chiba	3	-	-	2	-	-	-	-	1	-	-	-	-
Tokyo	7	-	1	1	-	-	-	1	1	-	-	2	1
Kanagawa	19	2	-	-	-	1	6	8	-	2	-	-	-
Niigata	12	1	-	1	1	2	2	-	1	1	2	1	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	6	-	-	3	-	-	-	-	-	2	1	-	-
Fukui	6	-	-	-	1	2	-	-	-	1	-	2	-
Yamanashi	5	-	3	-	-	1	-	-	-	1	-	1	-
Nagano	14	-	-	2	-	1	-	2	1	-	3	1	4
Gifu	12	-	2	1	1	2	1	4	1	-	-	-	-
Shizuoka	24	1	3	7	5	3	1	-	1	-	-	-	3
Aichi	14	4	2	1	1	1	-	1	1	1	2	-	-
Mie	8	-	-	1	1	1	-	1	1	2	-	2	-
Shiga	1	-	-	-	-	-	1	-	-	-	-	-	-

LEPROSY:

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
LEPROSY - Cont'd:													
Kyoto	35	-	-	1	-	1	1	2	10	4	6	2	8
Osaka	24	-	4	3	7	1	5	-	3	-	-	1	-
Hyogo	56	3	4	-	8	10	5	4	11	5	3	2	1
Nara	1	-	-	-	-	-	-	-	-	1	-	-	-
Wakayama	8	1	-	2	-	2	2	-	-	1	-	-	-
Tottori	7	1	2	-	1	2	-	-	-	-	-	-	1
Shimane	5	-	-	-	-	1	-	2	-	-	1	-	-
Okayama	12	-	1	-	-	6	-	1	-	1	2	1	-
Hiroshima	19	-	1	-	7	-	-	10	-	-	-	1	1
Yamaguchi	31	-	1	3	8	3	8	-	1	1	2	3	1
Tokushima	28	-	-	-	-	-	2	-	21	4	-	-	1
Kagawa	8	2	-	-	-	1	4	-	-	-	1	-	-
Exhime	14	1	1	-	2	1	3	1	2	1	1	-	1
Kochi	19	-	-	2	1	1	1	4	8	1	1	-	-
Fukuoka	36	2	1	3	8	5	5	6	2	-	4	-	-
Saga	6	-	-	-	2	1	-	-	-	1	-	1	1
Nagasaki	14	-	-	3	4	1	2	2	-	1	-	1	-
Kumamoto	12	-	-	3	-	-	3	3	2	1	-	-	-
Oita	11	-	-	2	3	1	2	-	-	-	-	-	3
Miyazaki	10	-	3	1	1	3	-	-	-	-	-	1	1
Kagoshima	19	1	-	3	1	3	1	1	5	2	-	1	1

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	Jan	Feb	Mar	Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
GONORRHEA:													
Japan	217,956	18,420	18,076	22,309	24,798	25,928	16,887	19,111	13,729	14,950	17,254	13,464	13,030
Hokkaido	9,266	861	843	787	884	1,038	658	792	682	624	811	654	632
Aomori	2,675	324	235	295	287	368	235	244	147	167	140	84	149
Iwate	1,043	80	60	83	85	131	100	135	62	77	73	61	96
Miyagi	2,552	295	249	221	209	249	131	191	157	424	216	211	118
Akita	2,107	219	321	342	239	192	175	132	131	126	101	72	57
Yamagata	1,034	74	99	98	92	116	87	80	91	92	85	45	75
Fukushima	3,111	243	282	303	316	377	290	300	255	210	239	150	166
Ibaraki	2,922	235	193	409	687	280	187	229	151	162	150	127	118
Tochigi	2,802	239	269	286	330	273	224	229	219	204	242	124	140
Gumma	2,386	191	213	156	196	295	214	228	190	189	222	126	166
Saitama	2,077	178	154	218	206	218	170	201	201	190	151	118	72
Chiba	6,071	281	356	1,668	1,565	1,057	316	321	108	121	130	62	86
Tokyo	14,119	1,157	1,139	965	1,030	1,236	1,333	1,397	1,145	1,140	1,338	1,128	1,111
Kanagawa	13,086	1,263	997	1,243	1,629	1,645	889	1,197	916	891	1,047	765	604
Niigata	2,906	265	369	323	350	381	327	273	149	181	113	93	82
Toyama	2,412	297	222	202	209	245	161	254	205	157	207	133	120
Ishikawa	2,184	254	198	195	224	265	214	175	97	116	126	153	167
Fukui	1,553	126	119	133	168	245	136	59	102	131	148	86	100
Yamanashi	1,348	186	99	144	102	115	97	152	110	84	125	62	72
Nagano	6,255	718	992	830	892	1,155	417	286	208	203	213	171	170
Gifu	3,762	283	280	301	318	375	282	229	260	308	400	414	312
Shizuoka	5,111	291	323	457	906	669	432	481	335	336	361	269	251
Aichi	19,611	1,054	1,364	2,678	3,278	2,782	1,144	981	1,131	1,174	1,440	1,223	1,962
Mie	2,467	302	273	179	272	242	186	205	160	219	165	113	151
Shiga	1,346	136	136	103	132	132	108	120	81	140	115	76	65

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
GONORRHEA - Cont'd.													
Kyoto	6,880	748	962	668	663	773	457	478	295	399	574	469	394
Osaka	10,827	864	776	770	857	1,004	767	1,051	753	978	1,200	1,039	768
Hyogo	14,282	829	1,028	1,425	1,849	2,417	1,613	1,614	728	673	748	745	613
Nara	2,347	113	167	217	260	285	251	263	188	181	171	152	99
Wakayama	4,155	391	348	491	306	560	348	454	191	202	341	270	253
Tottori	2,203	202	201	234	197	192	365	214	134	131	145	103	85
Shimane	896	118	100	77	78	88	55	100	47	53	62	46	32
Okayama	4,472	513	273	598	410	463	130	550	275	379	337	273	271
Hiroshima	7,962	611	506	693	583	726	472	854	555	737	998	686	541
Yamaguchi	7,898	318	317	721	894	699	534	752	602	590	1,016	700	755
Tokushima	1,164	181	85	143	169	123	65	101	76	63	56	47	55
Kagawa	1,169	128	97	88	90	167	141	104	63	100	89	67	35
Ehime	2,554	261	155	226	241	365	199	281	189	208	157	114	158
Kochi	1,473	120	120	157	173	165	127	165	96	97	112	62	79
Fukuoka	15,169	1,465	1,295	1,283	1,263	1,605	1,275	1,377	896	1,186	1,335	1,087	1,102
Saga	3,501	389	327	359	317	409	234	306	267	263	280	166	184
Nagasaki	5,528	514	494	500	528	694	409	533	319	393	448	333	363
Kumamoto	3,574	317	317	418	564	291	281	306	246	191	232	179	232
Oita	3,070	342	282	227	255	306	250	245	261	220	247	138	297
Miyazaki	1,737	147	134	155	186	219	186	164	110	118	134	88	96
Kagoshima	2,949	335	327	240	309	395	210	296	145	122	214	180	176

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
GLANDERS:													
Japan	3	-	-	-	-	-	2	-	1	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibureki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	1	-	-	-	-	-	-	-	1	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
GLANDERS - Cont'd:													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	1	-	-	-	-	-	1	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	1	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
DYSENTERY,													
Japan	14,628	126	154	292	290	600	1,093	3,952	3,925	2,547	1,228	342	179
Hokkaido	952	7	24	6	13	24	85	238	315	168	48	13	11
Aomori	120	1	-	1	-	3	5	29	38	26	13	4	-
Iwate	528	2	1	6	5	18	20	42	167	202	56	7	2
Miyagi	228	1	3	9	8	8	11	57	57	55	38	7	3
Akita	195	2	1	7	5	8	11	57	36	44	22	1	1
Yamagata	237	1	7	17	10	21	11	42	74	39	13	-	2
Fukushima	471	-	-	5	2	15	21	171	198	79	35	5	-
Ibaraki	746	3	2	4	5	15	58	221	220	119	62	19	18
Tochigi	279	3	3	7	7	4	22	87	71	53	15	4	4
Gumma	472	3	9	6	7	17	37	151	168	50	20	4	-
Seitama	406	2	2	3	2	27	30	117	112	74	21	9	7
Chiba	284	-	4	8	9	16	12	53	88	42	36	11	5
Tokyo	1,537	24	28	44	49	92	98	434	360	215	119	38	36
Kanagawa	296	8	4	8	11	21	22	87	64	34	30	6	1
Niigata	602	3	5	86	12	18	21	109	186	102	45	11	4
Toyama	61	1	1	-	3	6	1	15	17	10	5	1	1
Isikawa	36	-	1	1	2	3	2	8	8	5	5	2	-
Fukui	202	-	-	1	12	6	7	74	58	36	5	5	1
Yamanashi	76	2	1	-	2	1	3	16	22	16	5	4	4
Nagano	331	7	1	1	5	2	108	60	83	39	16	5	4
Gifu	399	2	1	2	4	6	15	151	134	57	20	6	1
Shizuoka	331	4	3	2	6	16	23	94	87	56	25	8	7
Aichi	698	6	4	8	9	26	49	237	172	122	45	14	6
Mie	181	-	1	1	6	2	11	67	48	21	21	2	1
Shiga	94	1	1	1	1	2	9	24	35	11	8	1	-

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	June	*Jul	Aug	Sep	*Oct	Nov	Dec
DYSENTERY:													
Kyoto	293	9	2	1	9	18	36	56	94	35	27	4	2
Osaka	520	3	10	10	7	23	50	177	66	98	53	16	7
Kyogo	457	5	3	7	10	16	17	106	117	102	47	23	4
Nara	46	-	-	1	1	2	3	12	6	9	8	3	1
Wakayama	57	2	1	4	1	-	-	10	13	10	11	2	3
Tottori	67	-	-	3	1	5	2	18	23	19	5	-	-
Shimane	219	-	-	1	-	3	9	42	80	46	21	14	3
Okayama	200	1	1	1	2	2	7	53	54	42	29	6	2
Hiroshima	321	2	4	4	6	12	15	69	91	72	39	5	2
Yamaguchi	242	2	2	1	2	4	10	54	44	62	49	11	1
Tokushima	155	-	-	-	2	4	7	39	54	32	12	1	4
Kagawa	128	2	-	4	1	7	13	34	40	9	17	-	1
Ehime	359	2	5	2	9	18	30	107	116	39	25	3	3
Kochi	111	-	1	-	2	8	12	16	19	20	20	11	2
Fukuoka	433	4	11	8	12	21	48	92	90	77	56	10	4
Seiga	182	2	-	1	7	6	18	68	40	24	8	4	4
Nagasaki	250	4	4	2	5	25	18	77	36	46	24	6	3
Kumamoto	218	1	1	1	7	16	47	61	51	19	5	7	2
Oita	191	2	-	2	3	5	11	44	51	46	18	6	3
Miyazaki	282	1	1	4	6	28	26	55	45	51	21	18	8
Kagoshima	155	1	1	2	3	2	22	50	37	23	8	5	1

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
MALARIA:													
Japan	4,940	262	212	232	293	429	661	1,003	788	514	322	116	108
Hokkaido	110	6	9	7	10	8	15	18	5	11	12	7	2
Aomori	40	5	1	1	6	2	3	3	4	13	2	3	1
Iwate	33	3	1	6	6	4	2	8	1	1	-	-	1
Miyagi	33	5	2	1	1	1	4	2	7	6	2	2	-
Akita	26	2	1	3	4	4	2	3	3	2	1	-	1
Yamagata	24	1	-	1	3	1	4	4	3	3	1	-	3
Fukushima	43	3	4	-	4	5	2	7	2	3	9	2	2
Ibaraki	49	7	7	2	3	5	6	6	3	4	2	4	-
Tochigi	38	4	3	3	5	2	4	6	4	1	4	1	1
Gunma	15	4	-	3	1	1	1	1	-	-	2	1	1
Saitama	26	1	3	7	1	2	-	3	3	2	3	1	-
Chiba	33	1	3	4	-	1	5	6	7	3	3	-	-
Tokyo	312	19	14	29	29	28	28	53	52	27	15	9	9
Kanagawa	82	16	11	7	6	11	9	6	2	2	8	-	4
Niigata	103	5	1	13	16	8	11	12	13	9	7	5	3
Toyama	50	2	5	7	5	3	2	6	7	6	2	2	3
Ishikawa	32	2	4	4	5	2	1	6	3	2	2	1	-
Fukui	25	-	-	1	3	8	7	1	-	3	-	1	1
Yamanashi	23	-	2	2	1	2	4	3	4	4	1	-	-
Nagano	16	-	1	-	-	3	2	3	3	2	1	-	1
Gifu	42	6	4	1	6	1	4	3	6	5	3	1	2
Shizuoka	43	4	5	9	2	2	6	3	4	3	3	1	1
Aichi	49	6	1	7	2	4	5	12	7	2	6	1	-
Mie	61	8	1	3	6	7	13	10	5	5	-	-	3
Shiga	2,258	9	6	5	49	183	384	674	505	279	130	23	11

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
MALARIA - Cont'd:													
Kyoto	86	5	2	1	4	1	9	5	27	12	8	9	3
Osaka	55	8	3	8	7	6	7	2	-	-	2	3	9
Hyogo	66	5	9	7	6	2	2	5	10	5	11	1	3
Nara	31	1	4	3	3	6	-	4	4	2	3	-	1
Wakayama	20	3	5	1	1	1	1	1	2	-	2	1	2
Tottori	47	2	6	7	6	4	5	5	5	4	2	1	-
Shimane	34	5	1	4	3	3	2	6	5	1	2	1	1
Okayama	51	4	4	1	3	7	6	3	7	5	3	5	3
Hiroshima	110	4	4	11	8	3	26	10	10	12	14	6	2
Yamaguchi	47	5	2	6	3	4	6	8	2	4	3	-	4
Tokushima	22	4	2	1	4	2	1	1	2	1	3	-	1
Kagawa	24	3	2	6	2	2	2	3	2	-	1	-	1
Ehime	107	12	18	8	10	10	7	14	12	8	3	2	3
Kochi	21	1	5	5	3	3	-	2	2	-	-	-	-
Fukuoka	246	39	28	22	19	19	17	17	19	17	30	8	11
Saga	41	4	5	2	1	4	4	11	2	4	3	1	-
Nagasaki	68	7	5	3	5	8	9	8	5	6	4	4	4
Kumamoto	63	3	6	9	9	6	3	15	3	6	1	2	3
Oita	54	19	7	3	2	3	4	6	2	4	-	2	2
Miyazaki	23	2	1	1	3	2	1	3	3	1	1	2	3
Kagoshima	158	7	4	4	21	35	25	15	11	24	7	3	2

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	*Feb	*Mar	*Apr	*May	*Jun	*Jul	*Aug	*Sep	*Oct	*Nov	*Dec
SYPHILIS:													
Japan	24,466	14,615	17,230	21,480	23,719	24,125	16,949	18,955	13,893	15,425	18,618	14,626	14,831
Hokkaido	7,621	424	559	481	707	991	636	719	578	525	815	568	618
Aomori	1,889	202	183	172	179	161	171	206	109	145	127	73	141
Iwate	1,576	97	103	127	141	179	133	172	88	114	167	114	141
Miyagi	2,323	133	186	184	238	218	138	276	186	236	275	241	211
Akita	2,329	226	251	462	264	214	124	157	146	129	124	121	112
Yamagata	2,267	108	197	233	241	223	196	194	155	215	200	133	172
Fukushima	2,999	192	226	234	302	283	224	244	275	255	282	171	311
Ibaraki	3,237	239	196	397	744	269	195	220	148	199	246	186	198
Tochigi	4,082	287	356	445	565	420	437	312	271	276	313	185	215
Gunma	2,987	178	179	194	211	306	318	329	241	314	300	226	191
Saitama	2,157	177	168	200	193	257	172	204	189	171	155	151	120
Chiba	5,397	384	432	1,340	1,409	616	299	266	116	116	212	98	109
Tokyo	14,234	1,596	1,996	1,370	1,130	953	1,051	1,125	962	832	1,296	1,057	766
Kanagawa	9,743	822	751	763	824	1,108	663	943	751	706	959	720	733
Niigata	3,551	220	289	451	445	370	330	327	216	293	201	178	231
Toyama	2,623	266	224	241	231	306	211	262	214	161	205	160	142
Ishikawa	2,101	145	203	144	153	287	236	155	84	163	240	159	132
Fukui	1,700	116	160	149	149	244	158	102	104	130	154	98	136
Yamanashi	1,063	111	79	102	95	78	74	119	82	64	101	82	76
Nagano	5,244	552	698	575	724	982	289	282	253	243	242	200	224
Gifu	2,130	140	199	184	179	254	158	184	148	148	185	154	197
Shizuoka	5,523	285	465	512	831	721	462	466	372	375	383	336	315
Aichi	17,577	483	852	2,482	3,123	2,560	1,059	828	1,101	1,174	1,418	1,285	1,312
Mie	3,617	311	298	300	366	369	315	306	269	353	344	177	209
Shiga	1,561	138	157	119	110	145	140	139	102	169	163	86	93

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
SYPHILIS - Cont'd.													
Kyoto	7,737	537	775	799	742	753	578	616	389	537	725	648	638
Osaka	13,215	952	1,075	986	1,058	1,166	948	1,130	904	1,037	1,568	1,389	1,002
Hyogo	20,116	809	1,376	2,207	2,455	3,352	2,220	2,418	1,212	1,027	1,088	906	1,046
Nara	2,695	145	175	184	306	335	257	263	196	234	266	181	153
Wakayama	3,047	245	174	519	245	320	210	212	183	206	324	168	241
Tottori	1,976	144	194	188	186	192	301	162	90	131	162	124	102
Shimane	1,083	84	93	101	96	79	72	100	62	86	133	100	75
Okayama	4,472	473	294	421	335	297	191	589	341	513	393	292	333
Hiroshima	5,731	373	446	501	407	574	455	702	403	487	539	431	443
Yamaguchi	6,634	212	301	581	595	490	520	636	468	532	854	696	749
Tokushima	1,358	154	117	120	209	120	87	117	81	97	77	97	82
Kagawa	1,916	118	102	144	212	177	158	146	153	185	139	174	208
Ehime	2,748	210	204	203	263	355	246	268	167	243	226	153	210
Kochi	1,269	68	84	121	156	127	111	97	83	93	130	108	91
Fukuoka	13,148	894	937	1,125	1,164	1,449	1,110	1,280	854	1,082	1,312	956	985
Saga	2,786	206	260	290	278	280	203	253	183	274	218	180	161
Nagasaki	4,414	345	355	374	354	510	297	481	247	363	399	296	393
Kumamoto	3,759	246	314	297	464	319	276	373	203	266	370	328	303
Oita	2,556	204	222	179	198	241	193	195	245	244	218	183	234
Miyazaki	1,361	70	68	88	166	147	126	178	93	123	113	99	90
Kagoshima	2,614	194	287	191	276	308	201	222	176	157	257	158	187

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
INFLUENZA,													
Japan	2,822	504	395	380	466	367	166	131	67	62	68	74	142
Hokkaido	159	23	36	37	18	13	16	7	1	-	1	2	5
Aomori	17	5	4	1	4	-	2	-	-	-	-	-	1
Iwate	34	-	2	5	4	5	6	3	2	2	1	-	4
Miyagi	13	1	1	1	2	-	3	-	-	-	1	-	4
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	10	-	-	-	6	3	-	-	-	-	1	-	-
Fukushima	28	3	-	12	11	1	1	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	57	1	3	39	10	-	4	1	-	1	1	1	3
Gunma	34	7	6	5	7	2	-	-	-	1	1	-	-
Saitama	70	-	13	35	3	2	2	2	7	2	2	-	2
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	143	16	16	29	42	12	-	8	1	3	2	4	9
Kanagawa	63	17	6	12	16	11	1	-	-	-	-	-	-
Miigata	50	1	4	11	5	18	7	-	2	-	-	-	2
Toyama	73	10	7	-	10	1	4	14	-	-	-	8	19
Ishikawa	84	2	3	13	17	35	5	-	1	-	1	3	4
Fukui	100	14	3	14	9	38	1	-	-	15	3	3	3
Yamanashi	21	-	7	7	3	3	1	-	-	-	1	-	-
Nagano	35	7	3	-	14	3	1	4	2	1	-	-	-
Gifu	40	2	2	5	2	21	1	3	-	-	1	-	3
Shizuoka	24	2	8	1	6	1	2	2	1	-	1	-	-
Aichi	94	10	16	8	8	25	4	7	1	6	3	1	5
Mie	13	1	-	2	1	4	-	3	1	-	-	-	1
Shiga	208	1	-	8	35	37	31	8	9	7	21	28	23

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	*Feb	*Mar	*Apr	*May	*Jun	*Jul	*Aug	*Sep	*Oct	Nov	Dec
INFLUENZA - Cont'd:													
Kyoto	121	2	7	1	92	6	3	4	1	-	2	3	-
Osaka	118	15	11	9	24	9	5	9	19	4	8	3	2
Hyogo	28	2	2	-	-	3	-	1	-	-	4	4	12
Nara	9	1	-	-	1	-	1	4	2	-	-	-	-
Wakayama	68	35	17	4	5	-	-	-	2	5	-	-	-
Tottori	12	3	-	-	1	8	-	-	-	-	-	-	-
Shimane	42	7	3	22	1	-	-	-	-	-	-	-	9
Okayama	59	11	3	1	3	24	-	1	2	1	8	1	4
Hiroshima	299	38	35	37	29	45	51	32	9	3	1	7	12
Yamaguchi	8	1	-	-	2	-	-	1	1	-	-	1	2
Tokushima	71	16	15	5	32	1	-	-	-	-	-	-	2
Kagawa	10	7	3	-	-	2	-	-	-	-	-	-	-
Ehime	150	94	26	4	1	-	4	6	-	1	-	5	7
Kochi	4	-	3	1	-	-	-	-	-	-	-	-	-
Fukuoka	318	99	89	45	32	30	10	4	1	9	3	-	2
Saga	11	5	4	-	-	1	-	-	1	-	-	-	-
Nagasaki	9	-	-	1	1	-	-	5	-	2	-	-	-
Kumamoto	31	3	13	2	6	2	-	-	1	-	2	-	2
Oita	81	48	27	-	3	1	-	2	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	3	-	-	3	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
SMALLPOX,													
Japan	29	2	2	1	4	5	1	7	-	1	4	1	1
Hokkaido	9	2	1	-	1	-	-	-	-	1	4	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	1	-	-	-	1	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	2	-	-	-	-	2	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	1	-	-	1	-	-	-	-	-	-	-	-	-
Shizuoka	1	-	-	-	-	-	-	1	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
SMALLPOX - Cont'd:													
Kyoto	2	-	-	-	1	-	-	1	-	-	-	-	-
Osaka	2	-	-	-	-	-	-	-	-	-	-	1	1
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	1	-	-	-	-	1	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	1	-	-	-	1	-	-	-	-	-	-	-	-
Okayama	2	-	1	-	-	-	-	1	-	-	-	-	-
Hiroshima	1	-	-	-	-	1	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	-	-	-	1	-	-	-	-	-	-	-
Saga	5	-	-	-	-	-	1	4	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
MEASLES:													
Japan	54,698	3,590	3,527	6,116	6,534	10,413	8,011	5,761	2,467	921	1,283	2,189	3,886
Hokkaido	4,158	179	125	123	113	234	304	573	431	249	442	586	799
Aomori	738	74	37	18	36	42	69	70	70	33	59	60	191
Iwate	1,053	150	75	88	98	192	160	140	54	29	21	13	33
Miyagi	1,076	203	105	66	107	142	200	79	60	17	17	46	34
Akita	417	61	9	20	18	43	28	35	40	21	17	38	87
Yamagata	714	21	24	18	15	41	114	102	89	31	32	59	168
Fukushima	827	31	21	55	105	129	83	74	51	20	47	105	106
Ibaraki	657	52	55	53	71	151	124	81	30	17	3	8	12
Tochigi	256	35	36	28	55	35	28	11	6	3	1	5	11
Gumma	418	30	28	57	34	70	52	17	14	2	26	48	40
Seitama	92	2	9	5	10	11	16	26	7	2	-	2	2
Chiba	99	-	-	6	12	13	29	28	7	3	-	-	1
Tokyo	1,005	27	31	78	156	199	179	136	39	11	16	21	112
Kanagawa	201	11	7	6	14	51	45	36	14	2	5	4	6
Niigata	1,715	114	44	168	91	192	232	244	124	33	35	197	241
Toyama	1,048	30	96	65	92	196	174	151	88	9	19	43	85
Ishikawa	827	25	19	17	72	228	117	143	46	73	35	27	75
Fukui	1,370	91	59	62	65	326	353	203	119	34	5	17	36
Yamanashi	49	8	3	3	4	4	10	7	3	4	-	-	3
Nagano	1,070	115	77	136	145	155	187	159	34	11	7	4	40
Gifu	2,089	125	184	269	362	417	335	171	44	23	53	64	42
Shizuoka	930	46	51	106	134	274	140	119	19	1	4	14	22
Aichi	1,087	57	52	48	104	224	285	206	72	12	2	7	18
Mie	1,373	93	110	277	220	223	190	107	37	14	36	18	54
Shiga	525	25	36	169	99	68	59	36	11	8	5	2	3

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
MEASLES - Cont'd:													
Kyoto	930	39	64	49	89	203	189	146	53	11	7	30	50
Osaka	894	30	18	51	129	132	182	152	63	24	32	18	65
Ryogo	1,364	27	55	115	133	316	211	294	159	23	6	6	19
Nara	105	-	-	2	4	22	34	22	10	4	3	1	3
Wakayama	398	24	16	33	20	14	71	51	9	16	29	43	72
Tottori	887	80	69	107	125	258	118	68	48	2	2	7	3
Shimane	988	51	19	9	18	80	84	75	30	16	72	193	341
Okayama	3,437	76	130	356	688	1,396	466	212	81	14	6	4	8
Hiroshima	4,756	203	256	474	564	1,280	997	644	132	34	50	68	54
Yamaguchi	372	41	47	50	22	91	63	15	7	-	1	2	33
Tokushima	1,674	90	137	381	292	338	262	126	24	8	-	3	13
Kagawa	2,223	68	220	564	472	541	286	60	9	-	3	-	-
Ehime	4,155	519	421	835	753	764	469	234	68	25	2	7	58
Kochi	2,171	354	307	577	327	343	157	58	17	9	7	3	12
Fukuoka	2,238	55	65	114	96	177	251	225	100	64	88	258	745
Saga	316	21	13	44	33	33	58	75	11	6	6	7	9
Nagasaki	805	62	73	37	74	103	122	103	30	13	34	66	88
Kumamoto	1,237	76	48	79	201	260	250	141	64	19	15	31	53
Uita	644	36	15	55	96	198	83	64	19	6	16	33	23
Miyazaki	390	43	85	91	43	49	35	25	11	5	1	1	1
Kagoshima	920	90	174	152	123	157	110	98	13	10	18	20	15

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
POLIOMYELITIS:													
Japan	980	30	25	21	34	58	58	162	160	151	101	89	91
Hokkaido	41	1	5	-	5	4	3	3	2	1	2	6	9
Aomori	6	-	-	-	-	-	-	-	1	1	2	-	2
Iwate	11	1	2	-	-	-	1	-	1	2	-	1	2
Miyagi	124	-	-	-	-	-	2	6	31	50	14	12	9
Akita	18	1	1	-	-	2	-	3	1	1	3	2	4
Yamagata	4	-	-	-	-	-	1	-	-	-	-	3	-
Fukushima	11	1	-	-	-	2	2	3	2	-	-	1	-
Ibaraki	11	2	1	-	-	1	1	1	-	1	2	1	2
Tochigi	16	1	-	-	1	2	1	2	3	1	3	1	1
Gumma	5	-	-	-	-	1	-	-	-	-	2	1	1
Seitama	14	-	-	1	1	-	-	1	4	1	-	4	2
Chiba	2	-	-	-	-	-	-	-	1	-	1	-	-
Tokyo	105	5	1	6	5	3	5	20	21	12	16	6	5
Kenagawa	35	1	-	-	-	4	1	9	9	5	2	2	2
Niigata	23	1	2	2	-	2	2	2	7	1	1	2	1
Toyama	13	-	1	-	-	1	-	-	3	3	1	3	1
Ishikawa	17	-	-	-	1	-	1	-	1	1	2	1	10
Fukui	2	-	-	-	-	-	-	-	-	1	-	1	1
Yamanashi	3	-	-	-	1	-	-	-	-	-	-	2	-
Nagano	6	-	-	-	-	-	3	-	-	-	1	-	2
Gifu	9	-	1	-	2	-	-	1	-	-	1	2	2
Shizuoka	21	-	1	2	1	5	-	1	1	4	4	1	1
Aichi	3	1	1	-	-	-	-	-	-	1	-	1	-
Mie	1	-	1	-	-	-	-	-	-	-	-	-	-
Shiga	1	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
POLIOMYELITIS - Cont'd:													
Kyoto	22	-	-	-	-	1	-	3	9	3	3	1	2
Osaka	40	-	1	-	2	1	4	5	1	7	6	7	3
Hyogo	9	-	-	-	1	1	-	-	3	1	-	-	-
Nara	1	-	-	-	-	1	-	-	-	1	-	-	-
Wakayama	2	-	-	-	-	-	-	-	-	1	-	-	1
Tottori	13	1	-	-	-	1	-	-	2	2	3	4	-
Shimane	11	2	1	-	1	2	1	-	-	2	-	1	1
Okayama	92	-	-	-	-	2	10	32	16	12	11	8	1
Hiroshima	30	-	4	-	-	1	-	1	6	10	4	4	-
Yamaguchi	17	1	1	-	-	1	1	9	3	-	-	-	1
Tokushima	5	-	-	1	-	-	-	-	-	-	1	-	3
Kagawa	4	2	-	1	-	1	-	-	-	-	-	-	-
Ehime	11	-	-	-	-	-	-	-	2	3	1	4	1
Kochi	3	-	-	-	-	-	-	1	-	1	1	-	-
Fukuoka	76	3	-	4	5	9	10	13	9	12	3	3	5
Saga	14	2	-	-	-	1	1	2	4	2	-	2	-
Nagasaki	22	1	-	1	1	3	4	3	4	1	2	1	1
Kumamoto	50	-	-	-	-	1	3	35	6	1	2	-	2
Oita	30	2	-	1	5	4	1	3	4	3	4	-	1
Miyazaki	9	-	2	-	1	1	-	3	-	2	-	-	-
Kagoshima	17	1	-	2	1	1	-	-	2	1	3	-	6

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
JAPANESE 'B' ENCEPHALITIS:													
Japan	7,208	-	-	-	-	-	4	20	4,907	2,097	180	-	-
Hokkaido	7	-	-	-	-	-	-	-	2	4	1	-	-
Aomori	46	-	-	-	-	-	-	-	5	40	1	-	-
Iwate	140	-	-	-	-	-	-	-	18	110	12	-	-
Miyagi	165	-	-	-	-	-	-	-	67	94	4	-	-
Akita	139	-	-	-	-	-	-	-	22	102	15	-	-
Yamagata	152	-	-	-	-	-	-	-	58	85	9	-	-
Fukushima	66	-	-	-	-	-	-	-	35	90	1	-	-
Ibaraki	335	-	-	-	-	-	-	-	243	87	5	-	-
Tochigi	88	-	-	-	-	-	-	-	55	32	1	-	-
Guma	143	-	-	-	-	-	-	-	119	23	1	-	-
Saitama	299	-	-	-	-	-	-	-	260	39	-	-	-
Chiba	337	-	-	-	-	-	-	-	292	44	1	-	-
Tokyo	1,969	-	-	-	-	-	2	18	1,706	226	17	-	-
Kanagawa	589	-	-	-	-	-	-	-	535	49	5	-	-
Niigata	239	-	-	-	-	-	-	-	84	155	-	-	-
Toyama	105	-	-	-	-	-	-	-	66	39	-	-	-
Ishikawa	81	-	-	-	-	-	-	-	41	40	-	-	-
Fukui	65	-	-	-	-	-	-	-	22	43	-	-	-
Yamanashi	111	-	-	-	-	-	-	-	85	25	1	-	-
Nagano	191	-	-	-	-	-	-	-	111	78	2	-	-
Gifu	107	-	-	-	-	-	-	-	43	58	6	-	-
Shizuoka	377	-	-	-	-	-	-	1	290	84	2	-	-
Aichi	389	-	-	-	-	-	-	-	314	69	6	-	-
Mie	84	-	-	-	-	-	1	1	52	28	2	-	-
Shiga	62	-	-	-	-	-	-	-	39	23	-	-	-

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
JAPANESE *B* ENCEPHALITIS - Cont'd:													
Kyoto	34	-	-	-	-	-	-	-	9	23	2	-	-
Osaka	100	-	-	-	-	-	-	-	45	54	-	-	-
Hyoogo	136	-	-	-	-	-	-	-	70	66	-	-	-
Nara	15	-	-	-	-	-	-	-	7	8	-	-	-
Wakayama	18	-	-	-	-	-	-	-	2	13	3	-	-
Tottori	27	-	-	-	-	-	-	-	6	18	3	-	-
Shimane	18	-	-	-	-	-	-	-	11	6	1	-	-
Okayama	69	-	-	-	-	-	-	-	39	30	-	-	-
Hiroshima	34	-	-	-	-	-	-	-	10	24	-	-	-
Yamaguchi	30	-	-	-	-	-	-	-	7	20	3	-	-
Tokushima	26	-	-	-	-	-	-	-	9	17	-	-	-
Kagawa	18	-	-	-	-	-	-	-	10	8	-	-	-
Ehime	64	-	-	-	-	-	-	-	21	41	2	-	-
Kochi	34	-	-	-	-	-	-	-	29	5	-	-	-
Fukuoka	45	-	-	-	-	-	-	-	-	21	24	-	-
Saga	26	-	-	-	-	-	-	-	-	18	8	-	-
Nagasaki	32	-	-	-	-	-	-	-	-	6	26	-	-
Kumamoto	47	-	-	-	-	-	1	-	16	23	7	-	-
Oita	11	-	-	-	-	-	-	-	8	3	-	-	-
Miyazaki	66	-	-	-	-	-	-	-	16	46	4	-	-
Kagoshima	72	-	-	-	-	-	-	-	27	40	5	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
RABIES,													
Japan	44	4	4	1	3	4	5	5	2	4	2	5	5
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	6	-	-	-	2	2	-	-	-	-	-	1	1
Chiba	8	-	-	1	-	-	-	-	-	3	1	1	2
Tokyo	22	2	4	-	-	2	1	5	2	1	1	3	1
Kanagawa	2	2	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
RABIES - Cont'd:													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyoogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	4	-	-	-	-	-	4	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	-	-	1	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Negasaki	1	-	-	-	-	-	-	-	-	-	-	-	1
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TYPHUS FEVER:													
Japan	474	73	58	34	138	36	54	23	2	3	3	13	37
Hokkaido	5	-	-	-	4	1	-	-	-	-	-	-	-
Aomori	18	3	15	-	-	-	-	-	-	-	-	-	-
Iwate	7	-	1	-	6	-	-	-	-	-	-	-	-
Miyagi	4	-	-	-	2	2	-	-	-	-	-	-	-
Akita	5	-	-	1	4	-	-	-	-	-	-	-	-
Yamagata	4	-	3	1	-	-	-	-	-	-	-	-	-
Fukushima	4	-	-	-	2	2	-	-	-	-	-	-	-
Ibaraki	5	-	-	-	-	4	1	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	10	2	1	-	1	2	2	2	-	-	-	-	-
Chiba	6	1	-	1	2	2	-	-	-	-	-	-	-
Tokyo	55	14	5	11	6	3	1	1	-	-	-	5	9
Kanagawa	47	5	7	3	1	8	7	8	2	2	2	1	1
Niigata	2	-	1	-	1	-	-	-	-	-	-	-	-
Toyama	6	2	1	2	1	-	-	-	-	-	-	-	-
Ishikawa	1	1	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	1	-	1	-	-	-	-	-	-	-	-	-	-
Gifu	10	-	3	3	2	-	-	1	-	-	-	1	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	4	-	1	-	-	1	1	-	-	-	-	-	1
Mie	1	-	-	-	-	-	-	-	-	-	-	1	-
Shiga	1	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TYPHUS FEVER - Cont'd:													
Kyoto	38	-	-	-	-	1	36	1	-	-	-	-	-
Osaka	150	24	2	7	100	5	2	5	-	-	-	3	2
Hyogo	3	-	2	-	-	-	-	-	-	-	-	1	-
Nara	21	3	-	1	-	1	-	3	-	1	-	1	11
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	12	3	3	-	1	2	2	-	-	-	-	-	1
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	12	5	1	1	3	-	1	-	-	-	-	-	1
Yamaguchi	1	-	-	-	1	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	8	2	-	-	1	2	1	1	-	-	1	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	4	-	2	2	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	26	7	7	1	-	-	-	-	-	-	-	-	11
Kumamoto	3	1	2	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	*Feb	*Mar	*Apr	*May	*Jun	*Jul	*Aug	*Sep	*Oct	*Nov	*Dec
CHANCROID;													
Japan	36,426	3,472	3,528	4,551	4,427	3,928	2,346	2,490	1,951	2,283	2,920	2,313	2,217
Hokkaido	902	95	94	102	93	116	73	101	39	39	65	41	44
Aomori	398	54	52	46	36	37	31	24	16	21	23	6	6
Iwate	105	7	12	11	8	14	10	7	7	6	8	4	11
Miyagi	501	56	49	37	38	29	23	21	27	126	39	26	30
Akita	171	15	31	32	20	13	10	5	13	13	7	7	5
Yamagata	56	6	8	9	5	7	1	3	5	6	6	-	-
Fukushima	402	37	51	44	37	42	34	34	24	21	41	27	10
Ibaraki	642	44	52	87	225	57	36	48	16	25	22	8	22
Tochigi	314	55	47	35	35	16	18	24	22	20	21	10	11
Gumma	251	15	15	26	16	25	16	32	17	25	26	23	15
Saitama	310	40	45	22	40	37	24	19	14	22	18	15	14
Chiba	912	42	56	415	197	90	40	28	10	10	12	8	4
Tokyo	1,932	191	231	202	137	151	129	147	131	118	190	140	165
Kanagawa	1,837	278	197	218	148	175	111	146	113	89	145	114	103
Niigata	382	64	53	55	41	48	50	15	19	12	9	6	10
Toyama	287	33	30	26	31	39	20	16	21	12	19	13	7
Ishikawa	394	51	51	33	30	42	32	28	20	29	27	25	26
Fukui	204	16	18	16	12	35	11	5	14	13	34	19	11
Yamanashi	160	18	26	14	11	11	6	11	11	6	22	14	10
Nagano	298	40	38	33	15	25	10	11	9	17	18	12	10
Gifu	546	43	51	63	47	66	37	48	30	31	50	39	41
Shizuoka	531	46	63	58	73	61	41	50	20	33	36	30	20
Aichi	7,418	361	452	1,042	1,369	955	281	399	399	519	653	558	562
Mie	561	78	71	65	43	64	37	46	26	36	34	29	35
Shiga	466	65	60	46	44	42	37	45	25	31	28	19	24

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
CHANCROID - Cont'd:													
Kyoto	1,689	164	242	187	166	186	105	86	90	90	142	115	116
Osaka	1,922	238	222	182	159	145	115	110	129	142	181	157	142
Hyogo	2,409	165	241	287	268	338	229	199	96	101	181	160	144
Nara	633	48	57	67	71	69	60	41	44	46	55	43	32
Wakayama	706	113	58	147	79	58	40	49	44	21	36	28	33
Tottori	230	23	30	42	22	23	9	16	13	9	22	8	13
Shimane	121	19	14	10	11	8	7	4	5	4	15	14	10
Okayama	987	128	89	117	110	100	34	96	48	81	72	55	57
Hiroshima	1,187	147	112	150	100	82	76	110	74	76	100	74	86
Yamaguchi	1,202	39	49	88	128	105	80	91	84	85	166	195	92
Toyushima	214	36	16	11	15	26	26	27	17	16	5	10	9
Kagawa	314	42	62	38	28	29	39	16	16	17	12	10	5
Ehime	330	36	27	36	31	27	42	34	20	19	26	7	25
Kochi	228	17	19	21	15	28	33	31	6	18	22	9	9
Fukuoka	2,496	296	245	247	267	304	217	191	118	160	193	126	132
Saga	264	35	35	29	29	34	17	28	14	11	13	11	8
Nagasaki	642	85	72	57	78	64	40	59	23	30	55	35	44
Kanamoto	310	23	34	33	46	21	34	36	15	23	27	11	7
Oita	340	29	31	38	25	40	28	29	25	30	21	20	24
Miyazaki	108	15	6	15	11	17	6	10	8	3	4	10	3
Kagoshima	234	24	14	12	17	27	8	32	14	21	19	22	24

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TRACHOMA:													
Japan	150,215	9,669	8,847	10,059	14,214	19,089	20,270	20,680	11,565	8,612	10,403	6,992	9,815
Hokkaido	10,797	811	856	925	937	1,040	970	1,352	1,051	725	902	659	569
Aomori	3,963	276	222	254	190	386	887	677	220	215	229	135	272
Iwate	3,228	321	265	326	281	339	316	385	205	183	269	143	195
Miyagi	7,342	666	421	401	677	816	993	772	841	412	536	335	472
Akita	4,282	168	200	286	219	237	546	1,666	238	158	272	148	124
Yamagata	4,918	58	85	144	2,832	405	161	314	178	266	255	75	145
Fukushima	4,104	199	178	184	293	552	1,033	968	177	126	142	111	141
Ibaraki	3,265	139	225	257	261	357	260	508	187	252	387	177	255
Tochigi	2,534	172	132	198	254	801	319	287	63	63	107	53	85
Guma	3,700	173	261	229	206	727	611	328	126	161	308	192	378
Saitama	2,801	150	207	263	174	234	290	679	146	139	111	161	247
Chiba	2,129	75	124	224	100	317	700	198	67	88	113	50	73
Tokyo	5,887	334	324	696	589	720	773	793	521	248	345	262	282
Kenegawa	3,355	376	314	295	308	345	391	267	256	223	229	225	126
Niigata	2,024	136	136	170	202	268	202	317	*155	90	162	109	77
Toyama	2,270	129	126	208	176	361	538	221	165	81	75	107	73
Ishikawa	1,361	88	127	134	85	460	94	67	52	58	67	85	44
Fukui	1,022	51	69	41	60	154	97	84	71	85	58	212	40
Yamanashi	501	27	47	41	41	85	64	62	56	35	8	6	29
Nagano	1,966	110	72	58	72	709	399	279	92	37	36	57	45
Gifu	1,587	67	91	88	116	197	124	253	110	87	97	71	286
Shizuoka	3,360	191	150	174	159	320	402	265	277	201	783	297	141
Aichi	8,828	761	318	371	619	1,278	1,826	937	658	600	621	441	398
Mie	1,579	86	110	97	145	232	274	236	89	86	124	59	41
Shiga	700	37	39	61	58	41	118	105	44	42	46	82	27

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
TRACHOMA - Cont'd:													
Kyoto	2,886	67	61	49	91	187	242	392	306	111	509	117	754
Osaka	6,303	231	332	388	927	563	392	472	557	542	585	492	822
Hyogo	7,601	598	716	425	636	450	794	2,130	437	380	470	274	291
Nara	770	48	52	87	32	181	77	55	41	61	55	31	50
Wakayama	1,005	131	89	70	58	95	81	151	83	49	92	66	40
Tottori	573	144	27	26	33	88	37	47	52	30	34	27	28
Shimane	1,622	46	188	190	103	290	101	123	94	113	117	157	100
Okayama	2,857	114	92	92	163	444	464	389	537	169	210	96	87
Hiroshima	5,474	260	239	346	330	799	995	958	483	243	273	211	357
Yamaguchi	959	85	37	38	37	128	88	61	90	93	66	83	153
Tokushima	3,473	218	182	219	89	999	1,154	355	104	42	29	33	49
Kagawa	1,520	123	83	100	210	233	289	171	96	80	46	45	44
Ehime	3,925	463	154	180	228	544	639	418	400	421-	176	104	198
Kochi	841	68	47	55	61	88	202	136	44	30	38	36	36
Fukuoka	11,498	719	793	989	1,134	1,462	1,275	1,375	1,145	797	820	527	462
Saga	1,282	130	108	108	124	99	157	170	91	109	63	81	42
Nagasaki	1,490	137	125	128	153	186	136	153	66	74	82	61	189
Kumamoto	2,385	123	151	162	238	247	150	371	316	198	173	137	119
Oita	1,274	165	62	107	104	121	176	168	195	78	80	47	31
Miyazaki	1,468	53	52	57	226	360	198	117	75	51	145	65	74
Kagoshima	3,526	145	148	123	183	144	235	448	388	280	58	50	1,324

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
PNEUMONIA (All forms):													
Japan	110,649	18,682	16,285	17,780	15,401	11,376	6,354	4,378	2,490	2,363	3,927	4,101	7,512
Hokkaido	8,362	1,281	1,085	1,284	1,074	870	425	396	165	186	314	460	822
Aomori	2,058	281	206	252	312	209	179	87	52	72	115	85	208
Iwate	1,831	338	190	265	249	189	132	78	33	51	45	68	193
Miyagi	2,753	462	336	350	350	306	162	92	55	48	136	165	291
Akita	2,027	268	181	281	202	206	178	92	58	55	126	138	242
Yamagata	1,496	182	140	165	167	196	120	143	44	40	81	78	140
Fukushima	3,209	537	372	410	512	433	237	130	89	71	139	129	150
Ibaraki	3,565	813	570	669	448	291	134	103	60	71	124	106	176
Tochigi	1,964	350	282	359	336	212	108	80	48	28	65	38	58
Gunma	2,231	437	395	302	338	230	105	49	47	36	69	78	145
Saitama	1,874	273	328	342	286	184	91	64	52	44	41	60	109
Chiba	1,085	101	221	211	167	129	73	42	30	18	18	18	57
Tokyo	6,204	875	895	1,204	888	548	289	247	185	143	191	222	517
Kanagawa	3,167	673	603	629	392	234	128	95	45	32	60	53	163
Niigata	4,454	593	551	721	668	590	239	192	143	132	168	164	293
Toyama	3,857	397	489	626	685	521	281	198	70	71	98	148	273
Ishikawa	2,077	410	312	317	306	204	117	68	34	31	71	77	130
Fukui	925	106	75	132	123	153	106	31	26	33	48	29	64
Yamanashi	696	103	167	121	98	48	37	34	20	19	23	15	11
Nagano	2,609	476	379	355	355	286	190	111	53	38	110	93	161
Gifu	2,582	644	328	334	287	236	148	94	55	79	114	113	150
Shizuoka	2,425	441	466	428	310	212	118	118	50	43	77	72	98
Aichi	3,211	591	482	493	464	285	201	131	101	58	95	96	214
Mie	1,804	408	373	289	237	160	68	54	30	21	41	35	88
Shiga	1,184	232	190	163	182	127	69	39	8	29	41	45	81

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
PNEUMONIA (All forms) - Cont'd:													
Kyoto	1,740	222	207	188	298	187	132	68	53	51	83	117	134
Osaka	2,614	423	276	282	745	217	105	91	60	35	76	77	227
Hyogo	1,602	193	200	212	201	158	75	82	62	63	85	78	193
Nara	470	103	76	87	41	51	20	15	10	7	17	15	28
Wakayama	1,949	465	492	431	287	89	39	29	14	15	31	21	36
Tottori	926	133	123	172	150	133	69	33	19	17	19	17	41
Shimane	2,786	646	605	495	330	225	125	60	33	19	81	47	120
Okayama	1,917	230	225	266	264	282	151	92	50	53	73	82	149
Hiroshima	3,585	438	447	698	495	516	250	194	59	46	99	140	203
Yamaguchi	1,255	265	183	238	151	151	69	32	26	19	11	37	73
Tokushima	2,018	406	341	519	254	180	101	56	19	9	21	42	70
Kagawa	1,125	162	191	237	177	122	130	32	13	18	11	10	32
Ehime	5,025	823	836	850	751	526	296	174	76	105	133	177	278
Kochi	1,513	340	270	305	175	133	65	46	25	17	46	25	66
Fukuoka	5,096	861	793	678	522	401	247	181	187	180	321	273	452
Saga	2,032	428	364	320	190	181	102	76	42	39	80	77	113
Nagasaki	1,821	343	272	292	233	154	113	88	30	65	61	67	103
Kumamoto	1,861	246	251	276	284	224	153	114	48	54	74	44	113
Oita	1,074	273	125	159	158	86	55	57	38	26	33	24	40
Miyazaki	921	115	126	134	115	96	62	43	27	25	49	51	78
Kagoshima	1,649	295	246	239	144	143	84	63	47	51	113	95	129

See footnotes at end of table.

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
PUERPERAL INFECTION,													
Japan	969	135	99	94	69	76	63	67	58	66	111	60	71
Hokkaido	85	19	7	7	4	3	4	6	5	5	12	7	6
Aomori	17	-	3	-	4	1	-	2	2	3	2	-	-
Iwate	14	2	1	1	2	3	-	1	-	1	-	-	3
Miyagi	19	2	2	-	-	2	3	2	1	1	4	1	1
Akita	24	-	5	6	1	1	3	2	-	1	3	-	2
Yamagata	22	13	2	2	1	2	-	-	-	1	-	1	-
Fukushima	23	3	2	4	2	1	3	1	2	-	-	-	5
Ibureki	28	1	2	1	3	1	-	2	2	3	9	2	3
Tochigi	27	5	2	3	2	2	1	1	3	1	2	1	3
Gumma	16	3	2	1	2	1	1	-	1	2	1	2	-
Seitama	21	3	1	1	-	3	1	2	4	1	2	-	3
Chiba	10	2	1	1	1	2	-	1	-	1	1	-	-
Tokyo	34	3	7	4	2	4	1	-	3	2	3	2	3
Kanagawa	11	5	2	-	-	-	2	1	-	-	-	1	-
Niigata	34	5	2	2	3	2	3	2	1	3	8	3	-
Toyama	27	2	3	1	3	4	1	3	1	2	2	3	2
Ishikawa	15	3	2	-	3	-	3	-	-	2	-	1	1
Fukui	10	4	-	2	-	2	-	-	-	2	-	-	-
Yamanashi	27	-	5	1	-	3	3	4	4	5	1	1	-
Nagano	20	1	1	-	-	1	3	-	2	1	8	1	2
Gifu	25	3	-	1	2	5	-	5	1	2	2	-	4
Shizuoka	16	1	2	4	2	-	-	-	1	-	3	2	1
Aichi	32	1	2	8	2	-	2	-	6	1	4	4	1
Mie	7	-	-	-	1	-	1	2	-	1	1	1	-
Shiga	22	2	2	1	-	-	3	-	-	7	6	-	-

TABLE 69. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Disease and Area	Total Cases	*Jan	Feb	Mar	Apr	*May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
POEPPERAL INFECTION - Cont'd:													
Kyoto	13	1	1	1	-	1	1	-	1	-	6	1	-
Osaka	12	2	1	1	1	-	1	-	1	-	-	1	4
Hyogo	14	1	1	1	-	1	1	1	-	2	2	1	3
Nara	10	1	1	-	2	-	-	1	-	1	4	-	-
Wakayama	10	1	1	3	-	-	1	-	1	1	-	1	1
Tottori	7	1	1	1	1	-	-	1	-	-	1	-	1
Shimane	56	10	9	4	4	2	6	3	1	1	5	6	3
Okayama	21	-	2	1	3	4	3	2	2	1	1	-	2
Hiroshima	42	-	2	3	9	7	2	2	5	1	1	8	2
Yamaguchi	5	-	1	-	-	-	-	2	-	-	1	-	1
Tokushima	31	10	1	4	-	8	-	5	-	-	2	-	1
Kagawa	7	2	-	2	-	-	-	1	-	1	-	1	1
Ehime	29	4	4	3	2	1	2	1	2	4	2	3	1
Kochi	12	2	4	2	2	-	-	-	-	-	2	-	2
Fukuoka	34	4	2	3	-	3	4	6	1	4	2	3	-
Saga	15	3	1	2	1	2	-	-	-	1	4	-	1
Nagasaki	9	1	2	2	-	2	-	-	-	-	1	-	2
Kumamoto	19	1	3	4	4	1	-	1	2	1	1	-	1
Oita	14	5	1	2	-	-	1	2	1	-	1	1	1
Miyazaki	10	-	3	2	-	1	1	-	-	-	-	1	2
Kagoshima	13	3	2	-	-	-	2	-	1	1	1	1	2

FOOTNOTES:

* Monthly totals for January, May, July and October refer to five-week periods. All other monthly data refer to four-week periods.
 There were no cases of cholera, plague or yellow fever during 1948.

A dash (-) indicates that no cases were reported.

SOURCES:

Weekly Morbidity Reports, Ministry of Welfare

TABLE 70. -- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER:													
Japan	11.8	7.2	6.6	5.8	6.9	12.1	13.1	20.8	20.3	16.5	11.7	8.9	10.8
Hokkaido	9.8	3.6	4.9	3.3	3.3	6.2	11.1	14.3	22.1	21.1	15.6	7.8	4.6
Aomori	11.1	0.9	11.8	5.4	4.3	4.3	8.6	11.2	21.5	24.7	21.5	10.7	10.7
Iwate	6.8	1.6	4.0	3.0	2.0	2.4	6.1	8.1	10.1	19.2	14.5	3.0	7.1
Miyagi	12.8	2.6	7.4	3.3	8.2	9.2	10.6	17.0	25.4	27.0	15.7	13.1	15.6
Akita	7.0	0.8	-	1.0	6.1	7.3	6.1	8.2	10.2	12.2	13.9	9.2	8.2
Yamagata	5.6	3.9	1.0	3.9	8.7	7.8	9.7	8.5	7.8	2.9	4.7	2.9	4.9
Fukushima	9.0	7.7	5.2	3.2	3.2	7.7	12.9	13.9	10.3	20.0	15.0	4.5	1.9
Ibaraki	7.7	7.7	5.8	6.4	3.8	6.1	10.2	14.3	9.0	10.9	7.2	3.2	6.4
Tochigi	8.8	4.0	4.2	3.4	1.7	8.1	12.6	18.1	24.3	15.9	8.1	3.4	1.7
Gunma	7.9	6.5	4.1	4.1	4.9	9.1	7.3	9.7	6.9	8.1	11.7	4.1	15.4
Saitama	11.6	8.3	4.9	6.7	8.6	10.3	12.9	10.8	20.8	19.6	13.2	12.3	11.0
Chiba	11.4	11.7	6.7	7.9	1.2	2.9	8.6	19.1	28.1	12.8	21.5	4.3	9.2
Tokyo	23.3	14.3	17.1	12.8	22.2	32.4	27.7	26.8	27.0	23.9	25.5	22.4	26.3
Kanagawa	19.7	19.4	10.2	14.1	9.6	21.7	18.6	36.1	37.2	24.8	12.6	10.7	19.2
Niigata	11.4	9.4	6.4	4.8	6.4	8.2	10.2	15.0	26.3	16.1	15.0	10.2	8.1
Toyama	15.3	2.1	11.8	3.9	14.4	15.7	17.0	38.8	35.4	19.6	4.2	7.9	13.1
Ishikawa	7.8	1.1	4.2	5.6	5.6	11.1	13.9	12.2	9.7	15.3	4.4	6.3	2.8
Fukui	17.1	7.1	8.9	10.7	1.8	14.3	28.5	21.4	53.5	33.9	12.8	5.3	10.7
Yamanashi	2.7	2.6	1.6	3.2	-	1.3	4.8	5.1	1.6	8.0	2.6	-	1.6
Nagano	21.6	1.5	1.9	6.3	7.5	7.5	10.1	135.3	47.8	13.8	4.5	3.1	4.4
Gifu	25.1	24.0	16.3	15.4	9.4	27.4	36.9	42.5	42.0	20.6	17.2	21.4	24.9
Shizuoka	13.6	10.4	14.7	4.9	6.5	13.0	17.4	16.5	19.6	14.7	12.6	14.7	19.0
Aichi	13.7	6.5	5.3	3.2	6.1	13.9	10.5	21.4	30.0	19.9	17.8	10.9	17.0
Mie	20.5	13.0	12.6	17.1	7.2	17.3	29.7	38.2	29.7	26.1	23.1	14.4	15.3
Shiga	6.1	3.6	-	-	1.5	4.8	9.0	6.0	22.5	12.0	3.6	4.5	7.5

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER - Cont'd.													
Kyoto	15.3	7.6	4.4	5.1	10.3	19.9	31.5	26.4	22.7	24.2	14.7	6.6	8.1
Osaka	10.1	4.2	5.6	5.2	8.6	16.7	7.8	15.5	20.8	17.5	4.5	8.6	6.3
Hyogo	12.2	6.0	8.7	4.1	11.2	16.9	8.7	18.2	21.5	19.9	12.6	8.3	8.7
Nara	15.4	5.4	1.7	1.7	5.0	1.3	5.0	26.9	43.7	21.8	18.8	21.8	33.6
Wakayama	12.6	16.0	9.3	10.7	9.3	22.4	18.7	12.8	14.7	12.0	9.6	5.3	8.0
Tottori	15.8	8.8	-	8.8	4.4	14.1	22.0	35.3	19.8	41.9	7.1	13.2	13.2
Shimane	13.6	9.3	10.1	7.2	5.8	20.8	20.3	20.8	11.6	15.9	10.4	13.0	13.9
Okayama	10.9	7.0	4.0	0.8	9.5	8.9	8.7	26.0	21.4	15.8	13.9	5.5	6.3
Hiroshima	14.0	8.7	3.8	9.6	4.5	15.3	11.5	32.7	12.1	19.2	10.2	14.7	23.0
Yamaguchi	5.9	0.7	1.7	-	0.9	1.4	14.8	11.1	10.4	13.9	4.9	6.1	6.9
Tokushima	14.7	7.2	4.5	3.0	15.0	15.6	15.0	32.5	28.6	12.0	12.0	19.6	9.0
Kagawa	5.7	9.0	5.6	4.2	4.2	1.1	14.0	5.6	7.0	8.4	2.2	1.4	7.0
Ehime	11.2	5.6	5.3	7.1	9.7	8.5	9.7	15.5	27.4	18.5	9.2	12.4	7.1
Kochi	18.5	12.1	6.0	9.1	6.0	16.9	34.7	24.2	31.7	40.8	15.7	3.0	22.6
Fukuoka	5.9	5.7	7.1	6.7	3.2	4.1	5.1	7.6	6.7	5.1	6.6	5.1	7.9
Saga	5.9	1.1	4.2	-	-	3.4	12.6	14.6	5.6	15.4	1.1	7.0	7.0
Nagasaki	4.4	8.0	4.2	4.2	3.3	6.0	3.3	6.0	3.3	4.2	1.3	3.3	5.0
Kumamoto	1.4	0.6	1.5	2.2	1.5	2.9	2.2	1.8	-	-	1.2	0.7	2.2
Oita	9.4	6.7	3.1	4.2	3.1	39.5	4.2	21.0	11.5	3.1	0.8	3.1	4.2
Miyazaki	5.4	8.0	5.0	3.7	9.9	3.0	3.7	7.0	8.7	1.2	3.0	8.7	2.5
Kagoshima	1.1	0.6	-	0.7	-	0.6	2.2	0.6	1.5	3.7	1.8	1.5	0.7

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER:													
Japan	3.6	2.5	1.9	1.8	2.4	4.2	4.9	6.0	6.5	5.1	3.2	2.0	2.8
Hokkaido	3.1	1.0	1.6	1.6	0.3	1.3	3.3	5.5	8.1	8.5	4.2	0.7	0.7
Aomori	4.3	0.9	1.1	-	-	1.7	-	2.6	14.0	17.2	6.0	5.4	4.3
Iwate	4.2	-	1.0	1.0	1.0	6.5	10.1	5.7	11.1	2.4	2.4	1.0	2.0
Miyagi	8.6	2.0	2.5	2.5	4.9	5.9	11.5	13.8	21.9	11.5	17.0	2.5	7.4
Akita	0.8	-	-	-	-	1.6	1.0	0.8	3.1	1.0	1.6	-	-
Yamagata	2.1	0.8	-	-	1.9	-	3.9	4.7	2.9	4.9	3.1	-	2.9
Fukushima	3.9	2.1	-	-	0.6	2.1	11.0	7.7	7.7	7.7	3.6	3.2	0.6
Ibaraki	4.1	0.5	1.9	3.2	1.3	3.6	6.4	8.2	7.7	9.0	5.1	1.9	0.6
Tochigi	3.3	2.0	-	2.5	5.9	2.0	4.2	1.3	11.7	6.7	3.4	-	0.8
Gunma	3.5	2.6	3.2	0.8	1.6	8.4	3.2	5.8	8.1	4.9	0.6	-	1.6
Saitama	2.1	2.5	-	-	1.8	3.4	4.9	1.5	2.5	3.1	2.9	1.2	0.6
Chiba	2.8	1.5	-	2.4	-	0.5	4.9	6.8	7.3	3.1	2.4	0.6	3.7
Tokyo	12.6	9.3	9.4	10.9	15.0	21.8	19.1	16.2	18.6	9.4	6.9	4.1	10.1
Kanagawa	5.1	9.0	4.5	1.7	3.4	3.2	8.5	7.2	8.5	5.1	1.8	2.8	5.1
Niigata	4.5	4.3	2.7	1.1	2.7	2.6	5.4	8.2	6.4	6.4	3.9	5.4	5.4
Toyama	2.8	1.0	1.3	-	1.3	4.2	3.9	10.5	1.3	5.2	2.1	1.3	-
Ishikawa	1.8	2.2	1.4	-	-	-	1.4	-	2.8	4.2	1.1	8.3	1.4
Fukui	3.0	-	1.8	1.8	3.6	-	10.7	1.4	5.3	5.3	2.9	1.8	3.6
Yamanashi	1.5	7.7	3.2	-	4.4	-	1.6	-	-	3.2	-	-	1.6
Nagano	3.4	1.0	-	0.6	4.4	2.5	1.9	5.0	10.7	7.5	2.0	3.8	1.9
Gifu	5.3	4.8	4.3	1.7	1.7	6.2	5.1	4.1	11.2	8.6	2.1	4.3	11.2
Shizuoka	6.9	4.8	1.6	2.7	3.3	8.3	6.5	14.8	11.4	6.5	6.5	6.0	8.7
Aichi	2.9	2.9	1.6	1.2	1.2	3.9	2.0	6.8	4.1	3.6	2.6	1.6	2.0
Mie	4.4	4.3	1.8	5.4	1.6	2.9	2.7	9.4	5.4	4.5	5.8	2.7	4.5
Shiga	1.7	1.2	1.5	-	-	2.4	4.5	1.2	3.0	-	4.8	-	1.5

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER - Cont'd.													
Kyoto	3.8	1.2	5.9	-	-	11.7	8.8	3.5	5.9	4.4	2.3	0.7	-
Osaka	1.9	0.6	0.4	1.5	0.7	3.9	3.0	3.3	2.2	0.4	3.6	1.9	0.7
Hyogo	1.1	0.7	-	-	-	0.3	1.2	1.3	6.2	1.2	0.7	0.4	2.1
Nara	1.8	-	-	1.7	-	-	-	1.3	5.0	6.4	2.7	3.4	-
Wakayama	1.6	-	-	-	1.3	3.2	5.3	2.1	2.7	-	3.2	1.3	-
Tottori	2.2	1.8	2.2	4.4	-	-	-	5.3	4.4	8.8	-	-	-
Shimane	7.3	1.2	1.4	-	2.9	2.3	-	55.6	5.8	4.3	1.2	2.9	2.9
Okayama	1.0	0.6	0.8	-	-	1.9	0.8	0.6	-	0.8	3.8	-	1.6
Hiroshima	3.1	2.0	0.6	1.9	0.6	1.5	3.2	6.6	1.9	7.0	4.6	1.3	5.7
Yamaguchi	0.8	2.1	1.7	-	-	-	2.6	0.7	0.9	-	0.7	0.9	-
Tokushima	0.9	1.2	-	-	-	3.6	-	-	3.0	-	1.2	-	1.5
Kagawa	3.6	-	1.4	7.0	8.4	2.2	5.6	4.5	9.8	-	2.2	2.8	-
Ehime	2.2	3.5	1.8	-	1.8	1.4	3.5	4.2	6.2	3.5	-	-	0.9
Kochi	4.1	2.4	6.0	-	1.5	14.5	-	10.9	6.0	1.5	2.4	-	-
Fukuoka	1.7	2.5	1.2	0.8	0.8	1.3	1.2	0.9	1.6	3.2	1.3	3.6	2.4
Saga	1.8	1.1	-	-	-	1.1	5.6	1.1	4.2	8.4	-	-	1.4
Nagasaki	1.2	-	0.8	0.8	1.7	2.7	2.5	2.7	-	1.7	-	-	1.7
Kumamoto	1.2	0.6	0.7	0.7	2.9	0.6	0.7	0.6	3.7	3.7	0.6	-	-
Oita	1.9	0.8	1.0	-	1.0	1.7	1.0	3.4	2.1	4.2	5.0	1.0	-
Miyazaki	1.8	4.0	-	-	-	2.0	3.7	3.0	1.2	-	3.0	1.2	2.5
Kagoshima	0.5	-	-	-	-	0.6	0.7	-	-	3.0	0.6	0.7	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
EPIDEMIC MENINGITIS													
Japan	2.6	2.1	2.9	4.2	4.3	2.6	2.1	1.8	4.7	2.8	1.5	1.0	1.3
Hokkaido	4.7	6.0	4.9	8.8	5.9	6.8	4.9	4.2	4.9	2.9	2.9	1.6	2.3
Aomori	5.2	4.3	2.1	4.3	10.7	2.6	2.1	4.3	6.4	14.0	6.0	2.1	4.3
Iwate	1.4	5.9	6.1	3.0	-	1.6	1.0	0.8	-	3.0	-	1.0	1.0
Miyagi	7.0	4.9	3.3	9.8	10.6	5.2	6.6	3.9	15.6	3.9	3.9	3.3	2.5
Akita	5.7	4.9	2.0	11.2	11.2	5.7	3.1	3.3	5.1	12.2	4.9	3.1	3.1
Yamagata	3.3	1.6	2.9	4.9	7.8	3.1	3.9	0.8	4.9	2.9	2.3	2.9	2.9
Fukushima	4.1	3.1	2.6	12.9	9.7	5.7	1.3	1.0	4.5	2.6	2.6	2.6	1.9
Ibaraki	3.6	1.5	5.8	9.0	5.8	5.1	3.2	3.6	4.5	1.3	2.0	1.3	1.3
Tochigi	0.8	-	0.8	1.7	1.7	0.7	-	1.3	0.8	0.8	0.7	0.8	-
Gumma	2.0	1.9	0.8	3.2	1.6	3.2	1.6	-	3.2	3.2	1.9	0.8	2.4
Saitama	1.1	1.0	-	3.1	4.9	1.5	0.6	-	1.2	-	0.5	0.6	-
Chiba	1.8	-	0.6	-	3.7	2.4	1.8	0.5	7.9	4.3	1.0	0.6	-
Tokyo	7.7	6.6	12.8	14.7	12.5	8.1	4.8	6.4	16.6	3.9	2.5	2.7	3.1
Kanagawa	4.7	4.5	8.5	9.6	9.6	2.3	1.7	3.2	13.0	-	0.9	1.7	3.4
Niigata	2.1	1.7	1.1	1.6	3.2	0.4	1.6	0.4	9.7	4.8	1.7	-	-
Toyama	2.7	1.0	3.9	3.9	5.2	-	2.6	1.0	6.5	2.6	2.1	-	5.2
Ishikawa	1.2	1.1	1.4	1.4	1.4	-	1.4	1.1	1.4	4.2	-	1.4	-
Fukui	2.2	-	-	1.8	1.8	4.3	3.6	1.4	3.6	10.7	-	-	-
Yamanashi	2.5	-	6.4	1.6	4.8	1.3	1.0	1.9	11.2	-	2.6	-	-
Nagano	1.9	1.5	0.6	4.4	3.1	2.0	1.3	2.5	2.5	1.9	2.0	-	1.3
Gifu	0.9	0.7	1.7	-	1.7	-	-	1.4	2.6	2.6	-	-	-
Shizuoka	2.2	3.0	1.6	2.2	4.3	2.2	2.7	0.4	7.1	1.6	0.4	0.5	1.1
Aichi	0.7	0.6	0.8	1.6	0.8	1.0	1.2	0.6	1.2	0.4	-	0.4	0.4
Mie	0.8	-	-	2.7	1.8	1.4	0.9	-	0.9	0.9	0.7	-	-
Shiga	0.9	-	-	1.5	1.5	-	-	2.4	4.5	-	-	1.5	-

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
EPIDEMIC MENINGITIS - Cont'd.													
Kyoto	3.6	2.9	1.5	4.4	7.3	3.5	0.7	1.8	8.1	6.6	3.5	-	2.9
Osaka	2.6	2.4	1.1	1.5	4.1	4.5	3.7	1.8	4.5	3.0	1.5	0.7	2.2
Hyogo	1.3	1.7	1.2	2.1	2.1	0.7	0.8	1.3	2.5	1.2	0.7	0.4	0.8
Nara	1.2	-	5.0	-	1.7	2.7	1.7	1.3	-	-	-	1.7	-
Wakayama	0.7	1.1	1.3	1.3	1.3	1.1	1.3	-	-	1.3	-	-	-
Tottori	4.1	3.5	6.6	8.8	4.4	1.8	8.8	1.8	6.6	-	7.1	-	-
Shimane	1.8	-	1.4	1.4	1.4	3.5	1.4	-	2.9	5.8	1.2	1.4	1.4
Okayama	0.5	1.9	0.8	-	-	0.6	0.8	1.3	-	-	-	-	0.8
Hiroshima	1.1	0.5	0.6	2.6	1.3	1.0	2.6	1.5	-	1.3	-	1.9	-
Yamaguchi	1.3	-	1.7	0.9	5.2	1.4	-	2.1	-	1.7	0.7	0.9	0.9
Tokushima	0.6	-	1.5	-	1.5	1.2	-	-	1.5	1.5	-	-	-
Kagawa	1.0	1.1	-	1.4	-	-	5.6	2.2	1.4	-	-	-	-
Ehime	1.4	-	3.5	1.8	1.8	1.4	0.9	-	3.5	-	1.4	0.9	1.8
Kochi	0.6	-	4.5	1.5	-	-	-	1.2	-	-	-	-	-
Fukuoka	1.3	1.3	2.4	1.2	2.8	1.3	1.2	-	1.6	2.0	0.9	0.4	1.6
Seiga	0.8	1.1	1.4	-	-	1.1	-	-	1.4	-	2.2	1.4	-
Nagasaki	1.7	0.7	-	4.2	0.8	3.3	-	2.7	0.8	4.2	2.0	0.8	0.8
Kumamoto	1.1	1.8	3.7	1.5	-	-	-	1.8	1.5	-	1.2	-	1.5
Oita	0.8	-	1.0	-	-	-	2.1	-	1.0	5.2	0.8	-	-
Miyazaki	0.7	1.0	-	-	1.2	0.6	1.2	1.0	2.5	1.2	-	-	-
Kagoshima	1.4	1.8	1.5	3.7	3.0	0.6	0.7	1.8	1.5	0.7	1.2	-	0.7

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ANTHRAX													
Japan	0.0	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-	-
Hokkaido	0.0	-	-	-	-	-	-	-	-	-	0.3	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Guma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	0.1	-	-	-	0.6	-	-	0.5	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	0.0	0.5	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ANTHRAX - Cont'd.													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER:													
Japan	3.7	3.8	2.7	2.7	4.1	4.7	3.7	2.5	2.5	2.5	3.0	4.1	6.4
Hokkaido	12.1	24.5	13.7	10.7	14.0	19.3	12.4	8.8	6.2	4.6	8.6	8.5	17.9
Aomori	2.0	1.7	1.1	1.1	-	1.7	-	4.3	2.1	-	2.6	3.2	5.4
Iwate	1.5	1.6	-	3.0	3.0	2.4	-	1.6	-	2.0	-	1.0	3.0
Miyagi	5.9	3.9	4.9	2.5	4.9	3.3	4.1	11.1	4.1	5.7	9.2	11.5	4.1
Akita	1.9	0.8	2.0	4.0	1.0	3.3	2.0	3.3	2.0	2.0	1.6	3.1	-
Yamagata	2.0	3.1	1.9	-	2.9	0.8	3.9	0.8	1.0	2.9	1.6	1.0	4.9
Fukushima	1.9	0.5	-	2.6	1.3	2.1	1.9	2.1	4.5	2.6	1.0	1.3	3.9
Ibaraki	3.0	1.5	1.3	2.6	3.8	6.7	2.6	5.1	1.9	0.6	2.0	2.6	5.1
Tochigi	3.3	-	2.5	2.5	1.7	8.1	4.2	3.4	3.4	0.8	3.4	4.2	3.4
Gunma	5.7	1.3	4.9	4.9	9.7	10.4	8.1	10.4	2.4	2.4	5.2	2.4	5.7
Saitama	6.0	2.0	2.5	1.8	6.7	3.9	12.9	6.9	3.7	4.9	5.9	5.5	16.6
Chiba	1.0	-	0.6	0.6	0.6	2.4	-	-	1.2	0.6	1.5	1.8	2.4
Tokyo	11.7	6.9	8.0	8.7	14.5	12.5	6.5	12.5	7.7	8.4	10.2	19.1	24.4
Kanagawa	4.4	5.9	3.9	1.7	6.8	6.3	3.4	2.7	1.1	3.4	4.1	3.9	9.0
Niigata	1.4	0.4	0.5	-	0.5	2.6	1.6	1.3	2.1	0.5	2.1	4.3	1.1
Toyama	0.9	1.0	2.6	-	1.3	-	-	2.1	1.3	-	-	1.3	1.3
Ishikawa	0.4	-	-	-	1.4	-	-	3.3	-	-	-	-	-
Fukui	0.8	-	-	-	-	1.4	1.8	1.4	-	-	-	5.3	-
Yamanashi	4.1	1.3	4.8	1.6	3.2	19.2	12.8	1.3	-	1.6	-	-	1.6
Nagano	6.4	3.5	1.3	5.7	3.8	5.5	11.9	8.0	9.4	8.2	7.0	5.0	7.5
Gifu	3.7	2.7	-	0.9	4.3	9.6	6.0	5.5	4.3	0.9	2.1	0.9	6.0
Shizuoka	2.4	3.5	1.1	2.2	1.1	5.2	1.6	1.7	0.5	3.3	0.9	2.7	4.9
Aichi	4.1	7.8	4.9	4.9	4.1	5.5	2.0	4.2	2.0	2.8	2.3	1.6	6.1
Mie	3.2	3.6	1.8	3.6	1.8	5.8	8.1	2.9	0.9	0.9	1.4	2.7	4.5
Shiga	7.4	2.4	7.5	3.0	9.0	7.2	1.5	8.4	7.5	6.0	6.0	4.5	27.0

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER - Cont'd.													
Kyoto	6.7	5.3	2.9	2.2	13.2	6.4	8.1	7.0	5.1	2.2	5.3	5.9	17.6
Osaka	2.8	4.2	1.5	1.1	4.1	3.6	4.1	2.7	1.9	1.9	0.9	1.9	5.6
Hyogo	1.8	1.3	2.5	-	1.7	2.0	0.8	2.0	2.1	2.1	1.0	2.5	3.3
Nara	0.9	-	-	-	-	5.4	-	-	-	1.7	1.3	1.7	-
Wakayama	0.6	2.1	-	1.3	-	1.1	-	-	-	-	1.1	1.3	-
Tottori	1.5	-	-	-	-	3.5	2.2	-	2.2	2.2	-	4.4	4.4
Simane	2.1	1.2	1.4	1.4	4.3	4.6	1.4	1.2	1.4	1.4	-	2.9	4.3
Okayama	2.3	1.3	2.4	0.8	2.4	0.6	9.5	1.3	0.8	0.8	5.1	1.6	1.6
Hiroshima	1.1	3.1	-	1.3	1.9	1.0	0.6	1.0	-	0.6	1.0	1.9	0.6
Yamaguchi	1.3	-	1.7	-	2.6	2.8	0.9	-	1.7	1.7	-	1.7	3.5
Tokushima	0.5	2.4	-	-	-	-	-	-	-	-	1.2	1.5	-
Kagawa	1.9	3.4	-	11.2	4.2	1.1	1.4	-	-	-	1.1	1.4	-
Edo	1.8	3.5	-	1.8	0.9	4.2	0.9	2.8	1.8	0.9	0.7	1.8	0.9
Kochi	1.4	1.2	4.5	6.0	-	-	-	-	1.5	1.5	1.2	-	1.5
Fukuoka	1.7	1.3	1.6	-	-	2.2	1.6	0.3	0.8	2.8	2.5	4.7	2.8
Saga	0.9	-	-	1.4	1.4	1.1	-	1.1	1.4	1.4	-	-	2.8
Nagasaki	1.1	1.3	0.8	1.7	1.7	2.0	1.7	1.3	-	-	0.7	-	1.7
Kumamoto	0.1	0.6	-	-	-	-	-	-	-	-	-	0.7	-
Oita	0.4	0.8	1.0	1.0	1.0	-	-	-	-	-	-	-	1.0
Miyazaki	0.7	-	1.2	1.2	-	-	-	-	1.2	-	-	5.0	-
Kagoshima	0.5	1.2	-	-	1.5	0.6	0.7	-	-	-	0.6	-	0.7

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH:													
Japan	66.2	51.0	53.1	44.1	50.9	58.8	84.5	111.0	110.5	77.2	48.1	41.4	62.7
Hokkaido	152.8	52.5	68.9	49.4	51.7	70.0	143.4	251.8	342.7	262.1	171.2	163.2	223.4
Aomori	46.6	58.4	61.2	22.5	59.0	23.2	44.0	61.8	55.8	59.0	36.9	23.6	55.8
Iwate	50.9	117.2	41.4	44.4	48.5	37.2	52.5	41.2	59.6	46.5	26.7	19.2	74.8
Miyagi	69.7	52.4	69.6	64.7	68.8	83.9	116.3	121.2	99.9	50.0	36.7	27.0	42.6
Akita	65.4	78.2	52.0	71.3	56.0	35.0	66.2	88.0	55.0	70.3	59.5	61.1	92.7
Yamagata	53.6	35.7	22.3	19.4	32.0	35.7	76.9	83.1	88.4	95.2	58.3	30.1	72.8
Fukushima	33.7	59.9	38.1	35.5	25.8	29.9	38.1	50.1	38.1	27.7	6.7	18.7	32.9
Ibaraki	27.7	35.3	32.6	24.3	29.4	32.2	28.1	39.4	35.8	31.3	13.3	11.5	17.3
Tochigi	66.2	87.3	62.9	81.4	94.0	75.8	50.3	73.2	73.8	77.2	47.7	21.0	44.5
Guma	111.7	89.7	58.5	43.1	61.7	122.8	123.5	213.2	125.1	75.6	85.1	154.4	171.4
Saitama	50.5	35.3	31.3	15.3	31.9	35.8	73.6	80.4	112.8	49.7	23.5	33.1	90.1
Chiba	19.5	13.7	20.2	26.8	18.3	19.5	47.0	47.4	12.2	13.4	7.8	6.1	4.9
Tokyo	74.3	46.3	39.3	51.9	66.6	78.6	97.2	132.0	147.0	88.8	49.2	36.9	55.5
Kanagawa	65.5	105.2	78.4	57.5	42.9	73.6	120.2	101.5	64.9	54.2	28.0	23.1	25.4
Niigata	133.3	101.8	84.3	85.4	91.8	176.9	264.1	259.8	170.2	112.2	89.3	57.4	82.1
Toyama	208.7	133.1	279.0	167.6	247.5	287.1	250.2	364.6	276.4	169.0	106.9	120.5	87.8
Ishikawa	137.2	102.1	94.4	136.8	130.4	141.0	183.2	243.1	241.4	99.9	58.8	68.0	145.7
Fukui	97.3	54.2	41.0	33.9	64.2	145.5	221.1	135.5	121.3	160.5	65.6	64.2	57.1
Yamanashi	33.4	59.0	44.9	36.9	33.7	39.8	38.5	35.9	40.1	32.1	16.7	9.6	9.6
Nagano	97.0	53.8	74.2	40.9	71.0	71.4	120.1	154.4	158.4	86.8	94.1	96.8	145.9
Gifu	63.1	22.6	27.4	41.2	33.5	36.4	82.3	73.4	77.2	109.8	42.5	65.2	165.5
Shizuoka	33.0	31.3	32.6	22.8	24.4	34.8	32.0	71.2	51.0	24.4	21.3	10.9	32.6
Aichi	59.7	13.6	24.3	17.8	35.7	44.1	74.6	91.4	209.5	80.2	52.5	35.3	47.0
Mie	42.8	51.9	50.4	46.5	34.2	24.5	52.2	65.6	49.5	43.2	24.5	40.5	37.8
Shiga	91.5	59.9	59.9	41.9	79.4	80.3	128.8	135.4	158.7	116.8	61.1	70.4	112.3

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH - Cont'd.													
Kyoto	85.4	30.5	29.3	14.7	46.9	69.8	148.0	161.8	182.4	127.5	74.4	62.3	78.4
Osaka	34.4	9.2	16.0	8.9	40.2	17.9	44.3	47.3	52.8	58.0	55.9	20.1	43.9
Hyogo	32.0	10.3	8.3	19.1	15.7	13.6	13.3	58.3	85.3	63.8	40.4	25.3	31.9
Nara	15.5	5.4	5.0	1.7	1.7	12.1	16.8	41.7	26.9	28.6	17.5	13.4	11.8
Wakayama	15.4	42.7	37.3	21.3	22.7	8.5	13.3	7.5	6.7	12.0	5.3	-	6.7
Tottori	27.3	30.0	11.0	13.2	28.7	22.9	48.5	54.7	55.1	24.2	19.4	-	15.4
Shimane	203.8	148.2	195.4	146.2	160.7	166.8	246.1	537.3	311.2	170.8	137.8	69.5	111.5
Okayama	56.4	49.4	53.1	43.6	23.8	65.3	72.9	76.1	99.0	62.6	45.6	42.0	41.2
Hiroshima	45.4	32.2	58.8	63.2	24.3	51.6	53.7	80.2	58.8	46.6	22.0	19.2	32.6
Yamaguchi	26.9	16.7	36.5	22.6	18.2	20.8	24.3	39.6	40.0	49.5	16.0	14.8	26.9
Tokushima	14.5	37.3	31.6	24.1	13.5	18.1	10.5	20.5	6.0	4.5	-	1.5	1.5
Kagawa	27.7	22.4	25.2	36.4	33.6	28.0	54.6	40.3	33.6	18.2	13.4	8.4	19.6
Ehime	87.6	81.2	52.1	71.5	55.6	67.1	138.6	113.0	131.5	144.7	64.3	75.0	62.7
Koichi	25.1	35.0	81.5	54.3	30.2	8.5	27.2	20.5	15.1	16.6	4.8	3.0	12.1
Fukuoka	104.2	91.6	119.2	89.6	106.6	87.1	99.9	185.7	185.9	106.6	55.9	44.2	77.7
Saga	77.4	97.7	139.0	54.8	53.4	52.8	117.9	187.6	91.3	40.7	22.5	8.4	50.5
Nagasaki	39.3	49.4	42.6	65.1	61.0	47.4	57.6	44.1	37.6	26.7	12.0	15.9	13.4
Kumamoto	32.9	33.4	44.6	35.9	37.3	39.2	47.6	58.0	39.5	19.8	10.0	11.7	16.1
Oita	44.3	70.6	37.8	23.1	45.1	30.2	35.7	102.5	74.5	52.5	20.2	9.4	18.9
Miyazaki	31.3	3.0	28.6	16.2	43.5	38.8	32.3	58.6	58.4	39.8	24.9	8.7	22.4
Kagoshima	43.2	42.6	69.6	17.8	20.7	45.6	62.2	42.0	68.1	90.3	32.0	11.1	20.0

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA:													
Japan	20.3	27.4	26.0	25.9	22.8	19.7	15.1	9.6	9.7	13.0	22.3	25.5	27.2
Hokkaido	32.2	48.1	43.6	34.8	38.0	29.1	31.1	16.9	12.4	23.7	39.5	35.8	42.6
Aomori	19.1	23.2	20.4	31.1	21.1	17.2	14.0	6.9	4.3	18.2	19.7	16.1	29.0
Iwate	22.5	38.8	27.3	34.3	33.3	27.5	14.1	7.3	16.2	7.1	17.0	21.2	26.3
Miyagi	28.9	35.4	25.4	31.1	38.5	34.1	29.5	19.7	13.1	22.1	30.1	35.2	31.9
Akita	44.4	63.6	61.1	67.2	62.1	41.6	27.5	16.3	25.5	37.7	44.0	48.9	39.7
Yamagata	21.6	24.9	18.5	20.4	30.1	28.7	19.4	7.0	6.8	17.5	25.6	20.4	39.8
Fukushima	10.9	7.7	11.6	14.6	14.8	11.4	8.4	4.6	5.8	9.9	20.6	16.1	14.2
Ibaraki	15.4	15.3	23.0	21.7	19.2	18.4	10.2	12.8	9.6	15.3	10.7	16.0	13.4
Tochigi	21.2	32.9	27.7	36.1	26.0	24.2	11.7	15.4	10.1	10.1	13.4	27.7	19.3
Gunma	15.9	28.6	25.2	27.6	11.4	12.3	8.1	3.9	2.4	4.9	18.8	21.1	26.8
Saitama	17.4	23.1	21.5	30.0	16.6	18.6	14.7	6.4	8.6	11.0	13.7	27.0	20.2
Chiba	8.5	6.4	9.2	13.4	3.7	7.8	6.1	3.9	6.7	3.7	8.8	14.0	18.9
Tokyo	19.2	20.7	30.6	29.0	22.7	16.2	14.2	8.3	6.3	10.9	18.1	26.1	30.6
Kanagawa	19.4	24.4	22.0	26.0	21.4	23.0	18.6	9.0	6.2	13.5	22.1	21.4	24.8
Niigata	27.5	40.4	37.0	37.0	30.1	34.8	15.0	6.9	12.3	17.7	31.3	31.7	34.4
Toysama	17.4	13.6	13.1	13.1	13.1	9.4	6.5	5.2	15.7	14.4	33.5	43.2	30.1
Ishikawa	30.0	50.0	31.9	38.9	29.1	31.1	6.9	10.0	12.5	31.9	37.7	41.6	36.1
Fukui	17.8	11.4	23.2	16.0	14.3	21.4	8.9	18.5	10.7	16.0	18.5	21.4	33.9
Yamanashi	8.0	9.0	14.4	12.8	9.6	12.8	6.4	1.3	1.6	1.6	10.3	6.4	9.6
Nagano	19.2	31.2	25.8	26.4	14.5	22.1	14.5	12.1	6.3	11.9	22.1	19.5	22.0
Gifu	8.6	6.2	11.2	9.4	8.6	10.3	6.9	2.7	8.6	4.3	9.6	12.9	13.7
Shizuoka	11.5	15.2	11.4	15.7	14.1	10.4	12.5	10.9	7.1	7.1	5.6	13.0	15.7
Aichi	14.3	16.5	28.0	21.1	16.2	6.5	10.9	6.2	8.1	4.9	17.8	17.0	20.7
Mie	18.3	23.1	27.0	21.6	22.5	24.5	12.6	12.3	10.8	5.4	14.4	19.8	25.2
Shiga	12.3	14.4	13.5	12.0	18.0	9.6	3.0	2.4	6.0	10.5	12.0	22.5	27.0

TABLE 76. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA - Cont'd.													
Kyoto	14.6	19.9	16.9	16.1	10.3	17.0	15.4	11.1	13.2	11.0	12.9	11.7	19.1
Osaka	8.7	12.5	9.3	9.3	11.2	7.4	5.6	5.1	6.3	6.3	8.3	12.6	10.8
Hyogo	15.5	19.9	17.4	16.6	18.2	14.6	12.0	7.0	9.1	7.5	17.9	22.8	23.6
Nara	18.2	16.1	15.1	13.4	25.2	25.5	16.8	16.1	8.4	8.4	18.8	23.5	30.2
Wakayama	12.2	13.9	14.7	16.0	13.3	13.9	8.0	11.7	4.0	8.0	10.7	20.0	12.0
Tottori	15.4	15.9	26.5	19.8	17.6	7.1	11.0	3.5	-	6.6	22.9	26.5	30.9
Shimane	33.9	47.5	46.3	29.0	26.1	23.2	29.0	16.2	17.4	17.4	46.3	56.5	52.1
Okayama	16.2	20.9	20.6	22.2	20.6	19.0	17.4	7.0	1.6	7.9	16.5	26.1	15.1
Hiroshima	21.0	29.1	21.7	37.7	21.1	19.4	8.9	11.2	10.9	9.6	20.4	29.4	33.9
Yamaguchi	21.8	24.3	29.5	25.2	35.6	17.4	24.3	6.3	6.1	5.2	35.4	24.3	28.7
Tokushima	14.7	10.8	15.0	16.5	25.6	15.6	13.5	9.6	12.0	4.5	13.2	18.1	24.1
Kagawa	12.6	11.2	21.0	23.8	9.8	14.6	42.0	4.5	2.8	7.0	6.7	5.6	5.6
Ehime	23.8	53.7	39.7	39.7	28.2	19.8	16.8	10.6	5.3	12.4	12.7	19.4	26.5
Kochi	17.0	27.8	33.2	16.6	24.2	10.9	15.1	6.0	1.5	10.6	20.5	30.2	7.5
Fukuoka	27.0	40.1	34.3	31.2	24.5	22.4	19.3	12.0	12.6	18.2	32.5	33.2	44.6
Saga	59.7	105.6	95.5	91.3	59.0	52.8	18.3	23.6	19.7	28.1	70.8	73.0	75.8
Nagasaki	29.6	52.1	35.9	35.1	29.2	22.1	28.4	9.4	20.0	24.2	28.7	38.4	32.6
Kumamoto	10.1	14.6	12.4	6.6	11.0	12.3	5.9	2.3	2.2	9.5	11.1	19.0	13.9
Oita	44.4	29.4	51.4	55.6	42.0	29.4	16.8	23.1	23.1	39.9	72.2	56.7	50.4
Miyazaki	40.0	59.6	37.3	29.8	46.0	31.8	32.3	25.8	26.1	29.8	44.7	52.2	64.6
Kagoshima	26.4	22.5	38.5	25.9	20.7	29.6	24.4	11.8	22.9	25.2	34.3	32.6	29.6

See footnotes at end of table.

TABLE 70. - COMMUNICABLE-DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TERANUS													
Japan	2.4	1.7	1.8	1.9	2.4	3.0	2.7	2.8	3.2	2.4	2.3	2.5	2.6
Hokkaido	1.0	0.5	0.7	0.3	2.3	1.3	1.6	1.3	0.7	0.7	0.3	1.6	0.7
Aomori	0.9	0.9	-	-	-	2.6	1.1	-	2.1	3.2	0.9	-	-
Iwate	1.2	-	-	-	2.0	0.8	3.0	0.8	2.0	2.0	1.6	2.0	1.0
Miyagi	2.9	3.3	-	2.5	2.5	7.9	2.5	0.7	1.6	4.1	0.7	4.1	4.9
Akita	1.8	-	4.1	2.0	5.1	2.4	3.1	0.8	-	2.0	-	2.0	1.0
Yamagata	0.9	-	-	-	1.0	1.6	-	0.8	-	-	2.3	4.9	-
Fukushima	2.1	2.1	-	1.9	1.3	4.6	3.2	3.1	2.6	1.9	1.0	2.6	-
Ibaraki	6.5	5.1	8.3	5.8	4.5	1.5	9.0	4.1	14.1	7.7	8.2	7.7	4.5
Tochigi	2.7	-	3.4	4.2	3.4	3.4	3.4	3.4	2.5	2.5	2.7	1.7	2.5
Gunma	3.2	2.6	4.1	3.2	1.6	3.2	2.4	4.5	4.1	3.2	1.3	4.9	4.1
Saitama	2.5	1.0	3.7	0.6	1.2	4.9	3.7	2.5	4.3	4.3	1.0	3.1	0.6
Chiba	3.3	2.9	4.3	4.3	2.4	1.5	2.4	7.8	7.3	3.7	4.4	3.1	1.8
Tokyo	2.2	0.8	1.7	2.7	3.1	4.1	2.4	2.3	2.7	1.0	2.1	1.9	1.9
Kanagawa	2.3	2.3	1.1	1.7	2.8	4.5	2.3	1.4	1.7	0.6	1.8	2.8	5.1
Niigata	0.9	0.4	-	1.1	0.5	1.3	1.1	0.9	0.5	1.1	1.3	1.6	1.6
Toyama	1.8	-	1.3	-	1.3	2.1	2.6	6.3	3.9	-	1.0	1.3	1.3
Ishikawa	4.2	3.3	2.8	1.4	-	3.3	11.1	17.8	1.4	2.8	-	2.8	1.4
Fukui	1.4	-	-	1.8	-	1.4	-	5.7	1.8	1.8	1.4	1.8	-
Yamanashi	3.6	-	1.6	4.8	4.8	18.0	3.2	1.3	-	3.2	2.6	1.6	-
Nagano	4.4	1.5	1.3	-	2.5	1.0	2.5	2.0	6.3	3.1	3.0	2.5	1.9
Gifu	1.3	0.7	0.6	1.7	0.9	5.5	0.9	1.4	1.7	1.7	1.4	2.6	1.7
Shizuoka	1.3	2.0	0.3	1.6	0.2	2.2	4.3	3.3	2.7	1.1	1.7	2.2	2.7
Aichi	1.7	2.3	1.8	4.3	1.0	4.9	4.1	5.2	2.9	3.2	1.3	2.8	4.1
Mie	2.3	2.9	1.8	2.7	1.3	6.7	3.6	2.9	0.9	3.6	2.2	4.5	3.6
Shiga	1.2	-	1.2	-	-	2.1	3.0	-	-	6.0	-	1.5	-

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS - Cont'd.													
Kyoto	1.8	2.9	-	-	1.5	1.2	1.5	1.8	5.1	-	2.9	2.2	2.2
Osaka	1.5	1.2	0.7	0.7	1.1	1.2	3.0	1.5	1.9	1.5	3.3	1.1	0.4
Hyogo	1.1	1.7	0.8	1.2	0.4	0.3	0.4	-	1.2	2.5	2.0	0.8	2.1
Nara	1.3	-	-	-	1.7	1.3	1.7	1.3	1.7	-	2.7	1.7	3.4
Wakayama	1.1	-	1.3	1.3	-	1.1	2.7	2.1	1.3	-	1.1	-	2.7
Tottori	1.5	-	2.2	2.2	-	5.3	-	-	2.2	-	1.8	4.4	-
Shimane	3.3	3.5	1.4	1.4	4.3	4.6	2.9	3.5	-	2.9	5.8	5.8	2.9
Okayama	2.9	1.3	2.4	-	1.6	1.3	3.2	2.5	4.8	-	1.9	9.5	7.9
Hiroshima	2.9	1.5	0.6	2.6	1.3	5.6	2.6	4.1	4.5	4.5	3.1	1.9	1.9
Yamaguchi	1.7	-	-	-	2.6	4.2	1.7	0.7	4.3	-	2.1	1.7	3.5
Tokushima	2.8	6.0	-	1.5	1.5	4.8	3.0	2.4	-	6.0	3.6	1.5	1.5
Kagawa	2.3	3.4	1.4	2.8	-	1.1	-	4.5	1.4	4.2	3.4	2.8	1.4
Ehime	5.0	5.6	1.8	5.3	6.2	3.5	4.4	5.6	6.2	7.9	4.9	2.6	5.3
Kochi	3.9	2.4	3.0	4.5	3.0	9.7	4.5	1.2	7.5	1.5	3.6	-	6.0
Fukuoka	2.2	1.3	1.2	0.4	4.7	0.9	1.2	2.2	3.6	2.4	2.8	1.6	4.7
Saga	3.5	2.2	-	-	2.8	2.2	-	7.9	9.8	7.0	2.2	2.8	4.2
Nagasaki	3.1	3.3	8.4	3.3	3.3	3.3	3.3	3.3	0.8	2.5	3.3	2.5	2.5
Kumamoto	2.4	2.3	2.2	0.7	2.9	5.9	2.9	1.8	2.2	3.7	1.2	0.7	1.5
Oita	2.7	1.7	-	-	5.2	4.2	-	7.3	7.3	3.1	0.8	1.0	1.0
Miyazaki	4.5	4.0	5.0	2.5	5.0	3.0	3.7	5.0	2.5	1.2	7.0	5.0	9.9
Kagoshima	3.6	2.4	5.2	4.4	2.2	2.4	5.2	1.8	2.2	3.0	2.4	4.4	8.9

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (All forms):													
Japan	475.0	292.4	379.8	445.1	525.9	548.3	569.4	535.9	526.3	544.0	488.6	409.2	443.4
Hokkaido	729.5	509.1	617.5	762.5	837.3	891.7	801.5	929.4	692.6	788.8	701.8	597.6	595.0
Aomori	451.2	319.4	367.0	423.9	535.2	524.6	608.5	605.3	447.5	536.6	360.6	220.0	366.0
Iwate	706.7	586.7	686.9	766.7	837.4	816.2	889.9	850.1	675.8	546.5	661.0	529.3	529.3
Miyagi	526.1	334.2	361.2	411.1	611.0	665.7	597.1	541.9	493.0	688.0	496.6	543.0	587.2
Akita	491.3	427.9	441.1	501.3	587.9	566.5	552.2	561.6	553.2	468.7	450.7	426.9	347.4
Yamagata	360.7	212.1	310.8	429.2	398.2	427.3	409.8	404.8	439.9	379.7	331.0	272.9	329.2
Fukushima	376.9	216.8	278.1	376.1	413.6	446.0	518.7	411.4	455.5	399.4	378.3	315.5	327.1
Ibaraki	268.7	185.7	216.8	202.1	250.0	292.6	241.7	272.2	371.0	321.0	311.1	241.1	317.2
Tochigi	318.7	204.7	246.7	302.0	340.6	331.6	365.8	367.1	371.7	350.7	362.4	332.2	250.9
Gunma	260.8	172.2	242.1	172.2	324.1	321.7	341.2	252.2	322.5	233.2	271.0	255.1	229.1
Saitama	293.9	149.1	188.8	310.8	312.7	307.5	294.3	375.7	389.9	362.3	311.0	297.4	235.4
Chiba	237.8	116.8	194.8	254.7	196.7	387.5	364.0	253.6	337.8	241.3	174.0	153.9	183.9
Tokyo	794.9	341.3	434.3	701.0	913.1	1027.8	1097.4	1081.6	872.8	790.0	830.7	669.4	794.4
Kanagawa	653.8	426.0	646.5	579.4	739.0	880.5	663.4	707.2	625.6	753.7	683.8	513.4	606.5
Niigata	475.7	327.7	461.1	493.3	630.2	488.3	559.9	534.2	481.0	501.9	467.2	368.3	416.0
Toyama	858.1	386.6	641.8	847.4	1129.0	1224.9	1068.8	1075.1	816.0	974.5	727.2	664.0	746.6
Ishikawa	687.2	424.1	631.4	720.2	709.1	720.5	900.6	752.6	736.8	814.5	645.0	679.9	563.4
Fukui	322.5	142.7	239.0	280.0	331.7	523.6	559.9	186.9	317.4	429.8	306.6	319.2	262.1
Yamanashi	210.6	193.7	240.6	263.0	231.0	216.8	216.8	243.8	218.1	217.9	171.9	91.4	205.3
Nagano	424.4	275.1	329.5	523.1	475.3	381.3	575.3	479.3	528.8	469.7	375.2	315.6	411.8
Gifu	383.1	235.4	304.5	329.4	416.0	407.6	495.8	443.9	404.8	368.8	411.0	416.0	373.1
Shizuoka	369.1	225.5	292.7	323.7	410.6	424.9	445.3	402.7	474.6	434.4	379.3	292.2	327.5
Aichi	431.8	237.3	289.3	421.8	434.4	464.8	593.6	358.8	626.8	566.1	439.6	327.4	478.5
Mie	304.4	201.8	214.4	229.7	300.9	294.8	392.4	352.4	414.4	403.6	286.8	283.8	344.4
Shiga	376.7	184.5	283.0	341.4	450.7	410.9	393.8	391.7	326.4	619.9	404.8	353.4	389.3

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) - Cont'd:													
Kyoto	645.4	284.3	398.6	315.1	593.5	603.7	743.0	699.9	859.5	866.1	906.8	777.4	718.8
Osaka	563.0	352.2	496.8	489.4	536.2	598.0	684.3	634.3	708.1	888.7	634.3	421.3	620.7
Hyogo	263.7	143.5	178.5	198.4	195.5	200.5	161.5	252.8	360.7	397.2	379.1	299.9	416.7
Nara	278.9	215.1	178.1	263.2	344.4	286.3	341.1	423.4	245.3	332.7	285.0	164.7	243.6
Wakayama	251.8	160.1	266.8	289.4	290.8	219.8	245.4	198.5	256.1	369.5	259.3	238.8	269.4
Tottori	655.0	458.5	595.2	694.4	703.2	821.8	720.8	751.2	685.5	718.6	567.8	590.7	557.7
Shimane	668.1	543.1	933.7	890.2	890.2	1050.3	1127.6	867.4	746.9	1085.7	958.9	592.1	744.0
Okayama	452.8	158.4	240.0	305.8	489.6	503.8	508.6	494.3	564.8	740.7	534.9	538.7	384.2
Hiroshima	709.2	363.4	575.6	785.8	799.9	824.4	958.3	764.1	732.2	938.5	639.9	580.1	608.9
Yamaguchi	290.5	177.2	246.7	234.5	253.6	346.7	294.4	282.1	222.3	183.9	389.1	336.1	310.9
Tokushima	345.0	314.1	355.0	446.7	385.1	462.1	482.8	388.7	233.1	227.1	272.0	291.8	267.7
Kagawa	295.0	189.2	249.1	278.5	265.9	342.6	286.6	283.7	386.3	338.7	283.3	211.3	205.7
Ehime	624.7	540.2	769.6	624.9	713.1	801.4	592.2	614.3	516.3	738.7	535.2	520.7	531.3
Kochi	338.9	246.3	360.7	377.4	378.9	378.0	348.7	403.3	320.0	421.1	342.9	200.8	285.3
Fukuoka	589.1	486.9	568.3	660.7	728.6	684.9	689.5	580.6	546.2	634.4	577.2	444.4	488.0
Saga	423.6	338.1	426.8	356.6	403.0	366.2	499.8	406.6	542.0	464.7	522.3	365.0	407.2
Nagasaki	478.1	268.6	314.0	390.1	573.0	516.5	644.8	611.4	476.9	564.6	545.9	444.3	380.0
Kumamoto	243.8	127.1	173.5	225.4	311.1	265.2	247.4	283.4	271.5	300.1	281.0	220.3	224.0
Oita	440.0	330.9	237.3	289.8	591.1	446.0	480.9	617.3	634.1	537.6	398.1	409.5	299.2
Miyazaki	391.2	270.4	299.5	324.3	395.1	452.3	463.5	388.7	505.7	429.9	434.4	385.2	350.4
Kagoshima	255.4	138.6	173.9	146.6	234.6	249.9	307.9	216.1	340.5	321.2	331.6	330.9	294.6

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
LEPROSY													
Japan	0.9	0.3	0.7	0.9	1.3	1.1	1.3	0.9	1.4	0.8	0.5	0.7	0.8
Hokkaido	0.3	0.3	-	-	0.3	0.3	1.0	0.3	-	0.7	0.3	1.0	-
Aomori	1.0	0.9	-	-	3.2	-	1.1	1.7	-	5.4	-	-	-
Iwate	1.9	-	2.0	-	-	5.7	4.0	6.5	1.0	1.0	0.8	-	1.0
Miyagi	0.3	-	1.6	0.8	0.8	-	-	-	-	-	-	-	-
Akita	0.7	-	-	-	1.0	0.8	2.0	1.6	1.0	-	0.8	-	1.0
Iiyagata	1.0	0.8	1.9	1.0	1.0	1.6	-	0.8	-	-	-	0.9	1.0
Fukushima	0.4	-	-	0.6	-	1.0	0.6	-	-	1.3	-	1.3	-
Ibaraki	0.5	0.5	-	-	-	1.0	3.8	-	-	-	-	0.8	0.6
Tochigi	0.7	0.8	-	-	1.7	-	-	0.7	-	-	-	0.8	0.8
Gunma	5.9	0.6	4.1	4.9	7.3	9.7	6.5	1.9	8.1	5.7	4.5	6.5	13.0
Saitama	0.2	-	-	-	0.6	-	0.6	0.5	0.6	-	0.5	-	-
Chiba	0.1	-	-	1.2	-	-	-	-	0.6	-	-	-	-
Tokyo	0.1	-	0.2	0.2	-	-	-	0.2	0.2	-	-	0.5	0.2
Kanagawa	0.8	0.9	-	-	-	0.5	3.4	3.6	-	1.1	-	-	-
Niigata	0.5	0.4	-	0.5	0.5	0.9	1.1	-	0.5	0.5	0.9	0.5	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	0.6	-	-	4.2	-	-	-	-	-	2.8	1.1	-	-
Fukui	0.8	-	-	-	1.8	2.9	-	-	-	1.8	-	3.6	-
Yamanashi	0.6	-	4.8	-	-	1.3	-	-	-	-	-	1.6	-
Nagano	0.7	-	-	1.3	-	0.5	-	1.0	0.6	-	1.5	0.6	2.5
Gifu	0.8	-	1.7	0.9	0.9	1.4	0.9	2.7	0.9	-	-	-	-
Shizuoka	1.0	0.4	1.6	3.8	2.7	1.3	0.5	0.3	0.5	-	-	-	1.6
Aichi	0.4	1.3	0.8	0.4	0.4	0.3	-	0.3	0.4	0.4	0.6	-	-
Mie	0.6	-	-	0.9	0.9	-	-	0.7	0.9	1.8	-	1.8	-
Shiga	0.1	-	-	-	-	-	1.5	-	-	-	-	-	-

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	June	Jul	Aug	Sep	Oct	Nov	Dec
LEPROSY - Cont'd:													
Kyoto	2.0	-	-	0.7	-	0.6	0.7	1.2	7.3	2.9	3.5	1.5	5.9
Osaka	0.7	-	1.5	1.1	2.6	0.3	1.9	-	1.1	-	-	0.4	-
Hyogo	1.8	1.0	1.7	-	3.3	3.3	2.1	1.3	4.6	2.1	1.0	0.8	0.4
Nara	0.1	-	-	-	-	-	-	-	-	1.7	-	-	-
Nakayama	0.8	1.1	-	2.7	-	2.1	2.7	-	-	1.3	-	-	-
Tottori	1.2	1.8	4.4	-	2.2	3.5	-	-	-	-	-	-	2.2
Shimane	0.5	-	-	-	-	1.2	-	2.3	-	1.4	1.2	-	-
Okayama	0.7	-	0.8	-	-	3.8	-	0.6	-	0.8	1.3	0.8	-
Hiroshima	0.9	-	0.6	-	4.5	-	-	5.1	-	-	-	-	0.6
Yamaguchi	2.1	-	0.9	2.6	6.9	2.1	6.9	-	0.9	0.9	1.4	2.6	0.9
Tokushima	3.2	-	-	-	-	-	3.0	-	31.6	6.0	-	-	1.5
Kagawa	0.9	2.2	-	-	-	1.1	5.6	-	-	-	1.1	-	-
Ehime	1.0	0.7	0.9	-	1.8	0.7	2.6	0.7	1.8	0.9	0.7	-	0.9
Kochi	2.2	-	-	3.0	1.5	1.2	1.5	4.8	12.1	1.5	1.2	-	-
Fukuoka	1.1	0.6	0.4	1.2	3.2	1.6	2.0	1.9	0.8	-	1.3	-	-
Saga	0.6	-	-	-	2.8	1.1	-	-	-	1.4	-	1.4	1.4
Nagasaki	0.9	-	-	2.5	3.3	0.7	1.7	1.3	-	0.8	-	0.8	-
Kumamoto	0.7	-	-	2.2	-	-	2.2	1.8	1.5	0.7	-	-	-
Oita	0.9	-	-	2.1	3.1	0.8	2.1	-	-	-	-	-	3.1
Miyazaki	1.0	-	3.7	1.2	1.2	3.0	-	-	-	-	-	-	1.2
Kagoshima	1.1	0.6	-	2.2	0.7	1.8	0.7	0.6	3.7	1.5	-	0.7	0.7

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Ser	Oct	Nov	Dec
GONORRHEA:													
Japan	273.3	240.2	294.6	363.6	404.2	338.1	275.2	249.2	223.8	243.7	225.5	219.4	212.4
Hokkaido	231.8	224.0	274.1	255.9	287.4	270.0	214.0	206.0	221.8	202.9	211.0	212.7	205.5
Aomori	220.8	278.2	252.2	316.6	308.0	315.9	252.2	209.5	157.8	179.2	120.2	90.1	159.9
Iwate	81.0	64.7	60.6	83.8	85.9	105.9	101.0	109.1	62.6	77.8	59.0	61.6	97.0
Miyagi	160.8	167.1	203.9	181.0	171.2	111.4	107.3	125.1	128.6	347.3	141.5	172.8	96.6
Akita	165.1	178.5	327.0	348.4	243.5	156.5	178.3	107.6	133.5	128.4	82.3	73.4	58.1
Yamagata	77.2	57.5	96.1	95.2	89.3	90.1	84.5	62.2	88.4	89.3	66.0	43.7	72.8
Fukushima	134.4	125.4	169.0	195.5	203.9	194.6	187.1	154.8	164.5	135.5	123.4	96.8	107.1
Ibaraki	143.7	120.2	123.4	261.6	439.3	143.2	119.6	114.1	96.6	103.6	76.7	81.2	75.5
Tochigi	180.8	160.4	225.7	240.0	276.9	183.2	192.1	165.8	183.7	171.2	162.4	104.0	117.5
Gunma	149.1	124.1	173.0	126.7	159.2	191.7	173.9	148.2	154.4	153.5	144.3	102.4	134.9
Saitama	98.0	87.3	94.4	133.7	126.3	106.9	104.2	98.6	123.2	116.5	74.1	72.3	44.1
Chiba	285.3	137.3	217.4	1018.8	955.9	516.5	193.0	156.9	66.0	73.9	63.5	37.9	52.5
Tokyo	262.1	223.4	274.8	232.9	248.5	238.6	321.7	269.7	276.3	275.1	258.3	272.2	268.1
Kanagawa	567.9	570.0	562.5	701.2	919.0	742.4	501.5	540.2	516.8	502.7	472.5	431.6	340.7
Niigata	120.0	113.8	198.1	173.4	187.9	163.6	175.5	117.2	80.0	97.2	48.5	49.9	44.0
Toyama	243.0	311.2	290.8	264.6	273.7	256.7	210.9	266.1	268.5	205.6	216.9	174.2	157.2
Ishikawa	233.1	282.0	274.7	270.6	310.8	294.2	297.0	194.3	134.6	161.0	139.9	212.3	231.7
Fukui	213.0	179.8	212.2	237.2	299.6	349.5	242.5	84.2	181.9	233.6	211.1	153.4	178.3
Yamanashi	166.3	238.7	158.8	231.0	163.6	147.6	155.6	195.0	176.4	134.7	160.4	99.4	115.5
Nagano	302.5	361.1	623.7	521.9	560.8	581.0	262.2	143.9	130.8	127.6	107.1	107.5	106.9
Gifu	248.2	194.2	240.2	258.2	272.8	257.3	243.9	157.1	223.0	264.2	274.5	355.1	267.6
Shizuoka	213.5	126.4	175.4	248.2	492.0	290.6	234.6	209.0	181.9	156.8	146.1	136.3	136.3
Aichi	611.2	341.7	552.7	1085.1	1328.2	901.8	463.5	318.0	458.3	475.7	466.8	495.5	551.9
Mie	171.0	217.6	245.9	161.3	245.0	174.4	167.6	147.7	144.9	197.3	118.9	101.8	136.0
Shiga	155.0	165.3	203.6	154.2	197.6	158.1	161.7	121.3	121.3	209.6	137.8	113.8	97.3

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
GONORRHEA - Cont'd:													
Kyoto	387.8	438.4	704.9	489.4	485.8	453.1	334.8	280.2	216.1	292.3	336.5	343.6	288.7
Osaka	309.7	257.0	288.6	286.3	318.7	298.7	285.2	312.7	280.0	363.7	357.0	386.4	285.6
Hyogo	455.0	274.7	425.8	590.2	765.8	800.9	668.1	534.8	301.5	278.7	247.8	308.6	253.9
Nara	303.3	151.9	280.6	364.6	436.8	383.1	421.7	353.5	315.9	304.1	229.8	255.4	166.3
Wakayama	426.3	417.2	464.2	654.9	408.1	597.6	454.2	484.4	254.8	269.4	363.9	360.1	337.5
Tottori	373.5	356.2	443.1	515.8	434.2	338.6	804.6	377.4	295.4	288.8	255.7	227.0	187.4
Shimane	93.1	136.6	144.8	111.5	112.9	78.7	79.6	115.8	68.0	76.7	71.8	66.0	46.3
Okayama	272.5	325.1	216.3	473.7	324.8	293.4	103.0	348.6	217.9	300.2	213.6	216.3	214.7
Hiroshima	391.3	312.3	323.3	442.7	372.5	371.1	301.6	436.5	354.6	470.9	510.1	438.3	345.6
Yamaguchi	527.7	221.0	275.3	626.2	776.5	485.7	463.8	522.5	522.9	512.4	705.9	608.0	655.7
Tokushima	134.7	217.8	127.9	215.1	254.2	148.0	97.8	121.5	114.3	94.8	67.4	70.7	82.7
Kagawa	125.8	143.3	135.8	123.2	126.0	187.0	197.3	116.4	88.2	140.0	99.6	93.8	49.0
Ehime	173.4	184.3	136.8	199.5	212.7	257.7	175.6	198.4	166.8	183.6	110.9	100.6	139.5
Kochi	171.0	144.9	181.1	237.0	261.1	195.2	191.7	199.2	144.9	146.4	135.2	93.6	119.2
Fukuoka	460.5	462.6	511.1	506.4	498.5	506.8	503.2	434.8	353.6	468.1	421.5	429.0	434.9
Saga	378.1	436.9	459.1	504.0	445.1	459.4	328.5	343.7	374.9	369.3	314.5	233.1	258.3
Nagasaki	355.2	343.4	412.6	417.6	441.0	463.7	341.6	356.1	266.4	328.2	299.3	278.1	303.2
Kumamoto	201.2	185.5	232.0	305.9	412.8	170.4	205.7	179.2	180.0	139.8	135.8	131.0	166.8
Oita	247.9	287.3	296.1	238.3	267.7	257.0	262.5	205.8	274.0	231.0	207.5	144.9	311.8
Miyazaki	166.0	146.1	166.5	192.6	231.1	217.7	231.1	163.0	136.7	146.6	133.2	109.3	119.3
Kagoshima	167.9	198.4	242.0	177.6	228.7	233.9	155.4	175.3	107.3	90.3	126.7	133.2	130.3

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
GLANDERS:													
Japan	0.0	-	-	-	-	-	0.0	-	0.0	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	0.1	-	-	-	-	-	-	-	1.3	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sept	Oct	Nov	Dec
GLANDERS - Cont'd:													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.1	-	-	-	-	-	1.3	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	0.1	-	-	-	-	-	1.4	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY:													
Japan	18.3	1.6	2.5	4.8	4.7	7.8	17.8	50.2	64.0	41.5	16.0	5.6	2.9
Hokkaido	23.8	1.8	7.8	2.0	4.2	6.2	27.6	61.9	102.4	54.6	12.5	4.2	3.6
Aomori	9.9	0.9	-	1.1	-	2.6	5.4	24.9	40.8	27.9	11.2	4.3	-
Iwate	41.0	1.6	1.0	6.1	5.1	14.5	20.2	33.9	168.7	204.1	45.3	7.1	2.0
Miyagi	14.4	0.7	2.5	7.4	6.6	5.2	9.0	18.3	46.7	45.0	24.9	5.7	2.5
Akita	15.3	1.6	1.0	7.1	5.1	6.5	11.2	46.5	36.7	44.8	17.9	1.0	1.0
Yamagata	17.7	0.8	6.8	16.5	9.7	16.3	10.7	32.6	71.9	37.9	10.1	-	1.9
Fukushima	23.4	-	-	3.2	1.3	7.7	13.5	88.3	89.0	51.0	18.1	3.2	-
Ibaraki	36.7	1.5	1.3	2.6	3.2	7.7	37.1	113.1	140.7	76.1	31.7	12.2	11.5
Tochigi	18.0	2.0	2.5	5.9	5.0	2.7	18.5	58.4	59.6	44.5	10.1	3.4	3.4
Gunma	29.5	1.9	7.3	4.9	5.7	11.0	30.1	98.1	136.5	40.6	13.0	3.2	-
Saitama	19.1	1.0	1.2	1.8	1.2	13.2	18.4	57.4	68.7	45.4	10.3	5.5	4.3
Chiba	13.3	-	2.4	4.9	5.5	7.8	7.3	25.9	53.8	25.7	17.6	6.7	3.1
Tokyo	28.5	4.6	6.8	10.6	11.8	17.8	23.6	83.8	86.9	51.9	23.0	9.2	8.7
Kanagawa	12.8	3.6	2.3	4.5	6.2	9.5	12.4	39.3	36.1	19.2	13.5	3.4	0.6
Niigata	24.9	1.3	2.7	46.2	6.4	7.7	11.3	46.8	99.8	54.8	19.3	5.9	2.1
Toyama	6.1	1.0	1.3	-	3.9	6.3	1.3	15.7	22.3	13.1	5.2	1.3	1.3
Ishikawa	3.8	-	1.4	-	2.8	3.3	2.8	8.9	11.1	6.9	5.6	2.8	-
Fukui	27.7	-	-	1.8	21.4	8.6	12.5	105.6	103.4	64.2	2.9	8.9	1.8
Yamanashi	9.4	2.6	1.6	-	3.2	1.3	4.8	20.5	35.3	25.7	6.4	6.4	6.4
Nagano	16.0	3.5	0.6	0.6	3.1	1.0	67.9	30.2	52.2	24.5	8.0	3.1	2.5
Gifu	26.3	1.4	0.9	1.7	3.4	4.1	12.9	103.6	114.9	48.9	13.7	5.1	0.9
Shizuoka	13.8	1.7	1.6	1.1	3.3	7.0	12.5	40.8	47.2	30.4	10.9	4.3	3.8
Aichi	21.8	1.9	1.6	3.2	3.6	8.4	19.9	76.8	69.7	49.4	14.6	5.7	2.4
Mie	12.5	-	0.9	0.9	5.4	1.4	9.9	48.3	43.2	18.9	15.1	1.8	0.9
Shiga	10.8	1.2	1.5	1.5	1.5	2.4	13.5	28.7	52.4	16.5	9.6	1.5	-

TABLE 70. - COMMUNICABLE DISEASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY - Cont'd.													
Kyoto	16.5	5.3	1.5	0.7	6.6	10.6	26.4	32.8	68.9	25.6	15.8	2.9	1.5
Osaka	14.9	0.9	3.7	3.7	2.6	6.8	18.6	52.7	24.5	36.4	15.8	6.0	2.6
Hyogo	14.6	1.7	1.2	2.9	4.1	5.3	7.0	35.1	48.5	42.2	15.6	9.5	1.7
Nara	5.9	-	-	1.7	1.7	2.7	5.0	16.1	10.1	15.1	10.8	5.0	1.7
Wakayama	5.8	2.1	1.3	5.3	1.3	-	-	10.7	17.3	13.3	11.7	2.7	4.0
Tottori	11.4	-	-	6.6	2.2	8.8	4.4	31.7	50.7	22.0	8.8	-	-
Shimane	24.4	-	-	1.4	-	3.5	13.0	48.6	115.8	66.6	24.3	20.3	4.3
Okayama	12.2	0.6	0.8	0.8	1.6	1.3	5.5	33.6	42.8	33.3	18.4	4.8	1.6
Hiroshima	15.8	1.0	2.6	2.6	3.8	6.1	9.6	35.3	56.1	46.0	19.9	3.2	1.3
Yamaguchi	16.2	1.4	1.7	0.9	1.7	2.8	8.7	37.5	38.2	53.8	34.0	9.6	0.9
Tokushima	17.9	-	-	-	3.0	4.8	10.5	46.9	81.2	48.1	14.4	1.5	6.0
Kagawa	13.8	2.2	-	5.6	1.4	7.8	18.2	38.1	56.0	12.6	19.0	-	1.4
Ehime	24.4	1.4	4.4	1.8	7.9	12.7	26.5	75.6	102.4	34.4	17.7	2.6	2.6
Kochi	12.9	-	1.5	-	3.0	9.7	18.1	19.3	28.7	30.2	24.2	16.6	3.0
Fukuoka	13.1	1.3	4.3	3.2	4.7	6.6	18.9	29.0	35.5	30.4	17.7	3.9	5.6
Saga	19.7	2.2	-	1.4	9.8	6.7	25.3	76.4	56.2	33.7	9.0	5.6	5.6
Nagasaki	16.1	2.7	3.3	1.7	4.2	16.7	15.0	51.5	30.1	38.4	16.0	5.0	2.5
Kumamoto	12.3	0.6	0.7	0.7	5.1	9.4	35.7	37.3	13.9	37.3	2.9	5.1	1.5
Oita	15.4	1.7	-	2.1	3.1	4.2	11.5	37.0	53.5	48.3	15.1	6.3	3.1
Miyazaki	25.1	1.0	1.2	5.0	7.5	25.8	32.3	54.7	55.9	63.4	20.9	22.4	9.9
Kagoshima	8.8	0.6	0.7	1.5	2.2	1.2	16.3	29.6	27.4	17.0	44.7	3.7	0.7

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA:													
Japan	6.2	3.4	3.5	3.8	4.8	5.6	10.8	13.1	12.8	8.4	4.2	1.9	1.8
Hokkaido	2.8	1.6	2.9	2.3	3.3	2.1	4.9	4.7	1.6	3.6	3.1	2.3	0.7
Aomori	3.3	4.3	1.1	1.1	2.1	1.7	3.2	2.6	4.3	14.0	1.7	3.2	1.1
Iwate	2.6	2.4	1.0	6.1	6.1	3.2	2.0	6.5	1.0	1.0	-	-	1.0
Miyagi	2.1	3.3	1.6	0.8	0.8	0.7	3.3	1.3	5.7	4.9	1.3	1.6	-
Akita	2.0	1.6	1.0	3.1	4.1	3.3	2.0	2.4	3.1	2.0	0.8	-	1.0
Yamagata	1.8	0.8	-	1.0	2.9	0.8	3.9	3.1	2.9	2.9	0.8	-	2.9
Fukushima	2.1	1.5	2.6	-	2.6	2.6	1.3	3.6	1.3	1.9	4.6	1.3	1.3
Ibaraki	2.4	3.6	4.5	1.3	1.9	2.6	3.8	3.1	1.9	2.6	1.0	2.6	-
Tochigi	2.5	2.7	2.5	2.5	4.2	1.3	3.4	4.0	3.4	0.8	2.7	0.8	0.8
Gunma	0.9	2.6	-	2.4	0.8	0.6	0.8	0.6	-	-	1.3	0.8	0.8
Saitama	1.2	0.5	1.8	4.3	0.6	1.0	-	1.5	1.8	1.2	1.5	0.6	-
Chiba	1.6	0.5	1.8	2.4	-	0.5	3.1	2.9	4.3	1.8	1.5	-	-
Tokyo	5.8	3.7	3.4	7.0	7.0	5.4	6.8	10.2	12.5	6.5	2.9	2.2	2.2
Kanagawa	6.2	7.2	6.2	3.9	3.4	5.0	5.1	2.7	1.1	1.1	3.6	-	2.3
Niigata	4.3	2.1	0.5	7.0	8.6	3.4	5.9	5.2	7.0	4.8	3.0	2.7	1.6
Toyama	5.0	2.1	6.5	9.2	6.5	3.1	2.6	6.3	9.2	7.9	2.1	2.6	3.9
Ishikawa	3.4	2.2	5.6	5.6	6.9	2.2	1.4	6.7	4.2	2.8	2.2	1.4	-
Fukui	-	-	-	1.8	5.3	11.4	12.5	1.4	-	5.3	-	1.8	1.8
Yamanashi	2.8	-	3.2	3.2	1.6	2.6	6.4	3.8	6.4	6.4	1.3	-	-
Nagano	0.8	-	0.6	-	-	1.5	1.3	1.5	1.9	1.3	0.5	-	0.6
Gifu	2.8	4.1	3.4	0.9	5.1	0.7	3.4	2.1	5.1	4.3	2.1	0.9	1.7
Shizuoka	1.8	1.7	2.7	4.9	1.1	0.9	3.3	1.3	2.2	1.6	1.3	0.5	0.5
Aichi	1.5	1.9	0.4	1.2	0.8	1.3	2.0	3.9	2.8	0.8	1.9	0.4	-
Mie	4.2	5.8	0.9	2.7	5.4	5.0	11.7	7.2	4.5	4.5	-	-	2.7
Shiga	260.1	10.8	9.0	7.5	73.4	219.2	575.0	807.3	756.1	417.7	155.7	34.4	16.5

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA - Cont'd.													
Kyoto	4.8	2.9	1.5	0.7	2.9	0.6	6.6	2.9	19.8	8.8	4.7	6.6	2.2
Osaka	1.6	2.4	1.1	3.0	2.6	1.8	2.6	0.6	-	-	0.6	1.1	3.3
Hyogo	2.1	1.7	3.7	2.9	2.5	0.7	0.8	1.7	4.1	2.1	3.6	0.4	1.2
Nara	4.0	1.3	6.7	5.0	5.0	8.1	-	5.4	6.7	3.4	4.0	-	1.7
Wakayama	2.1	3.2	6.7	1.3	1.3	1.1	1.3	1.1	2.7	-	2.1	1.3	2.7
Tottori	8.0	3.5	13.2	15.4	13.2	7.1	11.0	8.8	11.0	8.8	3.5	2.2	-
Shimane	3.8	5.8	1.4	5.8	4.3	3.5	2.9	6.9	7.2	1.4	2.3	1.4	1.4
Okayama	3.1	2.5	3.2	0.8	2.4	4.4	4.8	1.9	5.5	4.0	1.9	4.0	2.4
Hiroshima	5.4	2.0	2.6	7.0	5.1	1.5	16.6	5.1	6.4	7.7	7.2	3.8	1.3
Yamaguchi	3.1	3.5	1.7	5.2	2.6	2.8	5.2	5.6	1.7	3.5	2.1	-	3.5
Tokushima	2.5	4.8	3.0	1.5	6.0	2.4	1.5	1.2	3.0	1.5	3.6	-	1.5
Kagawa	2.6	3.4	2.8	8.4	2.8	2.2	2.8	3.4	2.8	-	1.1	-	1.4
Ehime	7.3	8.5	15.9	7.1	8.8	7.1	6.2	9.9	10.6	7.1	2.1	1.8	2.6
Kochi	2.4	1.2	7.5	7.5	4.5	3.6	-	2.4	3.0	-	-	-	-
Fukuoka	7.5	12.3	11.1	8.7	7.5	6.0	6.7	5.4	7.5	6.7	9.5	3.2	4.3
Saga	4.4	4.5	7.0	2.8	1.4	4.5	5.6	12.4	2.8	5.6	3.4	1.4	-
Nagasaki	4.4	4.7	4.2	2.5	4.2	5.3	7.5	5.3	4.2	5.0	2.7	3.3	3.3
Kumamoto	3.5	1.8	4.4	4.4	6.6	3.5	2.2	8.8	2.2	4.4	0.6	1.5	2.2
Oita	4.4	16.0	7.3	3.1	2.1	2.5	4.2	5.0	2.1	4.2	-	2.1	2.1
Miyazaki	2.2	2.0	1.2	1.2	3.7	2.0	1.2	3.0	3.7	1.2	1.0	2.5	3.7
Kagoshima	9.0	4.1	3.0	3.0	15.5	20.7	18.5	8.9	8.1	17.8	4.1	2.2	1.5

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS:													
Japan	268.9	190.6	280.8	350.1	386.6	314.6	276.2	247.2	226.4	251.4	242.8	238.4	241.7
Hokkaido	190.6	110.3	181.8	156.4	229.9	257.8	206.8	187.0	187.9	170.7	212.0	184.7	200.9
Aomori	155.9	173.4	196.4	184.6	192.1	155.4	183.5	176.9	117.0	155.6	109.0	78.3	151.3
Iwate	122.5	78.4	104.0	128.3	142.4	144.7	134.4	139.0	88.9	115.2	135.0	115.2	142.4
Miyagi	159.0	87.1	152.3	150.7	194.9	142.8	113.0	180.8	152.3	193.3	180.2	173.6	173.6
Akita	182.5	184.2	255.7	470.7	269.0	174.4	126.3	128.0	148.7	131.4	101.1	123.3	119.1
Yamagata	169.4	83.9	191.3	226.3	234.0	173.2	190.3	150.7	150.5	208.8	155.4	129.2	167.0
Fukushima	146.8	99.1	145.3	151.0	194.8	146.1	144.5	125.9	177.4	164.5	145.6	110.3	200.7
Ibaraki	159.2	122.3	125.3	253.9	475.8	137.6	124.7	112.6	94.6	127.3	125.9	118.9	126.6
Tochigi	263.4	192.6	298.7	373.3	474.0	281.9	366.6	209.4	227.4	231.6	210.1	155.2	180.4
Gunma	186.7	115.7	145.4	157.6	171.4	198.9	258.3	213.8	195.8	255.1	195.0	183.6	155.2
Saitama	101.7	86.8	103.0	122.6	118.3	126.1	105.5	100.1	115.9	104.8	76.0	92.6	73.1
Chiba	253.6	187.6	263.9	818.5	860.6	301.0	182.6	130.0	70.9	70.9	103.6	59.9	66.6
Tokyo	264.2	327.4	481.6	330.6	272.7	184.0	253.6	217.2	232.1	200.8	250.2	255.1	184.8
Kanagawa	422.8	371.0	423.7	430.4	464.9	500.1	374.0	425.6	423.7	398.3	432.8	406.2	413.5
Niigata	146.6	94.5	155.1	242.1	236.9	158.9	177.1	140.4	116.0	157.3	86.3	95.6	124.0
Toyama	264.3	278.7	293.4	315.7	302.6	320.6	276.4	274.5	280.3	210.9	214.8	209.6	186.0
Ishikawa	224.3	161.0	281.7	199.8	212.3	318.6	327.5	172.1	116.6	226.2	266.4	220.6	183.2
Fukui	233.2	165.5	285.3	265.7	265.7	348.1	281.8	145.5	185.5	231.8	219.7	174.8	242.5
Yamanashi	131.1	142.4	126.7	163.6	152.4	100.1	118.7	152.7	131.5	102.6	129.6	121.9	121.9
Nagano	253.6	277.6	438.9	361.5	455.2	493.9	181.7	131.8	159.1	152.8	121.7	125.7	140.8
Gifu	140.5	96.1	170.7	157.8	153.5	174.3	135.5	126.3	126.9	126.9	126.9	132.1	169.0
Shizuoka	230.7	123.8	252.5	278.0	451.3	313.2	236.9	202.5	202.0	203.6	166.4	182.5	171.1
Aichi	351.0	156.6	345.2	1005.7	1265.4	829.8	429.1	268.4	446.1	475.7	459.6	520.7	531.6
Mie	250.6	224.1	268.5	270.3	329.7	265.9	283.8	220.5	242.3	318.0	247.9	159.5	188.3
Shiga	179.8	165.3	235.1	178.2	164.7	173.7	209.6	166.5	152.7	253.0	195.2	126.8	139.2

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS - Cont'd.													
Kyoto	436.1	314.8	567.8	585.4	543.7	441.4	423.5	361.1	264.0	393.5	425.0	474.8	467.5
Osaka	372.0	283.2	395.8	366.7	353.4	346.9	352.5	336.2	396.2	365.6	466.5	516.5	372.6
Hyogo	600.9	266.1	569.9	944.1	1016.8	1110.7	949.5	801.2	562.0	425.4	966.5	375.2	433.2
Nara	348.3	194.9	294.0	309.1	544.1	456.3	431.8	353.5	329.3	393.2	357.5	304.1	257.1
Nakayama	312.6	261.4	232.1	692.3	326.8	341.5	280.1	226.2	244.1	274.8	345.7	224.1	321.5
Tottori	395.1	253.9	427.6	444.4	410.0	336.6	663.5	265.7	198.4	288.8	285.7	273.3	224.8
Shimane	120.6	97.3	134.6	146.2	139.0	91.5	104.2	115.8	89.7	127.4	154.0	144.8	108.6
Okayama	272.5	299.8	232.9	333.5	265.4	183.2	151.3	373.3	276.1	406.4	249.1	231.3	269.8
Hiroshima	281.6	190.6	265.8	320.1	260.0	253.4	290.7	358.8	257.5	311.1	275.5	275.4	283.0
Yamaguchi	443.2	147.3	261.4	504.6	516.8	340.5	451.6	441.9	406.5	462.1	593.4	604.5	650.5
Tokushima	157.1	185.3	176.0	180.5	314.4	144.4	130.9	140.8	121.8	145.9	92.7	145.9	123.3
Kagawa	206.3	132.1	142.8	201.5	296.7	198.2	221.1	163.5	214.1	258.9	155.6	243.5	291.1
Exhime	186.6	148.3	180.1	179.2	232.1	250.7	217.1	189.2	147.4	214.5	159.6	135.0	185.3
Kochi	147.3	82.1	126.8	182.6	235.5	153.4	167.5	117.1	125.3	140.4	157.0	163.0	137.4
Fukuoka	399.2	282.3	369.8	444.0	459.4	457.5	438.1	404.1	337.0	427.0	444.2	377.3	386.7
Saga	300.9	231.4	365.0	407.2	390.3	314.5	285.0	284.2	256.9	384.7	244.9	252.7	226.0
Nagasaki	283.6	230.5	296.5	312.4	295.7	340.8	248.1	321.4	206.3	303.2	266.6	247.2	323.2
Kumamoto	211.6	144.0	229.8	217.4	339.6	186.8	202.0	218.4	148.6	194.7	216.6	240.1	221.8
Oita	266.4	171.3	233.1	187.9	267.9	202.4	202.6	163.8	257.2	236.2	183.1	192.1	245.7
Miyazaki	130.1	69.6	84.5	109.3	206.3	146.1	156.6	176.9	115.6	152.3	112.3	123.0	111.8
Kagoshima	148.8	114.9	212.4	141.4	204.3	182.4	148.8	131.5	130.3	116.2	152.2	116.9	138.4

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA:													
Japan	3.5	6.6	6.4	6.2	7.6	4.8	2.7	1.7	1.1	1.0	0.9	1.2	2.3
Hokkaido	4.0	6.0	11.7	12.0	5.9	3.4	5.2	1.8	0.3	-	0.3	0.7	1.6
Aomori	1.4	4.3	4.3	1.1	4.3	-	2.1	-	-	-	-	-	1.1
Iwate	2.6	-	2.0	5.1	4.0	4.0	6.1	2.4	2.0	2.0	0.8	-	4.0
Miyagi	0.8	0.7	0.8	0.8	1.6	-	2.5	-	-	-	0.7	-	3.3
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	0.7	-	-	-	5.8	2.3	-	-	-	-	0.8	-	-
Fukushima	1.4	1.5	-	7.7	7.1	0.5	0.6	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	3.7	0.7	2.5	32.7	8.4	-	3.4	-	-	-	-	-	-
Gunma	2.1	4.5	4.9	4.1	5.7	1.3	-	0.6	-	0.8	0.6	0.8	2.4
Saitama	3.3	-	8.0	21.5	1.8	1.0	1.2	1.0	4.3	1.2	1.0	-	1.2
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	2.7	3.1	3.9	7.0	10.1	2.3	0.2	1.5	0.2	0.7	0.4	1.0	2.2
Kanagawa	2.7	7.7	3.4	6.8	9.0	5.0	0.6	-	-	-	-	-	-
Niigata	2.1	0.4	2.1	5.9	2.7	7.7	3.8	-	1.1	-	-	-	1.1
Toyama	7.4	10.5	9.2	-	13.1	1.0	5.2	14.7	-	-	-	10.5	24.9
Ishikawa	9.0	2.2	4.2	18.0	22.6	38.9	6.9	-	1.4	-	1.1	4.2	5.6
Fukui	13.7	20.0	-	25.0	16.0	54.2	1.8	-	-	26.7	4.3	5.3	5.3
Yamanashi	2.6	-	11.2	11.2	4.8	3.8	-	-	-	-	1.3	-	-
Nagano	1.7	3.5	1.9	-	8.8	1.5	0.6	2.0	1.3	0.6	-	-	-
Gifu	2.6	1.4	1.7	4.3	1.7	14.4	0.9	2.1	-	-	0.7	-	2.6
Shizuoka	1.0	0.9	4.3	0.5	3.3	0.4	1.1	0.9	0.5	-	0.4	-	-
Aichi	2.9	3.2	6.5	3.2	3.2	8.1	1.6	2.3	0.4	2.4	1.0	0.4	2.0
Mie	0.9	0.7	-	1.8	0.9	2.9	-	2.2	0.9	-	-	-	0.9
Shiga	24.0	1.2	-	12.0	52.4	44.3	46.4	9.6	13.5	10.5	25.2	41.9	34.4

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA - Cont'd.													
Kyoto	6.8	1.2	5.1	0.7	67.4	3.5	2.2	2.3	0.7	-	1.2	2.2	-
Osaka	3.4	4.5	4.1	3.3	8.9	2.7	1.9	2.7	7.1	1.5	2.4	1.1	0.7
Hyogo	0.9	0.7	0.8	-	-	1.0	-	0.3	-	-	1.3	1.7	5.0
Nara	1.2	1.3	-	-	1.7	-	1.7	5.4	3.4	-	-	-	-
Nakayama	7.0	37.3	22.7	5.3	6.7	-	-	-	2.7	6.7	-	-	-
Tottori	2.0	5.3	-	-	2.2	14.1	-	-	-	-	-	-	-
Shimane	4.7	8.1	4.3	31.8	1.4	-	-	-	-	-	-	-	13.0
Okayama	3.6	7.0	2.4	0.8	2.4	15.2	-	0.6	1.6	0.8	5.1	0.8	3.2
Hiroshima	14.7	19.4	22.4	23.6	18.5	23.0	32.6	16.4	5.7	1.9	0.5	4.5	7.7
Yamaguchi	0.5	0.7	-	-	1.7	-	-	0.7	0.9	-	-	0.9	1.7
Tokushima	8.2	19.3	22.6	7.5	48.1	1.2	-	-	-	-	-	-	3.0
Kagawa	1.1	7.8	4.2	-	-	-	-	-	-	-	-	-	-
Khime	10.2	66.4	22.9	3.5	0.9	1.4	3.5	4.2	-	0.9	-	4.4	6.2
Kochi	0.5	-	4.5	1.5	-	-	-	-	-	-	-	-	-
Fukuoka	9.7	29.4	35.1	17.8	12.6	9.5	3.9	1.3	0.4	3.6	0.9	-	0.8
Saga	1.2	5.6	5.6	-	-	1.1	-	-	1.4	-	-	-	-
Nagasaki	0.6	-	-	0.8	-	-	-	-	-	1.7	-	-	-
Kumamoto	1.7	1.8	9.5	1.5	4.4	1.2	-	-	0.7	-	1.2	-	1.5
Oita	6.5	40.3	28.3	-	3.1	0.8	-	1.7	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	0.2	-	-	2.2	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948-Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual.	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX													
Japan	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	-	0.0	0.1	0.0	0.0
Hokkaido	0.2	0.5	0.3	-	0.3	-	-	-	-	0.3	1.0	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibireki	0.0	-	-	-	0.6	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.1	-	-	-	-	1.0	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Miigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	0.1	-	-	0.9	-	-	-	-	-	-	-	-	-
Shizuoka	0.0	-	-	-	-	-	-	0.4	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1943 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX - Cont'd:													
Kyoto	0.1	-	-	-	0.7	-	-	0.6	-	-	-	-	-
Osaka	0.1	-	-	-	-	-	-	-	-	-	-	0.4	0.4
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.1	-	-	-	-	1.1	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	0.1	-	-	-	1.4	-	-	-	-	-	-	-	-
Okayama	0.1	-	0.8	-	-	-	-	0.6	-	-	-	-	-
Hiroshima	0.0	-	-	-	-	0.5	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	-	-	-	-	0.3	-	-	-	-	-	-	-
Saga	0.5	-	-	-	-	-	1.4	4.5	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES:													
Japan	68.6	46.8	57.5	99.7	106.5	135.8	130.6	75.1	40.2	15.0	16.7	35.7	69.3
Hokkaido	104.0	46.6	40.6	40.0	36.7	60.9	98.8	149.1	140.1	81.0	115.0	190.5	299.8
Aomori	60.9	69.5	39.7	19.3	38.6	36.1	74.0	42.1	75.1	35.4	50.7	64.4	205.0
Iwate	81.8	121.2	75.8	88.9	99.0	155.2	161.6	113.1	54.5	29.3	13.1	13.1	33.3
Miyagi	67.8	133.0	86.0	54.1	87.6	93.0	163.8	51.8	49.1	13.9	11.1	37.7	27.8
Akita	32.7	49.7	9.2	20.4	18.3	35.0	28.5	28.5	40.8	21.4	13.9	38.7	88.6
Yamagata	53.3	16.3	23.3	17.5	14.6	31.9	110.7	79.2	86.4	30.1	24.9	57.3	163.2
Fukushima	41.0	16.0	13.5	35.5	67.7	66.6	53.6	38.2	32.9	12.9	24.3	67.7	68.4
Ibaraki	32.3	26.6	35.2	33.9	45.4	77.3	73.3	41.4	19.2	10.9	1.5	5.1	7.7
Tochigi	16.5	23.5	31.9	23.5	46.1	23.5	23.5	7.4	5.0	2.5	0.7	4.2	9.2
Gumma	26.1	19.5	22.7	46.3	27.6	45.5	42.2	11.0	11.4	1.6	16.9	39.0	32.5
Saitama	4.3	1.0	5.5	3.1	6.1	5.4	9.8	12.8	4.3	1.2	-	1.2	1.2
Chiba	4.7	-	-	3.7	7.3	6.4	17.7	13.7	4.3	1.8	-	-	0.6
Tokyo	18.7	5.2	7.5	18.8	37.6	38.4	43.2	26.3	9.4	2.7	3.1	5.1	27.0
Kanagawa	8.7	5.0	3.9	3.4	7.9	23.0	25.4	16.2	7.9	1.1	2.3	2.3	3.4
Niigata	70.8	49.0	23.6	90.2	48.9	82.5	124.5	104.8	66.6	17.7	15.0	105.8	129.4
Toyama	105.6	31.4	125.7	85.1	120.5	205.4	227.9	158.2	115.3	11.6	19.9	56.3	111.3
Ishikawa	86.3	27.8	26.4	23.6	99.9	253.1	162.4	156.7	63.8	31.3	38.9	37.5	104.1
Fukui	187.9	129.8	105.2	110.6	115.9	465.1	629.5	289.6	212.2	60.8	7.1	30.3	64.2
Yamanashi	6.0	10.3	4.8	4.8	6.4	5.1	16.0	9.0	4.8	6.4	-	-	4.8
Nagano	51.7	57.8	48.4	85.5	91.2	78.0	117.6	80.0	21.4	6.9	3.5	2.5	25.1
Gifu	137.8	85.8	157.8	230.7	310.5	286.1	287.3	117.3	37.7	19.7	36.4	54.9	36.0
Shizuoka	38.8	20.0	27.7	57.6	72.8	119.0	76.0	51.7	10.3	0.5	1.7	7.6	11.9
Aichi	33.9	18.5	21.1	19.4	42.1	72.6	115.5	66.8	29.2	4.9	0.6	2.8	7.3
Mie	95.1	67.0	99.1	249.5	198.2	160.7	171.2	77.1	33.3	12.6	21.6	16.2	48.6
Shiga	60.5	29.9	53.9	253.0	148.2	61.5	86.3	43.1	16.5	12.0	10.8	3.0	4.5

TABLE 70. - COMMUNICABLE DISEASE CASE RATES, BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES - Cont'd.													
Kyoto	52.4	22.9	46.9	35.9	65.2	119.0	138.5	85.6	38.8	8.1	4.1	22.0	36.6
Osaka	25.6	8.9	6.7	19.0	48.0	38.7	67.7	45.2	23.4	8.9	9.5	6.7	24.2
Hyogo	43.5	8.9	22.8	47.6	55.1	104.7	87.4	97.4	65.9	9.5	2.0	2.5	7.9
Nara	13.6	-	-	3.4	6.7	29.6	57.1	29.6	16.8	6.7	4.0	1.7	5.0
Nagayama	40.8	25.6	21.3	44.0	26.7	14.9	94.7	54.4	12.0	21.3	30.9	57.4	96.0
Tottori	150.4	141.1	152.1	235.9	275.5	455.0	260.1	119.9	105.8	4.4	3.5	15.4	6.6
Shimane	110.0	59.1	27.5	13.0	26.1	92.6	121.6	86.9	43.4	23.2	83.4	279.4	493.6
Okayama	209.4	48.2	103.0	282.0	545.0	884.7	364.2	134.4	64.2	11.1	3.8	3.2	6.3
Hiroshima	233.7	103.8	163.6	302.8	360.3	654.2	637.0	329.1	84.3	21.7	25.6	43.4	34.5
Yamaguchi	24.9	28.5	40.8	43.4	19.1	63.2	54.7	10.4	6.1	-	0.7	1.7	28.7
Tokushima	193.7	108.3	206.1	573.1	439.2	406.7	394.1	151.6	36.1	12.0	-	4.5	19.6
Kagawa	239.3	76.1	307.9	789.3	660.6	605.5	400.3	67.2	12.6	-	3.4	-	-
Khine	286.1	366.5	371.6	737.0	644.6	539.5	413.9	165.2	60.0	22.1	1.4	6.2	51.2
Kochi	252.1	427.5	463.4	870.9	493.6	414.2	237.0	70.0	25.7	13.6	8.5	4.5	18.1
Fukuoka	67.9	17.4	25.7	45.0	37.9	55.9	99.1	71.0	39.5	25.3	27.8	101.8	294.0
Seiga	34.1	23.6	18.3	61.8	46.3	37.1	81.4	84.2	15.4	8.4	6.7	9.8	12.6
Nagasaki	51.7	41.4	61.0	30.9	61.8	68.8	101.9	68.8	25.1	10.9	22.7	55.1	73.5
Kumamoto	69.6	44.5	35.1	57.8	147.1	152.2	183.0	82.6	46.8	13.9	8.8	22.7	38.8
Oita	52.0	30.2	15.7	57.7	100.8	166.3	87.1	53.8	19.9	6.3	13.4	34.6	24.1
Miyazaki	37.3	42.7	105.6	113.1	53.4	48.7	43.5	22.9	13.7	6.2	1.0	1.2	1.2
Kagoshima	52.4	53.3	128.8	112.5	91.0	93.0	81.4	22.5	9.6	7.4	10.7	14.8	11.1

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
POLIOMYELITIS:													
Japan	1.2	0.4	0.4	0.3	0.6	0.8	0.9	2.1	2.6	2.5	1.3	1.5	1.5
Hokkaido	1.0	0.3	1.6	-	1.6	1.0	1.0	0.8	0.7	0.3	0.5	2.0	2.9
Aomori	0.5	-	-	-	-	-	-	-	1.1	1.1	1.7	-	2.1
Iwate	0.9	0.8	2.0	-	-	-	1.0	-	2.0	2.0	-	1.0	2.0
Miyagi	7.8	-	-	-	-	-	1.6	3.9	25.4	41.0	9.2	9.8	7.4
Akita	1.4	0.8	1.0	-	-	1.6	-	2.4	1.0	1.0	2.4	2.0	4.1
Yamagata	0.3	-	-	-	-	-	1.0	-	-	-	-	2.9	-
Fukushima	0.5	0.5	-	-	-	1.0	1.3	1.5	1.3	-	-	0.6	-
Ibaraki	0.5	1.0	0.6	-	-	0.5	-	0.5	-	0.6	1.0	0.6	1.3
Tochigi	1.0	0.7	-	-	0.8	1.3	0.8	1.3	2.5	0.8	2.0	0.8	0.8
Gunma	0.3	-	-	-	-	0.6	-	-	-	-	1.3	0.8	0.8
Saitama	0.7	-	-	0.6	0.6	-	-	0.5	2.5	0.6	-	2.5	1.2
Chiba	0.1	-	-	-	-	-	-	-	0.6	-	0.5	-	-
Tokyo	1.9	1.0	0.2	1.4	1.2	0.6	1.2	3.9	5.1	2.9	3.1	1.4	1.2
Kanagawa	1.5	0.5	-	-	-	1.8	0.6	4.1	5.1	2.8	0.9	1.1	1.1
Niigata	0.9	0.4	1.1	1.1	-	0.9	1.1	0.9	3.8	0.5	0.4	1.1	0.5
Toyama	1.3	-	1.3	-	-	1.0	-	-	3.9	3.9	1.0	3.9	1.3
Ishikawa	1.8	-	-	-	1.4	-	1.4	-	1.4	1.4	2.2	1.4	13.9
Fukui	0.3	-	-	-	-	-	-	-	-	1.8	-	-	1.8
Yamanashi	0.4	-	-	-	1.6	-	-	-	-	-	-	3.2	-
Nagano	0.3	-	-	-	-	-	1.9	-	-	-	0.5	-	1.3
Gifu	0.6	-	0.9	-	1.7	-	-	0.7	-	-	0.7	1.7	1.7
Shizuoka	0.9	-	0.5	1.1	0.5	2.2	-	0.4	0.5	2.2	1.7	0.5	0.5
Aichi	0.1	0.3	-	-	-	-	-	-	-	0.4	-	0.4	-
Mie	0.1	-	0.9	-	-	-	-	-	-	-	-	-	-
Shiga	0.1	-	-	-	-	-	1.5	-	-	-	-	-	-

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
POLIOMYELITIS - Cont'd.													
Kyoto	1.2	-	-	-	-	0.6	-	1.8	6.6	2.2	1.8	0.7	1.5
Osaka	1.1	-	0.4	-	0.7	0.3	1.5	1.5	0.4	2.6	1.8	2.6	2.2
Hyogo	0.3	-	-	-	0.4	0.3	-	-	1.2	0.4	-	-	1.2
Nara	0.1	-	-	-	-	-	-	-	-	1.7	-	-	-
Nakayama	0.2	-	-	-	-	-	-	-	-	1.3	-	-	1.3
Tottori	2.2	1.8	-	-	-	1.8	-	-	4.4	4.4	5.3	8.8	-
Shimane	1.2	2.3	1.4	-	1.4	2.3	1.4	-	-	2.9	-	1.4	1.4
Okayama	5.6	-	-	-	-	1.3	7.9	20.3	12.7	9.5	7.0	6.3	0.8
Hiroshima	1.5	-	2.6	-	-	0.5	-	0.5	3.8	6.4	2.0	2.6	-
Yamaguchi	1.1	0.7	0.9	-	-	0.7	0.9	6.3	2.6	-	-	-	0.9
Toyoshima	0.6	-	-	1.5	-	-	-	-	-	-	1.2	-	4.5
Kagawa	0.4	2.2	-	1.4	-	1.1	-	-	-	-	-	-	-
Ehime	0.7	-	-	-	-	-	-	-	1.8	2.6	0.7	3.5	0.9
Kochi	0.3	-	-	-	-	-	-	1.2	-	1.5	1.2	-	-
Fukuoka	2.3	0.9	-	1.6	2.0	2.8	3.9	4.1	3.6	4.7	0.9	1.2	2.0
Seiga	1.5	2.2	-	-	-	1.1	1.4	2.2	5.6	2.8	-	2.8	-
Nagasaki	1.4	0.7	-	0.8	0.8	2.0	3.3	2.0	3.3	0.8	1.3	0.8	0.8
Kumamoto	2.8	-	-	-	-	0.6	2.2	20.5	4.4	0.7	1.2	-	-
Oita	2.4	1.7	-	1.0	5.2	3.4	1.0	2.5	4.2	3.1	3.4	2.1	1.0
Miyazaki	0.9	-	2.5	-	1.2	1.0	-	3.0	-	2.5	-	-	-
Kagoshima	1.0	0.6	-	1.5	0.7	0.6	-	-	1.5	0.7	1.8	-	4.4

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE "B" ENCEPHALITIS:													
Japan	9.0	-	-	-	-	-	0.1	0.3	80.0	34.2	2.3	-	-
Hokkaido	0.2	-	-	-	-	-	-	-	0.7	1.3	0.3	-	-
Aomori	3.8	-	-	-	-	-	-	-	5.4	42.9	0.9	-	-
Iwate	10.9	-	-	-	-	-	-	-	18.2	111.1	9.7	-	-
Miyagi	10.4	-	-	-	-	-	-	-	54.9	77.0	2.6	-	-
Akita	10.9	-	-	-	-	-	-	-	22.4	103.9	12.2	-	-
Yamagata	11.4	-	-	-	-	-	-	-	56.3	82.5	7.0	-	-
Fukushima	3.3	-	-	-	-	-	-	-	22.6	19.4	0.5	-	-
Ibaraki	16.5	-	-	-	-	-	-	-	155.4	55.6	2.6	-	-
Tochigi	5.7	-	-	-	-	-	-	-	46.1	26.8	0.7	-	-
Gunma	8.9	-	-	-	-	-	-	-	96.7	18.7	0.6	-	-
Saitama	14.1	-	-	-	-	-	-	-	159.4	23.9	-	-	-
Chiba	15.8	-	-	-	-	-	-	-	178.4	26.8	0.5	-	-
Tokyo	36.5	-	-	-	-	-	0.5	3.5	411.7	54.5	3.3	-	-
Kanagawa	25.6	-	-	-	-	-	-	-	301.8	27.6	2.3	-	-
Niigata	9.9	-	-	-	-	-	-	-	45.1	83.2	-	-	-
Toyama	10.6	-	-	-	-	-	-	-	86.4	51.1	-	-	-
Ishikawa	8.6	-	-	-	-	-	-	-	56.9	55.5	-	-	-
Fukui	8.9	-	-	-	-	-	-	-	39.2	76.7	-	-	-
Yamanashi	13.7	-	-	-	-	-	-	-	136.3	40.1	1.3	-	-
Nagano	9.2	-	-	-	-	-	-	-	69.8	49.0	1.0	-	-
Gifu	7.1	-	-	-	-	-	-	-	36.9	49.7	4.1	-	-
Shizuoka	15.7	-	-	-	-	-	-	0.4	157.5	45.6	0.9	-	-
Aichi	12.1	-	-	-	-	-	-	-	127.2	28.0	1.9	-	-
Mie	5.8	-	-	-	-	-	0.9	0.7	46.8	25.2	1.4	-	-
Shiga	7.1	-	-	-	-	-	-	-	58.4	34.4	-	-	-

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE EP. ENCEPHALITIS - Cont'd.													
Kyoto	1.9	-	-	-	-	-	-	-	6.6	16.9	1.2	-	-
Osaka	2.9	-	-	-	-	-	-	-	17.1	20.1	-	-	-
Hyogo	4.3	-	-	-	-	-	-	-	29.0	27.3	-	-	-
Nara	1.9	-	-	-	-	-	-	-	11.8	13.4	-	-	-
Wakayama	1.8	-	-	-	-	-	-	-	2.7	17.3	3.2	-	-
Tottori	4.6	-	-	-	-	-	-	-	13.2	39.7	5.3	-	-
Shimane	2.0	-	-	-	-	-	-	-	15.9	8.7	1.2	-	-
Okayama	4.2	-	-	-	-	-	-	-	30.9	23.8	-	-	-
Hiroshima	1.7	-	-	-	-	-	-	-	6.4	15.3	-	-	-
Yamaguchi	2.0	-	-	-	-	-	-	-	6.1	17.4	2.1	-	-
Tokushima	3.0	-	-	-	-	-	-	-	13.5	25.6	-	-	-
Kagawa	1.9	-	-	-	-	-	-	-	14.0	11.2	-	-	-
Ehime	4.3	-	-	-	-	-	-	-	18.5	36.2	1.4	-	-
Kochi	3.9	-	-	-	-	-	-	-	43.8	7.5	-	-	-
Fukuoka	1.4	-	-	-	-	-	-	-	-	8.3	7.6	-	-
Saga	2.8	-	-	-	-	-	-	-	-	25.3	9.0	-	-
Nagasaki	2.1	-	-	-	-	-	-	-	-	5.0	17.4	-	-
Kumamoto	2.6	-	-	-	-	-	0.7	-	11.7	16.8	4.1	-	-
Oita	0.9	-	-	-	-	-	-	-	8.4	3.1	-	-	-
Miyazaki	6.3	-	-	-	-	-	-	-	19.9	57.2	4.0	-	-
Kagoshima	4.1	-	-	-	-	-	-	-	20.0	29.6	3.0	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
RABIES:													
Japan	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.3	-	-	-	1.2	1.0	-	-	-	-	-	0.6	0.6
Chiba	0.4	-	-	0.6	-	-	-	-	-	1.8	0.5	0.6	1.2
Tokyo	0.4	0.4	1.0	-	-	0.4	0.2	1.0	0.5	0.2	0.2	0.7	0.2
Kanagawa	0.1	0.9	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
RABIES - Cont'd:													
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	0.2	-	-	-	-	-	3.2	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	-	-	-	0.4	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	0.1	-	-	-	-	-	-	-	-	-	-	-	0.8
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER:													
Japan	0.6	1.0	0.9	0.6	2.2	0.5	0.9	0.3	0.0	0.0	0.0	0.2	0.6
Hokkaido	0.1	-	-	-	1.3	0.3	-	-	-	-	-	-	-
Aomori	1.5	2.6	16.1	-	-	-	-	-	-	-	-	-	-
Iwate	0.5	-	1.0	-	6.1	-	-	-	-	-	-	-	-
Miyagi	0.3	-	-	-	1.6	1.3	-	-	-	-	-	-	-
Akita	0.4	-	-	1.0	4.1	-	-	-	-	-	-	-	-
Yamagata	0.3	-	2.9	1.0	-	-	-	-	-	-	-	-	-
Fukushima	0.2	-	-	-	1.3	1.0	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	2.0	0.6	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.5	1.0	0.6	-	0.6	1.0	1.2	1.0	-	-	-	-	-
Chiba	0.3	0.5	-	0.6	1.2	1.0	-	-	-	-	-	-	-
Tokyo	1.0	2.7	1.2	2.7	1.4	0.6	0.2	0.2	-	-	-	1.2	2.2
Kanagawa	2.0	2.3	3.9	1.7	0.6	3.6	3.9	3.6	1.1	1.1	0.9	0.6	0.6
Niigata	0.1	-	0.5	-	0.5	-	-	-	-	-	-	-	-
Toyama	0.6	2.1	1.3	2.6	1.3	-	-	-	-	-	-	-	-
Ishikawa	0.1	1.1	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	0.0	-	0.6	-	-	-	-	-	-	-	-	-	-
Gifu	0.7	-	2.6	2.6	1.7	-	-	0.7	-	-	-	0.9	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	0.1	-	0.4	-	-	0.3	0.4	-	-	-	-	-	0.4
Mie	0.1	-	-	-	-	-	-	-	-	-	-	0.9	-
Shiga	0.1	-	-	-	-	-	-	1.2	-	-	-	-	-

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER - Cont'd.													
Kyoto	2.1	-	-	-	-	0.6	26.4	0.6	-	-	-	-	-
Osaka	4.3	7.1	0.7	2.6	37.2	1.5	0.7	1.5	-	-	-	1.1	0.7
Kyogo	0.1	-	0.8	-	-	-	-	-	-	-	-	0.4	-
Nara	2.7	4.0	-	1.7	-	1.3	-	4.0	-	1.7	-	1.7	18.5
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	1.3	3.5	4.3	-	1.4	2.3	2.9	-	-	-	-	-	1.4
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	0.6	2.6	0.6	0.6	1.9	-	0.6	-	-	-	-	-	0.6
Yamaguchi	0.1	-	-	-	0.9	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	0.9	2.2	-	-	1.4	2.2	1.4	1.1	-	-	1.1	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.1	-	0.8	0.8	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	1.7	4.7	5.8	0.8	-	-	-	-	-	-	-	-	9.2
Kumamoto	0.2	0.6	1.5	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	A. r	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CHANCROID:													
Japan	45.7	45.3	57.5	74.2	72.2	51.2	38.2	32.5	31.8	37.2	38.1	37.7	36.1
Hokkaido	22.6	24.7	30.6	33.2	30.2	30.2	23.7	26.3	12.7	12.7	16.9	13.3	14.3
Aomori	29.6	46.4	55.8	49.4	38.6	31.8	33.3	20.6	17.2	22.5	19.7	6.4	12.9
Iwate	8.2	5.7	12.1	11.1	8.1	11.3	10.1	5.7	7.1	6.1	6.5	4.0	11.1
Miyagi	31.6	36.7	40.1	30.3	31.1	19.0	18.8	13.8	22.1	103.2	25.6	21.3	24.6
Akita	13.4	12.2	31.6	32.6	20.4	10.6	10.2	4.1	13.2	13.2	5.7	7.1	5.1
Yamagata	4.2	4.7	7.8	8.7	4.9	5.4	1.0	2.3	4.9	5.8	4.7	-	-
Fukushima	20.0	19.1	32.9	28.4	23.9	21.7	21.9	17.5	15.5	13.5	21.2	17.4	6.5
Ibaraki	31.6	22.5	33.3	55.6	143.8	29.2	23.0	24.6	10.2	16.0	11.3	5.1	14.1
Tochigi	20.3	36.9	39.4	29.4	29.4	10.7	15.1	16.1	18.5	16.8	14.1	8.4	8.2
Gumma	15.7	9.7	12.2	21.1	13.0	16.2	13.0	20.8	13.8	20.3	16.9	18.7	12.2
Saitama	14.6	19.6	27.6	13.5	24.5	18.1	14.7	9.3	8.6	13.5	8.8	9.2	8.6
Chiba	42.9	20.5	34.2	253.5	120.3	44.0	24.4	13.7	6.1	6.1	5.9	4.9	2.4
Tokyo	35.9	36.9	55.7	48.7	33.1	29.1	31.1	28.4	31.6	28.5	36.7	33.8	39.8
Kanagawa	79.7	125.5	111.1	123.0	83.5	79.0	62.6	65.9	63.7	50.2	65.4	64.3	58.1
Niigata	15.8	27.5	28.5	29.5	22.0	20.6	26.8	6.4	10.2	6.4	3.9	3.2	5.4
Toyama	26.9	34.6	39.3	34.1	40.6	40.9	26.2	16.8	27.5	15.7	19.9	17.0	9.2
Ishikawa	42.1	56.6	70.8	45.8	41.6	46.6	44.4	31.1	27.8	40.2	30.0	34.7	36.1
Fukui	28.0	22.8	32.1	28.5	23.1	49.9	19.6	7.1	25.0	23.2	48.5	33.9	19.6
Yamanashi	19.7	23.1	41.7	22.5	17.6	14.1	9.6	14.1	17.6	9.6	28.2	22.5	16.0
Nagano	11.5	20.1	23.9	20.7	9.4	12.6	6.3	5.5	5.7	10.7	9.1	7.5	6.3
Gifu	36.0	29.5	43.7	54.0	40.3	45.3	31.7	32.9	25.7	26.6	34.3	33.5	35.2
Shizuoka	22.2	20.0	34.2	31.5	39.6	26.5	22.3	21.7	10.9	17.9	15.6	16.3	10.9
Aichi	211.2	117.0	183.1	422.2	554.7	109.6	108.2	91.1	161.7	210.3	211.7	226.1	227.7
Mie	38.9	56.2	64.0	38.7	38.7	46.1	30.6	33.2	32.4	32.4	24.5	23.4	31.5
Shiga	53.7	77.9	89.8	68.9	65.9	50.3	55.4	53.9	37.4	46.4	33.5	28.4	35.9

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CHANCROID - Cont'd:													
Kyoto	95.2	96.1	177.3	137.0	121.6	109.0	76.9	50.4	65.9	65.9	83.2	84.3	85.0
Osaka	55.0	70.8	82.6	67.7	59.1	43.1	42.8	32.7	48.0	52.8	53.8	58.4	52.8
Hyogo	76.8	54.7	99.8	118.9	111.0	112.0	94.8	65.9	39.8	41.8	60.0	66.3	59.6
Nara	81.8	64.5	95.8	112.6	119.3	92.7	100.8	55.1	73.9	77.3	73.9	72.2	53.8
Wakayama	72.4	128.6	77.4	196.1	105.4	61.9	53.4	52.3	58.7	28.0	38.4	37.3	44.0
Tottori	39.0	40.6	66.1	92.6	48.5	40.6	19.8	28.2	28.7	19.8	38.8	17.6	28.7
Shimane	13.5	22.0	20.3	14.5	15.9	9.3	10.1	4.6	7.2	5.8	17.4	20.3	14.5
Okayama	60.1	81.1	70.5	92.7	87.1	63.4	26.9	60.8	38.0	64.2	45.6	43.6	45.2
Hiroshima	58.3	75.1	71.6	95.8	63.9	41.9	48.6	56.2	47.3	48.6	51.1	47.3	54.9
Yamaguchi	80.3	27.1	42.6	76.4	111.2	73.0	69.5	63.2	73.0	73.8	115.3	169.4	79.9
Tokushima	24.8	43.3	24.1	16.5	22.6	31.3	39.1	32.5	25.6	24.1	6.0	15.0	13.5
Kagawa	33.8	47.0	86.8	53.2	39.2	32.5	54.6	17.9	22.4	23.8	13.4	14.0	7.0
Ehime	22.4	25.4	23.8	31.8	27.4	19.1	37.1	24.0	17.7	16.8	18.4	6.2	22.1
Kochi	26.5	20.5	28.7	31.7	22.6	33.8	49.1	37.4	9.1	27.2	26.6	13.6	13.6
Fukuoka	75.8	93.5	96.7	97.5	105.4	96.0	85.6	60.3	46.6	63.1	60.9	49.7	52.1
Saga	28.5	39.3	49.1	40.7	40.7	38.2	23.9	31.5	19.7	15.4	14.6	15.4	11.2
Nagasaki	41.2	56.8	60.1	47.6	65.1	42.8	33.4	39.4	19.2	25.1	36.8	29.2	36.8
Kumamoto	17.5	13.5	24.9	24.2	33.7	12.3	24.9	21.1	11.0	16.8	15.8	8.1	5.1
Oita	27.5	24.4	32.5	39.9	26.2	33.6	29.4	24.4	26.2	31.5	17.6	21.6	25.2
Miyazaki	10.3	14.9	7.5	18.6	13.7	16.9	7.5	9.9	9.9	3.7	4.0	12.4	3.7
Kagoshima	13.3	14.2	10.4	8.9	12.6	16.0	5.9	18.9	10.4	15.5	11.3	16.3	17.8

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID													
Japan	188.3	126.1	144.2	163.9	231.7	248.9	330.4	269.6	188.5	140.4	135.6	114.0	160.0
Hokkaido	270.1	211.0	278.3	300.8	304.7	270.5	315.4	351.7	341.7	235.7	234.6	214.3	185.0
Aomori	327.2	237.0	238.2	272.6	203.9	331.4	951.9	581.2	236.1	230.7	196.6	144.9	291.9
Iwate	250.8	259.4	267.7	329.3	283.9	274.0	319.2	311.1	207.1	184.9	217.4	144.5	197.0
Miyagi	462.6	436.4	344.8	328.4	534.5	534.7	813.3	505.8	688.8	337.4	351.2	274.4	386.6
Akita	334.0	136.9	203.8	291.4	223.1	193.2	556.3	1,357.9	242.5	161.0	221.7	150.8	126.3
Yamagata	367.4	45.1	82.5	139.8	2,750.2	314.6	156.4	243.9	172.9	258.3	198.1	72.8	140.8
Fukushima	203.7	102.7	114.8	118.7	189.0	284.9	666.5	499.6	114.2	81.3	73.3	71.6	91.0
Ibaraki	160.6	71.1	143.9	164.4	166.9	182.6	166.3	259.9	119.6	161.2	198.0	113.2	163.1
Tochigi	163.5	115.4	110.7	166.1	213.1	537.6	267.6	192.6	52.9	52.9	71.8	44.5	71.3
Gunma	231.2	112.4	212.0	186.0	167.4	472.5	490.4	213.2	102.4	130.8	200.2	156.0	307.1
Seitama	132.1	73.6	126.9	161.2	106.7	114.8	177.8	333.0	89.5	85.2	54.4	98.7	154.4
Chiba	100.0	36.6	75.7	136.8	61.1	154.9	427.6	96.8	40.9	53.8	55.2	30.5	44.6
Tokyo	109.3	64.5	78.2	167.9	142.1	139.0	186.5	153.1	125.7	59.8	66.6	63.2	68.0
Kanagawa	145.6	169.7	177.1	166.4	173.8	155.7	220.6	120.5	144.4	125.8	103.4	126.9	71.1
Miyagi	83.6	56.4	73.0	91.3	108.4	115.1	108.4	136.1	83.2	48.3	69.6	58.5	41.3
Toyama	228.7	135.2	178.1	272.4	230.5	378.3	704.7	231.6	216.1	106.1	78.6	140.1	95.6
Ishikawa	145.3	97.7	176.2	185.9	117.9	510.6	130.4	74.4	72.2	80.5	74.4	117.9	61.1
Fukui	140.2	72.8	123.0	73.1	107.0	219.7	173.0	119.8	126.6	151.6	82.7	378.1	71.3
Yamanashi	61.8	34.6	75.4	65.8	65.8	109.1	102.6	79.6	89.8	56.1	10.3	9.6	46.5
Nagano	95.1	55.3	45.3	36.5	45.3	356.6	250.9	140.3	57.8	23.3	18.1	35.8	28.3
Gifu	104.7	46.0	78.1	75.5	88.5	135.2	106.4	173.6	94.3	74.6	66.6	60.9	245.3
Shizuoka	140.4	83.0	81.5	94.5	86.3	139.0	218.3	115.1	150.4	109.2	340.2	161.3	76.6
Aichi	246.7	246.7	128.9	150.3	250.8	414.3	739.9	303.7	266.6	243.1	201.3	178.7	161.3
Mie	109.4	62.0	99.1	87.4	130.6	167.2	246.8	170.1	80.2	77.5	89.4	53.2	36.9
Shiga	80.6	44.3	58.4	91.3	86.8	49.1	176.7	125.8	65.9	62.9	55.1	122.8	40.4

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TRACHOMA - Cont'd.													
Kyoto	162.7	38.3	44.7	35.9	66.7	109.6	177.3	229.8	224.2	81.3	298.4	85.7	552.5
Osaka	180.3	66.7	123.5	144.3	344.7	167.5	145.8	140.4	207.1	201.5	174.0	183.0	305.7
Hirogo	242.2	198.1	296.6	176.0	263.4	149.1	328.9	705.8	181.0	157.4	155.7	113.5	126.5
Nara	99.5	64.5	87.4	146.2	53.8	243.3	129.4	73.9	68.9	102.5	73.9	52.1	84.0
Wakayama	103.1	138.8	118.7	93.4	77.4	101.4	108.0	161.1	110.7	65.4	98.2	88.0	53.4
Tottori	97.2	253.9	59.5	57.3	72.7	155.2	81.6	82.9	114.6	66.1	60.0	59.5	61.7
Shimane	180.6	53.3	272.1	275.0	149.1	335.8	116.2	142.4	136.1	163.6	135.5	227.3	144.8
Okayama	174.1	72.2	72.9	72.9	129.1	281.4	367.6	246.5	425.4	133.9	133.1	76.1	68.9
Hiroshima	269.0	132.9	152.7	221.1	210.8	408.4	635.7	489.6	295.8	155.2	139.5	134.8	228.1
Yamaguchi	64.1	59.1	32.1	33.0	32.1	88.9	76.4	42.4	78.2	80.8	45.9	72.1	132.9
Tokushima	401.9	262.3	273.8	329.4	133.9	1,202.2	1,735.8	427.2	156.4	63.2	34.9	49.6	73.7
Kagawa	165.6	137.7	116.2	140.0	293.9	260.9	404.5	191.5	134.4	112.0	51.5	63.0	61.6
Shima	266.5	328.9	135.9	158.9	201.2	384.1	564.0	295.1	353.0	371.6	124.3	91.8	171.8
Kochi	97.6	82.1	70.9	83.0	92.1	106.3	304.9	164.2	66.4	45.3	45.9	54.3	54.3
Fukuoka	349.1	227.0	313.0	390.3	447.6	461.6	503.2	434.1	451.9	314.6	258.9	208.0	182.3
Saga	138.5	146.0	151.6	151.6	174.1	111.2	220.4	190.9	127.8	153.0	70.8	113.7	59.0
Nagasaki	95.7	91.5	104.4	106.9	127.8	124.3	113.6	102.2	55.1	61.8	54.8	56.9	157.9
Kumamoto	134.3	72.0	110.5	118.6	174.2	144.6	109.8	217.2	231.3	144.9	101.3	100.3	87.1
Oita	102.9	138.6	65.1	112.3	109.2	101.6	184.8	141.1	111.7	81.9	67.2	49.3	32.5
Miyazaki	140.3	52.7	64.6	64.6	280.8	357.8	246.0	116.3	93.2	63.4	144.1	80.8	91.9
Kagoshima	200.8	83.9	109.5	91.0	135.5	85.3	173.9	265.3	287.2	207.2	34.3	37.0	980.0

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS):													
Japan	138.7	243.6	265.4	289.8	251.0	148.3	103.6	57.1	40.6	38.5	51.2	66.8	122.4
Hokkaido	209.2	333.2	352.8	417.5	349.2	226.3	138.2	103.0	53.7	60.5	81.7	149.6	267.3
Aomori	169.9	241.3	221.1	270.4	334.8	179.4	192.1	74.7	55.8	77.3	98.7	91.2	223.2
Iwate	142.3	273.1	191.9	267.7	251.5	152.7	133.3	690.3	32.3	51.5	36.4	68.7	195.0
Miyagi	173.4	302.7	275.2	286.7	286.7	200.5	132.7	60.3	45.0	39.3	69.1	135.1	236.3
Akita	158.9	218.4	184.4	286.3	205.8	167.9	181.3	75.0	59.1	56.0	102.7	140.6	246.6
Yamagata	111.8	141.4	136.0	160.2	162.2	152.3	116.5	111.1	42.7	38.8	62.9	75.7	136.0
Fukushima	159.3	277.2	240.0	264.5	330.3	223.5	152.9	67.1	57.4	45.8	71.7	83.2	96.8
Ibaraki	175.4	415.9	364.5	427.8	286.5	146.9	85.7	52.7	38.4	45.4	63.4	67.8	112.6
Tochigi	126.8	234.9	236.6	301.2	281.9	142.3	90.6	53.7	40.3	23.5	43.6	31.9	48.7
Guma	139.4	284.0	320.9	245.3	274.6	149.5	85.3	31.8	38.2	29.2	44.8	63.4	117.8
Saitama	88.4	133.9	201.1	209.7	175.3	90.2	55.8	31.4	31.9	27.0	20.1	36.8	66.8
Chiba	51.0	49.4	135.0	128.9	102.0	63.0	44.6	20.5	18.3	11.0	8.8	11.0	34.8
Tokyo	115.2	168.9	216.0	290.5	214.3	105.8	69.7	47.7	44.6	34.5	36.9	53.6	124.8
Kanagawa	137.4	303.7	340.2	354.9	221.1	132.7	72.2	42.9	25.4	18.1	27.1	29.9	92.0
Niigata	183.9	254.7	295.8	387.0	358.6	253.4	128.3	82.5	76.8	70.9	72.1	88.0	157.3
Toyama	388.6	416.0	640.5	819.9	897.2	545.9	368.0	207.5	91.7	93.0	102.7	193.8	357.6
Isikawa	221.7	455.1	432.9	439.9	424.6	226.5	162.4	75.5	47.2	43.0	76.8	106.8	180.4
Fukui	126.9	151.2	133.7	235.4	219.3	218.3	189.0	44.2	44.6	58.8	58.5	51.7	114.1
Yamanashi	85.9	132.2	267.8	194.1	157.2	61.6	59.3	43.6	32.1	30.5	29.5	17.6	17.6
Nagano	126.2	239.4	236.3	223.2	223.2	144.9	119.5	55.8	33.3	23.9	55.3	58.5	101.2
Gifu	170.4	441.9	281.3	286.5	246.2	161.9	126.9	64.5	47.2	67.8	78.2	96.9	128.7
Shizuoka	101.3	191.6	253.1	232.4	168.3	92.1	59.7	51.3	27.2	23.5	33.5	39.1	53.2
Aichi	100.1	191.6	195.3	199.8	188.0	92.4	81.4	42.5	40.9	23.4	30.8	38.9	86.7
Mie	125.0	294.0	336.0	260.3	213.5	115.3	61.3	38.9	27.0	18.9	29.5	31.5	79.3
Shiga	136.4	277.9	284.5	244.1	272.5	152.1	94.3	27.6	12.0	43.4	49.1	67.4	121.3

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) - Cont'd													
Kyoto	98.1	130.1	151.7	137.7	218.3	109.6	96.7	39.9	38.8	37.4	48.7	85.7	98.2
Osaka	74.8	125.0	102.6	104.9	277.0	64.6	39.0	27.1	22.3	13.0	22.6	28.6	84.4
Hyogo	51.0	63.9	82.8	87.8	83.2	52.4	31.1	27.2	25.7	26.1	28.2	32.3	79.9
Nara	60.7	138.4	127.7	146.2	68.9	68.5	33.6	20.2	16.8	11.8	22.8	25.2	47.0
Wakayama	200.0	496.2	656.2	574.9	382.8	95.0	52.0	30.9	18.7	20.0	33.1	28.0	48.0
Tottori	157.0	234.5	271.1	379.1	330.6	234.5	152.1	58.2	41.9	37.5	33.5	37.5	90.4
Shimane	310.2	748.1	875.8	716.5	477.7	260.6	180.9	69.5	47.8	27.5	93.8	68.0	173.7
Okayama	116.8	145.8	178.2	210.7	209.1	178.7	119.6	58.3	39.6	42.0	46.3	65.0	118.0
Hiroshima	176.2	223.9	285.6	445.9	316.2	283.7	159.7	99.2	37.7	29.4	50.6	89.4	129.7
Yamaguchi	83.8	184.1	158.9	206.7	131.1	104.9	59.9	22.2	22.6	16.5	7.6	32.1	63.4
Tokushima	233.5	488.6	512.9	780.7	382.1	216.6	151.9	67.4	28.6	13.5	25.3	63.2	105.3
Kagawa	121.1	181.4	267.3	331.7	247.7	136.6	167.9	35.8	18.2	25.2	12.3	14.0	44.8
Ehime	341.2	581.1	737.9	750.2	662.8	371.4	261.3	122.9	67.1	92.7	93.9	156.2	245.4
Koehi	175.7	410.6	407.5	460.4	264.1	160.6	98.1	55.5	37.7	25.7	55.5	37.7	99.6
Fukuoka	154.7	271.8	313.0	267.6	206.0	126.6	97.5	57.1	73.8	71.0	101.4	107.7	178.4
Saga	219.5	480.7	539.1	449.3	266.8	203.3	143.2	85.4	59.0	54.8	89.9	108.1	158.7
Nagasaki	117.0	229.2	227.2	243.9	194.6	102.9	94.4	58.8	25.1	54.3	40.8	56.0	86.0
Kumamoto	105.9	144.0	183.7	202.0	207.9	131.2	112.0	66.7	35.1	39.5	43.3	32.2	82.7
Oita	86.7	229.3	131.2	166.9	165.9	72.2	57.7	47.9	39.9	27.3	27.7	25.2	42.0
Miyazaki	88.0	114.3	136.6	166.5	162.9	95.4	77.0	48.9	31.1	31.1	48.9	63.4	96.9
Kagoshima	93.9	174.7	182.1	176.9	106.6	84.7	62.2	37.3	34.8	37.7	66.9	70.3	95.5

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PUERPERAL INFECTION													
Japan	1.2	1.8	1.6	1.5	1.1	1.0	1.0	0.9	0.9	1.1	1.4	1.0	1.2
Hokkaido	2.1	4.9	2.3	2.3	1.3	0.8	1.3	1.6	1.6	1.6	3.1	2.3	2.0
Aomori	1.4	-	3.2	-	4.3	0.9	-	1.7	2.1	3.2	1.7	-	-
Iwate	1.1	1.6	1.0	1.0	2.0	2.4	-	0.8	-	1.0	-	0.8	3.0
Miyagi	1.2	1.3	1.6	-	-	1.3	2.5	1.3	0.8	0.8	2.6	-	0.8
Akita	1.9	-	5.1	6.1	1.0	0.8	3.1	1.6	-	1.0	2.4	-	2.0
Yamagata	1.6	10.1	1.9	1.9	1.0	1.6	-	-	-	1.0	-	1.0	-
Fukushima	1.1	1.5	1.3	2.6	1.3	0.5	1.9	0.5	1.3	-	-	-	3.2
Ibaraki	1.4	0.5	1.3	0.6	1.9	0.5	-	1.0	1.3	1.9	4.6	1.3	1.3
Tochigi	1.7	3.4	1.7	2.5	1.7	1.3	0.8	1.3	2.5	0.8	1.3	0.8	2.5
Gumma	1.0	1.9	1.6	0.8	1.6	0.6	0.8	-	0.8	1.6	0.6	1.6	-
Saitama	1.0	1.5	0.6	0.6	-	1.5	0.6	1.0	2.5	0.6	1.0	-	1.8
Chiba	0.5	1.0	0.6	0.6	0.6	1.0	-	0.5	-	0.6	0.5	-	-
Tokyo	0.6	0.6	1.7	1.0	0.5	0.8	0.2	0.5	0.7	0.5	0.6	0.5	0.7
Kanagawa	0.5	2.3	1.1	-	-	-	1.1	0.5	-	-	-	0.6	-
Niigata	1.4	2.1	1.1	1.1	1.6	0.9	1.6	0.9	0.5	1.6	3.4	1.6	-
Toyama	2.7	2.1	3.9	1.3	3.9	4.2	1.3	3.1	1.3	2.6	2.1	3.9	2.6
Ishikawa	1.6	3.3	2.8	-	4.2	-	4.2	-	-	2.8	-	1.4	1.4
Fukui	1.4	5.7	-	3.6	-	2.9	-	-	-	3.6	-	-	-
Yamanashi	3.3	-	8.0	1.6	-	3.8	4.8	5.1	6.4	8.0	1.3	1.6	-
Nagano	1.0	0.5	0.6	-	-	0.5	1.9	-	1.3	0.6	4.0	0.6	1.3
Gifu	1.6	2.1	-	0.9	1.7	3.4	-	3.4	0.9	1.7	1.4	-	3.4
Shizuoka	0.7	0.4	1.1	2.2	1.1	-	-	-	0.5	-	1.3	1.1	0.5
Aichi	1.0	0.3	0.8	3.2	0.8	-	0.8	-	2.4	0.4	1.3	1.6	0.8
Mie	0.5	-	-	-	0.9	-	0.9	1.4	-	0.9	0.7	0.9	-
Shiga	2.5	2.4	3.0	1.5	-	-	4.5	-	1.5	10.5	7.2	-	-

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIAL INFECTION - Cont'd.													
Kyoto	0.7	0.6	0.7	0.7	-	0.6	0.7	-	0.7	-	3.5	0.7	-
Osaka	0.3	0.6	0.4	0.4	0.4	-	0.4	0.3	-	-	-	0.4	1.5
Hyogo	0.4	0.3	0.4	0.4	-	0.3	0.4	0.3	-	0.8	0.7	0.4	1.2
Nara	1.3	1.3	1.7	-	3.4	-	-	1.3	-	1.7	5.4	-	-
Wakayama	1.0	1.1	1.3	4.0	-	-	1.3	-	1.3	1.3	-	1.3	1.3
Tottori	1.2	1.8	2.2	2.2	2.2	-	-	1.8	-	-	1.8	-	2.2
Shimane	6.2	11.6	13.0	8.7	5.8	2.3	8.7	3.5	1.4	1.4	5.8	8.7	4.3
Okayama	1.3	-	1.6	0.8	2.4	2.5	2.4	1.3	1.6	0.8	0.6	-	1.6
Hiroshima	2.1	-	1.3	1.9	5.7	3.6	1.3	1.0	3.2	0.6	0.5	5.1	1.3
Yamaguchi	0.3	-	0.9	-	-	-	-	1.4	-	-	0.7	-	0.9
Tokushima	3.6	12.0	1.5	6.0	-	9.6	-	6.0	-	-	2.4	-	1.5
Kagawa	0.8	2.2	-	2.8	-	-	-	1.1	-	-	-	1.4	1.4
Ehime	2.0	2.8	3.5	2.6	1.8	0.7	1.8	0.7	1.8	3.5	1.4	2.6	0.9
Kochi	1.4	2.4	6.0	3.0	3.0	-	-	-	-	-	2.4	-	-
Fukuoka	1.0	1.3	0.8	1.2	-	0.9	1.6	1.9	0.4	1.6	0.6	1.2	0.8
Saga	1.6	3.4	1.4	2.8	1.4	2.2	-	-	-	1.4	4.5	-	1.4
Nagasaki	0.6	0.7	-	1.7	-	1.3	-	0.7	-	-	0.7	-	1.7
Kumamoto	1.1	0.6	2.2	2.9	2.9	0.6	-	0.6	1.5	0.7	0.6	-	0.7
Oita	1.1	4.2	1.0	2.1	-	-	1.0	1.7	1.0	-	0.8	-	1.0
Miyazaki	1.0	-	3.7	2.5	-	1.0	1.2	-	-	-	-	1.2	2.5
Kagoshima	0.7	1.8	1.5	-	-	-	1.5	-	0.7	0.7	0.6	0.7	1.5

There were no cases of cholera, plague or yellow fever during 1948.

A dash (-) indicates that no cases were reported and the case rate was zero.

A rate of 0.0 indicates that some cases were reported but the rate was less than 0.1.

Sources: Rates were computed by Public Health and Welfare Section, OHQ, SCAP.

Sources of original data were Weekly Morbidity Reports, Ministry of Welfare.

TABLE 71. - INFANT DEATHS BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	166,649	20,777	19,630	18,752	13,569	11,438	11,228	12,346	10,908	9,589	10,040	12,524	15,848
All "Shi"	47,733	5,992	5,527	5,271	3,893	3,278	3,223	3,603	3,073	2,738	2,783	3,538	4,814
All "Guns"	118,916	14,785	14,103	13,481	9,676	8,160	8,005	8,743	7,835	6,851	7,257	8,986	11,034
Aichi	6,354	858	750	720	484	401	416	442	371	345	394	515	658
Akita	4,068	384	433	502	356	285	324	286	273	278	258	327	362
Aomori	4,570	392	377	416	392	311	372	440	409	366	303	363	429
Chiba	4,361	625	564	502	358	293	269	270	275	237	279	311	378
Chino	3,024	403	375	343	228	178	222	189	212	176	185	227	286
Fukui	2,395	196	220	245	166	123	233	373	290	125	119	131	174
Fukuoka	6,061	868	738	580	439	438	383	404	369	342	406	488	606
Fukushima	4,644	512	473	577	437	358	315	315	267	286	312	357	435
Gifu	3,418	457	435	389	270	231	246	252	189	142	190	264	353
Gumma	2,861	408	357	370	258	187	173	182	170	161	153	194	248
Hiroshima	3,523	448	381	380	301	236	243	293	263	179	215	252	332
Hokkaido	10,457	989	1,055	1,034	827	760	717	758	943	736	694	850	1,034
Iyogo	5,721	714	725	680	449	382	404	416	356	312	309	409	565
Ibaraki	4,384	620	569	555	399	262	293	259	260	253	258	325	391
Ishikawa	3,031	360	349	335	257	220	187	260	223	189	179	207	285
Iwate	4,344	439	481	464	411	324	299	310	324	298	254	344	396
Kagawa	2,265	284	268	275	174	183	154	160	144	122	104	185	212
Kagoshima	3,674	485	413	307	249	262	215	321	251	236	250	335	350
Kanagawa	3,280	476	426	355	294	236	207	222	182	182	166	222	312
Kochi	1,736	251	206	175	152	109	131	134	94	102	106	134	142

TABLE 71. - INFANT DEATHS BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	Infant Deaths												
Kumamoto	3,321	482	348	316	232	267	248	233	206	186	221	274	308
Kyoto	2,679	371	345	379	214	183	177	192	193	147	156	214	308
Mie	3,134	405	386	335	246	196	202	236	197	174	197	242	300
Miyagi	3,837	481	475	463	348	273	235	267	215	202	211	306	381
Miyazaki	2,248	317	259	207	141	158	179	163	145	116	134	212	217
Nagano	3,159	410	386	360	258	234	214	215	177	162	201	244	298
Nagasaki	3,484	419	452	375	270	261	223	242	207	226	231	246	332
Nara	1,570	209	196	189	116	105	89	146	79	83	84	122	152
Niigata	5,587	568	644	640	529	398	416	445	404	306	357	425	455
Oita	2,735	374	373	283	189	168	174	197	163	143	178	209	264
Okayama	3,455	471	412	454	265	248	208	248	198	189	210	253	299
Osaka	5,895	754	704	697	471	382	389	495	322	306	336	430	609
Saga	2,323	334	282	272	175	156	145	168	132	135	139	153	232
Saitama	4,266	570	548	514	311	275	277	304	245	240	244	295	445
Shiga	1,764	240	217	219	147	111	128	171	103	85	94	109	160
Shimane	2,063	227	240	217	177	136	133	169	188	139	116	128	193
Shizuoka	4,443	620	588	535	342	330	327	313	259	217	234	272	406
Tochigi	2,832	387	350	327	215	206	171	194	162	194	154	199	273
Tokushima	2,137	306	274	262	180	141	125	129	133	109	123	155	200
Tokyo	7,753	1,031	990	1,004	645	537	469	513	431	370	388	599	816
Tottori	1,368	149	148	151	132	94	98	102	80	83	87	72	112
Toyama	3,127	353	343	369	295	191	200	231	202	187	217	263	276
Wakayama	1,743	213	207	186	143	115	106	143	100	103	110	133	184
Yamagata	3,470	377	385	359	338	243	236	253	244	198	245	287	305
Yamaguchi	2,590	339	300	263	194	164	164	195	184	155	175	201	256
Yamanashi	1,133	201	183	152	95	87	72	96	76	67	64	101	119

Data refer to infant deaths of Japanese nationals in Japan Proper.

Sources were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 72. - INFANT DEATH RATES BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	61.5	66.0	75.4	72.9	60.5	56.7	59.8	60.0	50.7	44.6	46.1	57.1	83.2
All "Shi"	53.3	57.9	66.8	64.3	54.3	50.0	49.9	50.0	41.5	37.8	38.7	49.0	75.9
All "Qun"	65.6	70.0	79.3	76.9	63.4	60.0	65.0	65.5	55.5	48.0	49.6	61.0	86.9
Aichi	57.3	63.3	71.5	75.9	53.1	51.7	53.8	49.7	40.5	37.8	44.3	56.5	87.0
Akita	92.4	81.7	87.1	110.2	91.9	93.4	119.7	97.9	83.9	82.2	73.7	89.6	105.4
Aomori	97.1	86.0	83.9	88.3	92.0	82.3	105.2	127.7	120.0	94.3	78.2	94.9	130.7
Chiba	64.8	75.4	85.8	76.0	63.1	59.7	62.4	54.2	51.7	44.7	52.1	58.1	80.7
Ehime	56.5	67.9	77.4	68.3	52.3	47.8	59.8	47.2	49.7	40.9	40.0	49.8	66.9
Fukui	91.7	66.5	85.9	90.9	70.1	56.2	125.1	187.2	113.6	59.9	61.9	69.2	110.8
Fukuka	50.7	65.6	71.2	55.8	47.0	49.8	44.0	41.3	36.9	34.4	42.3	48.0	65.4
Fukushima	64.5	63.6	72.5	78.5	69.3	57.0	60.2	61.6	50.8	52.1	55.8	63.5	83.7
Gifu	64.1	71.7	79.9	77.5	61.9	56.6	65.7	63.6	44.4	34.7	44.6	64.9	96.6
Gumma	54.6	61.9	66.8	73.1	59.5	49.3	45.9	44.6	41.4	39.3	39.6	48.9	72.7
Hiroshima	56.5	57.7	66.8	67.3	58.2	49.1	56.7	60.8	50.6	36.1	43.4	50.0	82.4
Hokkaido	67.6	55.9	71.3	65.8	66.0	62.3	69.3	69.2	80.6	58.0	55.2	71.2	106.3
Iyogo	55.3	62.9	75.3	63.7	52.3	47.5	53.6	48.8	41.1	39.0	39.2	51.8	84.2
Ibaraki	64.8	75.6	81.4	82.5	59.2	49.7	65.5	53.8	50.3	52.1	50.1	60.9	80.8
Ishikawa	87.9	86.7	100.5	96.7	84.6	85.8	79.2	105.1	84.6	69.1	63.3	79.2	122.7
Iwate	91.8	90.0	102.6	105.0	92.7	87.4	93.6	91.6	95.6	84.1	65.6	84.3	106.5
Kagawa	66.7	78.0	77.5	86.0	61.0	74.4	62.9	59.5	50.6	46.0	39.1	66.4	92.9
Kagoshima	57.6	63.3	72.6	61.4	45.9	57.3	50.7	69.1	49.5	44.4	45.2	59.4	70.5
Kanagawa	44.5	48.8	57.7	49.4	50.6	44.5	40.3	40.0	32.1	31.8	28.6	38.7	67.6
Kochi	63.2	83.3	80.6	70.0	67.7	57.8	73.6	63.7	41.5	46.2	46.0	54.0	67.0

TABLE 72. - INFANT DEATH RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	54.2	66.6	60.9	60.2	50.2	62.4	58.6	49.7	42.5	38.4	43.9	49.0	62.4
Kyoto	52.6	59.6	68.1	73.6	49.1	43.7	43.9	41.6	44.5	35.1	37.9	49.3	73.7
Kie	66.0	74.5	84.4	82.3	69.0	59.5	62.2	65.0	50.4	43.6	50.0	58.7	86.4
Kiyogi	68.0	74.3	86.1	84.1	69.2	62.8	64.7	68.8	51.8	46.7	46.0	62.4	91.5
Miyazaki	54.5	64.4	69.8	59.6	44.7	54.9	66.4	52.5	44.1	34.2	37.9	56.9	64.4
Nagano	52.1	57.9	66.6	62.3	52.3	48.6	50.8	50.7	38.8	33.5	38.4	49.6	71.3
Nagasaki	60.2	68.0	85.7	74.6	62.0	63.6	59.8	54.3	43.5	45.8	46.5	46.5	68.6
Nara	66.7	76.6	91.9	82.5	65.1	61.7	54.0	78.6	41.7	46.3	44.3	59.9	85.6
Niigata	67.7	63.5	80.0	72.6	73.2	60.4	72.7	72.5	61.7	43.2	51.6	70.4	99.0
Oita	62.3	74.6	87.7	73.6	51.2	54.3	57.8	58.0	44.7	39.6	49.5	58.6	88.9
Okayama	65.3	73.4	77.8	89.0	58.6	63.2	57.1	60.7	46.2	47.7	51.5	66.9	87.1
Osaka	52.1	64.0	70.5	62.7	51.3	47.0	47.1	52.4	34.0	34.1	37.3	47.2	69.8
Saga	70.3	86.2	93.3	90.6	68.0	67.6	64.4	85.8	49.5	51.8	51.4	54.2	88.0
Saitama	60.3	72.2	71.7	76.5	56.8	54.7	59.6	57.4	42.9	42.3	42.3	51.2	85.2
Shiga	64.9	77.7	79.2	77.8	66.6	49.3	66.5	82.3	47.9	41.1	46.2	54.4	75.9
Shimane	67.3	61.8	79.2	73.3	66.7	60.4	65.3	75.1	78.5	56.6	45.6	55.1	93.7
Shizuoka	53.1	57.7	73.5	69.4	48.2	56.1	58.3	49.9	39.3	34.7	34.9	39.9	68.5
Tochigi	52.1	58.9	69.2	61.4	47.6	48.3	47.8	48.5	37.0	49.2	36.9	46.2	72.0
Tokushima	66.3	84.2	84.9	82.9	66.6	58.0	59.1	56.5	54.9	42.2	46.4	56.9	87.0
Tokyo	47.0	49.5	60.8	64.7	49.1	44.6	42.8	39.7	32.6	29.0	29.6	41.6	76.0
Tottori	65.4	57.1	72.1	77.9	71.7	63.5	74.9	71.1	55.6	55.3	55.7	46.3	86.8
Toyama	87.0	93.2	92.7	107.6	94.3	72.7	77.7	83.2	66.9	59.1	77.3	100.7	118.3
Wakayama	57.9	57.9	74.6	64.8	59.5	55.3	49.2	65.0	42.6	43.8	44.0	53.0	82.5
Yamagata	82.1	79.6	88.1	84.5	96.4	82.3	85.9	79.2	70.7	58.0	69.2	84.2	112.2
Yamaguchi	53.7	60.1	70.1	61.3	50.4	46.7	48.7	50.8	44.5	38.1	44.9	50.1	76.9
Yamanashi	52.2	62.9	74.5	65.6	42.4	44.8	43.9	52.3	40.6	34.0	30.5	49.2	78.0

Data refer to vital events to Japanese nationals in Japan Proper.

Rates were computed by Public Health and Welfare Section, CHO, SCAP.

Sources: Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 73. - 1/ INFANT DEATHS FROM SELECTED CAUSES BY MONTH, JAPAN, 1948

List No	Cause of Death	Total Deaths	Total												Nov	Dec
			Infant	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct			
	All Causes	166,649	20,777	19,630	18,752	13,569	11,438	11,228	12,346	10,908	9,589	10,040	12,524	15,848		
1	Typhoid Fever	5	2	-	-	-	-	1	-	-	1	1	-	-		
2	Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-		
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Cerebrospinal (meningococcus)meningitis	90	6	3	11	10	9	7	8	5	6	6	6	13		
7	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-		
8	Scarlet Fever	5	-	1	1	1	-	1	-	1	-	-	-	-		
9	Whooping cough	2,595	262	195	166	187	222	256	320	239	203	132	166	247		
10	Diphtheria	356	57	41	28	29	23	13	11	14	16	32	38	54		
11	Erysipelas	2,447	NA	NA	NA	NA	NA	44	52	54	58	56	86	97		
12	Tetanus	1,013	72	57	67	87	63	70	133	134	100	77	84	69		
13-22	Tuberculosis(all forms)	1,236	87	102	107	138	134	113	120	110	99	65	74	87		
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-		
24	Septicemia & purulent infection (nonpuerperal)	1,045	113	119	100	83	73	73	92	85	90	69	84	64		
26a	Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-		
27	Dysentery	101	3	1	1	4	6	15	24	26	12	2	4	3		
28	Malaria	3	-	1	-	-	-	-	1	-	-	1	-	-		
30	Syphilis	1,152	91	122	127	88	81	91	77	71	89	89	99	127		
33	Influenza	134	29	14	16	11	7	8	6	2	3	12	9	17		
35	Measles	1,937	105	118	235	218	296	331	240	100	48	47	69	130		
37b	Japanese B's encephalitis	45	-	-	1	-	-	-	-	21	19	4	-	-		
38a	Yellow Fever	-	-	-	-	-	-	-	-	-	-	-	-	-		
38b	Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-		
39	Typhus Fever & typhus-like diseases	-	-	-	-	-	-	-	-	-	-	-	-	-		
68	Beriberi	3,794	492	526	491	349	248	238	201	201	199	231	284	394		
81	Meningitis(not due to meningococcus)	2,799	292	272	263	327	295	241	239	130	118	181	204	237		

TABLE 73. - 1/ INFANT DEATHS FROM SELECTED CAUSES BY MONTH: JAPAN, 1948 - Cont'd.

List No	Cause of Death	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
86	Convulsions	1,310	142	145	180	125	110	85	67	59	62	99	111	125
106	Bronchitis	8,851	1,479	1,372	1,266	778	559	460	301	239	303	496	616	982
107-109	Pneumonia (all forms)	22,937	3,769	3,474	3,216	2,204	1,516	1,194	821	656	671	1,082	1,646	2,688
119	Diarrhea, enteritis & ulceration of intestines	31,436	2,444	2,305	2,516	2,209	2,232	2,835	4,386	3,648	2,395	1,809	2,398	2,259
157	Congenital malformations	4,596	430	426	492	345	297	276	361	330	371	365	402	501
158	Congenital debility	38,323	5,425	5,184	4,661	2,952	2,373	2,171	2,184	2,109	2,153	2,326	2,882	3,903
159	Premature birth	13,754	1,574	1,469	1,327	991	954	940	916	955	940	1,077	1,222	1,389
160	Injury at birth	1,007	106	109	97	77	80	70	81	89	75	54	67	102
161	Other diseases peculiar to first year of life	8,836	1,211	1,296	1,064	669	524	441	504	490	535	574	667	861
169-195	Accidental deaths	2,184	189	210	172	139	116	221	281	238	134	138	157	189
199-200	Ill-defined and Unknown Causes	2,789	381	336	366	257	207	195	152	125	133	208	217	212
	All other causes	13,869	2,016	1,732	1,781	1,291	1,013	898	768	777	756	807	932	1,158

1/ Deaths under 1 year of age.

2/ Data are for 7 months, excluding January through May.

Data refer to infant deaths of Japanese Nationals in Japan Proper

NA indicates data are not available.

A dash (-) indicates that no infant deaths were reported.

Sources: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 74. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH: JAPAN, 1948
(Rates per 1,000 live births each month)

List No.	Cause of Death	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	All Causes	61.5	66.0	75.4	72.9	60.5	56.7	59.8	60.0	50.7	44.6	46.1	57.1	83.2
1	Typhoid Fever	0.0	0.0	-	-	-	-	0.0	-	-	0.0	0.0	-	-
2	Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal(meningo- coccal)meningitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
7	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet Fever	0.0	-	0.0	0.0	0.0	-	0.0	-	0.0	-	-	-	-
9	Whooping Cough	1.0	0.8	0.7	0.6	0.8	1.1	1.4	1.6	1.1	0.9	0.6	0.8	1.3
10	Diphtheria	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3
11	Erysipelas	2/0.3	NA	NA	NA	NA	NA	0.2	0.3	0.3	0.3	0.3	0.4	0.5
12	Tetanus	0.4	0.2	0.2	0.3	0.4	0.3	0.4	0.6	0.6	0.5	0.4	0.4	0.4
13-22	Tuberculosis(all forms)	0.5	0.3	0.4	0.4	0.6	0.7	0.6	0.6	0.5	0.5	0.3	0.3	0.5
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia & purulent infection(nonpuerperal)	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.3
26a	Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0
28	Malaria	0.0	-	0.0	-	-	-	-	0.0	-	-	0.0	-	-
30	Syphilis	0.4	0.3	0.5	0.5	0.4	0.4	0.5	0.4	0.3	0.4	0.4	0.5	0.7
33	Influenza	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1
35	Measles	0.7	0.3	0.5	0.9	1.0	1.5	1.8	1.2	0.5	0.2	0.2	0.3	0.7
37b	Japanese "B" encephal- itis	0.0	-	-	0.0	-	-	-	-	0.1	0.1	0.0	-	-

TABLE 74. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

List No.	Cause of Death	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
38a	Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
38b	Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-
39	Typhus Fever & typhus-like diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	1.4	1.6	2.0	1.9	1.6	1.2	1.3	1.0	0.9	0.9	1.1	1.3	1.8
81	Meningitis(not due to meningococcus)	1.0	0.9	1.0	1.0	1.5	1.5	1.3	1.2	0.6	0.5	0.8	0.9	1.2
86	Convulsions	0.5	0.5	0.6	0.7	0.6	0.5	0.5	0.3	0.3	0.3	0.5	0.5	0.7
106	Bronchitis	3.3	4.7	5.3	4.9	3.5	2.8	2.5	1.5	1.1	1.4	2.3	2.8	5.2
107-	Pneumonia													
109	(all forms)	8.5	12.0	13.3	12.5	9.8	7.5	6.4	4.0	3.0	3.1	5.0	7.5	14.1
119	Diarrhea, enteritis & ulceration of intestines	11.6	7.8	8.8	9.8	9.8	11.1	15.1	21.3	17.0	11.1	8.3	10.9	11.9
137	Congenital malformations	1.7	1.4	1.6	1.9	1.5	1.5	1.5	1.8	1.5	1.7	1.7	1.8	2.6
158	Congenital Debility	14.1	17.2	19.9	18.1	13.2	11.8	11.6	10.6	9.8	10.0	10.7	13.1	20.5
159	Premature birth	5.1	5.0	5.6	5.2	4.4	4.7	5.0	4.5	4.4	4.4	4.9	5.6	7.3
160	Injury at birth	0.4	0.3	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.3	0.2	0.3	0.5
161	Other diseases peculiar to first year of life.	3.3	3.8	5.0	4.1	3.0	2.6	2.3	2.5	2.3	2.5	2.6	3.0	4.5
169-195	Accidental deaths	0.8	0.6	0.8	0.7	0.6	0.6	1.2	1.4	1.1	0.6	0.6	0.7	1.0
199-	Ill-defined and													
200	unknown causes	1.0	1.2	1.3	1.4	1.1	1.0	1.0	0.7	0.6	0.6	1.0	1.0	1.1
	All other causes	5.1	6.4	6.6	6.9	5.8	5.0	4.5	3.7	3.6	3.5	3.7	4.2	6.1

1/ Deaths under 1 year of age.

2/ Original data are for 7 months (June-December) and rate is per 1,000 live births in the corresponding period.
Data refer to infant deaths of Japanese nationals in Japan Proper.

NA indicates data are not available.

Footnotes continued on next page.

TABLE 74. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH: JAPAN, 1948
(Rates per 1,000 live births each month)

FOOTNOTES:- Cont'd.

A dash (-) indicates that no deaths were reported and that the death rate was zero.
A rate of 0.0 indicates that there were some deaths but that the rate was less than 0.1.

SOURCES:-

Rates were computed by Public Health and Welfare Section, GEO. SCAP.
Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948

Area	All Causes	Typhoid Fever	Paratyphoid Fever	Cholera	Cerebrospinal (meningococcus) Meningitis	Anthrax	Scarlet Fever	Whooping Cough	Diphtheria	$\frac{1}{2}$ ryeplae
		(1)	(2)	(4)	(6)	(7)	(8)	(9)	(10)	(11)
All Japan	166649	5	-	-	90	-	5	2595	356	447
All "Sui"	47733	3	-	-	52	-	2	863	155	97
All "Gm"	118916	2	-	-	38	-	3	1732	201	350
Aichi	6354	-	-	-	-	-	1	86	15	8
Akita	4068	-	-	-	-	-	-	50	10	8
Aomori	4570	-	-	-	3	-	-	56	5	7
Chiba	4361	-	-	-	-	-	-	59	4	9
Ehime	3024	-	-	-	-	-	-	34	7	10
Fukui	2995	-	-	-	1	-	-	25	3	6
Fukuoka	6061	-	-	-	3	-	1	113	16	8
Fukushima	4644	-	-	-	4	-	-	92	7	13
Gifu	3418	-	-	-	-	-	-	52	3	10
Gumma	2861	-	-	-	2	-	-	107	12	15
Hiroshima	3523	-	-	-	1	-	-	25	10	7
Hokkaido	10457	-	-	-	11	-	1	262	45	23
Iyogo	5721	2	-	-	3	-	-	72	11	14
Ibaraki	4384	-	-	-	4	-	-	33	5	12
Ishikawa	3031	-	-	-	-	-	-	44	4	6
Iwate	4344	-	-	-	3	-	-	64	10	11
Kagawa	2265	-	-	-	-	-	-	17	5	9
Kagoshima	3674	-	-	-	2	-	-	70	7	19
Kanagawa	3280	-	-	-	2	-	-	53	9	3
Kochi	1736	-	-	-	1	-	-	17	3	2

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948

Area	All Causes	Typhoid	Paratyphoid	Cholera	Cerebrospinal	Anthrax	Scarlet	Whooping	Diphtheria	Erysipelas
		Fever	Fever		(meningococcus)		Fever	Cough		
		(1)	(2)	(4)	(6)	(7)	(8)	(9)	(10)	(11)
Kumamoto	3321	-	-	-	2	-	-	46	6	19
Kyoto	2879	-	-	-	7	-	-	47	4	5
Mie	3134	-	-	-	-	-	-	12	2	11
Miyagi	3857	-	-	-	4	-	-	62	8	9
Miyazaki	2248	-	-	-	-	-	1	36	6	6
Nagano	3159	-	-	-	1	-	-	93	4	11
Nagasaki	3484	1	-	-	4	-	-	40	8	9
Nara	1570	-	-	-	-	-	-	4	3	4
Niigata	5587	-	-	-	-	-	-	167	8	12
Oita	2735	-	-	-	1	-	-	32	5	6
Okayama	3455	1	-	-	-	-	-	37	6	9
Osaka	5895	-	-	-	10	-	1	65	11	21
Saga	2323	-	-	-	1	-	-	90	12	8
Saitama	4268	-	-	-	2	-	-	65	5	21
Shiga	1784	-	-	-	1	-	-	28	1	6
Shimane	2063	-	-	-	-	-	-	66	3	8
Shizuoka	4443	-	-	-	-	-	-	45	7	11
Tochigi	2832	-	-	-	1	-	-	65	2	13
Tokushima	2137	-	-	-	1	-	-	9	3	11
Tokyo	7753	-	-	-	9	-	-	136	36	9
Tottori	1908	-	-	-	2	-	-	6	3	3
Toyama	3127	1	-	-	2	-	-	57	2	8
Wakayama	1743	-	-	-	-	-	-	15	1	5
Yamagata	3470	-	-	-	1	-	-	37	11	10
Yamaguchi	2590	-	-	-	1	-	-	42	7	9
Yamanashi	1313	-	-	-	1	-	-	32	1	3

See footnotes at end of table.

See footnotes at end of table.

Area	Tuberculosis		Septicemia and Leprosy purulent infection (non puerperal)		Glanders	Dysentery	Malaria	Syphilis	Influenza	Measles
	Tetanus (12)	(13-22)	(23)	(24)						
					(26a)	(27)	(28)	(30)	(33)	(35)
All Japan	1013	1236	-	1045	-	101	3	1152	134	1937
All *Shi*	251	697	-	344	-	20	-	508	47	526
All *Gun*	762	539	-	701	-	81	3	644	87	1411
Aichi	58	38	-	42	-	7	-	44	1	35
Akita	10	14	-	18	-	3	-	16	4	27
Aomori	17	24	-	19	-	3	-	14	12	81
Chiba	86	15	-	24	-	-	-	33	1	10
Ehime	23	23	-	19	-	4	-	23	7	61
Fukui	3	8	-	11	-	2	-	9	2	27
Fukuoka	23	80	-	57	-	1	1	101	8	33
Fukushima	20	19	-	19	-	1	-	29	1	48
Gifu	11	17	-	15	-	4	-	13	4	70
Gumma	44	12	-	17	-	2	-	13	4	11
Hiroshima	9	18	-	33	-	3	-	15	1	73
Hokkaido	29	144	-	59	-	10	-	78	9	235
Hyogo	16	73	-	28	-	2	-	35	4	138
Ibaraki	83	14	-	25	-	2	-	25	2	16
Ishikawa	17	14	-	16	-	-	-	11	2	56
Iwate	4	19	-	14	-	2	-	26	2	114
Kagawa	23	11	-	9	-	-	-	8	-	80
Kagoshima	40	19	-	46	-	2	-	29	1	43
Kanagawa	18	46	-	22	-	2	-	27	2	4
Kochi	16	5	-	8	-	1	-	16	-	31

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE, JAPAN, 1948 - Cont'd

Area	Tetanus (12)	Tuberculosis (all forms) (13-22)	Leprosy (23)	Septicemia and purulent infection (non purpural) (24)	Glanders (26a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Measles (35)
Kumamoto	28	30	-	31	-	3	-	27	5	22
Kyoto	13	34	-	16	-	2	-	37	4	18
Mie	12	10	-	24	-	1	-	26	6	44
Miyagi	20	29	-	18	-	-	-	26	2	68
Miyazaki	17	10	-	24	-	2	-	18	1	20
Nagano	21	21	-	16	-	1	-	4	1	43
Nagasaki	31	23	-	33	-	3	-	53	2	28
Nara	8	3	-	10	-	-	-	6	-	3
Niigata	12	30	-	29	-	6	-	15	5	63
Oita	20	12	-	39	-	-	-	15	4	17
Okayama	9	15	-	21	-	1	-	10	1	85
Osaka	14	79	-	37	-	2	-	54	7	66
Saga	14	14	-	9	-	1	-	25	-	9
Saitama	45	16	-	17	-	7	-	14	3	4
Shiga	8	8	-	11	-	-	2	16	2	15
Shimane	13	21	-	12	-	2	-	12	-	11
Shizuoka	33	33	-	21	-	2	-	30	1	32
Tochigi	27	7	-	18	-	2	-	11	-	15
Tokushima	18	8	-	8	-	2	-	5	4	32
Tokyo	35	145	-	50	-	4	-	88	9	18
Tottori	4	9	-	6	-	2	-	13	-	26
Toyama	5	17	-	19	-	-	-	11	-	21
Wakayama	7	19	-	15	-	3	-	13	3	31
Yamagata	12	12	-	13	-	2	-	9	1	42
Yamaguchi	22	21	-	39	-	1	-	20	5	10
Yamanashi	15	3	-	8	-	2	-	9	1	1

See footnotes at end of table.

See footnotes at end of table.

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Japanese *B* encephalitis (37b)	Yellow fever (38a)	Rabies (38b)	Typhus fever and typhus- like diseases (39)	Beriberi (68)	Meningitis (not due to meningococcus) (81)	Convulsions (86)	Bronchitis (106)	Pneumonia (all forms) (107-109)	Diarrhea, enteritis and ulceration of the intestines (119)
All Japan	45	-	-	-	3794	2799	1310	8851	22937	31436
All "Shi"	29	-	-	-	1073	930	173	2034	7437	8797
All "Gum"	16	-	-	-	2721	1869	1137	6817	15500	22639
Aichi	2	-	-	-	162	141	10	374	805	917
Akita	1	-	-	-	88	64	109	195	375	1038
Aomori	-	-	-	-	157	41	144	266	574	1100
Chiba	1	-	-	-	96	98	10	261	536	617
Khise	-	-	-	-	35	79	7	205	445	416
Fukui	-	-	-	-	50	23	13	123	183	471
Fukuoka	-	-	-	-	103	98	12	280	960	1099
Fukushima	-	-	-	-	93	53	10	263	700	938
Gifu	-	-	-	-	46	56	8	206	359	639
Gumma	1	-	-	-	29	39	5	161	531	390
Hiroshima	-	-	-	-	74	94	24	175	471	614
Hokkaido	1	-	-	-	255	191	181	584	1577	2594
Iyogo	1	-	-	-	135	102	15	320	747	1049
Ibaraki	1	-	-	-	77	46	22	250	514	720
Ishikawa	1	-	-	-	90	52	166	164	363	684
Iwate	2	-	-	-	148	49	46	239	741	945
Kagawa	1	-	-	-	13	43	17	112	299	300
Kagoshima	-	-	-	-	67	79	7	180	610	793
Kanagawa	6	-	-	-	65	53	8	101	682	616
Kochi	-	-	-	-	40	35	1	71	227	285

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE; JAPAN, 1948 - Cont'd

Area	Japanese encephalitis (37b)	Yellow fever (38a)	Rabies (38b)	Typhus fever and typhus-like diseases (39)	Beriberi (68)	Meningitis (not due to meningococcus) (81)	Convulsions (86)	Bronchitis (106)	Pneumonia (all forms) (107-109)	Diarrhea, enteritis and Ulceration of the intestines (116)
Fukushima	-	-	-	-	91	50	6	142	462	642
Kyoto	-	-	-	-	74	51	11	127	339	517
Mie	2	-	-	-	71	75	18	190	358	561
Miyagi	-	-	-	-	128	51	13	152	569	829
Miyazaki	2	-	-	-	26	35	2	124	315	420
Nagano	2	-	-	-	37	48	17	172	458	532
Nagasaki	-	-	-	-	70	50	11	166	533	692
Nara	-	-	-	-	33	19	2	74	143	330
Niigata	1	-	-	-	173	134	45	432	760	1054
Osaka	-	-	-	-	53	46	19	165	337	461
Okayama	-	-	-	-	81	56	1	158	432	473
Oosaka	-	-	-	-	166	110	7	249	901	1074
Saga	-	-	-	-	85	43	4	93	208	455
Saitama	-	-	-	-	67	67	3	266	564	675
Shiga	1	-	-	-	33	18	4	73	166	369
Shimane	-	-	-	-	20	37	16	111	298	367
Shizuoka	1	-	-	-	115	82	16	203	604	862
Tochigi	1	-	-	-	64	37	22	192	567	526
Tokushima	-	-	-	-	15	28	8	140	337	315
Tokyo	15	-	-	-	211	130	6	277	1396	1328
Tottori	-	-	-	-	41	19	15	58	150	257
Toyama	-	-	-	-	91	52	223	246	348	695
Wakayama	-	-	-	-	30	39	2	71	227	324
Yamagata	1	-	-	-	99	35	6	221	359	762
Yamaguchi	-	-	-	-	82	35	3	132	374	446
Yamanashi	1	-	-	-	15	16	9	87	193	245

See footnotes at end of table.

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Congenital Malformations (157)	Congenital debility (158)	Premature birth (159)	Injury at birth (160)	Other diseases peculiar to the first year of life (161)	Accidental deaths (169-195)	Ill-defined and Unknown causes (199-200)	All other causes
All Japan	4596	38323	13754	1007	8896	2124	2789	13869
All "Shi"	1509	9867	4227	361	2316	649	779	3987
All "Gm"	3087	28456	9527	646	6520	1535	2010	9882
Aichi	164	1713	615	35	377	54	104	546
Akita	95	1079	346	22	155	33	57	250
Aomori	89	1130	230	12	127	41	87	331
Chiba	127	1001	528	35	351	34	73	362
Ehime	86	715	277	30	189	18	53	258
Fukui	40	547	174	8	63	377	40	186
Fukushima	208	1405	452	29	347	67	55	501
Gifu	130	1062	355	29	214	75	89	380
Gumma	64	947	344	17	166	48	54	265
Hiroshima	113	690	203	25	130	30	34	241
Hokkaido	101	871	266	25	189	49	50	325
Ibataki	272	1687	453	45	457	133	321	800
Ibaraki	153	1352	514	29	295	63	74	474
Ishikawa	131	1163	515	37	285	32	63	307
Iwate	67	567	197	7	135	30	55	285
Kagawa	79	906	309	20	164	70	58	301
Kagoshima	56	612	234	12	152	29	47	176
Kanagawa	89	687	286	18	178	63	50	319
Kochi	139	621	268	23	171	34	53	252
Kyoto	58	426	190	16	90	14	36	147

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Congenital Malformations (157)	Congenital debility (158)	Premature birth (159)	Injury at birth (160)	Other diseases peculiar to the first year of life (161)	Accidental deaths (169-195)	Ill-defined and unknown causes (199-200)	All other causes
Fukushima	84	752	271	19	210	35	34	311
Kyoto	81	683	300	25	180	56	39	209
Mie	89	748	294	14	219	18	73	256
Miyagi	97	883	277	35	163	45	65	304
Miyazaki	57	478	206	15	153	26	30	218
Nagano	102	731	307	17	150	34	50	286
Nagasaki	95	819	202	15	220	33	31	312
Nara	27	487	127	12	105	12	32	126
Niigata	148	1074	441	34	200	53	114	577
Oita	60	686	247	17	186	31	33	243
Okayama	70	1000	341	24	220	44	54	306
Osaka	195	1422	477	30	290	54	112	447
Saga	56	674	202	10	145	22	28	175
Seitama	170	1105	375	22	284	31	88	352
Shiga	50	468	185	22	106	20	20	151
Shimane	55	485	192	15	91	35	27	166
Shizuoka	142	999	359	17	331	32	78	387
Tochigi	111	609	250	12	149	17	60	254
Tokushima	47	592	186	12	112	27	42	176
Tokyo	277	1424	740	64	396	114	123	713
Tottori	24	307	111	14	102	8	10	118
Toyama	51	549	246	22	110	34	70	247
Wakayama	55	365	177	10	114	15	49	153
Yamagata	48	888	266	41	150	41	29	284
Yamaguchi	63	637	147	19	138	36	24	277
Yamanashi	32	277	102	8	77	17	23	135

See footnotes at end of table.

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.

FOOTNOTES

1/ Erysipelae: Data are for 7 months, excluding January through May.

Data refer to infant deaths (deaths under 1 year of age) of Japanese nationals in Japan Proper.

"NA" indicates data are not available.

A dash (-) indicates that no infant deaths were reported.

Sources are Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 live births)

Area	All Causes	Typhoid fever	Paratyphoid fever	Cholera	Cerebrospinal (meningococcus) meningitis	Anthrax	Scarlet fever	Whooping Cough	Diphtheria	1/ Erysipelas
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
All Japan	61.5	0.0	-	-	0.0	-	0.0	1.0	0.1	0.3
All "Shi"	53.3	0.0	-	-	0.1	-	0.0	1.0	0.2	0.2
All "Gun"	65.6	0.0	-	-	0.0	-	0.0	1.0	0.1	0.4
Aichi	57.3	-	-	-	-	-	0.0	0.8	0.1	0.1
Akita	92.4	-	-	-	-	-	-	1.1	0.2	0.4
Amori	97.1	-	-	-	0.1	-	-	1.2	0.1	0.3
Chiba	64.8	-	-	-	-	-	-	0.7	0.1	0.3
Ehime	56.5	-	-	-	-	-	-	0.6	0.1	0.3
Fukui	91.7	-	-	-	0.0	-	-	1.0	0.1	0.4
Fukoka	50.7	-	-	-	0.0	-	0.0	0.9	0.1	0.1
Fukushima	64.5	-	-	-	0.1	-	-	1.3	0.1	0.3
Gifu	64.1	-	-	-	-	-	-	1.0	0.1	0.4
Gumme	54.6	-	-	-	0.0	-	-	2.0	0.2	0.5
Hiroshima	56.5	-	-	-	0.0	-	-	0.4	0.2	0.2
Hokkaido	67.6	-	-	-	0.1	-	0.0	1.7	0.3	0.3
Iyogo	55.3	0.0	-	-	0.0	-	-	0.7	0.1	0.3
Ibareki	64.8	-	-	-	0.1	-	-	0.5	0.1	0.3
Ishikawa	87.9	-	-	-	-	-	-	1.3	0.1	0.3
Iwate	91.8	-	-	-	0.0	-	-	1.4	0.2	0.4
Kagawa	66.7	-	-	-	-	-	-	0.5	0.1	0.5
Kagoshima	57.6	-	-	-	0.0	-	-	1.1	0.1	0.5
Kenagawa	44.5	-	-	-	0.0	-	-	0.7	0.1	0.1
Kochi	63.2	-	-	-	0.0	-	-	0.6	0.1	0.1

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 live births)

Area	All Causes	Typhoid fever	Paratyphoid fever	Cholera	Cerebrospinal (meningococcus)	Anthrax	Scarlet fever	Whooping cough	Diphtheria	Erysipelas
		(1)	(2)	(4)	(5)	(7)	(8)	(9)	(10)	(11)
Kumamoto	54.2	-	-	-	0.0	-	-	0.8	0.1	0.6
Kyoto	52.6	-	-	-	0.1	-	-	0.9	0.1	0.2
Mie	66.0	-	-	-	-	-	-	0.3	0.0	0.4
Miyagi	68.0	-	-	-	0.1	-	-	1.1	0.1	0.3
Miyazaki	54.5	-	-	-	-	-	0.0	0.9	0.1	0.3
Nagano	52.1	-	-	-	0.0	-	-	1.5	0.1	0.3
Nagasaki	60.2	0.0	-	-	0.1	-	-	0.7	0.1	0.3
Nara	66.7	-	-	-	-	-	-	0.2	0.1	0.3
Niigata	67.7	-	-	-	-	-	-	2.0	0.1	0.3
Oita	62.3	-	-	-	0.0	-	-	0.7	0.1	0.2
Okayama	65.3	0.0	-	-	-	-	-	0.7	0.1	0.3
Osaka	52.1	-	-	-	0.1	-	0.0	0.6	0.1	0.3
Saga	70.3	-	-	-	0.0	-	-	0.9	0.4	0.4
Saitama	60.3	-	-	-	0.0	-	-	0.9	0.1	0.6
Shiga	64.9	-	-	-	0.0	-	-	1.0	0.0	0.4
Shimane	67.3	-	-	-	-	-	-	2.2	0.1	0.5
Shizuoka	53.1	-	-	-	-	-	-	0.5	0.1	0.2
Tochigi	52.1	-	-	-	0.0	-	-	1.2	0.0	0.5
Tokushima	66.3	-	-	-	0.0	-	-	0.3	0.1	0.6
Tokyo	47.0	-	-	-	0.1	-	-	0.8	0.2	0.1
Tottori	65.4	-	-	-	0.1	-	-	0.3	0.1	0.3
Toyama	87.0	0.0	-	-	0.1	-	-	1.6	0.1	0.4
Wakayama	57.9	-	-	-	-	-	-	0.5	0.0	0.3
Yamagata	82.1	-	-	-	0.0	-	-	0.9	0.3	0.4
Yamaguchi	53.7	-	-	-	0.0	-	-	0.9	0.1	0.3
Yamaguchi	52.2	-	-	-	0.0	-	-	1.3	0.0	0.2

See footnotes at end of table.

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births)

Area	Tetanus (12)	Tuberculosis (all forms) (13-22)	Leprosy (23)	Septicemia and purulent infection (non purpural)		Glanders (26a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Measles (35)
				(24)	(25)						
All Japan	0.4	0.5	-	0.4	-	-	0.0	0.0	0.4	0.0	0.7
All "Shi"	0.3	0.8	-	0.4	-	-	0.0	-	0.6	0.1	0.6
All "Gun"	0.4	0.3	-	0.4	-	-	0.0	0.0	0.4	0.0	0.8
Aichi	0.5	0.3	-	0.4	-	-	0.1	-	0.4	0.0	0.3
Akita	0.2	0.3	-	0.4	-	-	0.1	-	0.4	0.1	0.6
Aomori	0.4	0.5	-	0.4	-	-	0.1	-	0.3	0.3	1.7
Chiba	1.3	0.2	-	0.4	-	-	-	-	0.5	0.0	0.1
Ehime	0.4	0.4	-	0.4	-	-	0.1	-	0.4	0.1	0.1
Fukui	0.1	0.3	-	0.4	-	-	0.1	-	0.3	0.1	1.0
Fukuoka	0.2	0.7	-	0.5	-	-	0.0	0.0	0.8	0.1	0.3
Fukushima	0.3	0.3	-	0.3	-	-	0.0	-	0.4	0.0	0.7
Gifu	0.2	0.3	-	0.3	-	-	0.1	-	0.2	0.1	1.3
Gumma	0.8	0.2	-	0.3	-	-	0.0	-	0.2	0.1	0.2
Hiroshima	0.1	0.3	-	0.5	-	-	0.0	-	0.2	0.0	1.2
Hokkaido	0.2	0.9	-	0.4	-	-	0.1	-	0.5	0.1	1.5
Hyogo	0.2	0.7	-	0.3	-	-	0.0	-	0.3	0.0	1.3
Ibaraki	1.2	0.2	-	0.4	-	-	0.0	-	0.4	0.0	0.2
Ishikawa	0.5	0.4	-	0.5	-	-	-	-	0.3	0.1	1.6
Iwate	0.1	0.4	-	0.3	-	-	0.0	-	0.5	0.0	2.4
Kagawa	0.7	0.3	-	0.3	-	-	-	-	0.2	-	2.4
Kagoshima	0.6	0.3	-	0.7	-	-	0.0	-	0.8	0.0	0.7
Kanagawa	0.2	0.6	-	0.3	-	-	0.0	-	0.4	0.0	0.1
Kochi	0.6	0.2	-	0.3	-	-	0.0	-	0.6	-	1.1

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births)

Area	Tetanus (12)	Tuberculosis (all forms) (13-22)	Leprosy (23)	Septicemia and purulent infection (non puerperal) (24)	Glanders (25a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Measles (35)
Kumamoto	0.5	0.5	-	0.5	-	0.0	-	0.4	0.1	0.4
Kyoto	0.2	0.6	-	0.3	-	0.0	-	0.7	0.1	0.3
Mie	0.3	0.2	-	0.5	-	0.0	-	0.5	0.1	0.9
Miyagi	0.4	0.5	-	0.3	-	-	-	0.5	0.0	1.2
Miyazaki	0.4	0.2	-	0.6	-	0.0	-	0.4	0.0	0.5
Nagano	0.3	0.3	-	0.3	-	0.0	-	0.1	0.0	0.7
Nagasaki	0.5	0.4	-	0.6	-	0.1	-	0.9	0.0	0.5
Nara	0.3	0.1	-	0.4	-	-	-	0.3	-	0.1
Niigata	0.1	0.4	-	0.4	-	0.1	-	0.2	0.1	0.8
Oita	0.5	0.3	-	0.9	-	-	-	0.3	0.1	0.4
Okayama	0.2	0.3	-	0.4	-	0.0	-	0.2	0.0	1.6
Osaka	0.1	0.6	-	0.3	-	0.0	-	0.5	0.1	0.6
Saga	0.4	0.4	-	0.3	-	0.0	-	0.8	-	0.3
Saitama	0.6	0.2	-	0.2	-	0.1	-	0.2	0.0	0.1
Shiga	0.3	0.3	-	0.4	-	-	0.1	0.6	0.1	0.5
Shimane	0.4	0.7	-	0.4	-	0.1	-	0.4	-	0.4
Shizuoka	0.4	0.4	-	0.3	-	0.0	-	0.4	0.0	0.4
Tochigi	0.5	0.1	-	0.2	-	0.0	-	0.2	-	0.3
Tokushima	0.6	0.2	-	0.2	-	0.1	-	0.2	0.1	1.0
Tokyo	0.2	0.9	-	0.3	-	0.0	-	0.5	0.1	0.1
Tottori	0.2	0.4	-	0.3	-	0.1	-	0.6	-	1.3
Toyama	0.1	0.5	-	0.5	-	-	-	0.3	-	0.6
Wakayama	0.2	0.6	-	0.5	-	0.1	-	0.4	0.1	1.0
Yamagata	0.3	0.3	-	0.3	-	0.0	-	0.2	0.0	1.0
Yamaguchi	0.5	0.4	-	0.8	-	0.0	-	0.4	0.1	0.2
Yamaguchi	0.6	0.1	-	0.3	-	0.1	-	0.4	0.0	0.0

See footnotes at end of table.

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births)

Area	Japanese "B" encephalitis fever (37b)	Yellow fever (38a)	Rabies (38b)	Typhus fever and typhus-like diseases (39)	Beriberi (40)	Meningitis (not due to meningococcus) (41)	Convulsions (42)	Bronchitis (43)	Pneumonia (all forms) (44)	Diarrhea, enteritis and ulceration of the intestines (45)
	(37b)	(38a)	(38b)	(39)	(40)	(41)	(42)	(43)	(44)	(45)
All Japan	0.0	-	-	-	1.4	1.0	0.5	3.3	8.5	11.6
All "Shi"	0.0	-	-	-	1.2	1.0	0.2	2.3	8.3	9.8
All "Gun"	0.0	-	-	-	1.5	1.0	0.6	3.8	8.5	12.5
Aichi	0.0	-	-	-	1.5	1.3	0.1	3.4	7.3	8.3
Akita	0.0	-	-	-	2.0	1.5	2.5	4.4	8.5	23.6
Aomori	-	-	-	-	3.3	0.9	3.1	5.7	12.2	23.4
Chiba	0.0	-	-	-	1.4	1.5	0.1	3.9	8.0	9.2
Ehime	-	-	-	-	0.7	1.5	0.1	3.8	8.3	7.8
Fukui	-	-	-	-	1.9	0.9	0.5	4.7	7.0	18.0
Fukuoka	-	-	-	-	0.9	0.8	0.1	2.3	8.0	9.2
Fukushima	-	-	-	-	1.3	0.7	0.1	3.7	9.7	13.0
Gifu	-	-	-	-	0.9	1.1	0.2	3.9	6.7	12.0
Gumma	0.0	-	-	-	0.6	0.7	0.1	3.1	10.1	7.4
Hiroshima	-	-	-	-	1.2	1.5	0.4	2.8	7.5	9.8
Hokkaido	0.0	-	-	-	1.6	1.2	1.2	3.8	10.2	16.8
Iyogo	0.0	-	-	-	1.3	1.0	0.1	3.1	7.2	10.1
Ibaraki	0.0	-	-	-	1.1	0.7	0.3	3.7	7.6	10.6
Ishikawa	0.0	-	-	-	2.6	1.5	4.8	4.8	10.5	19.8
Iwate	0.0	-	-	-	3.1	1.0	1.0	5.1	15.7	20.0
Kagawa	0.0	-	-	-	0.4	1.3	0.5	3.3	8.8	8.8
Kanagawa	-	-	-	-	1.1	1.2	0.1	2.8	9.6	12.4
Kenagawa	0.1	-	-	-	0.9	0.7	0.1	1.4	9.3	8.4
Kochi	-	-	-	-	1.5	1.3	0.0	2.6	8.3	10.4

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births)

Area	(37b)	(38a)	(38b)	Typhus fever and typhus- like diseases	(38)	Beriberi	Meningitis (not due to meningococcus)	(39)	Convulsions	Bronchitis	Pneumonia (all forms)	Diarrhea, enter- itis and ulcera- tion of the in- testines (19)
Kumamoto	-	-	-	-	1.5	1.5	0.8	0.1	0.1	2.3	7.5	10.5
Kyoto	-	-	-	-	1.4	1.4	0.9	0.2	0.2	2.3	6.2	9.4
Mie	0.0	-	-	-	1.5	1.5	1.6	0.4	0.4	4.0	7.5	11.8
Miyagi	-	-	-	-	2.3	2.3	0.9	0.2	0.2	2.7	10.0	14.6
Miyazaki	0.0	-	-	-	0.6	0.6	0.8	0.0	0.0	3.0	7.6	10.2
Nagano	0.0	-	-	-	0.6	0.6	0.8	0.3	0.3	2.8	7.6	8.8
Narasaki	-	-	-	-	1.2	1.2	0.9	0.2	0.2	2.9	9.2	12.0
Nara	-	-	-	-	1.4	1.4	0.8	0.1	0.1	3.1	6.1	14.0
Niigata	0.0	-	-	-	2.1	2.1	1.6	0.5	0.5	5.2	9.2	12.8
Oita	-	-	-	-	1.2	1.2	1.0	0.4	0.4	3.8	7.7	10.5
Okeyama	-	-	-	-	1.5	1.5	1.1	0.0	0.0	3.0	8.2	8.9
Osahe	-	-	-	-	1.5	1.5	1.0	0.1	0.1	2.2	8.0	9.5
Saga	-	-	-	-	2.6	2.6	1.3	0.1	0.1	2.8	6.3	13.8
Saitama	-	-	-	-	0.9	0.9	0.9	0.0	0.0	3.8	8.0	9.5
Shige	0.0	-	-	-	1.2	1.2	0.7	0.1	0.1	2.7	6.0	13.4
Shimane	-	-	-	-	0.7	0.7	1.2	0.5	0.5	3.6	9.7	12.0
Shizuoka	0.0	-	-	-	1.4	1.4	1.0	0.2	0.2	2.4	7.2	10.3
Tochigi	0.0	-	-	-	1.2	1.2	0.7	0.4	0.4	3.5	6.7	9.7
Tokushima	-	-	-	-	0.5	0.5	0.9	0.2	0.2	4.3	10.5	9.3
Tokyo	0.1	-	-	-	1.3	1.3	0.8	0.0	0.0	1.7	8.5	8.1
Tottori	-	-	-	-	2.0	2.0	0.9	0.7	0.7	2.9	7.5	12.8
Toyama	-	-	-	-	2.5	2.5	1.4	6.2	6.2	6.8	9.7	19.3
Wakayama	-	-	-	-	1.0	1.0	1.3	0.1	0.1	2.4	7.5	10.8
Yamagata	0.0	-	-	-	2.3	2.3	0.8	0.1	0.1	5.2	9.4	18.0
Yamaguchi	-	-	-	-	1.7	1.7	0.7	0.2	0.2	2.7	7.8	9.2
Yamaguchi	0.0	-	-	-	0.6	0.6	0.6	0.4	0.4	3.5	7.7	9.7

See footnotes at end of table.

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Congenital malformations (157)	Congenital debility (158)	Premature birth (159)	Injury at birth (160)	Other diseases peculiar to the first year of life (161)	Accidental deaths (162-195)	Ill-defined and unknown causes (196-200)	All other causes
Kumamoto	1.4	12.3	4.4	0.2	3.4	0.6	0.6	5.1
Kyoto	1.5	12.5	5.5	0.5	3.3	1.0	0.7	3.8
Mie	1.9	15.8	6.2	0.3	4.6	0.4	1.5	5.4
Miyagi	1.7	15.6	4.9	0.6	2.9	0.8	1.1	5.4
Miyazaki	1.4	11.6	5.0	0.4	3.7	0.6	0.7	5.3
Nagano	1.7	12.1	5.1	0.3	2.5	0.6	0.8	4.7
Nagasaki	1.6	14.1	3.5	0.3	3.8	0.6	0.5	5.4
Nara	1.1	20.7	5.4	0.5	4.5	0.5	1.4	5.4
Niigata	1.8	19.0	5.3	0.4	2.4	0.6	1.4	7.0
Oita	1.4	15.6	5.6	0.4	4.2	0.7	0.8	5.5
Ookayama	1.3	18.9	6.4	0.5	4.2	0.8	1.0	5.8
Oosaka	1.7	12.6	4.2	0.3	2.6	0.5	1.0	4.0
Saga	1.7	20.4	6.1	0.3	4.4	0.7	0.8	5.3
Seitama	2.4	15.6	5.3	0.3	4.0	0.4	1.2	5.0
Shiga	1.9	17.0	6.7	0.8	3.9	0.7	0.7	5.5
Shimane	1.6	15.8	6.3	0.5	3.0	1.1	0.9	5.4
Shizuoka	1.7	11.9	4.3	0.2	4.0	0.4	0.9	4.6
Tochigi	2.0	11.2	4.6	0.2	2.7	0.3	1.1	4.7
Tokushima	1.4	18.4	5.8	0.4	3.5	0.8	1.3	5.5
Tokyo	1.7	8.5	4.5	0.4	2.4	0.7	0.7	4.3
Tottori	1.2	15.3	5.5	0.7	5.1	0.4	0.5	5.9
Toyama	1.4	15.3	6.8	0.6	3.1	0.9	1.9	6.9
Wakayama	1.8	12.1	5.9	0.3	3.8	0.5	1.6	5.1
Yamagata	2.3	21.0	6.8	1.0	3.5	1.0	0.7	6.2
Yamaguchi	1.3	19.2	3.0	0.3	2.9	0.7	0.5	5.7
Yamaguchi	1.3	11.0	4.1	0.3	3.1	0.7	0.9	5.4

See footnotes on next page.

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE, JAPAN, 1948 - Cont'd

Area	Congenital Malformations (157)	Congenital debility (158)	Premature birth (159)	Injury at birth (160)	Other diseases peculiar to the first year of life (161)	Accidental deaths (169-195)	Ill-defined and Unknown causes (199-200)	All other causes
All Japan	1.7	14.1	5.1	0.4	3.3	0.8	1.0	5.1
All "Shi"	1.7	11.0	4.7	0.4	2.6	0.7	0.9	4.5
All "Gun"	1.7	15.7	5.3	0.4	3.6	0.8	1.1	5.4
Aichi	1.5	15.4	5.5	0.3	3.4	0.5	0.9	4.9
Akita	2.2	24.5	7.9	0.5	3.5	0.7	1.3	5.7
Aomori	1.9	24.0	4.9	0.3	2.7	0.9	1.8	7.0
Chiba	1.9	14.9	7.8	0.5	5.2	0.5	1.1	5.4
Ehime	1.6	13.4	5.2	0.6	3.5	0.3	1.0	4.8
Fukui	1.5	21.0	6.7	0.3	2.4	14.4	1.5	7.1
Fukuoka	1.7	11.8	3.8	0.2	2.9	0.6	0.5	4.2
Fukushima	1.8	14.7	4.9	0.4	3.0	1.0	1.2	5.3
Gifu	1.2	17.8	6.5	0.3	3.1	0.9	1.0	5.0
Gunma	2.2	13.2	3.9	0.5	2.5	0.6	0.6	4.6
Hiroshima	1.6	14.0	4.3	0.4	3.0	0.8	0.8	5.2
Hokkaido	1.8	10.9	2.9	0.3	3.0	0.9	2.1	5.2
Iyogo	1.5	13.1	5.0	0.3	2.9	0.6	0.7	4.6
Ibaraki	1.9	17.2	7.6	0.5	4.2	0.5	0.9	4.5
Ishikawa	1.9	16.4	5.7	0.2	3.9	0.9	1.5	8.3
Iwate	1.7	19.2	6.5	0.4	3.5	1.5	1.2	6.4
Kagawa	1.6	18.0	6.9	0.4	4.5	0.9	1.4	5.2
Kagoshima	1.4	10.8	3.7	0.3	2.8	1.0	0.8	5.0
Kenegawa	1.9	8.4	3.6	0.3	2.3	0.5	0.7	3.4
Kochi	2.1	15.5	6.9	0.6	3.3	0.5	1.3	5.4

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.

FOOTNOTES:

1/ Erysipelas: Rates are based upon data for 7 months, excluding January through May.

Data refer to infant deaths (deaths under 1 year of age) of Japanese nationals in Japan Proper.

A dash (-) indicates that no infant deaths were reported and that the infant death rate was zero.

A rate of 0.0 indicates that there were some infant deaths but that the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER (1):													
All Japan	5	2	-	-	-	-	1	-	-	1	1	-	-
All "Shi"	3	1	-	-	-	-	-	-	-	1	1	-	-
All "Gun"	2	1	-	-	-	-	1	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	2	-	-	-	-	-	1	-	-	1	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Karagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER (1) - Cont'd.													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	1	1	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	1	1	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Techigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	2	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	1	-	-	-	-	-	-	-	-	-	1	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CEREBROSPINAL (MENINGOCOCCUS)													
MENINGITIS (6):													
All Japan	90	6	3	11	10	9	7	8	5	6	6	6	13
All "Shi"	52	4	1	5	5	6	3	4	3	5	5	4	7
All "Gun"	38	2	2	6	5	3	4	4	2	1	1	2	6
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	1	-	-	-	1	-	-	-	-	-	-	-	-
Aomori	3	1	-	-	-	-	-	2	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	1	-	-	1	-	-	-	-	-	-	-	-	-
Fukuoka	3	-	-	-	2	-	-	-	-	-	-	1	-
Fukushima	4	-	-	-	1	2	-	-	-	-	-	1	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	2	-	-	-	-	-	-	-	-	-	-	-	2
Hiroshima	1	-	-	-	1	-	-	-	-	-	-	-	-
Hokkaido	11	-	-	3	2	2	1	1	-	1	-	-	1
Hyogo	3	-	-	2	-	-	-	-	-	-	-	-	1
Ibaraki	4	-	1	-	-	-	-	1	1	1	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	1	-	-	-	-	-	-	1	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	2	-	-	-	-	-	-	-	-	-	-	-	2
Kanagawa	2	-	-	-	-	-	-	-	-	1	-	-	1
Kochi	1	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CEREBROSPINAL(MENINGOCOCCUS)													
MENINGITIS (6): Cont'd.													
Kumamoto	2	-	-	-	-	-	-	-	-	-	-	-	2
Kyoto	7	3	-	-	-	1	-	-	-	1	2	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	4	1	-	1	-	-	1	-	-	-	-	1	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	1	-	-	-	-	-	-	-	-	1	-	-	-
Nagasaki	4	-	-	1	-	-	2	-	-	1	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	1	-	-	-	-	-	1	-	-	-	-	-	-
Okeyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	10	-	-	-	1	-	2	2	1	-	1	2	1
Saga	1	-	-	-	-	-	-	-	-	-	-	1	-
Saitama	2	-	-	-	-	1	-	-	1	-	-	-	-
Shiga	1	-	-	-	-	-	-	-	-	-	1	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	1	-	-	-	-	-	-	-	-	-	-	-	1
Tokushima	1	1	-	-	-	-	-	-	-	-	-	-	-
Tokyo	9	-	1	1	2	2	-	-	2	-	-	-	1
Tottori	2	-	1	1	-	-	-	-	-	-	-	-	-
Toyama	2	-	-	-	-	-	-	-	-	-	1	-	1
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	1	-	-	-	-	-	-	-	-	-	1	-	-
Yamaguchi	1	-	-	-	-	1	-	-	-	-	-	-	-
Yamanashi	1	-	-	1	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY TERRITORY: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER (8):													
All Japan	5	-	1	1	1	-	1	-	1	-	-	-	-
All "Shi"	2	-	1	-	-	-	1	-	-	-	-	-	-
All "Gun"	3	-	-	1	1	-	-	-	1	-	-	-	-
Aichi	1	-	-	-	-	-	-	-	1	-	-	-	-
AKita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	1	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	1	-	-	1	-	-	-	1	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kenagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER (8):													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	1	-	-	-	1	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	1	-	-	-	-	-	1	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	0	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
	Infant	Deaths													
WHOOHING COUGH (9):															
All Japan	2595		262	195	166	187	222	256	320	239	203	132	166	247	
All "Shi"	863		74	61	59	52	71	87	103	85	76	45	62	88	
All "Gum"	1732		188	134	107	135	151	169	217	154	127	87	104	159	
Aichi	86		3	5	3	7	3	9	18	11	8	6	5	8	
Akita	50		8	2	1	7	2	3	4	7	4	1	3	8	
Aomori	56		9	4	3	2	4	3	4	8	1	4	10	4	
Chiba	49		6	3	3	5	6	5	7	6	3	2	-	3	
Ehime	34		3	2	4	1	-	5	8	3	3	2	-	3	
Fukui	25		3	3	2	2	1	5	2	2	2	1	1	1	
Fukuoka	113		12	12	5	9	11	6	20	12	5	7	4	10	
Fukushima	92		13	9	7	7	13	10	10	5	2	2	4	10	
Gifu	52		4	1	1	2	5	4	9	8	5	2	1	10	
Gunma	107		5	2	4	9	9	9	22	8	7	7	11	14	
Hiroshima	25		2	3	1	2	3	5	3	4	1	-	1	-	
Hokkaido	262		11	13	8	12	12	12	16	26	38	39	37	44	
Iwago	72		6	3	4	2	7	14	7	6	8	4	5	6	
Ibareki	33		6	3	3	4	2	4	1	2	1	2	1	4	
Ishikawa	44		5	2	3	6	2	4	5	3	1	1	6	6	
Iwate	64		7	5	6	4	7	13	5	5	1	3	3	5	
Kagawa	17		2	3	1	3	2	-	3	1	1	-	1	-	
Kagoshima	70		9	4	3	9	4	7	7	8	8	5	3	3	
Kanagawa	53		7	6	-	2	8	5	5	9	5	2	2	2	
Kochi	17		4	5	4	-	-	1	1	1	1	-	-	-	

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH (9): - Cont'd:													
Kumamoto	46	9	3	4	2	1	6	5	7	2	1	3	3
Kyoto	47	4	1	4	3	1	3	7	6	7	4	3	4
Mie	12	3	2	1	-	2	-	1	2	2	1	-	1
Miyagi	62	9	6	5	10	4	5	11	2	2	3	2	5
Miyazaki	36	11	4	4	-	-	3	6	1	2	-	-	2
Nagano	93	8	3	2	10	12	16	10	4	7	4	6	11
Nagasaki	40	2	7	2	6	6	4	8	2	1	2	-	-
Nara	4	-	-	-	-	1	-	1	1	-	-	-	1
Niigata	167	21	14	10	15	7	21	20	10	17	10	8	14
Oita	32	2	3	4	-	-	2	6	7	-	1	5	2
Okayama	37	6	4	2	4	5	2	5	3	5	-	1	-
Osaka	65	2	3	7	1	9	2	10	8	8	2	6	7
Saga	30	2	3	4	1	4	2	5	4	1	2	-	2
Saitama	65	3	5	4	3	9	8	11	6	3	1	1	11
Shiga	28	3	1	1	1	3	3	8	4	1	-	1	2
Shimane	66	4	4	8	2	10	8	10	6	5	1	4	4
Shizuoka	45	6	2	3	2	7	5	4	6	4	1	2	3
Shizuoka	65	6	6	5	5	11	4	7	3	7	2	5	4
Tokushima	9	2	2	1	2	1	-	-	-	1	-	-	-
Tokyo	136	13	9	14	9	15	20	7	12	11	5	6	15
Tottori	6	2	-	-	-	-	-	3	-	-	-	1	-
Toyama	57	3	9	6	6	3	6	5	4	3	1	6	5
Wakayama	15	3	5	1	2	-	2	-	1	-	-	1	-
Yamagata	37	2	2	2	4	4	3	3	2	7	5	-	3
Yamaguchi	42	7	4	1	3	4	2	5	2	4	-	5	5
Yamanashi	32	4	3	5	1	2	5	5	1	1	1	2	2

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA (10):													
All Japan	356	57	41	28	29	23	13	11	14	16	32	38	54
All "Shi"	155	30	17	11	16	7	6	4	4	6	13	13	28
All "Gun"	201	27	24	17	13	16	7	7	10	10	19	25	26
Aichi	15	1	2	1	2	-	-	-	-	-	1	3	5
Akita	10	3	1	-	-	-	-	-	2	2	1	1	1
Aomori	5	-	1	-	1	-	-	-	-	2	-	1	-
Chiba	4	1	-	-	-	1	-	-	-	-	-	-	2
Ehime	7	3	2	-	-	-	-	-	1	-	-	-	1
Fukui	3	-	1	-	-	-	-	1	-	-	1	-	-
Fukuoka	16	4	1	-	3	1	1	-	-	-	3	1	2
Fukushima	7	1	-	-	2	-	-	1	-	1	-	-	-
Gifu	3	-	1	-	1	-	-	-	1	-	-	-	-
Gunma	12	1	1	2	-	-	2	-	-	-	2	1	3
Hiroshima	10	1	-	-	-	-	-	-	-	-	3	4	2
Hokkaido	45	5	3	5	4	3	4	2	1	3	4	5	6
Hyogo	11	4	3	1	-	-	1	-	1	-	-	1	-
Ibaraki	5	-	1	-	-	-	1	-	-	1	-	2	-
Ishikawa	4	2	-	-	-	1	-	-	-	-	-	1	-
Iwate	10	1	1	1	1	-	-	-	2	-	1	1	2
Kagawa	5	1	2	1	-	-	-	-	-	-	-	-	1
Kagoshima	7	1	-	1	1	-	-	1	-	1	1	-	1
Kanagawa	9	3	2	1	2	-	-	1	-	-	-	-	1
Kochi	3	-	2	1	-	-	-	-	-	-	-	-	-

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA (10) - Cont'd.													
Kumamoto	6	-	1	-	1	3	-	-	-	-	1	-	-
Kyoto	4	-	1	-	-	-	-	1	-	1	-	-	2
Mie	2	-	1	-	-	-	-	-	1	-	-	-	-
Miyagi	8	1	-	3	1	1	-	-	-	-	1	-	1
Miyazaki	6	1	-	1	1	-	-	1	1	1	-	-	-
Nagano	4	1	-	-	-	1	-	1	-	-	-	-	1
Nagasaki	8	2	-	-	1	-	-	-	1	-	3	1	-
Nara	3	1	-	1	-	-	-	-	-	1	-	-	-
Niigata	6	1	1	1	-	1	-	-	-	1	1	2	1
Oita	5	1	1	-	-	-	-	-	-	-	-	1	2
Ookayama	6	2	-	1	-	1	-	-	-	-	1	1	-
Osaka	11	1	3	-	2	1	-	-	1	-	2	1	2
Saga	12	3	-	1	1	3	-	-	-	-	-	2	-
Saitama	5	1	2	-	-	-	-	-	-	-	1	1	1
Shiga	1	-	-	-	-	-	-	-	-	-	1	-	-
Shimane	3	1	1	-	-	-	1	-	-	-	-	-	-
Shizuoka	7	-	-	2	-	-	-	-	1	1	1	1	-
Tochigi	2	-	-	-	1	-	-	-	-	-	-	-	1
Tokushima	3	-	-	-	-	1	-	-	-	-	-	2	-
Tokyo	36	3	4	5	3	3	1	1	1	1	-	3	11
Tottori	3	1	2	-	-	-	-	-	-	-	-	-	-
Toyama	2	1	-	-	-	1	-	-	-	-	-	-	-
Wakayama	1	-	-	-	-	-	-	-	-	1	1	-	-
Yamagata	11	1	1	-	-	1	2	1	-	1	1	1	2
Yamaguchi	7	3	-	-	-	-	-	-	-	1	1	2	1
Yamanashi	1	-	-	-	-	-	-	-	-	-	-	1	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	1/Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ERSIPELAS (11):													
All Japan	447	NA	NA	NA	NA	NA	44	52	54	58	56	86	97
All "Shi"	97	NA	NA	NA	NA	NA	10	12	11	15	5	16	28
All "Gun"	350	NA	NA	NA	NA	NA	34	40	43	43	51	70	69
Aichi	8	NA	NA	NA	NA	NA	1	-	1	1	-	5	-
Akita	8	NA	NA	NA	NA	NA	-	1	1	1	1	1	3
Aomori	7	NA	NA	NA	NA	NA	2	2	-	1	1	1	-
Chiba	9	NA	NA	NA	NA	NA	-	2	2	1	1	2	1
Ehime	10	NA	NA	NA	NA	NA	1	-	1	2	1	3	2
Fukui	6	NA	NA	NA	NA	NA	1	-	2	1	-	1	1
Fukuoka	8	NA	NA	NA	NA	NA	1	1	1	2	-	-	3
Fukushima	13	NA	NA	NA	NA	NA	1	2	2	1	4	3	-
Gifu	10	NA	NA	NA	NA	NA	1	2	-	2	1	2	2
Gumma	15	NA	NA	NA	NA	NA	-	2	1	3	2	5	2
Hiroshima	7	NA	NA	NA	NA	NA	1	1	-	-	2	-	3
Hokkaido	23	NA	NA	NA	NA	NA	6	1	3	1	4	5	3
Iyogo	14	NA	NA	NA	NA	NA	1	1	3	3	2	1	3
Ibaraki	12	NA	NA	NA	NA	NA	-	-	2	2	2	1	5
Ishikawa	6	NA	NA	NA	NA	NA	1	-	1	3	1	-	-
Iwate	11	NA	NA	NA	NA	NA	-	-	3	1	2	3	2
Kagawa	9	NA	NA	NA	NA	NA	1	2	-	1	2	1	2
Kagoshima	19	NA	NA	NA	NA	NA	1	4	3	4	-	5	2
Kanagawa	3	NA	NA	NA	NA	NA	1	-	-	-	-	2	-
Kochi	2	NA	NA	NA	NA	NA	1	-	-	-	-	-	1

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	1/Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ERYSIPELAS (11) - Cont'd.													
Kumamoto	19	NA	NA	NA	NA	NA	1	5	1	2	4	3	3
Kyoto	5	NA	NA	NA	NA	NA	2	-	-	1	1	1	1
Mie	11	NA	NA	NA	NA	NA	3	-	3	3	1	-	1
Miyagi	9	NA	NA	NA	NA	NA	-	-	1	1	1	3	3
Miyazaki	6	NA	NA	NA	NA	NA	2	-	2	-	-	2	-
Nagano	11	NA	NA	NA	NA	NA	1	-	-	2	1	1	6
Nagasaki	9	NA	NA	NA	NA	NA	1	1	4	-	2	-	1
Nara	4	NA	NA	NA	NA	NA	-	1	-	-	-	1	2
Niigata	12	NA	NA	NA	NA	NA	1	1	1	1	4	3	1
Oita	6	NA	NA	NA	NA	NA	-	-	-	-	1	-	5
Okayama	9	NA	NA	NA	NA	NA	-	1	-	1	2	1	4
Osaka	21	NA	NA	NA	NA	NA	1	3	2	5	1	3	6
Saga	8	NA	NA	NA	NA	NA	-	2	1	3	-	1	1
Saitama	21	NA	NA	NA	NA	NA	2	2	2	-	3	4	8
Shiga	6	NA	NA	NA	NA	NA	-	3	1	-	-	2	-
Shimane	8	NA	NA	NA	NA	NA	-	1	2	1	-	1	3
Shizuoka	11	NA	NA	NA	NA	NA	1	1	-	-	4	3	2
Tochigi	13	NA	NA	NA	NA	NA	2	1	2	-	2	3	4
Tokushima	11	NA	NA	NA	NA	NA	2	-	-	2	2	4	1
Tokyo	9	NA	NA	NA	NA	NA	-	3	1	-	-	3	2
Tottori	3	NA	NA	NA	NA	NA	1	1	-	1	-	-	-
Toyama	8	NA	NA	NA	NA	NA	-	2	3	1	-	1	1
Wakayama	5	NA	NA	NA	NA	NA	1	2	-	-	2	-	-
Yamagata	10	NA	NA	NA	NA	NA	1	-	-	1	2	3	3
Yamaguchi	9	NA	NA	NA	NA	NA	1	1	2	2	-	-	3
Yamanashi	3	NA	NA	NA	NA	NA	-	-	-	-	-	2	1

See footnotes at end of table.

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Month											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12):													
All Japan	1013	72	57	67	87	63	70	133	134	100	77	84	69
All "Shi"	251	21	14	15	22	14	23	29	37	19	23	18	16
All "Gun"	762	51	43	52	65	49	47	104	97	81	54	66	53
Aichi	58	1	1	3	3	3	7	9	12	8	2	4	5
Akita	10	1	-	2	1	-	-	-	-	-	2	1	3
Aomori	17	3	-	-	1	-	-	-	4	6	-	3	-
Chiba	86	9	7	5	9	6	11	12	7	8	3	5	4
Ehime	23	2	4	-	1	-	1	3	2	-	4	3	3
Fukui	3	-	-	-	-	-	1	1	-	-	1	-	-
Fukuoka	23	3	1	2	3	1	-	2	4	1	-	2	4
Fukushima	20	3	-	-	3	3	1	3	2	3	1	1	-
Gifu	11	2	1	-	-	1	2	-	1	1	-	1	2
Gumma	44	3	2	6	3	2	4	9	4	2	6	2	1
Hiroshima	9	-	-	-	2	1	-	2	3	-	-	-	1
Hokkaido	29	3	-	2	3	-	2	1	6	3	1	4	4
Iyogo	16	1	1	1	2	2	2	-	3	2	2	4	-
Ibaraki	83	6	8	4	10	7	2	11	9	8	7	8	-
Ishikawa	17	2	-	3	1	2	-	3	2	2	-	2	-
Iwate	4	-	1	-	1	-	-	1	-	-	-	1	-
Kagawa	23	2	2	-	1	2	1	4	4	1	2	3	1
Kagoshima	40	3	3	5	2	2	1	5	5	2	4	4	4
Kanagawa	18	1	1	-	5	1	2	-	1	4	1	1	1
Kochi	16	1	1	-	2	1	3	1	2	4	1	1	-

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12):- Cont'd:													
Kumamoto	28	1	3	5	2	4	1	1	4	2	2	1	2
Kyoto	13	1	-	-	-	-	-	1	2	1	4	1	1
Mie	12	2	2	1	-	1	1	1	1	2	-	1	4
Miyagi	20	1	-	2	3	1	3	1	3	1	3	-	-
Miyazaki	17	1	1	2	4	-	-	1	1	1	1	2	-
Nagano	21	1	-	1	-	-	2	4	5	5	1	-	2
Nagasaki	31	2	3	4	-	2	-	4	3	4	5	2	2
Nara	8	1	1	2	-	1	-	2	3	-	1	1	-
Niigata	12	1	1	1	1	-	-	1	3	2	2	1	-
Oita	20	1	1	1	3	-	2	-	2	2	2	2	1
Okayama	9	-	1	-	1	-	-	2	1	-	2	1	1
Osaka	14	-	1	2	1	1	1	2	4	2	1	1	-
Saga	14	1	1	-	-	-	-	-	2	4	1	4	1
Saitama	45	4	1	2	2	2	4	9	6	5	1	3	4
Shiga	8	-	-	-	-	1	2	-	3	1	-	1	-
Shimane	13	1	-	-	-	-	-	6	2	4	-	-	-
Shizuoka	33	1	2	4	3	3	1	3	2	3	5	3	3
Tochigi	27	2	3	2	1	3	1	4	1	3	1	2	4
Tokushima	18	-	-	1	3	2	3	3	2	-	2	1	1
Tokyo	35	4	-	-	4	2	3	6	6	1	3	2	4
Tottori	4	-	1	1	-	1	-	1	-	-	-	-	-
Toyama	5	-	1	-	-	1	2	1	1	-	-	-	-
Wakayama	7	-	1	1	-	1	-	2	-	-	-	1	1
Yamagata	12	-	2	1	1	1	-	-	-	-	1	2	-
Yamaguchi	22	1	-	1	3	1	1	4	5	1	2	2	1
Yamanashi	15	-	-	-	2	1	2	1	3	3	2	1	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total	Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS)														
(13-22):														
All Japan	1,236		87	102	107	138	134	113	120	110	99	65	74	87
All "Shi"	697		46	65	51	77	82	61	60	64	64	39	36	52
All "Gun"	539		41	37	56	61	52	52	60	46	35	26	38	35
Aichi	38		2	3	5	5	1	4	4	4	2	3	1	4
Akita	14		1	2	1	3	-	3	2	-	1	1	-	-
Aomori	24		1	1	3	5	1	1	2	2	3	2	1	2
Chiba	15		1	-	4	2	2	1	2	-	1	-	-	2
Ehime	23		3	3	1	2	2	4	3	-	1	2	-	2
Fukui	8		2	2	-	-	1	-	1	1	1	-	-	-
Fukuoka	80		5	9	7	8	7	8	6	8	7	5	6	4
Fukushima	19		1	1	1	-	2	3	1	4	5	1	1	1
Gifu	17		1	1	5	-	2	1	4	-	1	1	1	-
Gunma	12		1	-	2	2	1	-	1	1	3	-	-	1
Hiroshima	18		2	1	-	1	2	3	3	1	-	1	2	2
Hokkaido	144		10	17	13	12	21	9	12	12	14	5	9	10
Hyogo	73		3	6	4	12	6	7	4	4	9	3	10	5
Ibureki	14		-	1	1	-	1	2	1	1	4	2	-	-
Ishikawa	14		-	1	1	2	2	2	3	1	1	-	-	1
Iwate	19		3	-	2	3	2	3	-	2	2	1	-	1
Kagawa	11		1	1	2	-	1	-	-	3	-	-	1	2
Kagoshima	19		3	1	1	1	2	1	2	4	1	-	1	2
Kochi	5		2	-	-	-	-	1	1	-	1	-	-	1
Kanagawa	46		1	2	6	3	7	4	6	4	5	3	2	3

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths (13-22) - Cont'd:											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS)												
Kumamoto	1	1	2	3	-	3	5	2	3	4	4	2
Kyoto	4	2	2	8	4	2	2	-	3	1	1	5
Mie	-	-	-	3	1	2	3	1	-	1	2	1
Miyagi	29	3	3	2	3	2	3	5	1	-	4	3
Miyazaki	10	-	2	1	2	1	1	1	-	-	-	1
Nagano	21	-	5	2	1	2	2	2	-	-	2	3
Nagasaki	23	2	1	3	2	-	5	4	-	1	3	-
Nara	3	1	-	1	1	-	-	-	-	-	-	-
Niigata	30	4	-	4	5	3	2	4	1	1	1	3
Oita	12	1	1	2	1	2	3	1	-	1	-	-
Okayama	15	2	3	-	-	-	-	3	2	-	3	-
Osaka	73	8	6	8	6	8	5	5	7	3	3	6
Saga	14	2	-	-	-	-	5	1	-	2	3	3
Seitama	16	1	4	1	1	1	2	1	-	3	1	2
Shiga	8	2	1	-	-	1	-	-	2	1	-	-
Shimane	21	-	-	3	5	1	2	1	3	3	1	1
Shizuoka	33	5	1	1	2	9	2	3	2	1	1	2
Tochigi	7	1	3	1	-	1	-	1	-	-	-	-
Tokushima	8	-	1	1	3	-	1	-	-	1	-	1
Tokyo	145	7	8	22	24	13	12	17	6	10	7	6
Tottori	9	1	2	-	2	-	1	-	1	1	1	-
Toyama	17	-	-	-	4	3	3	2	1	1	1	-
Wakayama	19	1	2	5	2	-	4	-	3	-	-	-
Yamagata	12	2	-	-	2	1	3	1	-	-	1	2
Yamaguchi	21	1	-	6	-	1	3	2	2	1	1	3
Yamanashi	3	-	-	-	-	-	-	2	-	-	1	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SEPTICEMIA AND PURULENT INFECTION (NONPNEUMONIAL) (24),													
All Japan	1,045	113	119	100	83	73	73	92	85	90	69	84	64
All "Shi"	344	36	41	40	35	18	26	26	26	38	24	22	12
All "Gun"	701	77	78	60	48	55	47	66	59	52	45	62	52
Aichi	42	4	5	6	5	2	3	3	4	2	3	2	3
Akita	18	1	2	1	2	2	2	1	1	1	1	2	1
Amori	19	1	2	3	-	1	-	2	-	4	1	2	3
Chiba	24	2	3	3	2	1	2	3	-	1	4	1	2
Ehime	19	2	2	4	2	-	-	-	1	3	1	4	-
Fukui	11	1	-	1	1	3	2	2	1	-	-	-	5
Fukuoka	57	10	11	3	5	3	2	4	3	4	2	1	1
Fukushima	19	2	-	-	1	1	2	2	5	3	1	2	-
Gifu	15	-	-	2	2	3	3	-	1	3	2	-	-
Gumma	17	1	4	2	1	-	1	1	2	3	2	-	-
Hiroshima	33	3	4	3	3	3	2	3	3	5	1	2	1
Hokkaido	59	5	9	4	3	7	4	6	8	4	1	3	5
Hyogo	28	3	3	2	1	1	5	2	4	3	-	2	2
Ibaraki	25	2	1	1	1	3	1	3	4	5	1	3	1
Ishikawa	16	3	-	-	3	2	2	3	1	-	1	1	-
Iwate	14	3	1	-	1	-	-	2	-	-	1	6	-
Kagawa	9	3	1	1	1	-	-	-	-	-	1	1	1
Kagoshima	46	6	7	2	5	5	5	2	6	-	4	5	2
Kanagawa	22	1	2	3	2	2	-	2	5	3	1	-	1
Kochi	8	1	2	-	-	-	1	-	1	-	1	-	1

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		(NONPNEUMONIAL) (24) - Cont'd:											
Kumamoto	31	5	2	3	1	3	2	6	1	4	-	2	2
Kyoto	16	1	1	-	1	2	1	-	1	5	3	-	1
Mie	24	1	2	4	2	2	2	2	-	2	2	2	3
Miyagi	18	4	1	2	2	1	-	-	1	2	1	-	4
Miyazaki	24	1	-	3	4	1	3	4	1	-	2	2	3
Nagano	16	1	-	5	1	-	2	1	2	-	1	2	1
Nagasaki	33	1	3	3	3	3	2	6	2	5	3	1	1
Nara	10	1	3	1	1	-	-	2	-	-	-	1	1
Niigata	29	2	3	-	3	2	4	3	1	2	2	5	2
Oita	39	3	6	5	1	-	2	5	7	-	5	3	2
Okayama	21	2	4	2	1	3	3	3	-	1	2	-	-
Osaka	37	3	3	2	3	3	3	4	3	5	2	5	1
Saga	9	1	2	-	4	-	1	-	2	-	-	-	1
Saitama	17	3	2	-	1	1	2	2	2	1	1	1	1
Shiga	11	4	2	-	-	-	-	1	-	1	1	2	-
Shimane	12	3	-	1	1	-	-	1	1	1	1	1	2
Shizuoka	21	3	1	2	1	1	4	3	2	1	1	2	-
Tochigi	18	1	4	6	2	2	-	1	1	-	1	-	-
Tokushima	8	2	1	1	-	-	-	1	1	-	-	1	1
Tokyo	50	5	8	5	-	5	2	3	1	6	4	2	4
Tottori	6	1	1	1	1	1	-	-	1	-	-	-	-
Toyama	19	4	2	2	1	-	1	1	2	2	2	1	1
Wakayama	15	-	1	4	1	1	1	1	-	2	2	1	1
Yamagata	13	1	2	1	-	1	-	-	2	2	-	1	1
Yamaguchi	39	4	5	5	4	1	1	1	3	6	4	4	1
Yamanashi	8	2	1	1	1	1	-	-	-	-	-	1	1

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY (27):												
All Japan	3	1	1	4	6	15	24	26	12	2	4	3
All "Shi"	-	1	-	2	-	5	3	5	2	1	1	-
All "Gun"	3	-	1	2	6	10	21	21	10	1	3	3
Aichi	-	-	-	-	-	-	4	3	-	-	-	-
Akita	-	-	-	-	1	-	-	2	-	-	-	-
Aomori	-	-	-	1	1	-	-	-	-	1	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	1	1	1	1	-	-	-
Fuku	-	-	-	-	-	-	2	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	1	-	-	-
Fukushima	-	-	-	-	-	-	-	1	-	-	-	-
Gifu	-	-	-	-	-	1	-	3	-	-	-	-
Gunma	1	1	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	1	-	1	-	1	-	-	-
Hokkaido	-	-	1	-	-	1	-	5	1	-	1	1
Hyogo	-	-	-	1	-	1	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	1	-	1	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	1	-	1	-	-	-	-
Kagawa	-	-	-	-	-	-	1	1	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	1	-	1	-	-	-	-	-
Kochi	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY (27) - Cont'd:													
Kumamoto	2	-	-	-	-	-	-	1	-	-	-	1	-
Kyoto	2	-	-	-	1	-	1	-	-	-	-	-	-
Mie	1	-	-	-	-	-	1	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	1	-	-	-	-	-
Miyazaki	2	-	-	-	1	-	-	-	-	-	-	-	-
Nagano	1	-	-	-	-	1	1	-	-	-	-	-	-
Nagasaki	3	-	-	-	-	1	-	2	-	-	-	-	-
Nara	-	-	-	-	-	-	1	1	1	2	-	-	-
Niigata	6	1	-	-	-	-	1	1	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	1	-	-	-	-	-	-	-	-	1	-	-	-
Osaka	2	-	-	-	-	-	-	-	2	-	-	-	-
Saga	1	-	-	-	-	-	-	-	-	-	-	1	-
Saitama	7	-	-	-	-	1	1	2	1	1	1	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	2	-	-	-	-	-	-	1	-	-	-	-	1
Shizuoka	2	-	-	-	-	-	-	1	-	1	-	-	-
Tochigi	2	-	-	-	-	-	-	-	1	1	-	-	-
Tokushima	2	-	-	-	-	-	-	1	1	-	-	-	-
Tokyo	4	-	-	-	-	-	1	1	1	-	-	1	-
Tottori	2	-	-	-	-	-	1	-	1	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	3	1	-	-	-	-	-	1	-	-	-	-	1
Yamagata	2	-	-	-	-	-	1	1	-	-	-	-	-
Yamaguchi	1	-	-	-	-	-	-	-	-	1	-	-	-
Yamanashi	2	-	-	-	-	-	1	-	-	1	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total												
	Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA (28):													
All Japan	3	-	1	-	-	-	-	1	-	-	1	-	-
All "Shi"	-	-	-	-	-	-	-	-	-	-	-	-	-
All "Gun"	3	-	1	-	-	-	-	1	-	-	1	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fuku	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	1	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kenagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA (28) - Cont'd:												
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-
Oosaka	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-
Seitama	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	2	-	-	-	-	2	1	-	-	1	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-
Toysama	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total												
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
SYPHILIS (30):													
All Japan	1,152	122	127	88	81	91	77	71	89	89	99	127	
All "Shi"	508	52	62	37	35	47	40	24	36	38	48	49	
All "Gun"	644	70	65	51	46	44	37	47	53	51	51	78	
Aichi	44	3	4	4	-	5	3	2	4	4	3	5	
Akita	16	-	-	1	2	3	2	1	3	1	-	2	
Aomori	14	3	1	-	-	2	1	2	2	2	1	1	
Chiba	33	6	2	1	5	-	4	3	2	2	1	1	
Ehime	23	2	4	-	1	2	1	3	2	2	1	3	
Fukui	9	1	3	-	-	-	1	-	1	1	-	-	
Fukuoka	101	14	12	10	6	5	6	7	7	9	5	14	
Fukushima	29	1	3	-	1	3	1	2	3	4	4	7	
Gifu	13	2	-	1	5	1	-	-	1	-	3	-	
Gumma	13	2	1	2	-	2	-	-	1	-	1	1	
Hiroshima	15	1	4	-	-	1	2	-	1	-	3	2	
Hokkaido	78	6	9	12	6	8	4	1	9	8	8	4	
Iyogo	35	2	4	2	5	3	-	1	5	2	2	5	
Ibaraki	25	1	3	1	2	4	-	1	2	2	4	3	
Ishikawa	11	2	1	1	-	-	1	1	-	1	2	1	
Iwate	26	2	2	3	2	1	3	2	3	1	2	3	
Kagawa	8	-	-	-	2	2	-	1	-	1	2	3	
Kagoshima	49	7	8	5	2	3	1	3	-	1	8	6	
Kanagawa	27	1	3	2	1	-	2	2	1	-	1	5	
Kochi	16	-	2	-	2	3	2	1	2	4	1	2	

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS (30) - Cont'd:													
Kumamoto	27	6	2	4	2	1	2	2	3	2	1	1	1
Kyoto	37	-	5	4	3	5	6	5	2	1	-	4	2
Mie	26	2	-	4	1	-	-	3	4	1	1	3	7
Miyagi	26	-	1	1	2	2	2	2	4	1	4	4	3
Miyazaki	18	1	4	-	1	3	-	1	2	3	1	1	1
Nagano	4	1	-	-	1	-	1	-	-	1	-	-	-
Nagasaki	53	2	10	4	3	2	3	3	6	3	7	3	7
Nara	6	1	-	4	1	-	2	-	-	1	1	-	-
Niigata	15	1	4	2	-	2	2	-	-	-	1	1	2
Oita	15	1	2	1	2	3	1	-	1	-	1	1	2
Okayama	10	1	2	1	3	-	-	-	1	1	-	1	-
Osaka	54	3	5	8	1	5	2	9	2	2	7	6	4
Saga	25	3	6	4	1	1	1	1	1	3	2	1	1
Saitama	14	1	1	3	1	1	1	-	-	-	2	-	4
Shiga	16	5	4	1	2	-	2	-	-	-	1	1	-
Shimane	12	1	-	1	1	1	-	2	-	3	2	-	1
Shizuoka	30	1	2	6	4	2	1	2	3	2	1	4	2
Tochigi	11	-	-	1	-	-	-	2	-	5	-	2	1
Tokushima	5	-	-	1	-	1	-	1	1	-	1	-	-
Tokyo	88	4	3	11	8	5	10	6	5	8	4	10	14
Tottori	13	2	3	-	-	-	3	-	1	-	2	-	2
Toyama	11	3	1	-	-	3	-	1	-	-	-	1	2
Wakayama	13	-	1	1	-	-	1	2	1	1	1	3	2
Yamagata	9	-	1	1	2	-	1	-	1	2	-	-	1
Yamaguchi	20	2	3	2	2	2	2	1	-	-	3	1	2
Yamanashi	9	2	3	-	2	-	-	-	-	1	-	-	1

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total Infant Deaths												
INFLUENZA (33):												
All Japan	29	14	16	11	7	8	6	2	3	12	9	17
All "Shi"	4	3	3	4	5	2	5	1	2	7	4	7
All "Gum"	25	11	13	7	2	6	1	1	1	5	5	10
Aiohi	-	-	-	-	1	-	-	-	-	-	-	-
Akita	-	-	-	-	-	1	-	-	-	-	3	-
Aomori	1	-	3	1	-	4	-	-	-	1	-	2
Chiba	1	-	-	-	-	-	-	-	-	-	-	-
Ehime	3	-	1	1	-	-	-	-	-	-	-	2
Fukui	-	-	-	-	-	-	-	-	-	1	-	1
Fukuoka	3	-	-	-	-	-	-	-	-	2	1	2
Fukushima	1	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	1	-	-	-	-	1	-	-	-	1	1
Gumma	1	2	1	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	1	-	-	-	-	-	-	-	-
Hokkaido	1	-	1	2	1	-	2	1	-	-	-	1
Hyogo	2	-	1	-	1	-	-	-	-	-	-	-
Ibaraki	1	-	-	1	-	-	-	-	-	-	-	-
Ishikawa	-	1	1	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	1	-	-	-	1	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	1	-	-	-	-	-	1
Kanagawa	-	-	-	-	-	-	-	-	-	-	1	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA (33): - Cont'd:													
Kumamoto	5	4	1	-	-	-	1	-	-	1	1	-	-
Kyoto	4	-	-	-	1	-	-	-	-	1	1	-	-
Mie	6	-	-	1	-	-	-	2	-	-	1	-	2
Miyagi	2	-	-	-	1	-	-	-	-	-	-	1	-
Miyazaki	1	-	-	1	-	-	-	-	-	-	-	-	-
Nagano	1	-	1	-	-	-	-	-	-	-	-	-	-
Nagasaki	2	1	1	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	1	-	-	-
Niigata	5	1	-	2	-	-	-	-	-	1	-	1	-
Oita	4	1	1	-	-	1	-	-	-	-	-	1	-
Okayama	1	1	-	-	-	-	-	-	-	-	-	-	-
Osaka	7	1	2	-	2	-	-	-	1	-	-	-	1
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	3	-	1	1	-	1	-	-	-	-	-	-	-
Shiga	2	-	-	-	-	-	-	-	-	-	1	-	1
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	1	-	-	-	-	-	-	-	-	1	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	4	3	1	-	-	-	-	-	-	-	-	-	-
Tokyo	9	1	-	1	1	1	-	1	-	-	4	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	3	-	-	2	-	1	-	-	-	-	-	-	-
Yamagata	1	1	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	5	-	2	-	-	-	-	-	-	-	-	-	-
Yamanashi	1	1	-	-	-	-	-	-	-	-	-	-	3

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES (35):													
All Japan	1937	105	118	235	218	296	331	240	100	48	47	69	130
All "Shi"	526	26	37	58	53	70	96	71	37	13	7	14	44
All "Gun"	1411	79	81	177	165	226	235	169	63	35	40	55	86
Aichi	35	1	-	4	6	9	9	6	-	-	-	-	-
Akita	27	4	-	1	1	6	1	3	2	-	2	2	5
Aomori	81	10	5	7	8	6	8	6	7	-	4	9	9
Chiba	10	-	-	1	2	3	1	1	1	1	-	-	-
Ehime	61	2	9	20	12	6	9	5	-	2	1	-	1
Fukui	27	3	1	-	4	4	4	6	3	1	-	-	1
Fukuoka	33	1	-	2	-	8	5	4	2	1	1	1	8
Fukushima	48	-	1	2	6	9	6	6	4	2	3	6	3
Gifu	70	4	7	12	12	7	19	6	1	-	1	1	1
Gunma	11	1	-	2	2	1	1	1	1	-	-	-	-
Hiroshima	73	4	5	9	8	14	11	16	3	1	-	1	1
Hokkaido	235	11	7	4	10	11	18	30	28	19	15	25	57
Ihogo	138	2	8	16	18	20	41	26	4	2	1	-	-
Ibaraki	16	-	-	6	3	-	5	1	1	-	-	-	-
Ishikawa	56	2	3	6	6	15	8	5	2	1	1	1	6
Iwate	114	6	5	9	13	18	23	14	16	4	2	2	2
Kagawa	80	2	8	18	15	18	12	7	-	-	-	-	-
Kagoshima	43	6	5	8	2	7	5	6	4	-	-	-	-
Kanagawa	4	-	-	-	-	1	1	-	-	1	-	1	-
Kochi	31	4	3	10	5	2	3	2	-	-	-	-	2

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES (35): - Cont'd:													
Fukushima	22	-	1	2	-	5	5	7	1	-	-	-	1
Kyoto	18	1	2	-	2	1	5	3	2	-	-	1	1
Mie	44	8	6	5	10	4	7	2	-	-	1	1	-
Miyagi	68	9	6	11	7	10	12	6	2	1	1	2	-
Miyazaki	20	4	1	4	2	4	2	3	-	-	-	-	-
Nagano	43	1	4	12	6	13	4	3	-	-	-	-	-
Nagasaki	28	2	4	2	-	4	7	5	-	1	-	-	3
Nara	3	-	-	-	-	-	1	1	-	-	-	1	-
Niigata	63	2	3	6	5	10	14	5	4	5	2	3	4
Oita	17	1	-	-	1	-	5	2	1	-	1	4	2
Okayama	85	1	7	19	12	24	13	8	-	1	-	-	-
Osaka	66	1	1	7	10	7	16	14	3	1	2	2	-
Saga	9	1	2	-	1	2	2	1	-	-	-	-	-
Saitama	4	-	1	-	-	1	2	-	-	-	-	-	-
Shiga	15	2	4	2	2	2	1	2	-	-	-	-	-
Shimane	11	-	1	1	-	-	-	-	-	-	1	2	6
Shizuoka	32	1	2	4	10	7	5	2	1	-	-	-	-
Tochigi	15	-	1	2	-	5	2	1	1	-	-	-	-
Tokushima	32	1	4	10	4	4	7	3	1	-	1	-	-
Tokyo	18	-	2	2	3	3	4	3	1	-	-	-	-
Tottori	26	2	-	2	6	6	4	4	2	-	-	-	-
Toyama	21	2	-	3	1	2	4	5	1	-	1	1	2
Wakayama	31	1	1	-	3	8	6	5	1	-	2	1	3
Yamagata	42	2	3	1	-	5	11	3	-	2	3	3	9
Yamaguchi	10	-	1	3	-	3	2	1	-	-	-	-	-
Yamanechi	1	-	-	-	-	1	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE "B" ENCEPHALITIS (376)													
All Japan	45	-	-	1	-	-	-	-	21	19	4	-	-
All "Shi"	29	-	-	-	-	-	-	-	9	18	2	-	-
All "Gun"	16	-	-	1	-	-	-	-	12	1	2	-	-
Aichi	2	-	-	-	-	-	-	-	2	-	-	-	-
Akita	1	-	-	-	-	-	-	-	-	-	1	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	1	-	-	-	-	-	-	-	1	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	1	-	-	-	-	-	-	-	1	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	1	-	-	1	-	-	-	-	-	-	-	-	-
Hyogo	1	-	-	-	-	-	-	-	-	1	-	-	-
Ibaki	1	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	1	-	-	-	-	-	-	-	1	-	-	-	-
Iwate	2	-	-	-	-	-	-	-	2	-	-	-	-
Kagawa	1	-	-	-	-	-	-	-	-	1	-	-	-
Kagoehima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	6	-	-	-	-	-	-	-	2	4	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death And Area	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE 'B' ENCEPHALITIS (37b) - Cont'd:												
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	1	1	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	1	1	-	-
Nagano	-	-	-	-	-	-	-	1	1	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	1	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	1	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	1	-	-	-	-
Tochigi	-	-	-	-	-	-	-	1	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	6	7	2	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	1	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	1	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total		Infant Deaths												Dec
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov				
BERIBERI (68):															
All Japan	3794	526	491	349	248	238	201	201	199	231	284	334			
All "Shis"	1073	163	146	97	65	45	60	60	61	59	80	91			
All "Guns"	2721	363	345	252	183	193	141	141	138	172	204	243			
Aichi	162	28	29	14	13	9	7	7	8	7	9	12			
Akita	88	13	12	11	8	4	2	2	9	6	4	10			
Aomori	157	21	11	18	7	16	13	9	9	9	14	11			
Chiba	96	14	12	11	9	8	6	5	2	7	6	6			
Ehime	35	5	4	4	2	3	1	-	2	3	3	4			
Fukui	50	3	7	5	4	4	3	2	6	3	4	6			
Fukuoka	103	11	7	13	10	9	5	4	7	6	5	9			
Fukushima	93	11	14	12	7	8	3	4	2	8	7	8			
Gifu	46	7	10	2	-	3	1	1	2	3	3	8			
Gunma	29	3	7	2	1	-	2	1	2	2	4	1			
Hiroshima	74	4	15	6	2	6	5	4	7	8	-	8			
Hokkaido	255	27	28	20	16	12	10	16	15	27	31	25			
Hyogo	135	21	14	19	4	14	6	9	10	7	11	11			
Ibaraki	77	15	8	5	5	9	4	4	1	5	2	4			
Ishikawa	90	12	11	10	5	2	7	5	5	6	10	8			
Iwate	148	18	15	20	17	7	7	5	7	8	11	20			
Kagawa	13	2	2	1	1	2	-	2	1	-	-	1			
Kagoshima	67	11	10	3	5	6	5	4	6	2	6	5			
Kanagawa	65	11	7	8	3	4	2	5	4	1	3	7			
Kochi	40	8	7	2	4	5	2	1	1	3	3	3			

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BERIBERI (68) Cont'd.													
Kumamoto	91	12	16	11	5	8	6	7	5	4	4	5	8
Kyoto	74	13	9	14	9	4	3	3	5	2	2	5	5
Mie	71	6	12	11	7	3	5	3	5	7	3	7	5
Miyagi	128	20	19	16	8	11	6	2	7	3	3	15	18
Miyazaki	26	3	1	3	-	-	-	2	8	1	6	1	1
Nagano	37	4	5	3	4	2	1	1	3	-	5	6	3
Nagasaki	70	9	8	11	5	3	4	4	1	6	4	8	7
Nara	33	4	8	3	5	-	3	1	2	1	1	4	1
Niigata	173	17	25	30	18	13	13	8	4	10	10	12	19
Oita	53	9	7	3	5	2	2	6	1	2	6	3	7
Okayama	81	10	8	18	10	6	2	3	7	3	3	5	6
Osaka	166	18	22	16	15	7	10	14	9	10	11	18	16
Saga	85	18	14	15	4	2	3	4	6	4	7	4	4
Saitama	67	8	11	9	5	5	5	5	3	2	3	7	4
Shiga	33	8	2	6	4	-	3	-	1	-	3	1	5
Shimane	20	-	2	1	1	2 ^a	2	1	1	5	1	2	2
Shizuoka	115	11	20	21	9	12	9	6	8	4	3	6	6
Tochigi	64	10	14	10	4	5	2	2	3	3	1	4	3
Tokushima	15	3	1	2	1	-	-	-	1	1	1	3	2
Tokyo	211	32	45	22	7	18	9	13	12	12	9	15	17
Tottori	41	3	3	7	6	2	4	1	2	1	5	2	5
Toyama	91	8	11	16	13	6	4	5	8	1	8	5	6
Wakayama	30	1	4	5	1	1	3	4	2	1	2	2	2
Yamagata	99	18	14	12	11	9	5	8	2	6	7	2	5
Yamaguchi	82	15	9	9	12	4	3	6	4	3	1	5	11
Yamanashi	15	3	2	1	-	-	-	1	2	1	1	2	2

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948. - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MENINGITIS (NOT DUE TO MENINGOCOCCUS) (81):													
All Japan	2799	292	272	263	327	295	241	239	130	118	181	204	237
All "Shi"	930	84	79	84	122	96	88	82	42	46	66	59	82
All "Gun"	1869	208	193	179	205	199	153	157	88	72	115	145	155
Aichi	141	7	16	12	14	13	16	13	2	4	17	15	12
Akita	64	6	8	6	4	6	4	4	3	2	7	9	5
Aomori	41	3	3	5	4	6	3	10	-	2	1	2	2
Chiba	98	16	11	11	11	9	7	10	2	5	5	6	5
Ehime	79	7	12	5	8	11	8	2	8	-	5	4	9
Fukui	23	2	2	4	2	2	3	1	2	-	2	1	2
Fukuoka	98	12	6	10	3	11	9	12	6	8	5	8	6
Fukushima	53	2	5	6	4	7	7	3	-	4	3	8	4
Gifu	56	6	6	5	9	10	6	2	3	2	4	2	1
Gunma	39	9	4	4	4	2	3	1	-	3	3	3	3
Hiroshima	94	7	8	4	15	11	8	11	6	4	2	13	5
Hokkaido	191	16	25	19	19	23	19	10	12	8	11	10	19
Hyogo	102	7	7	8	17	15	8	8	3	3	9	7	10
Ibaraki	46	8	4	4	4	3	2	3	6	-	2	4	6
Ishikawa	52	8	6	2	7	6	5	3	2	-	4	4	5
Iwate	49	4	4	3	8	5	9	5	6	3	-	-	2
Kagawa	43	7	2	6	1	8	7	2	1	1	-	2	6
Kagoshima	79	12	4	8	7	14	1	8	4	2	2	7	10
Kanagawa	53	14	6	4	5	1	4	3	1	2	7	4	2
Kochi	35	2	5	3	4	4	5	4	-	1	1	3	3

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area		Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MENINGITIS (NOT DUE TO MENINGOCOCCUS) (81)-Cont'd.														
Kumamoto	50	5	1	9	5	7	5	-	7	6	1	4	2	7
Kyoto	51	6	9	6	8	5	3	6	4	2	1	4	2	1
Mie	75	5	7	7	8	12	7	8	7	3	-	7	5	6
Miyagi	51	5	3	3	4	3	9	3	6	1	4	3	4	6
Miyazaki	35	5	5	5	3	3	4	-	2	3	3	-	3	4
Nagano	48	7	6	6	4	6	3	4	1	2	1	5	4	5
Nagasaki	50	3	6	6	7	1	3	-	4	4	5	9	2	6
Nara	19	3	4	4	1	3	1	4	2	-	-	-	2	1
Niigata	194	12	15	14	16	16	12	7	5	5	8	7	14	19
Oita	46	9	2	2	4	3	3	2	6	1	2	2	7	5
Okayama	56	3	3	3	9	2	5	4	10	3	5	7	1	4
Osaka	110	8	10	8	4	22	12	12	9	7	4	6	7	5
Saga	43	8	2	2	4	6	3	3	4	3	4	3	2	1
Saitama	67	8	10	4	4	8	4	5	6	2	8	4	1	7
Shiga	18	-	2	2	2	5	2	3	2	-	-	-	-	2
Shimane	37	3	4	4	5	6	5	3	2	2	1	2	2	2
Shizuoka	82	16	9	9	7	9	9	3	6	3	2	2	8	2
Tochigi	37	5	2	2	4	5	5	4	4	-	-	3	2	3
Tokushima	28	5	2	2	1	5	4	2	3	-	1	2	1	2
Tokyo	130	9	10	12	12	20	13	10	11	5	7	6	11	16
Tottori	19	3	2	2	1	5	2	4	1	-	1	-	-	-
Toyama	52	4	6	6	4	6	2	5	6	-	-	7	5	5
Wakayama	39	2	2	2	5	6	3	3	5	2	2	1	4	1
Yamagata	35	2	3	3	3	5	4	5	1	4	2	4	1	4
Yamaguchi	35	1	3	3	4	7	3	1	6	2	2	2	2	2
Yamanashi	16	-	-	-	3	1	2	-	4	1	-	1	1	3

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total												
	Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONVULSIONS (86):													
All Japan	1,310	142	145	180	125	110	85	67	59	62	99	111	125
All "Shi"	173	21	19	29	23	19	13	8	9	3	10	14	11
All "Gun"	1,137	121	126	151	102	97	72	59	50	59	89	97	114
Aichi	10	-	2	-	1	1	-	1	2	1	-	2	-
Akita	109	7	11	16	10	8	15	4	2	2	12	7	15
Aomori	144	16	17	19	14	10	12	11	8	4	8	12	13
Chiba	10	-	1	-	-	1	1	-	1	1	-	-	3
Ehime	7	1	2	1	-	-	-	-	-	1	2	-	-
Fukui	13	-	1	2	2	3	-	-	1	1	1	1	1
Fukuoka	12	-	3	2	1	1	-	-	1	2	-	2	-
Fukushima	10	2	2	1	2	1	1	-	1	-	-	-	1
Gifu	8	-	-	-	1	-	2	1	1	1	1	1	-
Gunma	5	-	-	-	1	1	1	-	-	1	1	-	-
Hiroshima	24	2	1	3	3	3	2	1	2	-	2	1	4
Hokkaido	181	22	25	18	15	22	12	7	4	6	11	16	23
Hyogo	15	-	3	1	1	3	1	1	2	1	-	-	2
Ibaki	22	2	6	2	2	1	1	1	1	3	1	1	1
Ishikawa	166	23	18	28	15	9	6	8	6	12	13	10	18
Iwate	46	1	3	8	7	3	2	3	-	2	4	10	3
Kagawa	17	1	-	1	1	1	2	-	1	1	4	5	1
Kagoshima	7	-	-	2	1	-	-	3	-	1	-	-	-
Kanagawa	8	-	-	2	1	-	3	-	-	-	1	-	1
Yochi	1	-	-	-	1	-	-	-	-	-	-	-	-

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONVULSIONS (86) - Cont'd:													
Kumamoto	6	1	1	1	-	1	1	-	-	-	-	-	1
Kyoto	11	1	-	1	1	1	1	1	2	-	-	1	2
Mie	18	3	4	1	3	2	-	3	3	1	1	-	1
Miyagi	13	1	1	3	-	2	-	-	-	-	-	-	1
Miyazaki	2	1	-	-	1	-	-	-	-	-	-	-	-
Nagano	17	2	-	2	2	2	2	1	1	2	-	2	1
Nagasaki	11	1	-	3	1	2	-	-	1	-	2	1	-
Nara	2	-	-	-	1	-	-	-	1	-	-	-	-
Niigata	45	6	9	6	1	1	3	5	3	1	5	2	3
Oita	19	2	3	2	1	1	1	4	2	2	-	1	-
Okayama	1	1	-	-	-	-	-	-	-	-	-	-	-
Osaka	7	1	1	1	-	-	2	1	-	-	-	1	-
Sega	4	-	1	-	1	-	1	-	-	-	-	-	-
Saitama	3	-	-	-	1	-	-	-	1	-	1	-	-
Shiga	4	1	-	1	-	1	1	-	-	-	-	-	-
Shimane	16	-	2	4	-	4	1	-	-	-	-	1	2
Shizuoka	16	3	1	2	1	2	1	2	1	1	1	2	1
Tochigi	22	1	1	4	2	1	2	1	1	1	3	-	3
Tokushima	8	1	-	1	1	-	-	-	2	2	1	-	-
Tokyo	6	2	-	-	2	-	-	1	-	-	1	-	-
Tottori	15	2	2	1	1	2	1	6	8	11	1	5	-
Toyama	23	30	21	37	26	15	5	-	-	-	19	25	21
Wakayama	2	1	-	-	-	-	-	-	-	-	1	-	-
Yamagata	6	-	1	1	1	-	-	1	-	-	1	2	-
Yamaguchi	9	1	1	1	1	1	2	-	-	-	1	-	1
Yamanashi	9	3	1	-	-	2	-	-	-	1	1	-	1

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death, Infectious and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106):													
All Japan	8851	1479	1372	1266	778	559	460	301	239	303	496	616	982
All "Shi"	2034	372	312	269	167	129	92	61	58	62	100	147	265
All "Gm"	6817	1107	1060	997	611	430	368	240	181	241	396	469	717
Aichi	374	69	63	46	40	19	19	14	12	12	19	22	39
Akita	195	16	29	31	22	21	15	7	7	4	8	12	23
Aomori	266	35	27	25	20	24	24	14	9	7	19	21	41
Chiba	261	58	44	37	23	16	13	5	6	6	18	13	22
Chino	205	43	26	35	9	6	8	9	9	6	10	18	26
Fukui	123	11	15	24	11	8	15	5	4	3	3	4	20
Fukushima	280	52	49	30	21	21	13	14	4	8	21	18	29
Gifu	263	40	28	41	21	22	15	16	8	8	22	20	22
Gunma	206	43	34	34	18	12	11	9	3	6	8	15	13
	161	30	16	34	8	14	9	3	3	8	11	13	12
Hiroshima	175	24	21	27	17	13	6	9	7	6	8	15	22
Hokkaido	584	74	95	82	60	41	35	16	24	27	27	36	67
Ibigo	320	73	56	44	27	12	16	4	9	13	12	14	40
Ibaraki	250	49	47	39	24	6	15	8	10	8	11	13	20
Ishikawa	164	29	31	19	14	10	5	4	5	7	8	13	19
Iwate	239	23	27	35	24	15	18	16	4	8	18	22	29
Kagawa	112	20	19	19	12	7	4	3	2	-	3	11	12
Kagoshima	180	22	35	21	12	14	6	12	-	7	8	24	19
Kenagawa	101	23	16	7	12	6	5	1	6	1	6	10	8
Kochi	71	9	13	13	6	3	-	2	2	6	3	7	7

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106):													
Cont'd													
Kumamoto	142	24	22	12	12	10	8	5	8	7	13	9	12
Kyoto	127	26	12	22	13	4	7	3	2	-	6	12	20
Mie	190	43	31	28	15	16	6	2	4	4	7	13	17
Miyagi	152	32	27	18	14	10	5	5	5	4	7	10	15
Miyazaki	124	10	18	15	10	7	6	4	8	9	7	13	17
Nagano	172	23	35	27	14	14	6	6	5	5	9	9	19
Nagasaki	166	25	26	18	13	11	6	7	2	6	14	16	22
Nara	74	14	8	14	5	2	3	1	2	3	4	8	10
Niigata	432	60	50	65	47	33	29	18	13	11	32	23	51
Oita	165	27	28	28	13	10	14	4	2	3	10	7	19
Okayama	158	24	18	32	14	6	9	8	3	5	4	12	23
Oosaka	249	49	49	39	18	12	10	1	5	9	9	17	31
Saga	93	24	13	7	8	3	4	6	1	2	6	10	9
Seitama	266	48	40	47	16	16	19	8	6	13	19	19	21
Shiga	73	11	12	13	4	4	5	2	2	3	2	3	12
Shimane	111	14	17	16	15	4	6	8	3	9	6	5	14
Shizuoka	203	46	39	26	17	12	5	7	1	10	9	8	23
Tochigi	192	32	34	30	16	16	3	7	2	12	10	11	19
Tokushima	140	27	22	19	14	9	4	3	5	6	11	12	8
Tokyo	277	43	51	37	20	19	12	10	10	5	12	19	39
Tottori	58	5	12	8	6	6	2	1	1	3	6	1	7
Toyama	246	32	42	31	21	12	13	6	5	10	19	22	33
Wakayama	71	11	13	10	4	6	3	-	5	3	6	7	8
Yamagata	221	35	20	23	32	19	12	4	6	7	19	17	27
Yamaguchi	132	30	20	18	11	5	9	3	2	3	9	9	13
Yamanashi	87	21	22	20	5	3	2	1	2	2	3	3	3

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total	Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) (107-109):														
All Japan	22,937	3,769	3,474	3,216	2,204	1,516	1,194	821	656	671	1,082	1,646	2,688	
All "Shi"	7,437	1,254	1,073	1,012	661	423	343	275	225	221	359	541	1,050	
All "Gun"	15,500	2,515	2,401	2,204	1,543	1,093	851	546	431	450	723	1,105	1,638	
Aichi	805	148	122	108	56	56	51	22	23	25	37	59	98	
Akita	375	35	36	51	42	36	36	20	14	9	22	33	55	
Aomori	574	67	53	66	67	41	48	31	20	19	26	60	76	
Chiba	536	102	99	87	50	36	26	21	15	9	27	28	36	
Ehime	445	69	80	75	50	28	20	14	19	15	17	23	35	
Fukui	183	24	23	36	19	17	9	7	6	6	10	10	16	
Fukuoka	960	199	165	110	54	53	54	32	36	24	53	69	111	
Fukushima	700	92	84	97	75	62	52	25	24	24	28	60	77	
Gifu	359	59	60	45	36	29	21	16	6	9	13	31	34	
Gumma	531	115	91	60	54	33	16	18	25	20	18	24	57	
Hiroshima	471	75	70	64	40	33	25	25	10	6	29	38	56	
Hokkaido	1,577	195	219	217	151	126	92	72	64	37	74	118	212	
Iyogo	747	129	115	116	62	51	32	19	20	20	24	59	98	
Ibaraki	514	94	73	95	54	29	29	10	13	14	22	32	49	
Ishikawa	363	66	50	48	33	28	16	11	9	6	17	36	43	
Iwate	741	88	94	93	99	75	43	13	14	31	44	75	72	
Kagawa	299	50	55	53	23	25	15	11	7	5	9	22	24	
Kagoshima	610	103	77	63	48	37	23	34	23	29	48	70	55	
Kanagawa	682	136	107	99	61	31	36	19	20	27	33	31	82	
Kochi	227	53	36	34	23	9	5	10	3	7	9	15	23	

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) (107-109) - Cont'd:													
Kumamoto	462	86	66	55	40	33	22	18	16	18	25	40	43
Kyoto	339	60	54	53	39	18	21	12	9	11	14	25	38
Mie	358	59	69	49	37	23	14	12	5	6	21	23	40
Miyagi	569	88	81	73	65	38	28	17	13	15	27	59	65
Miyazaki	315	46	42	49	19	14	18	15	17	7	19	33	36
Nagano	458	90	75	60	51	21	31	18	6	14	18	26	48
Nagasaki	533	77	96	74	67	33	24	22	9	18	27	27	59
Nara	143	26	25	21	9	9	3	2	4	2	5	11	26
Niigata	760	102	112	100	86	56	45	32	27	23	31	52	94
Oita	337	56	61	47	20	16	14	14	8	12	21	26	42
Okayama	432	68	70	75	42	33	20	16	4	8	17	23	56
Osaka	901	154	135	130	66	47	42	37	24	34	40	59	133
Saga	208	42	44	26	18	9	11	7	7	3	7	11	23
Seitama	564	95	109	85	52	29	21	11	18	18	30	33	63
Shiga	166	32	30	28	17	7	9	3	2	4	11	8	15
Shimane	298	35	46	39	51	21	17	19	6	6	14	17	27
Shizuoka	604	108	112	93	58	43	19	22	17	25	20	30	57
Tochigi	367	90	51	55	39	23	16	7	9	12	11	15	39
Tokushima	337	57	60	48	31	29	18	6	5	10	16	14	43
Tokyo	1,396	227	208	227	125	64	56	43	33	34	54	98	227
Tottori	150	21	12	22	30	9	18	6	2	8	5	4	13
Toyama	348	51	36	45	46	20	30	12	8	12	21	19	48
Wakayama	227	40	33	37	17	13	12	5	2	8	8	23	29
Yamagata	399	53	42	43	46	32	24	19	7	11	29	37	56
Yamaguchi	374	69	52	37	30	27	20	14	19	9	24	32	41
Yamanashi	193	38	44	28	21	14	6	2	6	1	7	8	18

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Month											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS & ULCERATION OF THE INTESTINES (119):													
All Japan	3436	2444	2305	2516	2209	2232	2335	4386	3648	2395	1809	2398	2259
All "Sai"	8797	749	702	775	668	671	811	1219	883	579	484	676	610
All "Gun"	22639	1725	1603	1741	1541	1561	2024	3167	2765	1816	1325	1722	1649
Aichi	917	88	77	98	73	64	74	123	65	52	40	80	83
Akita	1038	61	54	67	62	78	122	157	113	98	61	85	52
Aomori	1100	40	47	52	65	62	95	192	182	155	82	76	52
Chiba	617	56	52	47	49	46	44	55	64	50	38	60	56
Ehime	416	31	24	27	24	32	50	60	48	32	23	31	34
Fuku	471	22	23	23	17	15	51	121	80	36	25	33	25
Fukuoka	1099	100	98	79	81	79	104	119	99	68	64	114	94
Fukushima	938	61	55	86	72	57	72	127	107	75	70	74	82
Gifu	639	69	47	48	44	46	51	86	60	38	36	49	65
Gumma	390	36	36	36	26	31	38	38	40	29	24	26	30
Hiroshima	614	37	37	36	48	37	58	112	93	34	38	36	48
Hokkaido	2594	155	168	178	152	160	190	293	433	299	178	220	168
Hyogo	1049	79	92	93	66	75	102	161	115	62	58	77	69
Ibaraki	720	70	78	75	40	39	68	69	64	53	35	64	65
Ishikawa	684	44	40	43	41	48	65	131	99	63	39	34	37
Iwate	945	62	64	79	73	52	77	130	143	91	58	45	71
Kagawa	300	29	18	29	18	20	24	37	33	24	14	29	25
Kagoshima	793	63	64	44	46	67	76	119	66	69	54	66	59
Kanagawa	616	40	57	47	52	52	66	85	64	38	20	48	47
Kochi	285	33	14	13	28	26	40	42	23	25	12	11	18

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Infant Deaths													
DIARRHEA, ENTERITIS & ULCERATION OF THE INTESTINES (119) - Cont'd.													
Kumamoto	642	70	45	43	54	55	70	68	49	39	35	63	51
Kyoto	517	53	37	55	36	41	35	69	71	28	25	40	27
Mie	561	50	40	40	39	34	58	102	56	36	25	38	43
Miyagi	829	68	67	68	65	69	61	109	88	73	46	60	55
Miyazaki	420	45	42	24	19	39	48	51	27	15	23	50	37
Nagano	532	42	33	59	36	41	51	64	52	47	38	33	36
Nagasaki	692	57	58	77	47	70	69	75	60	39	45	45	50
Nara	330	25	19	27	29	27	29	66	28	26	14	23	17
Niigata	1054	56	55	77	75	64	101	177	157	78	64	87	63
Oita	461	38	42	42	31	40	51	45	49	31	21	27	44
Okayama	473	31	22	28	23	36	47	82	75	31	33	36	29
Osaka	1074	87	92	125	107	80	87	178	78	45	46	74	75
Saga	455	43	35	40	43	47	43	58	28	28	27	24	39
Saitama	675	69	63	69	45	53	58	58	59	43	34	41	57
Shiga	369	24	20	31	33	24	30	78	37	22	22	28	20
Shimane	367	17	24	22	24	21	30	47	89	34	20	15	24
Shizuoka	862	91	72	65	57	78	108	104	86	40	34	60	67
Tochigi	526	44	37	41	35	37	37	66	52	49	31	53	50
Tokushima	315	33	19	21	21	25	27	34	41	24	20	27	27
Tokyo	1328	139	138	147	106	101	112	153	108	67	57	99	101
Tottori	257	13	17	25	17	14	17	49	41	29	15	11	15
Toyama	695	53	45	56	63	45	59	101	76	53	51	55	38
Wakayama	324	13	29	31	34	19	23	55	35	16	18	24	27
Yamagata	762	47	48	49	56	49	66	103	113	72	49	64	46
Yamaguchi	446	29	39	38	25	25	37	67	52	36	39	37	22
Yamanashi	245	31	22	16	12	18	14	44	20	15	8	26	19

See footnotes at end of table.

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL MALFORMATIONS (157):													
All Japan	4,596	430	426	492	345	297	276	361	330	371	365	402	501
All "Shi"	1,509	128	150	164	104	94	88	130	111	135	115	125	165
All "Gun"	3,087	302	276	328	241	203	188	231	219	236	250	277	336
Aichi	164	19	16	15	14	12	7	13	11	15	14	14	14
Akita	95	8	11	13	11	5	6	4	4	9	9	8	7
Aomori	89	6	5	11	7	4	8	10	6	4	8	9	11
Chiba	127	17	12	14	14	6	3	4	8	17	9	11	12
Ehime	86	12	6	6	7	7	6	5	6	9	7	3	12
Fukui	40	5	1	5	2	2	-	5	3	6	3	3	5
Fukuoka	208	19	11	19	13	17	9	14	17	17	25	22	25
Fukushima	130	11	12	14	12	6	4	10	5	17	15	7	17
Gifu	64	10	6	4	8	5	4	2	5	4	8	2	6
Gumma	113	13	9	16	12	4	3	9	7	11	8	12	9
Hiroshima	101	7	10	9	9	6	5	3	14	8	11	8	11
Hokkaido	272	19	25	23	25	21	15	15	26	25	18	19	41
Iyogo	153	15	13	19	8	11	8	16	12	12	7	12	20
Ibakeki	131	13	11	11	9	8	9	7	13	11	9	14	16
Ishikawa	67	3	6	7	8	7	7	-	6	9	8	1	5
Iwate	79	7	13	10	5	6	2	10	4	5	2	7	8
Kagawa	56	5	2	10	4	6	3	2	5	3	3	6	7
Kagoshima	89	7	8	10	2	7	4	9	7	6	7	11	10
Kanagawa	159	15	11	13	13	8	7	15	9	7	7	18	16
Kochi	58	6	5	7	4	3	5	4	4	5	3	5	7

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL MALFORMATIONS (157):													
Cont'd													
Kumamoto	84	12	2	15	6	5	9	7	2	5	7	7	7
Kyoto	81	8	8	13	6	1	5	11	5	9	5	3	8
Mie	89	5	7	12	7	3	2	4	6	11	10	10	12
Miyagi	97	7	9	13	11	3	9	11	9	4	5	8	8
Miyazaki	57	8	5	6	6	2	6	8	4	4	1	4	3
Nagano	102	5	9	10	6	10	12	6	7	4	9	16	8
Nagasaki	95	11	13	6	4	5	7	5	3	11	6	12	12
Nara	27	1	5	1	3	3	1	4	1	1	1	3	3
Niigata	148	10	11	18	12	14	10	11	12	12	10	15	13
Oita	60	6	9	5	5	4	3	4	7	2	8	4	3
Okayama	70	7	4	8	3	3	1	9	6	5	5	11	8
Oosaka	195	23	24	21	7	11	10	14	11	20	15	21	18
Saga	56	7	4	8	2	1	3	4	5	3	7	3	9
Seitama	170	16	13	16	11	9	9	18	10	18	11	14	25
Shiga	50	4	5	9	2	4	2	3	-	5	2	5	9
Shimane	55	7	4	5	3	4	3	6	5	6	4	2	6
Shizuoka	142	10	22	13	7	9	13	9	10	6	15	14	14
Tochigi	111	15	9	12	10	9	11	12	5	4	6	8	10
Tokushima	46	2	6	4	3	2	3	6	6	2	4	0	8
Tokyo	277	22	31	27	25	15	22	32	20	17	20	17	29
Tottori	24	2	2	4	-	4	4	1	1	1	2	2	1
Toyama	51	8	4	5	1	4	1	4	3	6	3	9	3
Wekeyama	55	9	3	5	2	2	5	2	2	5	8	5	7
Yamagata	98	9	11	10	6	13	4	5	10	4	11	8	7
Yamaguchi	63	3	8	9	7	-	3	5	5	4	7	4	8
Yamanashi	32	3	5	1	3	-	3	3	3	2	1	5	3

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	Infant Deaths	Infant Deaths (158)												
CONCENTRAL DEBILITY (158):														
All Japan	38323		5425	5184	4661	2952	2373	2171	2184	2109	2153	2326	2882	3903
All "Shi"	9867		1448	1353	1158	761	633	567	598	551	523	553	692	1030
All "Gun"	28456		3977	3831	3503	2191	1740	1604	1586	1558	1630	1773	2190	2873
Aichi	1713		274	213	200	127	87	106	91	89	88	103	130	205
Akita	1079		126	157	164	100	48	60	40	42	80	59	97	106
Aomori	1130		92	110	120	106	76	76	86	90	103	71	74	126
Chiba	1001		133	138	125	66	62	61	57	62	57	66	79	95
Ehime	715		109	93	69	44	37	47	26	50	49	53	69	69
Fukui	547		71	90	62	64	31	28	31	31	28	27	33	51
Fukuoka	1405		216	157	159	102	112	69	77	86	79	104	112	132
Fukushima	1062		141	138	163	111	80	65	47	38	60	52	66	101
Gifu	947		150	144	121	63	45	48	52	50	37	50	77	110
Gunma	690		101	101	108	72	51	29	36	38	31	27	41	55
Hiroshima	871		140	104	105	76	60	60	48	56	47	40	61	74
Hokkaido	1687		189	162	164	144	117	129	114	133	104	119	143	169
Ibigo	1352		194	212	175	99	75	56	79	68	70	80	101	143
Ibaraki	1163		188	160	134	89	73	71	66	63	74	78	68	99
Ishikawa	567		65	77	71	49	43	27	41	31	26	44	37	56
Iwate	906		105	131	99	73	58	51	44	56	53	54	75	107
Kagawa	612		77	91	79	48	34	38	37	37	36	34	45	56
Kagoshima	687		122	95	45	42	35	35	45	46	38	40	59	85
Kanagawa	621		102	97	83	52	47	28	33	19	31	29	30	70
Kochi	426		61	64	43	34	22	22	24	26	26	29	41	34

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	CONGENITAL DEBILITY (158) -Cont'd.											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	752	118	95	71	37	67	54	33	41	37	60	62	77
Kyoto	683	103	98	106	40	37	36	35	39	35	37	44	73
Mie	748	110	96	91	50	43	46	45	38	40	53	51	85
Miyagi	683	118	139	124	77	56	46	44	27	41	48	71	92
Miyazaki	478	83	62	41	28	30	30	27	29	35	28	38	47
Nagano	731	97	101	80	53	54	39	41	39	29	53	49	96
Nagasaki	819	112	115	91	43	49	47	49	56	48	53	76	80
Nara	487	69	63	65	36	33	25	34	19	28	29	41	45
Niigata	1074	111	159	141	88	70	63	76	60	58	77	87	84
Oita	686	112	96	79	45	41	32	45	37	44	43	53	59
Okayama	1000	161	145	130	79	64	51	54	45	53	62	72	84
Osaka	1422	218	192	169	95	83	88	95	67	65	77	112	161
Saga	674	98	77	103	41	48	43	41	36	38	39	45	65
Saitama	1105	162	136	121	89	57	64	71	52	63	75	87	128
Shiga	468	71	68	57	35	31	23	37	26	22	19	35	44
Shimane	485	68	64	49	35	24	23	29	34	31	38	46	44
Shizuoka	999	159	149	124	75	53	53	62	54	44	61	58	107
Teichi	609	83	80	87	49	39	31	25	36	32	49	39	59
Tokushima	592	86	94	75	47	29	23	30	29	33	39	46	61
Tokyo	1424	234	213	205	110	88	85	67	66	68	66	94	128
Tottori	307	48	47	35	25	24	17	15	7	21	26	16	26
Toyama	549	77	73	83	43	29	23	32	30	29	29	50	51
Wakayama	365	53	55	22	26	20	16	25	24	27	16	26	55
Yamagata	888	100	120	121	95	46	38	53	53	40	51	80	91
Yamaguchi	637	76	78	62	33	49	44	36	40	39	43	52	85
Yamanashi	277	42	35	40	17	16	25	9	14	19	13	14	33

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PREMATURE BIRTH (159):													
All Japan	13,754	1,574	1,469	1,327	991	954	940	916	955	940	1,077	1,222	1,389
All "Shi"	4,227	461	401	371	293	301	309	297	328	323	324	381	438
All "Gun"	9,527	1,113	1,068	956	698	653	631	619	627	617	753	841	951
Aichi	615	62	63	56	39	33	43	38	48	41	60	60	72
Akita	346	45	45	49	35	24	23	14	16	16	35	25	19
Aomori	230	18	22	20	17	18	19	22	27	14	18	22	13
Chiba	528	73	52	40	36	27	43	38	44	28	40	55	52
Ehime	277	34	30	30	24	18	14	18	20	23	14	23	29
Fukui	174	18	16	27	14	12	10	15	7	9	12	12	22
Fukuoka	452	60	44	35	31	27	28	24	32	32	39	50	50
Fukushima	355	37	38	37	31	28	23	16	15	30	35	27	38
Gifu	344	35	40	37	23	19	28	23	17	15	34	34	39
Gunma	203	27	21	19	14	10	20	14	11	16	11	21	19
Hiroshima	266	35	28	24	19	12	21	18	16	27	26	19	21
Hokkaido	453	48	45	38	32	35	39	39	37	26	40	33	41
Iyogo	514	64	65	55	36	36	36	33	30	33	33	45	48
Ibaraki	515	58	48	61	35	44	24	35	31	33	44	54	48
Ishikawa	197	19	22	22	16	6	14	9	14	21	14	14	26
Iwate	309	28	32	30	17	27	21	20	24	33	20	32	25
Kagawa	234	19	22	17	18	15	21	21	21	18	19	19	24
Kagoshima	236	30	19	25	15	15	7	15	25	18	21	24	22
Kenagawa	268	36	22	22	20	23	15	22	24	14	22	27	21
Kanagawa	190	20	14	11	23	14	15	16	10	6	20	21	20
Kochi													

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PREMATURE BIRTH (159) - Cont'd:												
Kumamoto	33	24	17	19	17	20	19	18	20	23	27	34
Kyoto	29	34	26	18	23	22	16	22	20	15	30	45
Mie	28	31	34	12	32	18	15	30	17	17	34	26
Miyagi	277	29	34	26	14	18	13	17	15	26	16	41
Miyazaki	206	23	12	16	22	19	10	15	13	22	20	18
Nagano	307	33	30	18	26	14	25	24	21	28	32	27
Nagasaki	202	19	11	14	14	19	11	11	23	15	22	25
Nara	127	19	18	8	6	5	8	6	7	10	8	13
Niigata	441	49	45	47	33	39	19	35	28	42	34	24
Oita	247	34	18	12	10	14	17	14	11	22	27	36
Okayama	341	46	33	22	23	19	19	19	25	29	30	33
Ooka	477	43	46	30	39	39	43	33	30	35	42	48
Sega	202	31	17	9	10	13	13	12	17	15	15	27
Seitama	375	45	40	26	25	24	27	32	25	17	37	45
Shiga	185	19	24	15	11	17	9	6	11	14	11	20
Shimane	192	26	19	11	17	15	12	14	16	9	10	18
Shizuoka	359	44	40	21	25	26	32	15	20	24	29	42
Tochigi	250	24	16	19	16	17	26	20	18	22	17	24
Tokushima	186	25	20	16	9	13	11	13	12	11	11	21
Tokyo	740	93	61	51	61	46	46	57	51	53	63	81
Tottori	111	11	15	9	6	5	4	6	11	8	15	9
Toyama	246	26	20	16	18	16	16	22	22	14	22	26
Wakayama	177	23	11	17	11	9	10	13	17	20	13	15
Yamagata	286	34	32	25	22	21	22	24	17	21	18	18
Yamaguchi	147	22	20	13	10	5	10	7	7	5	8	18
Yamaguchi	102	13	5	6	11	3	11	11	3	3	14	6

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	No.	Dec
INJURY AT BIRTH (160):												
All Japan	106	109	97	77	80	70	81	89	75	54	67	102
All "Shi"	32	31	25	32	28	28	33	35	25	21	32	39
All "Gun"	74	78	72	45	52	42	48	54	50	33	35	63
Aichi	1	3	1	-	2	1	6	6	4	4	4	3
Akita	2	1	8	2	-	2	-	1	-	4	-	1
Aomori	3	2	1	1	2	1	-	1	-	1	-	1
Chiba	6	2	5	3	1	2	2	5	1	1	1	1
Ehime	1	3	1	4	2	1	4	7	-	4	1	2
Fukui	-	1	-	2	1	-	2	-	-	1	-	1
Fukuoka	3	6	-	2	1	2	3	2	4	1	3	2
Fukushima	5	1	3	3	3	4	5	1	-	1	1	2
Gifu	2	4	-	1	1	1	1	3	-	-	1	3
Gunma	2	1	5	2	-	4	3	3	1	-	3	1
Hiroshima	25	3	1	4	1	2	2	3	1	-	3	4
Hokkaido	45	7	12	7	6	-	1	1	1	2	2	2
Ibigo	29	1	6	2	3	1	1	4	5	1	-	3
Ibaraki	37	7	5	3	2	4	5	1	2	1	4	1
Ishikawa	7	-	-	-	1	-	1	1	1	-	2	1
Iwate	20	3	1	2	1	1	1	1	-	1	2	2
Kagawa	12	-	1	1	1	1	2	-	5	1	-	1
Kagoshima	18	-	-	-	1	1	2	3	6	2	-	2
Kanagawa	23	5	1	-	2	1	-	-	1	5	-	4
Kochi	16	2	1	1	2	-	1	3	-	1	1	2

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INJURY AT BIRTH (160): Cont'd													
Kumamoto	13	-	-	1	-	-	2	4	1	1	-	1	3
Kyoto	25	-	3	2	3	4	4	2	1	2	1	2	1
Mie	14	1	-	2	2	-	-	2	1	2	4	4	-
Miyagi	35	6	4	6	1	1	3	-	1	2	3	2	2
Miyazaki	15	2	-	1	1	3	5	-	-	-	1	-	2
Nagano	17	2	3	2	1	2	1	3	1	1	-	-	1
Nagasaki	15	6	3	1	1	-	3	-	1	3	-	-	-
Nara	12	-	1	-	-	2	-	1	3	-	1	1	-
Niigata	34	7	5	2	2	3	2	2	1	2	4	4	3
Oita	17	1	1	-	3	2	-	2	-	1	2	4	1
Okayama	24	1	1	3	-	4	4	2	2	3	1	1	2
Osaka	30	2	3	2	-	1	2	5	2	1	1	2	9
Sega	10	1	-	2	1	-	-	1	2	1	-	1	1
Seitama	22	2	-	1	1	-	1	-	5	3	-	-	4
Shiga	22	4	1	1	3	1	3	1	2	2	1	1	2
Shimane	15	3	1	2	-	1	1	2	-	2	-	1	2
Shizuoka	17	1	4	-	-	2	3	2	2	1	1	1	-
Tochigi	12	2	1	1	-	-	1	-	1	2	2	1	1
Tokushima	12	1	2	-	-	2	1	1	2	-	1	1	2
Tokyo	64	8	6	5	12	4	3	2	3	3	2	5	11
Tottori	14	1	1	2	-	1	-	-	2	3	-	-	4
Toyama	22	1	2	3	2	3	1	1	3	4	1	-	1
Wakayama	10	1	2	-	-	1	1	2	1	1	-	1	1
Yamagata	41	6	9	5	4	5	1	2	2	1	3	2	1
Yamaguchi	13	1	4	1	-	-	-	1	2	2	1	1	1
Yamanashi	8	-	-	-	-	2	-	1	2	-	-	1	2

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total											
	Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
OTHER DISEASES PECULIAR TO FIRST YEAR OF LIFE (161):												
All Japan	8,836	1,211	1,296	1,064	669	524	441	504	490	535	574	667
All *Shi*	2,316	311	329	255	162	128	127	137	149	165	169	167
All *Gun*	6,520	900	967	809	507	396	314	367	341	370	405	500
Aichi	377	53	54	39	20	25	13	22	23	30	30	35
Akita	155	13	22	31	15	11	10	7	4	11	5	9
Aomori	127	20	11	10	11	11	6	10	6	7	8	13
Chiba	351	56	52	45	27	23	19	19	19	22	20	16
Ehime	189	17	31	18	10	6	17	11	9	12	17	21
Fukui	63	5	8	12	2	4	5	8	3	4	2	7
Fukuoka	347	55	60	27	30	20	16	18	14	25	17	23
Fukushima	214	31	23	30	18	15	7	12	9	16	19	17
Gifu	166	22	28	18	12	14	10	10	6	8	12	10
Gumma	130	14	24	15	14	10	7	5	8	8	9	7
Hiroshima	189	35	25	19	12	5	12	9	14	8	16	13
Hokkaido	457	46	57	53	71	29	24	35	17	29	31	28
Iyogo	295	27	44	31	22	20	12	21	19	22	24	19
Ibaraki	285	35	52	47	23	20	6	11	11	15	15	24
Ishikawa	135	23	33	20	8	2	7	7	9	6	5	5
Iwate	164	23	29	21	9	14	7	10	8	8	10	12
Kagawa	152	19	20	12	7	9	16	10	9	11	4	16
Kagoshima	178	24	26	19	14	6	10	5	12	14	10	18
Kanagawa	171	26	29	20	14	7	7	10	11	9	11	12
Kochi	90	8	8	11	3	3	11	6	9	4	4	15
												8

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total												
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
OTHER DISEASES PECULIAR TO FIRST YEAR OF LIFE (161) - Cont'd:													
Kumamoto	210 ^a	28	21	21	8	16	18	14	16	16	14	16	22
Kyoto	180	25	23	28	16	9	3	7	7	11	12	15	24
Mie	219	25	30	27	12	6	12	12	14	17	24	19	21
Miyagi	163	37	22	27	11	8	3	7	6	7	7	13	15
Miyazaki	153	31	26	10	3	9	11	9	8	8	7	15	16
Nagano	150	23	24	16	11	8	6	10	8	8	11	16	9
Nagasaki	220	32	34	19	18	14	5	10	16	23	12	12	25
Nara	105	14	19	13	6	6	3	10	5	4	5	7	13
Niigata	200	14	28	23	30	11	9	13	15	11	14	17	15
Oita	186	23	37	18	9	10	7	15	9	13	16	12	17
Okayama	220	36	32	36	17	11	9	11	9	11	13	19	16
Osaka	290	44	36	27	22	16	12	11	22	22	26	18	34
Saga	145	23	18	21	9	3	5	5	10	9	3	13	26
Seitama	284	39	42	37	14	19	9	19	19	18	16	21	31
Shiga	106	23	22	10	5	3	10	6	7	3	3	4	10
Shimane	91	16	17	14	6	4	6	7	5	5	3	3	5
Shizuoka	331	43	54	49	25	18	17	16	15	13	22	23	36
Tochigi	149	13	22	11	5	14	10	9	13	9	9	17	17
Tokushima	112	9	12	19	15	10	4	8	7	3	7	14	4
Tokyo	396	56	52	62	23	31	22	28	26	22	24	20	30
Tottori	102	13	14	11	9	6	5	5	7	3	8	7	14
Toyama	110	15	11	17	8	8	4	6	6	5	11	6	13
Wakayama	114	17	15	13	12	9	7	5	5	7	7	6	11
Yamagata	150	23	25	17	16	10	10	5	4	3	12	16	9
Yamaguchi	138	21	15	16	9	6	10	10	9	9	10	13	10
Yamanashi	77	16	9	4	8	5	2	-	2	6	9	5	11

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195):													
All Japan	2184	189	210	172	139	116	221	281	238	134	138	157	189
All "Shi"	649	68	70	52	51	40	47	44	65	50	31	46	85
All "Gm"	1535	121	140	120	88	76	174	237	173	84	107	111	104
Aichi	54	5	5	6	-	5	1	3	3	5	5	6	10
Akita	33	-	3	1	2	2	4	2	3	3	2	6	3
Aomori	41	1	1	-	3	5	10	4	5	1	4	3	2
Chiba	34	2	4	4	5	1	5	2	1	2	4	1	3
Ehime	18	1	3	4	1	1	3	-	2	-	1	-	2
Fukui	377	3	1	1	2	-	84	142	125	7	5	3	4
Fukuoka	67	8	5	6	8	6	5	4	3	5	5	4	8
Fukushima	75	6	9	5	6	7	5	9	6	4	6	5	7
Gifu	48	6	7	7	2	1	1	4	2	2	4	7	5
Gunma	30	4	5	1	3	1	1	3	2	1	2	5	2
Hiroshima	49	5	2	8	4	4	1	1	4	1	2	8	9
Hokkaido	133	11	15	9	8	10	12	11	11	5	14	16	11
Iwago	63	12	7	6	8	3	4	1	4	2	2	6	8
Ibaraki	32	2	2	3	4	-	7	-	1	1	2	3	7
Ishikawa	30	1	4	4	2	3	2	4	4	1	-	3	2
Iwate	70	3	5	5	2	4	3	6	5	27	4	4	2
Kagawa	29	3	4	1	4	4	3	2	3	2	1	1	1
Kagoshima	63	5	2	4	3	5	3	8	6	5	9	6	2
Kanagawa	34	4	8	4	5	1	-	3	2	1	1	2	3
Kochi	14	1	1	-	-	2	1	2	1	2	4	-	-

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195): Cont'd													
Rumamoto	35	5	3	3	1	3	2	3	4	1	1	3	4
Kyoto	56	3	9	5	4	3	-	1	5	1	3	3	19
Mie	18	1	3	2	3	-	1	-	2	2	2	3	3
Miyagi	45	4	3	2	3	3	4	4	4	6	3	3	6
Miyazaki	26	-	6	2	1	-	4	3	1	-	3	3	3
Nagano	34	8	3	5	2	2	1	3	2	2	2	3	1
Nagasaki	33	3	4	1	5	2	4	1	-	9	1	1	2
Nara	12	1	2	1	-	2	1	2	-	2	2	-	1
Niigata	53	5	7	8	6	1	2	6	3	4	6	3	2
Oita	31	3	4	1	3	3	3	4	2	2	1	2	3
Okayama	44	13	6	5	3	1	2	2	1	1	4	6	-
Osaka	54	9	4	4	3	7	7	3	2	3	1	4	7
Saga	22	2	4	3	-	2	-	-	1	7	1	1	1
Saitama	31	1	4	3	2	2	3	2	1	3	4	2	4
Shiga	20	5	-	3	1	2	2	3	2	-	2	-	-
Shimane	35	3	4	4	2	-	3	3	1	1	2	1	11
Shizuoka	32	5	6	2	5	1	3	4	-	3	1	1	1
Tochigi	17	3	3	1	-	-	-	1	1	1	1	4	2
Tokushima	27	3	2	3	4	2	3	2	5	-	-	2	1
Tokyo	114	14	20	17	9	4	7	6	4	5	8	7	13
Tottori	8	-	1	1	-	-	1	1	-	-	-	2	2
Toyama	34	5	5	6	1	1	1	4	-	-	5	3	1
Wakayama	15	1	3	3	-	3	2	2	1	1	1	3	1
Yamagata	41	3	5	8	4	1	-	3	1	1	1	-	6
Yamaguchi	36	5	2	1	3	7	4	4	2	1	3	5	4
Yamanashi	17	1	-	1	2	1	-	3	-	3	1	4	1

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total											
	Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
ILL-DEFINED AND UNKNOWN CAUSES (199-200):												
All Japan	2,789	381	336	366	257	207	195	152	125	133	208	217
All "Shi"	779	115	88	93	60	53	51	47	31	43	59	76
All "Gan"	2,010	266	248	273	197	154	144	105	94	90	149	141
Aichi	104	17	8	18	12	6	3	7	5	4	7	9
Akita	57	8	6	13	4	10	4	2	-	1	-	5
Aomori	87	9	10	4	4	5	8	3	5	7	12	7
Chiba	73	10	10	7	5	5	8	2	5	2	4	5
Chino	53	11	8	5	2	4	5	3	3	3	2	6
Fukui	40	6	4	10	3	1	1	2	4	1	5	1
Fukuoka	55	14	6	7	4	2	5	5	1	1	3	5
Fukushima	89	9	8	18	12	5	8	6	1	4	5	8
Gifu	54	7	8	8	5	1	5	4	3	1	3	3
Gunma	34	2	3	7	2	3	3	2	-	3	4	2
Hiroshima	50	8	6	7	3	3	1	5	3	2	3	6
Hokkaido	321	24	30	38	39	25	31	17	25	16	23	24
Hyogo	74	7	9	11	9	2	3	5	5	3	8	5
Ibaki	63	10	9	9	7	2	6	3	1	3	1	4
Ishikawa	53	10	10	5	8	3	4	2	2	4	1	3
Iwate	58	7	8	12	8	4	1	3	1	5	5	2
Kagawa	47	7	2	2	3	7	1	4	5	3	3	4
Kagoshima	50	7	7	5	6	6	2	1	1	3	7	1
Kanagawa	53	10	10	2	6	5	4	5	-	1	3	4
Kochi	36	4	6	3	2	2	1	5	2	3	4	3

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ILL DEFINED AND UNKNOWN CAUSES (199-200) - Cont'd:													
Kumamoto	34	6	1	5	5	3	1	-	1	2	2	4	4
Kyoto	39	7	3	7	1	5	3	-	3	1	2	4	3
Mie	73	9	18	8	5	1	4	4	3	2	6	7	6
Miyagi	65	9	7	4	5	8	9	3	-	4	3	8	5
Miyazaki	30	3	7	3	2	1	2	1	2	1	2	3	3
Nagano	50	10	10	5	7	3	3	2	3	-	2	5	-
Nagasaki	31	2	3	1	3	4	4	2	1	2	1	4	4
Nara	32	6	2	1	-	5	-	3	1	3	3	5	3
Niigata	114	12	13	23	14	12	4	8	13	2	4	7	2
Oita	33	8	3	3	4	5	1	1	-	4	1	1	2
Okayama	54	9	6	7	2	6	4	1	2	-	8	3	6
Osaka	112	19	12	11	14	6	7	6	3	10	12	7	5
Saga	28	8	5	4	3	-	-	1	-	1	3	2	1
Seitama	88	11	15	14	10	4	11	2	3	5	5	4	4
Shiga	20	1	1	3	2	4	2	2	-	-	-	2	3
Shimane	27	3	2	5	1	2	2	1	1	4	1	-	5
Shizuoka	78	9	8	13	3	13	7	2	1	3	7	3	9
Tochigi	60	13	8	5	7	2	6	4	-	6	6	1	2
Tokushima	42	6	4	8	1	3	3	3	4	-	2	4	4
Tokyo	123	16	15	22	7	10	2	10	2	4	11	12	12
Tottori	10	1	2	2	1	1	-	1	-	-	2	-	-
Toyama	70	7	6	3	9	2	5	4	4	6	6	12	6
Wakayama	49	9	6	9	2	3	4	2	1	1	6	4	2
Yamagata	29	2	2	-	2	3	5	2	1	2	7	1	2
Yamaguchi	24	4	6	3	2	-	1	-	3	-	-	4	1
Yamanashi	23	4	3	6	1	-	1	1	1	-	2	3	1

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total												
	Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ALL OTHER CAUSES:													
All Japan	13,869	2,016	1,732	1,781	1,291	1,013	898	768	777	756	807	932	1,158
All *Shi*	3,987	551	464	534	389	296	247	255	220	207	223	264	337
All *Gun*	9,882	1,465	1,268	1,247	902	717	591	513	557	549	584	668	821
Aichi	546	77	61	66	42	46	35	35	35	31	32	47	39
Akita	250	31	27	34	20	17	20	10	16	21	17	15	22
Aomori	331	38	32	52	36	27	26	15	18	14	18	22	33
Chiba	362	60	54	48	37	27	9	18	18	19	27	20	25
Ehime	258	43	34	29	22	15	17	15	19	10	14	14	26
Fukui	186	15	24	25	14	14	10	15	13	12	15	17	12
Fukuoka	501	69	67	58	36	41	32	34	27	34	34	27	42
Fukushima	380	45	47	50	38	27	18	10	24	22	32	37	30
Gifu	285	31	30	32	28	25	23	19	14	7	7	17	32
Gunma	241	32	29	38	25	13	20	12	14	8	13	13	22
Hiroshima	325	50	48	41	27	22	13	13	17	19	23	18	34
Hokkaido	800	107	102	103	84	66	42	43	49	45	48	57	54
Hyogo	474	66	57	66	41	30	35	22	28	22	30	33	50
Ibaraki	307	56	41	44	21	15	22	19	19	11	16	19	24
Ishikawa	285	45	31	40	27	25	10	12	18	20	15	22	20
Iwate	301	43	38	35	38	14	15	16	20	14	14	29	25
Kagawa	176	34	15	20	13	9	1	13	9	9	4	16	22
Kanagawa	319	43	40	29	28	28	13	26	20	16	25	17	34
Kanagawa	252	43	30	32	29	29	13	8	8	12	9	21	19
Kochi	147	32	18	18	15	10	8	7	5	8	9	7	9

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ALL OTHER CAUSES, (Cont'd)													
Kumamoto	311	56	37	36	27	27	15	16	20	20	20	18	19
Kyoto	209	30	35	29	19	10	10	9	7	6	15	14	25
Mie	256	44	25	28	26	16	12	16	17	19	13	19	21
Miyagi	304	33	47	43	31	19	17	21	16	14	17	20	26
Miyazaki	218	37	19	21	17	17	16	13	14	12	7	22	23
Nagano	286	53	41	32	27	19	14	13	10	11	14	32	20
Nagasaki	312	47	38	38	32	31	15	18	20	18	19	10	26
Nara	126	23	16	20	8	6	6	5	6	6	8	6	16
Niigata	577	75	80	66	59	48	43	31	32	26	32	43	42
Oita	243	36	33	21	26	16	15	11	12	12	13	18	30
Okeyama	306	45	34	42	27	17	18	12	14	27	17	26	27
Osaka	447	60	51	64	43	29	25	31	27	25	36	20	38
Saga	175	24	20	13	22	18	10	11	12	7	15	8	15
Seitama	352	54	57	54	23	32	27	23	14	11	17	19	21
Shige	151	21	18	22	16	11	9	10	9	8	8	4	15
Shimane	166	22	21	21	15	7	11	9	15	8	8	14	13
Shizuoka	387	57	38	58	33	31	28	21	27	30	20	15	29
Tochigi	254	42	42	31	14	18	21	12	8	17	13	13	23
Tokushima	176	39	21	26	11	9	13	12	7	12	1	12	13
Tokyo	713	99	84	113	71	49	49	48	32	35	33	45	55
Tottori	118	17	13	10	16	7	11	7	6	6	6	5	14
Toyama	247	23	37	32	32	12	16	11	14	20	18	20	12
Wakayama	153	26	13	24	12	12	9	9	7	8	8	10	15
Yamagata	264	36	42	29	27	16	23	10	11	15	17	23	17
Yamaguchi	277	44	28	28	23	15	15	17	23	24	19	21	20
Yamanashi	135	17	17	20	13	8	8	10	6	7	11	7	11

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

FOOTNOTES,

1/ Erysipelas: data are for 7 months, excluding January through May.

Data refer to infant deaths (deaths under 1 year of age) of Japanese nationals in Japan Proper.

NA indicates data are not available.

A dash (-) indicates data are not available.

Sources are Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH (9):													
All Japan	1.0	0.8	0.7	0.6	0.8	1.1	1.4	1.6	1.1	0.9	0.6	0.8	1.3
All "Shi"	1.0	0.7	0.7	0.7	0.7	1.1	1.3	1.4	1.1	1.1	0.6	0.9	1.4
All "Gun"	1.0	0.9	0.8	0.6	0.9	1.1	1.4	1.6	1.1	0.9	0.6	0.7	1.3
Aichi	0.8	0.2	0.5	0.3	0.8	0.4	1.2	2.0	1.2	0.9	0.7	0.5	1.1
Akita	1.1	1.7	0.4	0.2	1.8	0.7	1.1	1.4	2.2	1.2	0.3	0.8	2.3
Aomori	1.2	2.0	0.9	0.6	0.5	1.1	0.8	1.2	2.3	0.3	1.0	2.6	1.2
Chiba	0.7	0.7	0.5	0.5	0.9	1.2	1.2	1.4	1.1	0.4	0.6	-	0.6
Ehime	0.6	0.5	0.4	0.8	0.2	-	1.3	2.0	0.7	0.7	0.4	-	0.7
Fuku	1.0	1.0	1.2	0.7	0.8	0.5	2.7	1.0	1.0	1.0	0.5	0.5	0.6
Fukuoka	0.9	0.9	1.2	0.5	1.0	1.3	0.7	2.0	1.2	0.5	0.7	0.4	1.1
Fukushima	1.3	1.6	1.4	1.0	1.1	2.1	1.9	2.0	1.0	0.4	0.4	0.7	1.9
Gifu	1.0	0.6	0.2	0.2	0.5	1.2	1.1	2.3	1.9	1.2	0.5	0.2	2.7
Gumma	2.0	0.8	0.4	0.8	2.1	2.4	2.4	5.4	1.9	1.7	1.8	2.8	4.1
Hiroshima	0.4	0.3	0.5	0.2	0.4	0.6	1.2	0.6	0.8	0.2	-	0.2	-
Hokkaido	1.7	0.6	0.9	0.5	0.9	1.0	1.1	1.5	2.2	3.0	2.6	3.1	4.5
Hyogo	0.7	0.5	0.3	0.4	0.2	0.9	1.9	0.8	0.7	1.0	0.5	0.6	0.9
Ibaraki	0.5	0.7	0.4	0.7	0.4	0.9	0.9	0.2	0.4	0.2	0.4	0.2	0.8
Ishikawa	1.3	1.2	0.6	0.9	2.0	0.8	1.7	2.0	1.1	0.4	0.4	2.3	2.8
Iwate	1.4	1.4	1.1	1.4	0.9	1.9	4.1	1.5	1.5	0.3	0.8	0.7	1.3
Kagawa	0.5	0.5	0.9	0.3	1.1	0.8	-	1.1	0.4	0.4	-	0.4	-
Kagoshima	1.1	1.2	0.7	0.6	1.7	0.9	1.7	1.5	1.6	1.5	0.9	0.5	0.6
Kanagawa	0.7	0.7	0.8	-	0.3	1.5	1.0	0.9	1.6	0.9	0.3	0.3	0.4
Kochi	0.6	1.3	2.0	1.6	-	-	0.6	0.5	0.4	0.5	-	-	-

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOPPING COUGH (9) - Cont'd.													
Kumamoto	0.8	1.2	0.5	0.8	0.4	0.2	1.4	1.1	1.4	0.4	0.2	0.5	0.6
Kyoto	0.9	0.6	0.2	0.8	0.7	0.2	0.7	1.5	1.4	1.7	1.0	0.7	1.0
Mie	0.3	0.6	0.4	-	-	0.6	-	0.3	0.5	-	-	-	0.3
Miyagi	1.1	1.4	1.1	0.9	2.0	0.9	1.3	2.8	0.5	0.5	0.2	0.4	1.2
Miyazaki	0.9	2.2	1.1	1.2	-	-	1.1	1.9	0.3	0.6	0.8	-	0.6
Nagano	1.5	1.1	0.5	0.3	2.0	2.5	3.8	2.4	0.9	1.4	0.8	1.2	2.6
Nagasaki	0.7	0.3	1.3	0.4	1.4	1.5	1.1	1.8	0.4	0.2	0.4	-	-
Nara	0.2	-	-	-	-	0.6	-	0.5	0.5	-	-	-	0.6
Niigata	2.0	2.3	1.7	1.1	2.1	1.1	3.7	3.3	1.5	2.4	1.4	1.3	3.0
Osaka	0.7	0.4	0.7	1.0	-	-	0.7	1.8	1.9	-	0.3	1.4	0.6
Okayama	0.7	0.9	0.8	0.4	0.9	1.3	0.5	1.2	0.7	1.3	-	0.2	-
Osaka	0.6	0.2	0.3	0.6	0.1	1.1	0.2	1.1	0.8	0.9	0.2	0.7	0.8
Saga	0.9	0.5	1.0	1.3	0.4	1.7	0.9	2.0	1.5	0.4	0.7	-	0.8
Saitama	0.9	0.4	0.7	0.6	0.5	1.8	1.7	2.1	1.1	0.5	0.2	0.2	2.1
Shiga	1.0	1.0	0.4	0.4	0.5	1.3	1.6	3.8	1.9	0.5	-	0.5	0.9
Shizuoka	2.2	1.1	1.3	2.7	0.8	4.4	3.9	4.4	2.5	2.0	0.4	1.7	1.9
Shizuoka	0.5	0.6	0.2	0.4	0.3	1.2	0.9	0.6	0.9	0.6	0.1	0.3	0.5
Tokushima	1.2	0.9	1.1	0.9	1.1	2.6	1.1	1.8	0.7	1.8	0.5	1.2	1.1
Tokushima	0.3	0.6	0.6	0.3	0.7	0.4	-	-	-	0.4	-	-	-
Tokyo	0.8	0.6	0.6	0.9	0.7	1.2	1.7	0.5	0.9	0.9	0.4	0.5	1.4
Tottori	0.3	0.8	-	-	-	-	-	2.1	-	-	-	0.6	-
Toyama	1.6	0.8	2.4	1.7	1.9	1.1	2.3	1.8	1.3	0.9	0.4	0.3	2.1
Wakayama	0.5	0.8	1.8	0.3	0.8	-	0.9	-	0.4	-	-	0.4	-
Yamagata	0.9	0.4	0.5	0.5	1.1	1.4	1.1	0.9	0.6	2.1	1.4	-	1.1
Yamaguchi	0.9	1.2	0.9	0.2	0.8	1.1	0.6	1.3	0.5	1.0	-	1.2	1.5
Yamanashi	1.3	1.3	1.2	2.2	0.4	1.0	3.1	2.7	0.5	0.5	0.5	1.0	1.3

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12):													
All Japan	0.4	0.2	0.2	0.3	0.4	0.3	0.4	0.6	0.6	0.5	0.4 ¹	0.4	0.4
All "Shi"	0.3	0.2	0.2	0.2	0.3	0.2	0.4	0.4	0.5	0.3	0.3	0.2	0.3
All "Gun"	0.4	0.2	0.2	0.3	0.4	0.4	0.4	0.8	0.7	0.6	0.4	0.4	0.4
Aichi	0.5	0.1	0.1	0.3	0.3	0.4	0.9	1.0	1.3	0.9	0.2	0.4	0.7
Akita	0.2	0.2	-	0.4	0.3	-	-	-	-	-	0.6	0.3	0.9
Aomori	0.4	0.7	-	-	0.2	-	-	-	1.2	1.5	-	0.8	-
Chiba	1.3	1.1	1.1	0.8	1.6	1.2	2.6	2.4	1.3	1.5	0.6	0.9	0.9
Ehime	0.4	0.3	0.8	-	0.2	-	0.3	0.7	0.5	-	0.9	0.7	0.7
Fukui	0.1	-	-	-	-	-	0.5	0.5	-	-	0.5	-	-
Fukuoka	0.2	0.2	0.1	0.2	0.3	0.1	-	0.2	0.4	0.1	-	0.2	0.4
Fukushima	0.3	0.4	-	-	0.5	0.5	0.2	0.6	0.4	0.5	0.2	0.2	-
Gifu	0.2	0.3	0.2	-	-	0.2	0.5	-	0.2	0.2	-	0.2	0.5
Gumma	0.8	0.5	0.4	1.2	0.7	0.5	1.1	2.2	1.0	0.5	1.6	0.5	0.3
Hiroshima	0.1	-	-	-	0.4	0.2	-	0.4	0.6	-	0.1	-	0.2
Hokkaido	0.2	0.2	-	0.1	0.2	-	0.2	0.1	0.5	0.2	0.3	0.3	0.4
Iyogo	0.2	0.1	0.1	0.1	0.2	0.2	0.3	-	0.3	0.3	0.3	1.5	0.8
Ibureki	1.2	0.7	1.1	0.6	1.7	1.3	0.4	2.3	1.5	1.6	1.4	0.8	-
Ishikawa	0.5	0.5	-	0.9	0.3	0.8	-	1.2	0.8	0.7	-	0.8	-
Iwete	0.1	-	0.2	-	0.2	-	-	0.3	-	-	-	0.2	-
Kagawa	0.7	0.5	0.6	-	0.4	0.8	0.4	1.5	1.4	0.4	0.8	1.1	0.4
Kagoshima	0.6	0.4	0.5	-	0.4	0.4	0.2	1.1	1.0	0.4	0.7	0.7	0.8
Kanagawa	0.2	0.1	0.1	-	0.9	0.2	0.4	-	0.2	0.7	0.2	0.2	0.2
Kochi	0.6	0.2	0.4	-	0.9	0.5	1.7	0.5	0.9	1.4	0.4	0.4	-

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH - PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12) - Cont'd:													
Kunemoto	0.5	0.1	0.5	1.0	0.4	0.9	0.2	0.2	0.8	0.4	0.4	0.2	0.4
Kyoto	0.2	0.2	-	-	-	-	-	0.2	0.5	-	1.0	0.9	0.2
Mie	0.3	0.4	0.4	0.2	-	0.3	0.3	0.3	0.3	0.5	-	0.2	-
Miyagi	0.4	0.2	-	0.4	0.6	0.2	0.3	0.3	0.7	0.2	0.7	-	1.0
Miyazaki	0.4	0.2	0.3	0.6	1.3	-	1.1	0.3	0.3	0.3	0.3	0.5	-
Nagano	0.3	0.1	-	0.2	-	-	0.5	0.9	1.1	1.0	0.2	-	0.5
Nagasaki	0.5	0.3	0.6	0.8	-	0.5	-	0.9	0.6	0.8	1.0	0.4	0.4
Nara	0.3	0.4	0.5	0.9	-	0.6	-	1.1	-	-	-	0.5	-
Niligata	0.1	0.1	-	0.1	0.1	-	-	0.2	0.5	0.3	0.3	0.2	-
Oita	0.5	0.2	0.2	0.3	0.8	-	0.7	0.9	0.5	0.6	0.6	0.6	0.3
Okayama	0.2	-	0.2	-	0.2	-	-	0.5	0.2	-	0.5	0.2	0.3
Osaka	0.1	-	0.1	0.2	0.1	0.1	0.1	-	0.4	0.2	0.1	0.1	-
Saga	0.4	0.3	-	-	-	-	-	0.8	0.7	1.5	-	1.4	0.4
Seitama	0.6	0.5	0.1	0.3	0.4	0.4	0.9	1.7	1.4	0.9	0.2	0.5	0.8
Shiga	0.3	-	-	-	-	0.4	1.0	-	1.4	0.5	-	0.5	-
Shimane	0.4	0.3	-	-	-	-	-	-	0.8	1.6	-	-	-
Shizuoka	0.4	0.1	0.2	0.5	0.4	0.5	0.2	0.5	0.3	0.5	0.7	0.4	0.5
Tochigi	0.5	0.3	0.5	0.4	0.2	0.7	0.3	1.0	0.2	0.8	0.2	0.5	1.1
Tokushima	0.6	-	-	0.3	1.1	0.8	1.4	1.3	0.8	-	0.8	0.4	0.4
Tokyo	0.2	0.2	-	-	0.3	0.2	0.3	0.5	0.5	0.1	0.2	0.2	0.4
Tottori	0.2	-	0.5	0.5	-	0.7	-	0.7	-	-	-	-	-
Toyama	0.1	-	0.3	-	-	0.4	0.8	-	0.3	-	-	-	-
Wakayama	0.2	-	0.4	0.3	-	0.5	-	0.9	-	-	-	0.4	0.4
Yamagata	0.3	-	0.5	0.2	0.3	0.3	-	1.3	-	-	0.3	0.6	-
Yamaguchi	0.5	0.2	-	0.2	0.8	0.3	0.3	1.0	1.2	0.2	0.5	0.5	0.3
Yamanashi	0.6	-	-	-	0.9	0.5	1.2	0.5	1.6	1.5	1.0	0.5	-

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) (13-22):													
All Japan	0.5	0.3	0.4	0.4	0.6	0.7	0.6	0.6	0.5	0.5	0.3	0.3	0.5
All "Shi"	0.8	0.4	0.8	0.6	1.1	1.3	0.9	0.8	0.9	0.9	0.5	0.5	0.8
All "Gun"	0.3	0.2	0.2	0.3	0.4	0.4	0.4	0.4	0.3	0.2	0.2	0.3	0.3
Aichi	0.3	0.1	0.3	0.5	0.5	0.1	0.5	0.4	0.4	0.2	0.3	0.1	0.5
Akita	0.3	0.2	0.4	0.2	0.8	-	1.1	0.7	-	0.3	0.3	-	-
Aomori	0.5	0.2	0.2	0.6	1.2	0.3	0.3	0.6	0.6	0.8	0.5	0.3	0.6
Chiba	0.2	0.1	-	0.6	0.4	0.4	0.2	0.4	-	0.2	-	-	0.4
Ehime	0.4	0.5	0.6	0.2	0.5	0.5	1.1	0.7	-	0.2	0.4	-	0.5
Fukui	0.3	0.7	0.8	-	-	0.5	-	0.5	0.5	0.5	-	-	-
Fukuoka	0.7	0.4	0.9	0.7	0.9	0.8	0.9	0.6	0.8	0.7	0.5	0.6	0.4
Fukushima	0.3	0.1	0.2	-	-	0.3	0.6	0.2	0.8	0.9	0.2	-	0.2
Gifu	0.3	0.2	0.2	1.0	-	0.5	0.3	1.0	0.2	0.2	0.2	-	-
Gunma	0.2	0.2	-	0.4	0.5	0.3	-	0.2	0.2	0.7	-	0.2	0.3
Hiroshima	0.3	0.3	0.2	-	0.2	0.4	0.7	0.6	0.2	-	0.2	0.4	0.5
Hokkaido	0.9	0.6	1.1	0.8	0.9	1.7	0.8	1.1	1.0	1.1	0.4	0.8	1.0
Hyogo	0.7	0.3	0.6	0.4	1.4	0.7	0.9	0.5	0.5	1.1	0.4	1.3	0.7
Ibaraki	0.2	-	0.1	0.1	-	0.2	0.4	0.2	0.2	0.8	0.4	-	0.2
Ishikawa	0.4	-	0.3	0.3	0.7	0.8	0.8	1.2	0.4	0.4	-	-	0.5
Iwate	0.4	0.6	-	0.5	0.7	0.5	0.9	-	0.6	0.6	0.3	-	0.3
Kagawa	0.3	0.3	0.3	0.6	-	0.4	-	0.4	1.1	-	-	0.4	0.9
Kagoshima	0.3	0.4	0.2	0.2	0.2	0.4	0.2	0.4	0.8	0.2	-	0.2	0.4
Kanagawa	0.6	0.1	0.3	0.8	0.5	1.3	0.8	1.1	0.7	0.9	0.5	0.3	0.7
Kochi	0.2	0.7	-	-	-	-	0.6	-	-	0.5	-	-	0.5

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) (13-22); Cont'd													
Kumamoto	0.5	0.1	0.2	0.4	0.6	-	0.7	1.1	0.4	0.6	0.8	0.7	0.4
Kyoto	0.6	0.6	0.4	0.4	1.8	1.0	0.5	0.4	-	0.7	0.2	0.2	1.2
Mie	0.2	-	-	-	0.3	0.3	0.6	-	0.3	-	0.3	0.5	-
Miyagi	0.5	-	0.5	0.5	0.4	0.7	0.5	0.8	1.2	0.2	-	0.8	0.7
Miyazaki	0.2	0.2	-	0.6	0.3	0.7	0.4	0.3	0.3	-	-	-	0.3
Nagano	0.3	0.3	-	0.9	0.4	0.2	0.5	0.5	0.4	-	-	0.4	0.7
Nagasaki	0.4	0.3	0.4	0.2	0.7	0.5	-	1.1	0.8	-	0.2	0.6	-
Nara	0.1	-	0.5	-	0.6	0.6	-	-	-	-	-	-	-
Niigata	0.4	0.2	0.5	-	0.6	0.8	0.5	0.3	0.6	0.1	0.1	0.2	0.7
Oita	0.3	-	0.2	0.3	0.5	0.3	0.7	0.9	0.3	-	0.3	-	-
Okayama	0.3	0.3	0.4	0.6	-	-	-	-	0.7	0.5	-	0.7	-
Osaka	0.6	0.7	0.8	0.5	0.9	0.7	1.0	0.5	0.5	0.8	0.3	0.3	0.7
Saga	0.4	0.5	0.3	-	-	-	-	0.8	0.4	-	0.9	1.1	1.1
Saitama	0.2	-	0.1	0.6	0.2	0.2	0.2	0.4	-	-	0.5	0.2	0.4
Shiga	0.3	0.6	0.4	0.4	-	-	0.5	-	-	1.0	0.5	-	-
Shimane	0.7	-	0.3	-	1.1	2.2	0.5	0.9	0.4	1.2	1.2	0.4	0.5
Shizuoka	0.4	0.5	0.5	0.1	0.1	0.3	1.6	0.3	0.5	0.3	0.1	0.1	0.3
Tochigi	0.1	0.2	-	0.6	0.2	-	0.3	-	0.2	-	-	-	-
Tokushima	0.2	-	-	0.3	0.4	1.2	-	0.4	-	-	0.4	-	0.4
Tokyo	0.9	0.3	0.8	0.5	1.7	2.0	1.1	0.0	1.3	0.5	0.8	0.5	0.6
Tottori	0.4	0.4	-	1.0	-	1.4	-	0.7	-	0.7	0.6	0.6	-
Toyama	0.5	-	0.8	-	-	1.5	-	1.1	0.7	0.3	-	0.4	-
Wakayama	0.6	0.3	0.7	0.7	2.1	1.0	-	1.8	-	1.3	-	-	-
Yamagata	0.3	0.4	-	-	-	0.7	0.4	0.9	0.3	-	-	0.3	0.7
Yamaguchi	0.4	0.2	-	-	1.6	-	0.3	0.8	0.5	0.5	0.3	-	0.9
Yamanashi	0.1	-	-	-	-	-	-	-	1.1	-	-	0.5	-
See footnotes at end of table.													

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SEPTICEMIA & PURULENT INFECTION (NONPNEUMONIAL) (24):													
All Japan	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.3
All *Shi*	0.4	0.3	0.5	0.5	0.5	0.3	0.4	0.4	0.4	0.5	0.3	0.3	0.2
All *Gun*	0.4	0.4	0.4	0.3	0.3	0.4	0.4	0.5	0.4	0.4	0.3	0.4	0.4
Aichi	0.4	0.3	0.5	0.6	0.5	0.3	0.4	0.3	0.4	0.2	0.3	0.2	0.4
Akita	0.4	0.2	0.4	0.2	0.5	0.7	0.7	0.3	0.3	0.6	0.3	0.5	0.3
Aomori	0.4	0.4	0.4	0.6	-	0.3	-	0.6	-	1.0	0.3	0.5	0.9
Chiba	0.4	0.2	0.5	0.5	0.4	0.2	0.5	0.6	-	0.2	0.7	0.2	0.4
Ehime	0.4	0.3	0.4	0.8	0.5	-	-	-	0.2	0.7	0.2	0.9	-
Fukui	0.4	0.3	-	0.4	0.4	1.4	1.1	1.0	0.5	-	-	-	-
Fukuoka	0.5	0.8	1.1	0.3	0.5	0.3	0.2	0.4	0.3	0.4	0.2	0.5	0.5
Fukushima	0.3	0.2	-	-	0.2	0.2	0.4	0.4	1.0	0.5	0.2	0.2	0.2
Gifu	0.3	-	-	0.4	0.5	0.7	0.8	-	0.2	-	0.5	0.5	-
Gumma	0.3	0.2	0.7	0.4	0.2	-	0.3	0.2	0.5	0.7	0.5	-	-
Hiroshima	0.5	0.4	0.7	0.5	0.6	0.6	0.5	0.6	0.6	1.0	0.2	0.4	0.2
Hokkaido	0.4	0.3	0.6	0.3	0.2	0.6	0.4	0.5	0.7	0.3	0.1	0.3	0.5
Hyogo	0.3	0.3	0.3	0.2	0.1	0.1	0.7	0.2	0.5	0.4	-	0.3	0.3
Ibaraki	0.4	0.2	0.1	0.1	-	0.6	0.2	0.6	0.8	1.0	0.2	0.6	0.2
Ishikawa	0.5	0.7	-	-	1.0	0.8	0.8	1.2	0.4	-	0.4	0.4	-
Iwate	0.3	0.6	0.2	-	0.2	-	-	0.6	-	-	0.3	1.5	-
Kagawa	0.3	0.8	0.3	0.3	0.4	-	-	-	-	-	0.4	0.4	0.4
Kagoshima	0.7	0.8	1.2	0.4	1.1	1.2	1.2	0.4	1.2	-	0.7	0.9	0.2
Kanagawa	0.3	0.1	0.3	0.4	0.4	0.4	-	0.4	0.9	0.5	0.2	-	0.2
Kochi	0.3	0.3	0.8	-	-	-	0.6	-	0.4	-	0.4	0.4	0.5

TABLE 75. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SEPTICEMIA & PURULENT INFECTION (NONPUPERAL) (24) - Cont'd.													
Kumamoto	0.5	0.7	0.3	0.6	0.2	0.7	0.5	1.3	0.2	0.8	-	0.4	0.4
Kyoto	0.3	0.2	0.2	-	0.2	0.5	0.2	-	0.2	1.2	0.7	-	0.2
Mie	0.5	0.2	0.4	0.9	0.6	0.6	0.6	0.6	-	0.5	0.5	0.5	0.9
Miyagi	0.3	0.6	0.2	0.4	0.4	0.2	-	-	0.2	0.5	0.2	-	1.0
Miyazaki	0.6	0.2	-	0.9	1.3	0.3	1.1	1.3	0.3	-	0.6	0.5	0.9
Nagano	0.3	0.1	-	0.9	0.2	-	0.5	0.2	0.4	-	0.2	0.4	0.2
Nagasaki	0.6	0.2	0.6	0.6	0.7	0.7	0.5	1.3	0.4	1.0	0.6	0.2	0.2
Nara	0.4	0.4	1.4	0.4	0.6	-	-	1.1	-	-	-	0.5	0.6
Niigata	0.4	0.2	0.4	-	0.4	0.3	0.7	0.5	0.2	0.3	0.3	0.8	0.4
Oita	0.9	0.6	1.4	1.3	0.3	-	0.7	1.5	1.9	-	1.4	0.8	0.6
Okayama	0.4	0.3	0.8	0.4	0.2	0.8	0.8	0.7	-	0.3	0.5	-	-
Osaka	0.3	0.3	0.3	0.2	0.3	0.4	0.4	0.4	0.3	0.6	0.2	0.5	0.1
Saga	0.3	0.3	0.7	-	1.6	-	0.4	-	-	-	-	-	0.4
Saitama	0.2	0.4	0.3	-	0.2	0.2	0.4	0.4	0.4	0.2	0.2	0.2	0.2
Shiga	0.4	1.3	0.7	-	-	-	-	0.5	-	0.5	0.5	1.0	-
Shirene	0.4	0.8	-	0.3	0.4	-	-	0.4	0.4	0.4	0.4	0.4	1.0
Shizuoka	0.3	0.3	0.1	0.3	0.1	0.2	0.7	0.5	0.3	0.2	0.1	0.3	-
Tochigi	0.3	0.2	0.7	1.1	0.4	0.5	-	0.3	0.2	-	0.2	-	-
Tokushima	0.2	0.6	0.3	0.3	-	-	-	0.4	0.4	-	-	0.4	0.4
Tokyo	0.3	0.2	0.5	0.3	0.4	0.4	0.2	0.2	0.1	0.5	0.3	0.2	0.4
Tottori	0.3	0.4	0.5	0.5	0.5	0.7	-	-	0.7	-	-	-	-
Toyama	0.5	1.1	0.5	0.6	0.3	-	0.4	0.4	0.7	0.6	0.7	0.4	0.4
Wakayama	0.5	-	0.4	1.4	-	0.5	0.5	0.5	-	0.8	0.8	0.8	0.4
Yamagata	0.3	0.2	0.5	0.2	0.6	0.3	-	-	0.6	0.6	-	0.3	0.4
Yamaguchi	0.8	0.7	1.2	1.2	0.3	0.3	0.3	0.3	0.7	1.5	1.0	1.0	0.3
Yamanashi	0.3	0.6	0.4	0.4	0.4	0.5	-	-	-	-	-	0.5	0.7

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS (30):													
All Japan	0.4	0.3	0.5	0.5	0.4	0.4	0.5	0.4	0.3	0.4	0.4	0.5	0.7
All *Shi*	0.6	0.4	0.6	0.8	0.5	0.5	0.7	0.6	0.3	0.5	0.5	0.7	0.8
All *Gun*	0.4	0.2	0.4	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.6
Aichi	0.4	0.5	0.3	0.4	0.4	-	0.6	0.3	0.2	0.4	0.4	0.3	0.7
Akita	0.4	-	0.2	-	0.3	0.7	1.1	0.7	0.3	0.9	0.3	-	0.6
Fomori	0.3	-	0.7	0.2	-	-	0.6	0.3	0.6	0.3	0.5	0.3	0.3
Chiba	0.5	0.7	0.9	0.3	0.2	1.0	-	0.8	0.6	0.4	0.4	0.2	0.2
Ehime	0.4	0.3	0.4	0.8	-	0.3	0.5	0.2	0.7	0.5	0.4	0.2	0.7
Fukui	0.3	0.7	0.4	1.1	-	-	-	0.5	-	0.5	0.5	-	-
Fukuoka	0.8	0.5	1.3	1.2	1.1	0.7	0.6	0.6	0.7	0.7	0.9	0.5	1.5
Fukushima	0.4	-	0.2	0.4	-	0.2	0.6	0.2	0.4	0.5	0.7	0.7	1.3
Gifu	0.2	-	0.4	-	0.2	1.2	-	0.3	-	0.2	-	0.7	-
Gunma	0.2	0.5	0.4	0.2	0.5	-	0.5	-	-	0.2	-	0.3	0.3
Hiroshima	0.2	0.1	0.2	0.7	-	-	0.2	0.4	-	0.2	-	0.6	0.5
Hokkaido	0.5	0.3	0.2	0.6	0.9	0.5	0.7	0.4	0.1	0.7	0.6	0.7	0.4
Iyogo	0.3	0.2	0.4	0.4	0.2	0.6	0.4	-	0.1	0.6	0.3	0.3	0.7
Ibureki	0.4	0.2	0.1	0.4	0.2	0.4	0.9	-	0.2	0.4	0.4	0.7	0.8
Ishikawa	0.3	0.2	0.6	0.3	0.3	-	-	0.4	0.4	-	0.4	0.8	0.5
Iwate	0.5	0.4	0.4	0.5	0.7	0.5	0.3	0.9	0.6	0.8	0.3	0.5	0.8
Kagawa	0.2	-	-	-	-	0.8	0.8	-	0.4	-	0.4	0.7	-
Kagoshima	0.8	0.9	1.1	1.6	0.9	0.4	0.7	0.2	0.6	-	-	1.4	1.2
Kenagawa	0.4	0.1	0.7	0.4	0.3	0.2	-	0.4	0.4	0.2	0.7	0.2	1.1
Kochi	0.6	-	-	0.8	-	1.1	1.7	1.0	0.4	0.9	0.9	-	0.9

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS (30) - Cont'd:													
Kumamoto	0.4	0.8	0.3	0.8	0.4	0.2	0.5	0.4	0.6	0.4	0.2	0.2	0.2
Kyoto	0.7	-	1.0	0.8	0.7	1.2	1.5	1.1	0.5	0.2	-	0.9	0.5
Mie	0.5	0.4	-	0.9	0.3	-	-	0.8	1.0	0.3	0.3	0.7	2.0
Miyagi	0.5	-	0.2	0.2	0.4	0.5	0.5	0.5	1.0	0.2	0.9	0.8	0.7
Miyazaki	0.4	0.2	1.1	-	0.3	1.0	-	0.3	0.6	0.9	0.3	0.3	0.3
Nagano	0.1	0.1	-	-	0.2	-	0.2	-	-	0.2	-	-	-
Nagasaki	0.9	0.3	1.9	0.8	0.7	0.5	0.8	0.7	1.3	0.6	1.4	0.6	1.4
Nara	0.3	0.4	-	-	0.6	-	1.2	-	-	0.6	0.5	-	-
Niigata	0.2	0.1	0.5	0.2	-	0.3	0.3	-	-	-	0.1	0.2	0.4
Oita	0.3	0.2	0.5	0.3	0.5	1.0	0.3	-	0.3	-	0.3	0.3	0.6
Ogawana	0.2	0.2	0.4	0.2	0.7	-	-	-	0.2	0.3	-	0.2	-
Osaka	0.5	0.3	0.5	0.7	0.1	0.6	0.2	1.0	0.2	0.2	0.8	0.7	0.5
Saga	0.8	0.8	2.0	1.3	0.4	0.4	0.4	0.4	0.4	1.2	0.7	0.4	0.4
Seitama	0.2	0.1	0.1	0.4	0.2	0.2	0.2	-	-	-	0.3	-	0.8
Shiga	0.6	1.6	1.5	0.4	0.9	-	1.0	-	-	-	0.5	0.5	-
Shimane	0.4	0.3	-	0.3	0.4	0.4	-	0.9	-	1.2	0.8	-	0.5
Shizuoka	0.4	0.1	0.2	0.8	0.6	0.3	0.2	0.3	0.5	0.3	0.1	0.6	0.3
Tochigi	0.2	-	-	0.2	-	-	-	0.5	-	1.3	-	0.5	0.3
Tokushima	0.2	-	-	0.3	-	0.4	-	0.4	0.4	-	0.4	-	-
Tokyo	0.5	0.2	0.2	0.7	0.6	0.4	0.9	0.5	0.4	0.6	0.3	0.8	1.3
Tottori	0.6	0.8	1.5	-	-	-	2.3	-	0.7	-	1.3	-	1.6
Toyama	0.3	0.8	0.3	-	-	1.1	-	0.4	-	-	-	0.4	0.9
Wakayama	0.4	-	0.4	0.3	-	-	0.5	0.9	0.4	0.4	0.4	1.2	0.9
Yamagata	0.2	-	0.2	0.2	0.6	-	0.4	-	0.3	0.6	-	-	0.4
Yamaguchi	0.4	0.4	0.7	0.5	0.5	0.6	0.6	0.3	-	-	0.8	0.2	0.6
Yamaguchi	0.4	0.6	1.2	-	0.9	-	-	0.3	-	0.5	-	-	0.7

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES (35):													
All Japan	0.7	0.3	0.5	0.9	1.0	1.5	1.8	1.2	0.5	0.2	0.2	0.3	0.7
All "Shi"	0.6	0.3	0.4	0.7	0.7	1.1	1.5	1.0	0.5	0.2	0.1	0.2	0.7
All "Gun"	0.8	0.4	0.5	1.0	1.1	1.7	1.9	1.3	0.4	0.2	0.3	0.4	0.7
Aichi	0.3	0.1	-	0.4	0.7	1.2	1.2	0.7	-	-	-	-	-
Akita	0.6	0.9	-	0.2	0.3	2.0	0.4	1.0	0.6	-	0.6	0.5	1.5
Aomori	1.7	2.2	1.1	1.5	1.9	1.6	2.3	1.7	2.1	0.5	1.0	2.4	2.7
Chiba	0.1	-	-	0.2	0.4	0.6	0.2	0.2	0.2	0.2	-	-	-
Ehime	1.1	0.3	0.6	4.0	2.8	1.6	2.4	1.2	-	0.5	0.2	-	0.2
Fukui	1.0	1.0	0.4	-	1.7	1.8	2.1	3.0	1.5	0.5	-	-	0.6
Fukuoka	0.3	0.1	-	0.2	-	0.9	0.6	0.4	0.2	0.1	0.1	0.1	0.9
Fukushima	0.7	-	0.2	0.3	1.0	1.4	1.1	1.2	0.8	0.4	0.5	1.1	0.6
Gifu	1.3	0.6	1.3	2.4	2.8	1.7	5.1	1.5	0.2	-	0.2	0.2	-
Gumma	0.2	0.2	-	0.4	0.5	0.3	0.3	0.2	0.2	-	0.3	-	0.3
Hiroshima	1.2	0.5	0.9	1.6	1.5	2.9	2.6	3.3	0.6	0.2	-	0.2	0.2
Hokkaido	1.5	0.6	0.5	0.3	0.7	0.9	1.6	2.7	2.4	1.5	1.2	2.1	5.9
Iyogo	1.3	0.2	0.8	1.5	2.1	2.5	5.4	3.0	0.5	0.3	0.1	-	-
Ibureki	0.2	-	-	0.9	0.5	-	1.1	0.2	0.2	-	-	-	-
Ishikawa	1.6	0.5	0.9	1.7	2.0	5.9	3.4	2.0	0.8	0.4	0.4	0.4	2.8
Iwate	2.4	1.2	1.1	2.0	2.9	4.9	7.2	4.1	4.7	1.1	0.5	0.5	0.5
Kagawa	2.4	0.5	2.3	5.6	5.3	7.3	4.9	2.6	-	-	-	-	-
Kagoshima	0.7	0.6	0.9	1.6	0.4	1.5	1.2	1.3	0.8	-	-	-	-
Kenagawa	0.7	-	-	-	-	0.2	0.2	-	-	0.2	-	0.2	-
Kochi	1.1	1.3	1.2	4.0	2.2	1.1	1.7	1.0	-	-	-	-	0.9

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES (35) - Cont'd:													
Kumamoto	0.4	-	0.2	0.4	-	1.2	1.2	1.5	0.2	-	-	-	0.2
Kyoto	0.3	0.2	0.4	-	0.5	0.2	1.2	0.7	0.5	-	-	0.2	0.2
Mie	0.9	1.5	1.3	1.2	2.8	1.2	2.2	0.6	-	-	0.3	0.2	-
Miyagi	1.2	1.1	1.4	2.0	1.4	2.3	3.1	1.5	0.5	0.2	0.2	0.4	0.2
Miyazaki	0.5	0.8	0.3	1.2	0.6	1.4	0.7	1.0	-	-	-	-	-
Nagano	0.7	0.1	0.7	2.1	1.2	2.7	0.9	0.7	-	-	-	-	-
Nagasaki	0.5	0.3	0.8	0.4	-	1.0	1.9	1.1	-	0.2	-	-	0.6
Nara	0.1	-	-	-	-	-	0.6	0.5	-	-	-	0.5	-
Niigata	0.8	0.2	0.4	0.7	0.7	1.5	2.4	0.8	0.6	0.7	0.3	0.5	0.9
Oita	0.4	0.2	-	-	0.3	-	1.7	0.6	0.3	-	0.3	1.1	0.6
Okayama	1.6	0.2	1.3	3.7	2.7	6.1	3.6	2.0	-	0.3	-	-	-
Osaka	0.6	0.1	0.1	0.6	1.1	0.9	1.9	1.5	0.3	0.1	0.2	0.2	0.2
Saga	0.3	0.3	0.7	-	0.4	0.9	0.9	0.4	-	-	-	-	-
Seitama	0.1	-	0.1	-	-	0.2	0.4	-	-	-	-	-	-
Shiga	0.5	0.6	1.5	0.7	0.9	0.9	0.5	1.0	-	-	-	-	-
Shimane	0.4	-	0.3	0.3	-	-	-	-	-	-	0.4	0.9	2.9
Shizuoka	0.4	0.1	0.2	0.5	1.4	1.2	0.9	0.3	0.2	-	-	-	-
Tochigi	0.3	-	0.7	0.4	-	1.2	0.6	0.3	0.2	-	-	-	-
Tokushima	1.0	0.3	0.3	3.2	1.5	1.6	3.3	1.3	0.4	-	0.4	-	-
Tokyo	0.1	-	0.1	0.1	0.2	0.2	0.3	0.2	0.1	-	-	-	-
Tottori	1.3	0.8	-	1.0	3.3	4.1	3.1	2.8	1.4	-	-	-	-
Toyama	0.6	0.5	-	0.9	0.3	0.8	1.6	1.8	0.3	-	0.4	-	0.9
Wakayama	1.0	0.3	0.4	-	1.2	3.8	2.8	2.3	0.4	-	0.8	0.4	1.3
Yamagata	1.0	0.4	0.7	0.2	-	1.7	4.0	0.9	-	0.6	0.8	0.9	3.3
Yamanashi	0.2	-	0.2	0.7	-	0.9	0.6	0.3	-	-	-	-	-
Yamaguchi	0.0	-	-	-	-	0.5	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BERIBERI (68):													
All Japan	1.4	1.6	2.0	1.9	1.6	1.2	1.3	1.0	0.9	0.9	1.1	1.3	1.8
All "Shi"	1.2	1.4	2.0	2.0	1.4	1.0	0.7	0.8	0.8	0.8	0.8	1.1	1.4
All "Gun"	1.5	1.6	2.0	1.8	1.7	1.3	1.6	1.1	1.0	1.0	1.2	1.4	1.9
Aichi	1.5	1.4	2.7	3.1	1.5	1.7	1.2	0.8	0.8	0.9	0.8	1.0	1.6
Akita	2.0	1.5	2.6	2.6	2.8	2.6	1.5	0.7	0.6	2.7	1.7	1.1	2.9
Aomori	3.3	4.2	4.7	2.3	4.2	1.9	4.5	3.8	2.6	2.3	2.3	3.7	3.4
Chiba	1.4	1.2	2.1	1.8	1.9	1.8	1.9	1.2	0.9	0.4	1.3	1.1	1.3
Ehime	0.7	0.7	1.0	0.8	0.9	0.5	0.8	0.2	-	0.5	0.6	0.7	1.0
Fukui	1.9	1.0	1.2	2.6	2.1	1.8	2.1	1.5	1.0	2.9	1.6	2.1	3.8
Fukuoka	0.9	1.3	1.1	0.7	1.4	1.1	1.0	0.5	0.4	0.7	0.6	0.5	1.0
Fukushima	1.3	1.1	1.7	1.9	1.9	1.1	1.5	0.6	0.8	0.4	1.4	1.2	1.5
Gifu	0.9	0.9	1.3	2.0	0.5	-	0.8	0.3	0.2	0.5	0.7	0.7	2.2
Gunma	0.6	0.6	0.6	1.4	0.5	0.3	-	0.5	0.2	0.5	0.5	1.0	0.3
Hiroshima	1.2	1.2	0.7	2.7	1.2	0.4	1.4	1.0	0.8	1.4	1.6	-	2.0
Hokkaido	1.6	1.5	1.9	1.8	1.5	1.3	1.1	0.9	1.4	1.2	2.1	2.6	2.6
Hyogo	1.3	1.9	1.7	1.3	1.5	0.5	1.9	0.7	1.0	1.3	0.9	1.3	1.6
Ibaraki	1.1	1.8	2.1	1.2	0.9	0.9	2.0	0.8	0.8	0.2	1.0	0.4	0.8
Ishikawa	2.6	2.2	3.5	3.2	3.3	2.0	0.8	2.8	1.9	1.8	2.1	3.8	3.7
Iwate	3.1	3.7	3.2	2.9	4.5	4.6	2.2	2.1	1.5	2.0	2.1	2.7	5.4
Kagawa	0.4	0.5	0.3	0.6	0.4	0.4	0.8	-	0.7	0.4	-	-	0.4
Kanagawa	1.1	1.4	1.8	0.8	0.6	1.1	1.4	1.1	0.8	1.1	0.4	1.1	1.0
Kanegawa	0.9	1.1	1.4	1.0	1.4	0.6	0.8	0.4	0.9	0.7	0.2	0.5	1.5
Kochi	1.5	2.7	2.7	0.4	0.9	2.1	2.8	1.0	0.4	0.5	1.3	1.2	1.4

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BERIBERI (68) - Cont'd:													
Kumamoto	1.5	1.7	2.8	2.1	1.1	1.9	1.4	1.5	1.0	0.8	0.8	0.9	1.6
Kyoto	1.4	2.1	1.8	2.7	2.1	1.0	0.7	0.7	1.2	0.5	0.5	1.2	1.2
Mie	1.5	1.1	2.6	2.5	2.0	0.9	1.5	0.8	0.5	1.8	0.8	1.7	1.4
Miyagi	2.3	3.1	3.4	2.9	1.6	2.5	1.6	0.5	1.7	0.7	0.7	3.1	4.3
Miyazaki	0.6	0.6	0.3	0.9	-	-	-	0.6	2.4	0.3	1.7	0.3	0.3
Nagano	0.6	0.6	0.9	0.5	0.8	0.4	0.2	0.2	0.7	-	1.0	1.2	0.7
Nagasaki	1.2	1.5	1.5	2.2	1.1	0.7	1.1	0.9	0.2	1.2	0.8	1.5	1.4
Nara	1.4	1.5	3.8	1.3	2.8	-	1.8	0.5	1.1	0.6	0.5	2.0	0.6
Niigata	2.1	1.9	3.1	3.4	2.6	2.0	2.3	1.3	0.6	1.4	1.4	2.0	2.8
Oita	1.2	1.8	1.6	0.8	1.4	0.6	0.7	1.8	0.3	0.6	1.7	0.8	2.2
Okayama	1.5	1.6	1.5	3.5	2.2	1.5	0.5	0.7	1.6	0.8	0.7	1.2	1.7
Oeoka	1.5	1.5	2.2	1.4	1.6	0.9	1.2	1.5	1.0	1.1	1.2	2.0	1.8
Saga	2.6	4.6	4.6	5.0	1.6	0.9	1.3	1.6	2.2	1.5	2.6	1.4	1.5
Saitama	0.9	1.0	1.4	1.3	0.9	1.0	1.1	0.9	0.5	0.4	0.5	1.2	0.8
Shiga	1.2	2.6	0.7	2.1	1.8	-	1.6	-	0.5	-	1.5	0.5	2.4
Shimane	0.7	-	0.7	0.3	0.4	0.9	1.0	0.4	0.4	2.0	0.4	0.9	1.0
Shizuoka	1.4	1.0	2.5	2.7	1.3	2.0	1.6	1.0	1.2	0.6	0.4	0.9	1.0
Tochigi	1.2	1.5	2.5	1.9	0.9	1.2	0.6	0.5	0.7	0.8	0.2	0.9	1.6
Tokushima	0.5	0.8	0.3	0.6	0.4	-	-	-	0.4	0.4	0.4	1.1	0.9
Tokyo	1.3	1.5	2.8	1.4	0.5	1.5	0.8	1.0	0.9	0.9	0.7	1.2	1.6
Tottori	2.0	1.1	1.5	3.6	3.3	1.4	3.1	0.7	1.4	0.7	3.2	1.3	3.9
Toyama	2.5	2.1	3.0	4.7	4.2	2.3	1.6	1.8	2.6	0.3	2.9	1.9	2.6
Wakayama	1.0	0.3	1.4	1.7	0.4	0.5	1.8	1.8	1.7	0.4	0.8	0.8	0.9
Yamagata	2.3	3.8	3.2	2.8	3.1	3.0	1.4	2.5	0.6	1.8	2.0	0.6	1.8
Yamaguchi	1.7	2.7	2.1	2.1	3.1	1.1	0.9	1.6	1.0	0.7	0.3	1.2	3.3
Yamaguchi	0.6	0.9	0.8	0.4	-	-	-	0.5	1.1	0.5	0.5	1.0	1.3

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MENINGITIS (NOT DUE TO MENINGOCOCCUS) (81);													
All Japan	1.0	0.9	1.0	1.0	1.5	1.5	1.3	1.2	0.6	0.5	0.8	0.9	1.2
All "Shi"	1.0	0.8	1.0	1.0	1.7	1.5	1.4	1.1	0.6	0.6	0.9	0.8	1.3
All "Gm"	1.0	1.0	1.1	1.0	1.3	1.5	1.2	1.2	0.6	0.5	0.8	1.0	1.2
Aichi	1.3	0.5	1.5	1.3	1.5	1.7	2.1	1.5	0.2	0.4	1.9	1.6	1.6
Akita	1.5	1.3	1.6	1.3	1.0	2.0	1.5	1.4	0.9	0.6	2.0	2.5	1.5
Aomori	0.9	0.7	0.7	1.1	0.9	1.6	0.8	2.9	-	0.5	0.3	0.5	0.6
Chiba	1.5	1.9	1.7	1.7	1.9	1.8	1.6	2.0	0.4	0.9	0.9	1.1	1.1
Ehime	1.5	1.2	2.5	1.0	1.6	3.0	2.2	0.5	1.9	-	1.1	0.9	2.2
Fukui	0.9	0.7	0.8	1.5	0.8	0.9	1.6	0.5	1.0	-	1.0	0.5	1.3
Fukuoka	0.8	0.9	0.6	1.0	0.3	1.3	1.0	1.2	0.6	0.8	0.5	0.8	0.9
Fukushima	0.7	0.2	0.8	0.8	0.6	1.1	1.3	0.6	-	0.7	0.5	1.4	0.8
Gifu	1.1	0.9	1.1	1.0	2.1	2.5	1.6	0.5	0.7	0.5	0.9	0.5	0.3
Gumma	0.7	1.4	0.7	0.8	0.9	0.5	0.8	0.2	-	0.7	0.8	0.8	0.9
Hiroshima	1.5	0.9	1.4	0.7	2.9	2.3	1.9	2.3	1.2	0.8	0.4	2.6	1.2
Hokkaido	1.2	0.9	1.7	1.2	1.4	1.9	1.7	0.9	1.0	0.6	0.9	0.8	2.0
Hyogo	1.0	0.6	0.7	0.7	2.0	1.9	1.1	0.9	0.3	0.4	1.1	0.9	1.5
Ibaraki	0.7	1.0	0.6	0.6	0.7	0.6	0.4	0.6	1.2	-	0.4	0.7	1.2
Ishikawa	1.5	1.9	1.7	0.6	2.3	2.3	2.1	1.2	0.8	-	1.4	1.5	2.3
Iwate	1.0	0.8	0.9	0.7	1.8	1.3	2.8	1.5	1.8	0.8	-	-	0.5
Kagawa	1.3	1.9	0.6	1.9	0.4	3.3	2.9	0.7	0.4	0.4	-	0.7	2.6
Kanagawa	1.2	1.6	0.7	1.6	1.3	3.1	0.2	1.7	0.8	0.4	0.4	1.2	2.0
Kanagawa	0.7	1.4	0.8	0.6	0.9	0.2	0.8	0.5	0.2	0.3	1.2	0.7	0.4
Kochi	1.3	0.7	2.0	1.2	1.8	2.1	2.8	1.9	-	0.5	0.4	1.2	1.4

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURES: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MENINGITIS (NOT DUE TO MENINGOCOCCUS) (81) - Cont'ds													
Kumamoto	0.8	0.7	0.2	1.0	1.5	1.2	-	1.5	1.2	0.2	0.8	0.4	1.4
Kyoto	0.9	1.0	1.8	1.6	1.1	0.7	1.5	0.9	0.5	0.2	1.0	0.5	0.2
Kie	1.6	0.9	1.5	1.9	3.4	2.1	2.5	1.9	0.8	-	1.8	1.2	1.7
Miyagi	0.9	0.8	0.5	0.7	0.6	2.1	0.8	1.5	0.2	0.9	0.7	0.8	1.4
Miyazaki	0.8	1.0	1.3	0.9	1.0	1.4	-	0.6	0.9	0.9	-	0.8	1.2
Nagano	0.8	1.0	1.0	0.7	1.2	0.6	0.9	0.2	0.4	0.2	1.0	0.8	1.2
Nagasaki	0.9	0.5	1.1	1.4	0.2	0.7	-	0.9	0.8	1.0	1.8	0.4	1.2
Nara	0.8	1.1	1.9	0.4	1.7	0.6	2.4	1.1	-	-	-	0.5	-
Niigata	1.6	1.3	1.9	1.6	2.3	1.8	1.2	0.8	0.8	1.1	1.0	2.3	4.1
Oita	1.0	1.8	0.5	1.0	0.8	1.0	0.7	1.8	0.3	0.6	0.6	2.0	1.6
Okayama	1.1	0.5	0.6	1.8	0.4	1.3	1.1	2.4	0.7	1.3	1.7	0.2	1.2
Osaka	1.0	0.7	1.0	0.7	2.4	1.5	1.5	1.0	0.7	0.4	0.7	0.8	0.6
Saga	1.3	2.1	0.7	1.3	2.3	1.3	1.3	1.6	1.1	1.5	1.1	0.7	0.4
Saitama	0.9	1.0	1.3	0.6	1.5	0.8	1.1	1.1	0.4	1.4	0.7	0.2	1.3
Shiga	0.7	-	0.7	0.7	2.3	0.9	1.6	1.0	-	-	-	-	0.9
Shimane	1.2	0.8	1.3	1.7	2.3	2.2	1.5	0.9	0.8	0.4	0.8	0.9	1.0
Shizuoka	1.0	1.5	1.1	0.9	1.3	1.5	1.6	1.0	0.5	0.3	0.3	1.2	0.3
Tochigi	0.7	0.8	0.4	0.8	1.1	1.2	1.1	1.0	-	-	0.7	0.5	0.8
Tokushima	0.9	1.4	0.6	0.3	1.8	1.6	0.9	1.3	-	0.4	0.8	0.4	0.9
Tokyo	0.8	0.4	0.6	0.8	1.5	1.1	0.9	0.9	0.4	0.5	0.5	0.8	1.5
Tottori	0.9	1.1	1.0	0.5	2.7	1.4	3.1	0.7	-	0.7	-	-	-
Toyama	1.4	1.1	1.6	1.2	1.9	0.8	1.9	2.2	0.7	-	2.5	1.9	2.1
Wakayama	1.3	0.5	0.7	1.7	2.5	1.4	1.4	2.3	0.9	0.8	0.4	1.6	1.8
Yamagata	0.8	0.4	0.7	0.7	1.4	1.4	1.8	0.3	1.2	0.6	1.1	0.3	0.4
Yamaguchi	0.7	0.2	0.7	0.9	1.8	0.9	0.3	1.6	0.5	0.5	0.5	0.5	0.6
Yamanashi	0.6	-	-	1.3	0.4	1.0	-	2.2	0.5	-	0.5	0.5	2.0

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONVULSIONS (86):													
All Japan	0.5	0.5	0.6	0.7	0.6	0.5	0.5	0.3	0.3	0.3	0.5	0.5	0.7
All "Shi"	0.2	0.2	0.2	0.4	0.3	0.2	0.2	0.1	0.1	0.0	0.1	0.2	0.2
All "Gun"	0.6	0.6	0.7	0.9	0.7	0.7	0.6	0.4	0.4	0.4	0.6	0.7	0.9
Aichi	0.1	-	0.2	-	0.1	0.1	-	0.1	0.2	0.1	-	0.2	-
Akita	2.5	1.5	2.2	3.5	2.6	2.6	5.5	1.4	0.6	0.6	3.4	1.9	4.4
Aomori	3.1	3.5	3.8	4.0	3.3	2.6	3.4	3.2	2.3	1.0	2.1	3.1	4.0
Chiba	0.1	-	0.2	0.3	-	0.2	0.2	-	0.2	0.2	-	-	0.6
Ehime	0.1	0.2	0.4	0.2	-	-	-	-	-	0.2	0.4	-	-
Fukui	0.5	-	0.4	0.7	0.8	1.4	-	-	0.5	0.5	0.5	0.5	0.6
Fukuka	0.1	-	0.3	0.2	0.1	0.1	-	-	0.1	0.2	-	0.2	-
Fukushima	0.1	0.2	0.3	0.1	0.3	0.2	0.2	-	-	-	-	-	0.2
Gifu	0.2	-	-	-	0.2	-	0.5	0.3	0.2	0.2	0.2	0.2	-
Gunma	0.1	-	-	-	0.2	0.3	0.3	-	-	0.2	0.3	-	-
Hiroshima	0.4	0.3	0.2	0.5	0.6	0.6	0.5	0.2	0.4	-	0.4	0.2	1.0
Hokkaido	1.2	1.2	1.7	1.1	1.1	1.8	1.1	0.6	0.3	0.5	0.9	1.3	2.4
Ibake	0.1	-	0.3	0.1	0.1	0.4	0.1	0.1	0.2	0.1	-	-	0.3
Ibakeki	0.3	0.2	0.9	0.3	0.3	0.2	0.2	0.2	0.2	0.6	0.2	0.2	0.2
Ishikawa	4.8	5.5	5.2	8.1	4.9	3.5	2.5	3.2	2.3	4.4	4.6	3.8	8.3
Iwate	1.0	0.2	0.6	1.8	1.6	0.8	0.6	0.9	-	0.6	1.0	2.5	0.8
Kagawa	0.5	0.3	-	0.3	0.4	0.4	0.8	-	0.4	-	1.5	1.6	0.4
Kagoshima	0.1	-	-	0.4	0.2	-	-	0.6	-	0.2	-	-	-
Kanagawa	0.1	-	-	0.3	0.2	-	0.6	-	-	-	0.2	-	0.2
Kochi	0.0	-	-	-	-	-	-	-	-	0.5	-	-	-

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONVULSIONS (86) - Cont'd:													
Kumamoto	0.1	0.1	0.2	0.2	-	0.2	0.2	-	-	-	-	-	0.2
Kyoto	0.2	0.2	-	0.2	0.2	0.2	0.2	0.2	0.5	-	-	0.2	0.5
Mie	0.4	0.6	0.9	0.2	0.8	0.6	-	0.8	0.3	-	-	-	0.3
Miyagi	0.2	0.2	0.2	0.5	-	0.5	-	-	0.7	0.2	0.2	-	0.2
Miyazaki	0.0	0.2	-	-	0.3	-	-	-	-	-	-	-	-
Nagano	0.3	0.3	-	0.3	0.4	0.4	0.5	0.2	0.2	0.4	-	0.4	0.2
Nagasaki	0.2	0.2	-	0.6	0.2	0.5	-	-	0.2	-	0.4	0.2	-
Nara	0.1	-	-	-	0.6	-	-	-	0.5	-	-	-	-
Niigata	0.5	0.7	1.1	0.7	0.1	0.2	0.5	0.8	0.5	0.1	0.7	0.3	0.7
Oita	0.4	0.4	0.7	0.5	0.3	0.3	0.3	1.2	0.5	0.6	-	0.5	-
Okayama	0.0	0.2	-	-	-	-	-	-	-	-	-	-	-
Oosaka	0.1	0.1	0.1	0.1	-	-	0.2	0.1	-	-	-	-	0.1
Saga	0.1	-	0.3	-	0.4	-	0.4	-	-	-	-	0.4	-
Saitama	0.0	-	-	-	0.2	-	-	-	0.2	-	0.2	-	-
Shiga	0.1	0.3	-	0.4	-	0.4	0.5	-	-	-	-	-	-
Shimane	0.5	-	0.7	1.4	-	2.7	0.5	-	-	-	-	0.4	1.0
Shizuoka	0.2	0.3	0.1	0.3	0.1	0.3	0.2	0.3	0.2	0.2	0.1	-	0.2
Tochigi	0.4	0.2	0.2	0.8	0.4	0.2	0.6	0.3	0.2	0.3	0.7	0.5	0.8
Tokushima	0.2	0.3	-	0.3	0.4	-	-	-	0.8	0.8	0.4	-	-
Tokyo	0.0	0.1	-	-	0.2	-	-	0.1	-	0.1	-	-	-
Tottori	0.7	0.8	1.0	0.5	0.5	1.4	0.8	-	-	-	0.6	3.2	-
Toyama	6.2	7.9	5.7	10.8	8.3	5.7	1.9	2.2	2.6	3.5	6.4	9.6	9.0
Wakayama	0.1	0.3	-	-	-	-	-	-	-	-	0.4	-	-
Yamagata	0.1	-	0.2	0.2	-	-	-	0.3	-	-	0.3	0.6	-
Yamaguchi	0.2	0.2	0.2	0.2	0.3	0.3	0.6	-	-	-	0.3	-	0.3
Yamanashi	0.4	0.9	0.4	-	-	1.0	-	-	-	0.5	0.5	-	-

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106):													
All Japan	3.9	4.7	5.3	4.9	3.5	2.8	2.5	1.5	1.1	1.4	2.3	2.8	5.2
All *Shi*	2.3	3.6	3.8	3.3	2.3	2.0	1.4	0.8	0.8	0.9	1.4	2.0	4.2
All *Coun*	3.8	5.2	6.0	5.7	4.0	3.2	3.0	1.8	1.3	1.7	2.7	3.2	5.6
Aichi	3.4	5.1	6.0	4.8	4.4	2.5	2.5	1.6	1.3	1.9	2.1	2.4	5.2
Akita	4.4	3.4	5.8	6.8	5.7	6.9	5.5	2.4	2.2	1.2	2.3	3.3	6.7
Aomori	5.7	7.7	6.0	5.3	4.7	6.3	6.8	4.1	2.6	1.8	4.9	5.5	12.5
Chiba	3.9	7.0	6.7	5.6	4.1	3.3	3.0	1.0	1.1	1.1	3.4	2.4	4.7
Ehime	3.8	7.2	5.4	7.0	2.1	1.6	2.2	2.2	2.1	1.4	2.2	4.0	6.3
Fukui	4.7	3.7	5.9	8.9	4.6	3.7	8.1	2.5	2.0	1.4	1.6	2.1	12.7
Fukuoka	2.3	3.9	4.7	2.9	2.3	2.4	1.5	1.4	0.4	0.8	2.2	1.8	3.1
Fukushima	3.7	5.0	4.3	5.6	3.3	3.5	2.9	3.1	1.5	1.5	3.9	3.6	4.2
Gifu	3.9	6.8	6.2	6.8	4.1	2.9	2.9	2.3	0.7	1.5	1.9	3.7	3.6
Guam	3.1	4.6	3.0	6.7	1.8	3.7	2.4	0.7	0.7	2.0	2.8	3.3	3.5
Hiroshima	2.8	3.1	3.7	4.8	3.3	2.7	1.4	1.9	1.3	1.2	1.6	3.0	5.5
Hokkaido	3.8	4.2	6.4	5.2	4.5	3.4	3.1	1.5	2.1	2.1	2.1	3.0	6.9
Iyogo	3.1	6.4	5.8	4.1	3.1	1.5	2.1	0.5	1.0	1.6	1.5	1.8	6.0
Ibaraki	3.7	6.0	6.7	5.8	4.2	1.1	3.4	1.7	1.9	1.6	2.1	2.4	4.1
Ishikawa	4.8	7.0	8.9	5.5	4.6	3.9	2.1	1.6	1.9	2.6	2.8	5.0	8.8
Iwate	5.1	4.7	5.8	7.9	5.4	4.0	5.6	4.7	1.2	2.3	4.6	5.4	7.8
Kagawa	3.3	5.5	5.5	5.9	4.2	2.8	1.6	1.1	0.7	-	1.1	3.9	5.3
Kagoshima	2.8	2.9	6.2	4.2	2.2	3.1	1.4	2.6	-	1.3	1.4	4.3	3.8
Kanagawa	1.4	2.4	2.2	1.0	2.1	1.1	1.0	0.2	1.1	0.2	1.0	1.7	1.7
Kochi	2.6	3.0	5.1	5.2	2.7	1.6	-	1.0	0.9	2.7	1.3	2.8	3.3

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106) - Cont'd:													
Kumamoto	2.3	3.3	3.8	2.3	2.6	2.3	1.9	1.1	1.7	1.4	2.6	1.6	2.4
Kyoto	2.3	4.2	2.4	4.3	3.0	1.0	1.7	0.7	0.5	-	1.5	2.8	4.8
Mie	4.0	7.9	6.8	6.5	4.2	4.9	1.8	0.6	1.0	2.0	1.8	3.2	4.9
Miyagi	2.7	4.9	4.9	3.3	2.8	2.3	1.3	1.3	1.2	0.9	1.5	2.0	3.6
Miyazaki	3.0	2.0	4.8	4.3	3.2	2.4	2.2	1.3	2.4	2.7	2.0	3.5	5.0
Nagano	2.8	3.2	6.0	4.7	2.8	2.9	1.4	1.4	1.1	1.0	1.7	1.8	4.5
Negasaki	2.9	4.1	4.9	3.6	3.0	2.7	1.6	1.6	0.4	1.2	2.8	3.0	4.5
Nara	3.1	5.1	3.8	6.1	2.8	1.2	1.8	0.5	1.1	1.7	2.1	3.9	5.6
Miigata	5.2	6.7	6.2	7.4	6.7	5.0	5.1	2.9	2.0	1.6	4.6	3.8	11.1
Osaka	3.8	5.4	6.6	7.3	3.5	3.2	4.7	1.2	0.5	0.8	2.8	2.0	5.9
Okayama	3.0	3.7	3.4	6.3	3.1	1.5	2.5	2.0	0.7	1.3	1.0	2.9	6.7
Ooeke	2.2	4.2	4.9	3.5	2.0	1.5	1.2	0.1	0.5	1.0	1.0	1.9	3.6
Saga	2.8	6.2	4.3	2.3	3.1	1.3	1.8	2.4	0.4	0.8	2.2	3.5	3.4
Saitama	3.8	6.1	5.2	7.0	2.9	3.2	4.1	1.5	1.1	2.3	2.3	3.3	4.0
Shiga	2.7	3.6	4.4	4.6	1.8	1.8	2.6	1.0	0.9	1.5	1.0	1.5	5.7
Shimane	3.6	3.8	5.6	5.4	5.6	1.8	2.9	3.6	1.3	1.2	2.4	2.2	6.8
Shizuoka	2.4	4.3	4.9	3.4	2.4	2.0	0.9	1.1	0.2	1.6	1.3	1.2	3.9
Tochigi	3.5	4.9	6.1	5.6	3.5	3.7	0.8	1.8	0.5	3.0	2.4	2.6	5.0
Tokushima	4.5	7.4	6.8	6.0	5.2	3.7	1.9	1.3	2.1	2.3	4.1	4.4	3.5
Tokyo	1.7	2.1	3.1	2.4	1.5	1.6	1.0	0.8	0.8	0.4	0.9	1.5	3.6
Tottori	2.9	1.9	5.8	4.1	3.3	4.1	1.5	0.7	0.7	2.0	3.8	0.6	5.4
Toysama	6.8	8.4	11.3	9.0	6.7	4.6	5.1	2.2	1.7	3.2	6.8	8.4	14.1
Wakayama	2.4	3.0	4.7	3.5	1.7	2.9	1.4	-	-	1.3	2.4	2.8	3.6
Yamagata	5.2	7.4	4.6	5.4	9.1	6.4	4.4	1.3	1.7	2.1	5.4	5.0	9.9
Yamaguchi	2.7	5.3	4.7	4.2	2.9	1.4	2.7	0.8	0.5	0.7	2.3	2.2	3.9
Yamaguchi	3.5	6.6	9.0	8.6	2.2	1.5	1.2	0.5	1.1	1.0	1.4	1.5	2.0

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) (107-109)													
All Japan	8.5	12.0	13.3	12.5	9.8	7.5	6.4	4.0	3.0	3.1	5.0	7.5	14.1
All "Chi"	8.3	12.1	13.0	12.3	9.2	6.5	5.3	3.8	3.0	3.1	5.0	7.5	16.5
All "Gm"	8.5	11.9	13.5	12.6	10.1	8.0	6.9	4.1	3.1	3.2	4.9	7.5	12.9
Aichi	7.3	10.9	11.6	11.4	6.1	7.2	6.6	2.5	2.5	2.7	4.2	6.5	13.0
Akita	8.5	7.4	7.2	11.2	10.8	11.8	8.1	6.8	4.3	2.7	6.3	9.0	16.0
Aomori	12.2	14.7	11.8	14.0	15.7	10.8	13.6	9.0	5.9	4.9	6.7	15.7	23.1
Chiba	8.0	12.3	15.1	13.2	8.8	7.3	6.0	4.2	2.8	1.7	5.0	5.3	7.7
Ehime	8.3	11.6	16.5	14.9	11.5	7.5	5.4	3.5	4.5	3.5	3.7	5.0	8.4
Fukui	7.0	8.1	9.0	13.4	8.0	7.8	4.8	3.5	3.0	2.9	5.2	5.3	10.2
Fukushima	8.0	15.0	15.9	10.6	5.8	6.0	6.2	3.3	3.6	2.4	5.5	6.8	12.0
Fukushima	9.7	11.4	12.9	13.2	11.9	9.9	9.9	4.9	4.6	4.4	5.0	10.7	14.8
Gifu	6.7	9.3	11.0	9.0	8.3	7.1	5.6	4.0	1.4	2.2	3.1	7.6	9.3
Gunma	10.1	17.5	17.0	11.9	12.4	8.7	4.2	4.4	6.1	4.9	4.7	6.1	16.7
Hiroshima	7.5	9.7	12.3	11.3	7.7	6.9	5.8	5.2	1.9	1.2	5.8	7.5	13.9
Hokkaido	10.2	11.0	14.8	13.8	11.2	10.3	8.1	6.6	5.5	2.9	5.9	10.0	21.8
Iwago	7.2	11.4	11.9	10.9	7.2	6.3	4.2	2.2	2.5	2.5	3.0	7.5	14.6
Ibaraki	7.6	11.5	10.4	14.1	9.4	5.5	6.5	2.1	2.5	2.9	4.3	5.9	10.1
Ishikawa	10.5	15.9	14.4	13.9	10.9	10.9	6.8	4.4	3.4	2.2	6.0	13.8	19.9
Iwate	15.7	18.0	20.1	21.0	22.3	20.2	13.5	3.8	4.1	8.8	11.4	18.4	19.4
Kagawa	8.8	13.7	15.9	16.6	8.1	10.2	6.1	4.1	2.5	1.9	3.4	7.9	10.5
Kagoshima	9.6	13.5	13.5	12.6	8.9	8.1	5.4	7.3	4.5	5.5	8.7	12.4	11.1
Kanagawa	8.3	14.0	14.5	13.8	10.5	5.9	7.0	3.4	3.5	4.7	5.7	5.4	17.8
Kochi	8.3	17.6	14.1	13.6	10.2	4.8	2.8	4.8	1.3	3.2	3.9	6.0	10.9

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
FUKUOKA (ALL FORMS) (107-109) Cont'd													
Kumamoto	7.5	11.9	11.5	10.5	8.7	7.7	5.2	3.8	3.3	3.7	5.0	7.2	8.7
Kyoto	6.2	9.6	10.7	10.5	5.5	4.5	5.2	2.6	2.1	2.6	3.4	5.8	9.1
Mie	7.5	10.9	15.1	11.4	10.4	7.0	4.3	3.3	1.3	1.5	5.3	5.6	11.5
Miyagi	10.0	13.6	14.7	13.5	12.9	8.7	7.5	4.4	3.1	3.5	5.9	15.0	15.6
Miyazaki	7.6	9.3	11.3	14.1	6.0	4.9	6.7	4.8	5.2	2.1	5.4	8.8	10.7
Nagano	7.6	12.7	12.9	10.4	10.3	4.4	7.4	4.2	1.3	2.9	3.4	5.3	11.5
Nagasaki	9.2	12.5	18.2	14.7	15.4	8.8	6.4	4.9	1.9	3.6	5.4	5.1	12.2
Nara	6.1	9.5	11.7	9.2	5.0	5.3	1.8	1.1	2.1	1.1	2.6	5.4	14.6
Niigata	9.2	11.4	13.9	11.3	12.2	8.5	7.9	5.2	4.1	3.2	4.5	8.6	20.4
Oita	7.7	11.2	14.3	12.2	5.4	5.2	4.7	4.1	2.2	3.3	5.8	7.3	13.1
Okayama	8.2	10.6	13.2	14.7	9.3	8.4	5.5	3.9	0.9	2.0	4.2	5.5	16.3
Oosaka	8.0	13.1	13.5	11.7	7.2	5.8	5.1	3.9	2.5	3.8	4.4	6.5	15.2
Saga	6.3	10.8	14.6	8.7	7.0	3.9	4.9	2.7	2.6	1.2	2.6	3.9	8.7
Saitama	8.0	12.0	14.3	12.7	9.5	5.6	4.5	2.1	3.2	3.2	5.2	5.7	12.1
Shiga	6.0	10.4	16.9	9.9	7.7	3.1	4.7	1.4	0.9	1.9	5.4	3.0	7.1
Shimane	9.7	9.5	15.2	13.2	19.2	9.3	8.3	8.4	2.5	2.4	5.5	7.3	13.1
Shizuoka	7.2	10.1	14.0	12.1	8.2	7.3	3.4	3.5	2.6	4.0	3.0	4.4	9.6
Tochigi	6.7	13.7	9.2	10.3	8.6	5.4	4.5	1.8	2.1	3.0	2.6	3.5	10.3
Tokushima	10.5	15.7	18.6	15.2	11.5	11.9	8.5	2.6	2.1	3.9	6.0	5.1	18.7
Tokyo	8.5	10.9	12.8	14.6	9.5	5.3	4.9	3.3	2.5	2.7	4.1	7.6	21.1
Tottori	7.5	8.0	5.8	11.4	16.3	6.1	13.8	4.2	1.4	5.3	3.2	2.6	10.1
Toyama	7.5	13.5	9.7	13.1	14.7	7.6	11.7	4.3	2.6	3.8	7.5	7.3	20.6
Wakayama	7.5	10.9	11.9	12.9	7.1	6.2	5.6	2.3	0.9	3.4	3.2	9.2	13.0
Yamagata	9.4	11.2	9.6	10.1	13.1	10.8	8.7	6.0	2.0	3.2	10.9	20.9	12.3
Yamaguchi	7.8	12.2	12.2	8.6	7.8	7.7	5.9	3.6	4.6	2.2	6.2	8.0	12.3
Yamanashi	7.7	11.9	17.9	12.1	9.4	7.2	3.7	1.1	3.2	0.5	3.3	3.9	11.8

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS & ULCERATION													
OF THE INTESTINES (119)¹													
All Japan	11.6	7.8	8.8	9.8	9.8	11.1	15.1	21.3	17.0	11.1	8.3	10.9	11.9
All "Shi"	9.8	6.9	8.5	9.5	9.3	10.2	12.6	16.9	11.9	8.0	6.7	9.4	9.6
All "Gun"	12.5	8.2	9.0	9.9	10.1	11.5	16.4	23.7	19.6	12.7	9.1	11.7	15.0
Aichi	8.3	6.5	7.3	10.3	8.0	8.3	9.6	13.8	7.1	5.7	4.5	8.8	11.0
Akita	23.6	13.0	10.9	14.7	16.0	24.9	45.1	53.7	43.9	23.0	17.4	23.3	15.1
Aomori	23.4	8.8	10.5	11.0	15.2	16.4	26.9	55.7	53.4	39.9	21.2	19.9	15.8
Chiba	9.2	6.8	7.9	7.1	8.6	9.4	10.2	11.0	12.0	9.4	7.1	11.3	12.0
Ehime	7.8	5.2	5.0	5.4	5.5	8.6	13.5	15.0	11.3	7.4	5.0	6.8	8.2
Fukui	18.0	7.5	9.0	8.5	7.2	6.9	27.4	60.7	39.6	17.2	13.0	17.4	15.9
Fukuoka	9.2	7.6	9.4	7.6	8.7	9.0	11.9	12.2	9.9	6.8	6.7	11.2	10.1
Fukushima	13.0	7.6	8.4	11.7	11.4	9.1	13.8	24.8	20.3	13.7	12.5	13.2	15.8
Gifu	12.0	10.8	8.6	9.6	10.1	11.3	13.6	21.7	14.1	9.3	8.4	12.0	17.8
Gunma	7.4	5.5	6.7	7.1	6.0	8.2	10.1	9.3	9.7	7.1	6.2	6.6	8.8
Hiroshima	9.8	4.8	6.5	6.4	9.3	7.7	13.5	23.2	17.9	6.9	7.7	7.1	11.9
Hokkaido	16.8	8.8	11.3	11.3	11.3	13.1	16.8	26.8	37.0	23.6	14.2	18.4	17.3
Iyogo	10.1	7.0	9.6	6.7	7.7	9.3	13.5	18.9	13.3	7.8	7.4	9.7	10.3
Ibaraki	10.6	8.5	11.2	11.1	7.0	7.4	15.2	14.3	12.4	10.9	6.8	11.9	13.4
Ishikawa	19.8	10.6	11.5	12.4	13.5	18.7	27.5	52.9	37.6	23.0	13.8	13.0	17.1
Iwate	20.0	12.7	13.7	17.9	16.5	14.0	24.1	38.4	42.2	25.7	15.0	14.0	19.1
Kagawa	8.8	8.0	5.2	9.1	6.3	8.1	9.8	13.8	11.6	9.0	5.3	10.4	11.0
Kagoshima	12.4	8.2	11.3	8.8	8.5	14.6	17.9	25.6	13.0	13.0	9.8	11.7	11.9
Kanagawa	8.4	4.1	7.7	6.5	8.9	9.8	12.9	15.3	11.3	6.6	3.4	8.4	10.2
Kochi	10.4	11.0	5.5	5.2	12.5	13.8	22.5	20.0	10.2	11.3	5.2	4.4	8.5

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS & ULCEARATION OF THE INTESTINES (119) - Cont'd.													
Kumamoto	10.5	9.7	7.9	8.2	11.7	12.8	16.5	14.5	10.1	8.1	7.0	11.3	10.3
Kyoto	9.4	8.5	7.3	10.7	8.3	9.8	8.7	15.0	16.4	6.7	6.1	9.2	6.5
Mie	11.8	9.2	8.7	9.3	10.9	10.3	17.9	28.1	14.5	9.0	6.3	9.2	12.4
Miyagi	14.6	10.5	12.1	12.4	12.9	15.9	16.0	28.1	21.2	16.9	10.0	12.2	13.2
Miyazaki	10.2	9.1	11.2	6.9	6.0	13.6	17.8	16.4	8.2	4.4	6.5	13.4	11.0
Nagano	8.8	5.9	5.7	10.2	7.3	8.5	12.1	15.1	11.4	9.7	7.3	6.7	8.6
Nagasaki	12.0	9.2	11.0	15.3	10.8	17.1	18.5	16.8	12.6	7.9	9.1	8.5	10.3
Nara	14.0	9.2	8.9	11.8	16.3	15.9	17.6	35.5	14.8	14.5	7.4	11.3	9.6
Niigata	12.8	6.3	6.8	8.7	10.7	8.7	17.7	28.9	24.0	11.0	9.2	14.4	13.7
Oita	10.5	7.6	9.9	10.9	8.4	12.9	16.9	13.2	13.4	8.6	5.8	7.6	13.8
Okayama	8.9	4.8	4.2	5.5	5.1	9.2	12.9	20.1	17.5	7.8	8.1	8.7	8.4
Osaka	9.5	7.4	9.2	11.2	11.6	9.8	10.5	18.9	8.2	5.0	5.1	8.1	8.6
Saga	13.8	11.1	11.6	13.3	16.7	20.4	19.1	22.7	10.5	10.7	10.0	8.5	14.8
Saitama	9.5	8.7	8.2	10.3	8.2	10.5	12.5	15.9	10.3	7.6	5.9	7.1	10.9
Shiga	13.4	7.8	7.3	11.0	15.0	10.7	15.6	37.5	17.2	10.6	10.8	14.0	9.5
Shinano	12.0	4.6	7.9	7.4	9.0	9.3	14.7	20.9	37.2	13.8	7.9	6.5	11.7
Shizuoka	10.3	8.5	9.0	8.4	8.0	13.3	19.2	16.6	13.1	6.4	5.1	8.8	11.3
Tochigi	9.7	6.7	6.7	7.7	7.7	8.7	10.3	16.5	11.9	10.9	7.4	12.3	13.2
Tokushima	9.8	9.1	5.9	6.6	7.8	8.6	12.8	14.9	16.9	9.3	7.5	9.9	11.7
Tokyo	8.1	6.7	8.5	9.5	8.1	8.4	9.8	11.9	8.2	5.3	4.4	7.6	9.4
Tottori	12.8	5.0	8.3	12.9	9.2	9.5	13.0	34.2	28.5	15.3	9.6	7.1	11.6
Toysama	19.3	14.0	12.2	16.3	20.1	17.1	22.9	36.4	25.2	16.8	18.2	21.1	16.3
Wakayama	10.8	3.5	10.4	10.8	14.1	9.1	10.7	25.0	14.9	6.8	7.2	9.6	12.1
Yamagata	18.0	9.9	11.0	11.5	16.0	16.6	24.0	32.3	32.8	21.1	13.8	18.8	16.8
Yamaguchi	9.2	5.1	9.1	8.9	6.5	7.1	11.0	17.4	12.6	8.8	10.0	9.2	6.6
Yamanashi	9.7	9.7	9.0	6.9	5.4	9.3	8.5	24.0	10.7	7.6	3.8	12.7	12.5

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONCENTRATED MALFORMATIONS (157)													
All Japan	1.7	1.4	1.6	1.9	1.5	1.5	1.5	1.8	1.5	1.7	1.7	1.8	2.6
All "Shio"	1.7	1.2	1.8	2.0	1.5	1.4	1.4	1.8	1.5	1.9	1.6	1.7	2.6
All "Gun"	1.7	1.4	1.6	1.9	1.6	1.5	1.5	1.7	1.6	1.7	1.7	1.9	2.6
Aichi	1.5	1.4	1.5	1.6	1.5	1.5	0.9	1.5	1.2	1.6	1.6	1.5	1.9
Akita	2.2	1.7	2.2	2.9	2.8	1.6	2.2	1.4	1.2	2.7	2.6	2.2	2.0
Aomori	1.9	1.3	1.1	2.3	1.6	1.1	2.3	2.9	1.8	1.0	2.1	2.4	3.4
Chiba	1.9	2.1	1.8	2.1	2.5	1.2	0.7	0.8	1.5	3.2	1.7	2.1	2.6
Ehime	1.6	2.0	1.2	1.2	1.6	1.9	1.6	1.2	1.4	2.1	1.5	0.7	2.9
Fukui	1.5	1.7	0.4	1.9	0.8	0.9	-	2.5	1.5	2.9	1.6	1.6	3.2
Fukushima	1.7	1.4	1.1	1.8	1.4	1.9	1.0	1.4	1.7	1.7	2.6	2.2	2.7
Fukushima	1.8	1.4	1.8	1.9	1.9	1.0	0.8	2.0	1.0	3.1	2.7	1.2	3.3
Gifu	1.2	1.6	1.1	0.8	1.8	1.2	1.1	0.5	1.2	1.0	1.9	0.5	1.6
Gumma	2.2	2.0	1.7	3.2	2.8	1.1	0.8	2.2	1.7	2.7	2.1	3.0	2.6
Hiroshima	1.6	0.9	1.8	1.6	1.7	1.2	1.2	0.6	2.7	1.6	2.2	1.6	2.7
Hokkaido	1.8	1.1	1.7	1.5	1.9	1.7	1.3	1.4	2.2	2.0	1.4	1.6	4.2
Iyogo	1.5	1.3	1.3	1.8	0.9	1.4	1.1	1.9	1.4	1.5	0.9	1.5	3.0
Ibaraki	1.9	1.6	1.6	1.6	1.6	1.5	2.0	1.5	1.4	2.3	1.7	2.6	3.3
Ishikawa	1.9	0.7	1.7	2.0	2.6	2.7	3.0	-	2.3	3.3	2.8	0.4	2.3
Iwate	1.7	1.4	2.8	2.3	1.1	1.6	0.6	3.0	1.2	1.4	0.5	1.7	2.2
Kagawa	1.6	1.4	0.6	3.1	1.4	2.4	1.2	0.7	1.8	1.1	1.1	2.2	3.1
Kagoshima	1.4	0.9	1.4	2.0	0.4	1.5	0.9	1.9	1.4	1.1	1.4	2.0	2.0
Kanagawa	1.9	1.5	1.5	1.8	2.2	1.5	1.4	2.7	1.6	1.2	1.2	3.1	3.5
Kochi	2.1	2.0	2.0	2.8	1.8	1.6	2.8	1.9	1.8	2.3	1.3	2.0	3.3

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL MALFORMATIONS (157): Cont'd													
Kumamoto	1.4	1.7	0.3	2.9	1.3	1.2	2.1	1.5	0.4	1.0	1.4	1.3	1.4
Kyoto	1.5	0.2	1.6	2.5	1.4	1.7	1.2	2.4	1.2	2.1	1.2	0.7	1.9
Mie	1.9	0.9	1.5	2.8	2.0	0.9	0.6	1.1	1.6	2.8	2.5	2.4	3.5
Miyagi	1.7	1.1	1.6	2.4	2.2	0.7	2.4	2.8	2.2	0.9	1.1	1.6	1.9
Miyazaki	1.4	1.6	1.3	1.7	1.9	0.7	2.2	2.6	1.2	1.2	0.3	1.1	0.9
Nagano	1.7	0.7	1.6	1.7	1.2	2.1	2.8	1.4	1.5	0.8	1.7	3.3	1.9
Nagasaki	1.6	1.8	2.5	1.2	0.9	1.2	1.9	1.1	0.6	2.2	1.2	2.3	2.5
Nara	1.1	0.4	2.3	0.4	1.7	1.8	0.6	2.2	0.5	0.6	0.5	1.5	1.7
Niigata	1.8	1.1	1.4	2.0	1.7	2.1	1.7	1.8	1.8	1.7	1.4	2.5	2.8
Oita	1.4	1.2	2.1	1.3	1.4	1.3	1.0	1.2	1.9	0.6	2.2	1.1	0.9
Osakaya	1.3	1.1	0.8	1.6	0.7	0.8	0.3	2.2	1.4	1.3	1.2	2.6	2.3
Oosaka	1.7	2.0	2.4	1.9	0.8	1.4	1.2	1.5	1.2	2.2	1.7	2.3	2.1
Saga	1.7	1.8	1.3	2.7	0.8	0.4	1.3	1.6	1.9	1.2	2.6	1.1	3.4
Saitama	2.4	2.0	1.7	2.4	2.0	1.8	1.9	3.4	1.8	3.2	1.9	2.5	4.8
Shiga	1.8	1.3	1.8	3.2	0.9	1.8	1.0	1.4	-	2.4	1.0	2.5	4.3
Shimane	1.8	1.9	1.3	1.7	1.1	1.8	1.5	2.7	2.1	2.4	1.6	0.9	2.9
Shizuoka	1.7	0.9	2.7	1.7	1.0	1.5	2.3	1.4	1.5	1.0	2.2	2.1	2.4
Tochigi	2.0	2.3	1.6	2.3	2.2	2.1	3.1	3.0	1.1	1.0	1.4	1.9	2.6
Tokushima	1.4	0.6	1.9	1.3	1.1	0.8	1.4	2.6	2.5	0.8	1.5	-	3.5
Tokyo	1.7	1.1	1.9	1.7	1.9	1.2	1.9	2.5	1.5	1.3	1.5	1.3	2.7
Tottori	1.2	0.8	1.0	2.1	-	2.7	3.1	0.7	0.7	0.7	1.3	1.3	0.8
Toyama	1.4	2.1	1.1	1.5	0.3	1.5	0.4	1.4	1.0	1.9	1.1	3.4	1.3
Yakayama	1.8	2.4	1.1	1.7	0.8	1.0	2.3	0.9	0.9	2.1	3.2	2.0	3.1
Yamagata	2.3	1.9	2.5	2.4	1.7	4.4	1.5	1.6	2.9	1.2	3.1	2.3	2.6
Yamaguchi	1.3	0.5	1.9	2.1	1.8	-	0.9	1.3	1.2	1.0	1.8	1.0	2.4
Yamanashi	1.3	0.9	2.0	0.4	1.3	-	1.8	1.6	1.6	1.0	0.5	2.4	2.0

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL DEBILITY (158):													
All Japan	14.1	17.2	19.9	18.1	13.2	11.8	11.6	10.6	9.8	10.0	10.7	13.1	20.5
All "Shi"	11.0	14.0	16.4	14.1	10.6	9.7	8.8	8.3	7.4	7.2	7.7	9.6	16.2
All "Gan"	15.7	18.8	21.6	20.0	14.4	12.8	13.0	11.9	11.0	11.4	12.1	14.9	22.6
Aichi	15.4	20.2	20.3	21.1	13.9	11.2	13.7	10.2	9.7	9.7	11.6	14.2	27.1
Akita	24.5	26.8	31.6	36.0	25.8	15.7	22.2	13.7	12.9	23.7	16.9	26.6	30.9
Amori	24.0	20.2	24.5	25.5	24.9	20.1	21.5	25.0	26.4	26.5	18.3	19.4	36.4
Chiba	14.9	16.0	21.0	18.9	11.6	12.6	14.2	11.4	11.6	10.8	12.3	14.8	20.3
Ehime	13.4	18.4	19.2	13.7	10.1	9.9	12.7	6.5	11.7	11.4	11.5	15.1	16.6
Fukui	21.0	24.1	35.1	23.0	27.0	14.2	15.0	15.6	15.4	13.4	14.0	17.4	32.5
Fukuoka	11.8	16.3	15.1	15.3	10.9	12.7	7.9	7.9	8.6	8.0	10.8	11.0	14.3
Gifu	17.8	23.5	26.4	24.1	14.4	11.0	12.8	13.1	11.8	9.0	11.7	18.9	30.1
Fukushima	14.7	17.5	21.1	22.2	17.6	12.7	12.4	9.2	7.2	10.9	9.3	11.7	19.4
Gumma	13.2	15.3	18.9	21.3	16.6	13.5	7.7	8.8	9.2	7.6	7.0	10.3	16.1
Hiroshima	14.0	18.0	18.2	18.6	14.7	12.5	14.0	10.0	10.8	9.5	8.1	12.1	18.4
Hokkaido	10.9	10.7	10.9	10.4	10.7	9.6	11.4	10.4	11.4	8.2	9.5	12.0	17.4
Ibogo	13.1	17.1	22.0	16.4	11.5	9.3	7.4	9.3	7.9	8.8	10.2	12.8	21.3
Ibureki	17.2	22.9	22.9	19.9	15.5	13.8	15.9	13.7	12.2	15.2	15.1	12.6	20.5
Ishikawa	16.4	15.7	22.2	20.5	16.1	16.8	11.4	16.6	11.8	9.5	15.5	14.2	25.9
Iwate	19.2	21.5	28.0	22.4	16.5	15.6	16.0	13.0	16.5	15.0	13.9	18.4	28.8
Kagawa	18.0	21.1	26.3	24.7	16.8	13.8	15.5	13.8	13.0	13.6	12.8	16.2	24.6
Kagoshima	10.8	15.9	16.7	9.0	7.7	8.3	8.3	9.7	9.1	7.2	7.2	10.5	17.1
Kanagawa	8.4	10.5	13.1	11.6	8.9	8.9	5.5	5.9	3.3	5.4	5.0	5.2	15.2
Kochi	15.5	20.3	25.0	17.2	15.1	11.7	12.4	11.4	11.5	11.8	12.6	16.5	16.0

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL DEBILITY (158) - Cont'd:													
Kumamoto	12.3	16.3	16.6	13.5	8.0	15.7	12.8	7.0	8.5	7.6	11.9	11.1	15.6
Kyoto	12.5	16.6	19.3	20.6	9.2	8.8	8.9	7.6	9.0	8.4	13.5	10.1	17.5
Mie	15.8	20.2	21.0	21.1	14.0	13.0	14.2	12.4	9.8	10.0	9.0	12.4	24.5
Miyagi	15.6	18.2	25.2	22.5	15.3	12.9	12.1	11.3	6.5	9.5	10.5	14.5	22.1
Miyazaki	11.6	16.9	16.7	11.8	8.9	10.4	11.1	8.7	8.8	10.3	7.9	10.2	13.9
Nagano	12.1	13.7	17.4	13.8	10.8	11.2	9.3	9.7	8.5	6.0	10.1	10.0	23.0
Negasaki	14.1	18.2	21.8	18.1	9.9	11.9	12.6	11.0	11.8	9.7	10.7	14.4	16.5
Nara	20.7	25.3	29.5	28.4	20.2	19.4	15.2	18.3	10.0	15.6	15.3	20.1	25.3
Niigata	13.0	12.4	19.8	16.0	12.5	10.6	11.0	12.4	9.2	8.2	11.1	14.4	18.3
Oita	15.6	22.3	22.6	20.5	12.2	13.3	10.6	13.2	10.1	12.2	12.0	14.9	18.5
Okayama	18.9	25.1	27.4	25.5	17.5	16.3	14.0	13.2	10.5	13.4	15.2	17.3	24.5
Osaka	12.6	18.5	19.2	15.2	10.3	10.2	10.7	10.1	7.1	7.2	8.6	12.3	18.5
Saga	20.4	25.3	25.5	34.3	15.9	20.8	19.1	16.1	13.5	14.6	14.4	15.9	24.7
Saitama	15.6	20.5	17.8	18.0	16.3	11.3	13.8	13.4	9.1	11.1	13.0	15.1	24.5
Shiga	17.0	23.0	24.8	20.2	15.9	13.8	12.0	17.8	12.1	10.6	9.3	17.5	20.9
Shimane	15.8	18.5	21.1	16.5	13.2	10.7	11.3	12.9	14.2	12.6	14.9	19.8	21.4
Shizuoka	11.9	14.8	18.6	16.1	10.6	9.0	9.4	9.9	8.2	7.0	9.1	8.5	18.1
Tochigi	11.2	12.6	14.4	16.3	10.8	9.1	8.7	6.3	8.2	12.4	7.7	9.0	15.6
Tokushima	18.4	23.7	29.1	23.7	17.4	11.9	10.9	13.1	12.0	12.8	14.7	16.9	26.5
Tokyo	8.6	11.2	13.1	13.2	8.4	7.3	7.4	5.2	5.0	5.3	5.0	7.3	11.9
Tottori	15.3	18.4	22.9	18.1	13.6	16.2	13.0	10.5	4.9	14.0	16.7	10.3	20.2
Toyama	15.3	20.3	19.7	24.2	13.8	11.0	8.9	11.5	9.9	9.2	10.3	19.1	21.9
Wakayama	12.1	14.4	19.8	7.7	10.8	9.6	7.4	11.4	10.2	11.5	6.4	10.4	24.7
Yamagata	21.0	21.1	27.5	28.5	27.1	15.6	13.8	16.6	15.4	11.7	14.4	23.5	23.5
Yamaguchi	13.2	13.5	18.2	14.5	8.6	13.9	14.5	9.4	9.7	9.6	11.0	13.0	26.5
Yamanashi	11.0	13.1	14.2	17.3	7.6	8.2	15.3	4.9	7.5	9.6	6.2	6.8	21.6

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PREMATURE BIRTH (159):													
All Japan	5.1	5.0	5.6	5.2	4.4	4.7	5.0	4.5	4.4	4.4	4.9	5.6	7.3
All "Shi"	4.7	4.5	4.8	4.5	4.1	4.6	4.6	4.1	4.4	4.5	4.5	5.3	6.3
All "Gun"	5.3	5.3	6.0	5.5	4.6	4.8	5.1	4.6	4.4	4.3	5.2	5.7	7.5
Aichi	5.5	4.6	6.0	5.9	4.3	4.3	5.6	4.3	5.2	4.5	6.7	6.6	9.5
Akita	7.9	9.6	9.1	10.8	9.0	7.9	8.5	4.8	4.9	4.7	10.0	6.8	5.5
Aomori	4.9	3.9	4.9	4.2	4.0	4.8	5.4	6.4	7.9	3.6	4.6	5.8	4.0
Chiba	7.8	8.8	7.9	6.1	6.3	5.5	10.0	7.6	8.3	5.3	7.5	10.3	11.1
Ehime	5.2	5.7	6.2	6.0	5.5	4.8	3.8	4.5	4.7	5.3	3.0	5.0	7.0
Fukui	6.7	6.1	6.2	10.0	5.9	5.5	5.4	7.5	3.5	4.3	6.2	6.3	14.0
Fukuoka	3.8	4.5	4.2	3.4	3.3	3.1	3.2	2.5	3.2	3.2	4.1	4.9	5.4
Fukushima	4.9	4.6	5.8	5.0	4.9	4.5	4.4	3.1	2.9	5.5	6.3	4.8	7.3
Gifu	6.5	5.5	7.3	7.4	5.3	4.7	7.5	5.8	4.0	3.7	8.0	8.4	10.7
Gumma	3.9	4.1	3.9	3.8	3.2	2.6	5.3	3.4	2.7	3.9	2.8	5.3	5.6
Hiroshima	4.3	4.5	4.9	4.3	3.7	2.5	4.9	3.7	3.1	5.4	5.2	3.8	5.2
Hokkaido	2.9	2.7	3.0	2.4	2.4	2.9	3.4	3.6	3.2	2.0	3.2	2.8	4.2
Hyogo	5.0	5.6	6.7	5.2	4.2	4.5	4.8	3.9	3.5	4.1	4.2	5.7	7.2
Ibaraki	7.6	7.1	6.9	9.1	6.1	8.3	5.4	7.3	6.0	6.8	8.5	10.0	9.9
Ishikawa	5.7	4.6	6.3	6.4	5.3	2.3	5.9	3.6	5.3	7.7	4.9	5.4	12.0
Iwate	6.5	5.7	6.8	6.8	3.8	7.3	6.6	5.9	7.1	9.3	5.2	7.8	6.7
Kagawa	6.9	5.2	6.4	5.3	6.3	6.1	8.6	7.8	7.4	6.8	7.1	6.8	10.5
Kagoshima	3.7	3.9	3.3	2.8	2.8	3.3	1.7	3.2	4.9	3.4	3.8	4.3	4.4
Kanagawa	3.6	3.7	3.0	3.1	3.4	4.3	2.9	4.0	2.5	4.2	3.8	4.7	4.6
Kochi	6.9	6.6	5.5	4.4	10.2	7.4	8.4	7.6	4.4	2.7	8.7	8.5	9.4

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PREMATURE BIRTH (159) - Cont'd.													
Kumamoto	4.4	4.6	4.2	3.2	4.1	4.0	4.7	4.1	3.7	4.1	4.6	4.8	6.9
Kyoto	5.5	4.7	6.7	5.1	4.1	5.5	5.5	3.5	5.1	4.8	3.6	6.9	10.8
Mie	6.2	5.2	6.8	7.9	3.4	9.7	5.5	4.1	7.8	4.3	4.3	8.2	7.5
Miyagi	4.9	4.3	5.3	6.2	3.2	4.7	3.2	4.1	4.1	3.5	5.7	3.3	9.8
Miyazaki	5.0	4.7	4.3	3.5	5.1	7.6	7.1	3.2	4.6	3.8	6.2	5.4	5.3
Nagano	5.1	4.1	5.7	5.2	3.7	5.4	3.3	5.9	5.3	4.3	5.4	6.5	6.5
Nagasaki	3.5	3.1	3.4	2.2	3.2	3.4	3.1	2.5	2.3	4.7	3.0	4.2	5.2
Nara	5.4	7.0	8.9	7.9	4.5	3.5	3.0	4.3	3.2	3.9	5.3	3.9	7.3
Niigata	5.3	5.5	5.7	5.1	6.7	5.0	6.8	3.1	5.3	4.0	6.1	5.6	5.2
Oita	5.6	6.8	7.5	4.7	3.3	3.2	4.7	5.0	3.8	3.0	6.1	7.6	11.3
Okayama	6.4	7.2	8.1	6.5	4.9	5.9	5.2	4.6	4.4	6.3	7.1	7.2	9.6
Oosaka	4.2	3.7	4.7	4.3	3.3	4.8	4.7	4.6	3.5	3.3	3.9	4.6	5.5
Saga	6.1	5.9	10.3	5.7	3.5	4.3	5.8	5.1	4.5	6.5	5.5	5.3	10.2
Saitama	5.3	5.7	4.2	6.0	4.8	5.0	5.2	5.1	5.6	4.4	2.9	6.4	8.6
Shiga	6.7	6.2	8.8	9.9	6.8	4.9	8.8	4.3	2.8	5.3	6.9	5.5	9.5
Shimane	6.3	7.1	8.2	6.4	4.1	7.5	7.4	5.3	5.8	6.5	3.5	4.3	8.7
Shizuoka	4.3	4.1	5.1	5.2	3.0	4.2	4.6	5.1	2.3	3.2	3.6	4.2	7.1
Tochigi	4.6	3.7	5.2	3.0	4.2	3.7	4.7	7.0	4.8	4.6	5.3	3.9	6.3
Tokushima	5.8	6.9	7.4	6.3	5.9	3.7	6.1	4.8	5.4	4.6	4.1	4.0	9.1
Tokyo	4.5	4.5	4.7	3.9	3.9	5.1	4.0	3.6	4.3	4.0	4.0	4.9	7.5
Tottori	5.5	4.2	5.8	7.7	4.9	4.1	3.8	2.8	4.2	7.3	5.1	9.6	7.0
Toyama	6.8	6.9	7.6	5.8	5.1	6.8	6.2	5.8	7.3	7.0	5.0	8.4	11.1
Wakayama	5.9	6.3	6.5	3.8	7.1	5.3	4.2	4.5	5.5	7.2	8.0	5.2	6.7
Yamagata	6.8	7.2	7.3	7.5	7.1	7.4	7.6	6.9	7.0	5.0	5.9	5.3	6.6
Yamaguchi	3.0	3.9	4.7	5.1	3.4	2.8	1.5	2.6	1.7	1.7	1.3	2.0	5.4
Yamanashi	4.1	4.1	6.5	2.2	2.7	5.7	1.8	6.0	5.9	1.5	1.4	6.8	3.2

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INJURY AT BIRTH (160): Cont'd													
Kumamoto	0.2	-	-	0.2	-	-	0.5	0.9	0.2	0.2	-	0.2	0.6
Kyoto	0.5	-	0.6	0.4	0.7	1.0	1.0	0.4	0.2	0.5	0.2	0.5	0.2
Mie	0.3	0.2	-	0.5	0.6	-	-	-	0.3	0.5	0.5	1.0	-
Miyagi	0.6	0.9	0.7	1.1	0.2	0.2	0.8	0.5	0.2	0.5	0.7	0.4	1.0
Miyazaki	0.4	0.4	-	0.3	0.3	1.0	1.9	-	-	-	0.3	-	0.6
Nagano	0.3	0.3	0.5	0.3	0.2	0.4	0.2	0.7	0.2	0.2	-	-	0.2
Nagasaki	0.3	1.6	0.6	0.2	0.2	-	-	-	0.2	0.6	-	-	-
Nara	0.5	-	0.5	-	-	1.2	1.8	0.5	1.6	-	0.5	0.5	-
Niigata	0.4	0.8	0.6	0.2	0.3	0.5	0.3	0.5	0.2	0.3	-	0.7	0.7
Oita	0.4	0.2	0.2	-	0.8	0.6	-	0.6	-	0.3	0.6	1.1	0.3
Okayama	0.5	0.2	0.2	0.6	-	1.0	1.1	0.5	0.5	0.8	0.2	0.2	0.6
Osaka	0.3	0.2	0.3	0.2	-	0.1	0.2	0.5	0.2	0.1	0.1	0.2	1.0
Saga	0.3	0.3	-	0.7	0.4	-	-	0.4	0.7	0.4	-	0.4	0.4
Seitama	0.3	-	-	0.1	0.2	0.8	0.2	-	0.9	0.5	0.2	-	0.8
Shiga	0.8	1.3	0.4	0.4	1.4	0.4	1.6	0.5	0.9	1.0	0.5	0.5	0.9
Shimane	0.5	0.8	0.3	0.7	-	0.4	0.5	0.9	-	0.8	-	0.4	1.0
Shizuoka	0.2	0.1	0.5	-	-	0.3	0.5	0.3	0.3	0.2	0.1	0.1	-
Tochigi	0.2	0.3	0.2	0.2	-	-	0.3	-	0.2	0.5	0.5	0.2	0.3
Tokushima	0.4	0.3	0.6	-	-	0.8	-	0.4	0.8	-	0.4	0.4	0.9
Tokyo	0.4	0.4	0.4	0.3	0.9	0.9	0.3	0.2	0.2	0.2	0.2	0.4	1.0
Tottori	0.7	0.4	0.5	1.0	-	0.7	-	-	1.4	2.0	-	-	3.1
Toysama	0.6	0.3	0.5	0.9	0.6	1.1	0.4	0.4	1.0	1.3	0.4	-	0.4
Wakayama	0.3	0.3	0.7	-	-	-	0.5	0.9	0.4	0.4	-	0.4	0.4
Yamagata	1.0	1.3	2.1	1.2	1.1	1.7	0.4	0.6	0.6	0.3	0.8	0.6	0.4
Yamaguchi	0.3	0.2	0.9	0.2	-	-	-	0.3	0.5	0.5	0.3	-	0.3
Yamanashi	0.3	-	-	-	-	1.0	-	0.5	1.1	-	-	0.5	1.3

See footnotes at end of table.

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INJURY AT BIRTH (160):													
All Japan	0.4	0.3	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.3	0.2	0.3	0.5
All "Shi"	0.4	0.3	0.4	0.3	0.4	0.4	0.4	0.5	0.5	0.3	0.3	0.4	0.6
All "Gun"	0.4	0.4	0.4	0.4	0.3	0.4	0.3	0.4	0.4	0.4	0.2	0.2	0.5
Aichi	0.3	0.1	0.3	0.1	0.3	0.3	0.1	0.7	0.7	0.4	0.4	0.4	0.4
Akita	0.5	0.6	0.2	1.6	0.5	-	0.7	-	0.3	-	1.1	-	0.3
Aomori	0.3	0.4	0.4	0.2	0.2	0.5	0.3	-	0.3	-	0.3	-	0.3
Chiba	0.5	0.7	0.3	0.6	0.5	0.2	0.5	0.4	0.9	0.2	0.2	0.4	1.1
Ehime	0.6	0.2	0.6	0.2	0.3	0.5	0.3	1.0	1.6	-	0.9	0.2	0.5
Fukui	0.3	-	0.4	-	0.8	0.5	-	1.0	-	-	0.5	-	0.6
Fukuoka	0.2	0.2	0.6	-	0.2	0.1	0.2	0.3	0.2	0.4	0.1	0.3	0.2
Fukushima	0.4	0.6	0.2	0.4	0.5	0.5	0.8	1.0	0.2	-	0.2	0.2	0.4
Gifu	0.3	0.3	0.7	-	0.2	0.2	0.3	0.3	0.7	-	-	0.2	0.8
Gunma	0.5	0.3	0.2	1.0	0.5	-	1.1	0.7	0.7	0.2	-	0.8	0.3
Hiroshima	0.4	0.1	0.5	0.2	0.8	0.2	0.5	0.4	0.6	0.2	-	0.6	1.0
Hokkaido	0.3	0.2	0.5	0.6	0.5	0.5	-	0.1	0.1	0.1	0.2	0.2	0.2
Iwago	0.3	0.3	0.2	0.1	0.2	0.4	0.1	-	0.5	0.6	0.1	-	0.4
Ibaraki	0.5	0.4	1.0	0.7	0.5	0.4	0.9	1.0	0.2	0.4	-	0.7	0.2
Ishikawa	0.2	-	-	-	-	0.4	-	0.4	0.4	0.4	-	0.8	0.5
Iwate	0.4	1.0	0.6	0.2	0.5	0.3	0.3	0.3	0.3	-	0.3	0.5	0.5
Yagawa	0.4	-	-	0.3	0.4	0.4	0.4	0.7	-	1.9	-	-	0.4
Kagoshima	0.3	0.1	-	-	-	0.2	0.2	0.4	0.6	1.1	0.4	-	0.4
Kanagawa	0.3	0.2	0.7	0.1	-	0.4	0.2	-	-	0.2	0.9	0.3	0.9
Kochi	0.6	0.7	0.8	0.4	0.4	1.1	-	0.5	1.3	-	0.4	0.4	0.9

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont A.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
OTHER DISEASES PECULIAR TO FIRST YEAR OF LIFE (161):													
All Japan	3.3	3.8	5.0	4.1	3.0	2.6	2.3	2.5	2.3	2.5	2.6	3.0	4.5
All "Shi"	2.6	3.0	4.0	3.1	2.3	2.0	2.0	1.9	2.0	2.3	2.4	2.3	3.4
All "Gun"	3.6	4.3	5.4	4.6	3.3	2.9	2.5	2.7	2.4	2.6	2.8	3.4	5.1
Aichi	3.4	3.9	5.1	4.1	2.2	3.2	1.7	2.5	2.5	3.3	3.4	3.8	4.4
Akita	3.5	2.8	4.4	6.8	3.9	3.6	3.7	2.4	1.2	3.3	1.4	2.5	5.0
Aomori	2.7	4.4	2.4	2.1	2.6	2.9	1.7	2.9	1.8	1.8	2.1	3.4	4.3
Chiba	5.2	6.8	7.9	6.8	4.8	4.7	4.4	3.8	3.6	4.2	3.7	3.0	7.0
Osaka	3.5	2.9	6.4	3.6	2.3	1.6	4.6	2.7	2.1	2.8	3.7	4.6	4.8
Fukui	2.4	1.7	3.1	4.5	0.8	1.8	2.7	4.0	1.5	1.9	1.0	3.7	1.9
Fukuoka	2.9	4.2	3.8	2.6	3.2	2.3	1.8	1.8	1.4	2.5	1.8	2.3	4.5
Fukushima	3.0	3.8	3.5	4.1	2.9	2.4	1.3	2.3	1.7	2.9	3.4	3.0	3.3
Gifu	3.1	3.5	5.1	3.6	2.8	3.4	2.7	2.5	1.4	2.0	2.8	2.5	4.4
Gumma	2.5	2.1	4.5	3.0	3.2	2.6	1.9	1.2	1.9	2.0	2.3	1.8	2.6
Hiroshima	3.0	4.5	4.4	3.4	2.3	1.0	2.8	1.9	2.7	1.6	3.2	2.6	5.2
Hokkaido	3.0	2.6	3.9	3.4	5.3	2.4	2.1	3.2	1.5	2.3	2.5	2.3	3.8
Hyoogo	2.9	2.4	4.6	2.9	2.6	2.5	1.6	2.5	2.2	2.8	3.0	2.4	5.1
Ibaraki	4.2	4.3	7.4	7.0	4.0	3.8	1.3	2.3	2.1	3.1	2.9	4.5	5.4
Ishikawa	3.9	5.5	9.5	5.8	2.6	0.8	3.0	2.8	3.4	2.2	1.8	1.9	4.6
Iwate	3.5	4.7	6.2	4.8	2.0	3.8	2.2	3.0	2.4	2.3	2.6	2.9	3.5
Kagawa	4.5	5.2	5.8	3.8	2.5	3.7	6.5	3.7	3.2	4.1	1.5	5.7	8.3
Kagoshima	2.8	3.1	4.6	3.8	2.6	1.3	2.4	1.1	2.4	2.6	1.8	3.2	4.0
Kanagawa	2.3	2.7	3.9	2.8	2.4	1.3	1.4	1.8	1.9	1.6	1.9	2.1	3.3
Kochi	3.3	2.7	3.1	4.4	1.3	1.6	6.2	2.9	4.0	1.8	1.7	6.0	3.8

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
OTHER DISEASES PECULIAR TO FIRST YEAR OF LIFE (161):- Cont'd.													
Kumamoto	3.4	3.9	3.7	4.0	1.7	3.7	4.3	3.0	3.3	3.3	2.8	2.9	4.5
Kyoto	3.3	4.0	4.5	5.4	3.7	2.1	0.7	1.5	1.6	2.6	2.9	3.5	5.7
Mie	4.8	4.6	6.6	6.3	3.4	1.8	3.7	3.3	3.6	4.3	6.1	4.6	6.0
Miyagi	2.9	5.7	4.0	4.9	2.2	1.8	0.8	1.8	1.4	1.6	1.5	2.6	3.6
Miyazaki	3.7	6.3	7.0	2.9	1.0	3.1	4.1	2.9	2.4	2.4	2.0	4.0	4.7
Nagano	2.5	3.2	4.1	2.8	2.2	1.7	1.4	2.4	1.8	1.7	2.1	3.3	2.2
Nagasaki	3.8	5.2	6.4	3.8	4.1	3.4	1.3	2.2	3.4	4.7	2.4	2.3	5.2
Nara	4.5	5.1	8.9	5.7	3.4	3.5	1.8	5.4	2.6	2.2	2.6	3.4	7.3
Niigata	2.4	1.6	3.5	2.6	4.3	1.7	1.6	2.1	2.3	1.6	2.0	2.8	3.3
Oita	4.2	4.6	8.7	4.7	2.4	3.2	2.3	4.4	2.5	3.6	4.4	3.4	5.3
Okayama	4.2	5.6	6.0	7.1	3.8	2.8	2.5	2.7	2.1	2.8	3.2	4.6	4.7
Osaka	2.6	3.7	3.6	2.4	2.4	2.0	1.5	1.2	2.3	2.5	2.9	2.0	3.9
Saga	4.4	5.9	6.0	7.0	3.5	1.3	2.2	2.0	3.7	3.5	1.1	4.6	9.9
Saitama	4.0	4.9	5.5	5.5	2.6	3.8	1.9	3.6	3.3	3.2	2.8	3.6	5.9
Shiga	3.9	7.4	8.0	3.6	2.3	1.3	5.2	2.9	3.3	1.5	1.5	2.0	4.7
Shimane	3.0	4.4	5.6	4.7	2.3	1.8	2.9	3.1	2.1	2.0	1.2	1.3	2.4
Shizuoka	4.0	4.0	6.7	6.4	3.5	3.1	3.0	2.5	2.3	2.1	3.3	3.4	6.1
Tochigi	2.7	2.0	4.0	2.1	1.1	3.3	2.8	2.3	3.0	2.3	2.2	3.9	4.5
Tokushima	3.5	2.5	3.7	6.0	5.5	4.1	1.9	3.5	2.9	1.2	2.6	5.1	1.7
Tokyo	2.4	2.7	3.2	4.0	1.8	2.6	1.9	2.2	2.0	1.7	1.8	1.5	2.8
Tottori	5.1	5.0	6.8	5.7	4.9	4.1	3.8	3.5	4.9	2.0	5.1	4.5	10.9
Toyama	3.1	4.0	3.0	5.0	2.6	3.0	1.6	2.2	2.0	1.6	3.9	2.3	5.6
Wakayama	3.8	4.6	5.4	4.5	5.0	4.3	3.2	2.3	2.1	3.0	2.8	2.4	4.9
Yamagata	3.5	4.9	5.7	4.0	4.6	3.4	3.6	1.6	1.2	0.9	3.4	4.7	3.3
Yamaguchi	2.9	3.7	3.5	3.7	2.3	1.7	3.0	2.6	2.2	2.2	2.6	3.2	3.0
Yamanashi	3.1	5.0	3.7	1.7	3.6	2.6	1.2	-	1.1	3.0	4.3	2.4	7.2

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195):													
All Japan	0.8	0.6	0.8	0.7	0.6	0.6	1.2	1.4	1.1	0.6	0.6	0.7	1.0
All "Shi"	0.7	0.7	0.8	0.6	0.7	0.6	0.7	0.6	0.9	0.7	0.4	0.6	1.3
All "Gun"	0.8	0.6	0.8	0.7	0.6	0.6	1.4	1.8	1.2	0.6	0.7	0.8	0.8
Aichi	0.5	0.4	0.5	0.6	-	0.6	0.1	0.3	0.3	0.5	0.6	0.7	1.3
Akita	0.7	-	1.0	0.2	0.5	0.7	1.5	0.7	0.9	0.9	0.6	1.6	0.9
Aomori	0.9	0.2	0.2	-	0.7	1.3	2.8	1.2	1.5	0.3	1.5	0.8	0.6
Chiba	0.5	0.2	0.6	0.6	0.9	0.2	1.2	0.4	0.2	0.4	0.7	0.2	0.6
Ehime	0.3	0.2	0.6	0.8	0.2	0.3	0.8	-	0.5	-	0.2	-	0.5
Fukui	14.4	1.0	0.4	0.4	0.8	-	45.1	71.2	61.9	3.4	2.6	1.6	2.5
Fukuoka	0.6	0.6	0.5	0.6	0.9	0.7	0.6	0.4	0.3	0.5	0.5	0.4	0.9
Fukushima	1.0	0.7	1.4	0.7	1.0	1.1	1.0	1.8	1.1	0.7	1.1	0.9	1.3
Gifu	0.9	0.9	1.3	1.4	0.5	0.2	0.3	1.0	0.5	0.5	0.9	1.7	1.4
Gumma	0.6	0.6	0.9	0.2	0.7	0.3	0.3	0.7	0.5	0.2	0.5	1.3	0.6
Hiroshima	0.8	0.6	0.4	1.4	0.8	0.8	0.2	0.2	0.8	0.2	0.4	1.6	2.2
Hokkaido	0.9	0.6	1.0	0.6	0.6	0.8	1.1	1.0	0.9	0.4	1.1	1.3	1.1
Hyogo	0.6	1.1	0.7	0.6	0.9	0.4	0.5	0.1	0.5	0.3	0.3	0.8	1.2
Ibaraki	0.5	0.2	0.3	0.4	0.7	-	1.6	-	0.2	0.2	0.4	0.6	1.4
Ishikawa	0.9	0.2	1.2	1.2	0.7	1.2	0.8	1.6	1.5	0.4	-	1.1	0.9
Iwate	1.5	0.6	1.1	1.1	0.5	1.1	0.9	1.8	1.5	7.6	1.0	1.0	0.5
Yagawa	0.9	0.8	1.2	0.3	1.4	1.6	1.2	0.7	1.1	0.8	0.4	0.4	0.4
Kagoshima	1.0	0.7	0.4	0.8	0.6	1.1	1.9	1.7	1.2	0.9	1.6	1.1	0.4
Kanagawa	0.5	0.4	1.1	0.6	0.9	0.2	-	0.5	0.4	0.2	0.2	0.3	0.7
Kochi	0.5	0.3	0.4	-	-	1.1	0.6	1.0	0.4	0.9	1.7	-	-

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195) - Cont'd:													
Kumamoto	0.6	0.7	0.5	0.6	0.2	0.7	0.5	0.6	0.8	0.2	0.2	0.9	0.8
Kyoto	1.0	0.5	1.8	1.0	0.9	0.7	-	0.2	1.2	0.2	0.7	0.7	4.5
Mie	0.4	0.2	0.7	-	0.8	0.5	0.3	-	0.5	-	0.7	0.7	0.9
Miyagi	0.8	0.6	0.5	0.4	0.6	0.7	1.0	1.0	1.0	1.4	0.7	0.6	1.4
Miyazaki	0.6	-	1.6	0.6	0.3	-	1.5	1.0	0.3	-	0.8	0.8	0.9
Nagano	0.6	1.1	0.5	0.9	0.4	0.4	0.2	0.7	0.4	0.4	0.4	0.6	0.2
Nagasaki	0.6	0.5	0.8	0.2	1.1	0.5	1.1	0.2	-	1.8	0.2	0.2	0.4
Nara	0.5	0.4	0.9	0.4	-	1.2	0.6	1.1	-	-	1.1	-	0.6
Niigata	0.6	0.6	0.9	0.9	0.9	0.2	0.3	1.0	0.5	0.6	0.9	0.5	0.4
Oita	0.7	0.6	0.9	0.3	0.8	1.0	1.0	1.2	0.5	0.6	0.3	0.6	0.9
Okayama	0.8	2.0	1.1	1.0	0.7	0.3	0.5	0.5	0.2	0.3	1.0	1.4	-
Oosaka	0.5	0.8	0.4	0.4	0.3	0.9	0.8	0.3	0.2	0.3	0.1	0.4	0.8
Saga	0.7	0.5	1.3	1.0	-	0.9	-	-	0.4	2.7	0.4	0.4	0.4
Seitama	0.4	0.1	0.8	0.4	0.4	-	0.6	0.4	0.2	0.5	0.7	0.3	0.8
Shiga	0.7	1.6	-	1.1	0.5	0.9	1.0	1.4	0.9	-	1.0	-	-
Shimane	1.1	0.8	1.3	1.4	0.8	-	1.5	1.3	0.4	0.4	0.8	0.4	5.3
Shizuoka	0.4	0.5	0.7	0.3	0.7	0.2	0.5	0.6	-	0.5	0.1	0.1	0.2
Tochigi	0.3	0.5	0.5	0.2	-	-	-	0.3	0.2	0.3	0.2	0.9	0.5
Tokushima	0.8	0.8	0.6	0.9	1.5	0.8	1.4	0.9	2.1	-	-	0.7	0.4
Tokyo	0.7	0.7	1.2	1.1	0.7	0.3	0.6	0.5	0.3	0.4	0.6	0.5	1.2
Tottori	0.4	-	0.5	0.5	-	-	0.8	0.7	-	-	-	1.3	1.6
Toyama	0.9	1.3	1.4	1.7	0.3	0.4	0.8	1.4	-	0.3	1.8	1.1	0.4
Wekeyama	0.5	0.3	1.1	1.0	-	1.4	-	0.9	0.4	-	0.4	-	-
Yamagata	1.0	0.6	1.1	1.9	1.1	0.3	0.7	0.9	0.3	0.6	0.3	1.5	2.2
Yamaguchi	0.7	0.9	0.5	0.2	0.8	2.0	1.2	1.0	0.5	0.2	0.8	-	1.2
Yamanashi	0.7	0.3	-	0.4	0.9	0.5	-	1.6	-	1.5	0.5	2.0	0.7

See footnotes on next page.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

FOOTNOTES:

Data refer to infant deaths (deaths under 1 year of age) of Japanese nationals in Japan Proper.

A dash (-) indicates that no infant deaths were reported and that the infant death rate was zero.

A rate of 0.0 indicates that there were some deaths but that the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 79. - STILLBIRTHS BY MONTH BY PREFECTURE; JAPAN, 1948

Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	144,095	12,286	12,171	12,427	11,304	11,402	10,400	11,139	11,852	12,479	12,915	12,273	13,447
All "Shi"	60,052	4,605	4,722	4,884	4,534	4,765	4,421	4,768	5,117	5,572	5,739	5,302	5,623
All "Gun"	84,043	7,681	7,449	7,543	6,770	6,637	5,979	6,371	6,735	6,907	7,176	6,971	7,824
Aichi	5,539	438	435	418	406	480	439	448	456	464	519	476	560
Akita	2,550	246	255	233	199	169	177	177	208	187	214	233	252
Aomori	2,103	178	183	212	182	182	173	151	149	153	156	182	202
Chiba	3,490	317	298	294	292	276	248	279	294	282	328	280	302
Ehime	2,608	203	190	242	204	185	198	228	214	266	223	194	261
Fukui	1,306	115	118	120	106	101	98	95	97	113	120	110	113
Fukuoka	6,534	504	498	508	466	527	435	531	538	649	664	580	634
Fukushima	3,687	305	300	351	327	323	230	291	248	292	257	361	402
Gifu	2,432	206	196	201	208	212	184	178	199	214	195	215	224
Gunma	3,168	264	272	290	235	258	216	236	265	262	298	280	292
Hiroshima	3,299	290	275	281	296	266	245	259	289	313	264	232	289
Hokkaido	6,931	546	641	626	574	505	539	502	561	577	629	584	647
Ibigo	6,011	529	488	508	481	473	448	477	453	560	537	498	559
Ibaraki	3,942	366	376	363	333	304	265	299	293	344	309	346	344
Ichikawa	1,486	134	140	126	110	101	99	91	119	122	129	170	145
Iwate	2,627	259	232	247	220	225	191	180	209	189	208	205	262
Kagawa	1,954	169	160	182	152	149	134	142	159	177	193	152	185
Kagoshima	3,073	295	257	228	230	211	204	249	254	285	282	256	322
Kanagawa	3,894	324	309	368	292	300	293	316	336	300	335	332	329
Koshi	1,269	106	110	111	94	135	94	122	112	103	106	96	100

TABLE 79. - STILLBIRTHS BY MONTH BY PREFECTURE, JAPAN, 1948 - Cont'd.

Area	Total Stillbirths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	3,206	276	241	259	229	238	232	263	262	309	319	282	296
Kyoto	2,923	241	242	245	221	233	209	228	229	242	291	271	271
Mie	2,324	206	188	196	181	160	166	170	192	213	231	212	209
Miyagi	3,288	274	280	293	241	253	221	246	239	281	310	320	330
Miyazaki	2,087	211	163	166	153	147	133	139	188	200	193	193	201
Nagano	3,878	355	349	338	279	316	270	291	342	339	348	283	368
Nagasaki	2,902	263	237	228	193	231	216	219	235	263	294	260	263
Nara	1,274	99	90	110	119	105	109	94	125	102	113	93	115
Niigata	4,569	360	422	440	384	351	301	342	346	349	423	445	406
Oita	2,532	197	243	200	186	199	179	199	210	229	231	199	260
Okayama	3,424	268	279	300	257	258	246	273	312	301	328	273	329
Osaka	6,565	526	535	534	485	535	527	548	590	579	619	570	517
Saga	1,518	114	117	111	115	122	107	88	142	152	158	145	147
Saitama	3,918	319	379	313	371	319	268	317	308	295	338	346	345
Shiga	1,433	118	109	142	119	110	114	95	131	135	116	102	142
Shimane	1,990	173	159	192	153	139	146	153	178	207	167	142	181
Shizuoka	4,515	356	405	381	379	409	302	333	381	378	437	370	384
Tochigi	2,787	275	250	265	212	193	209	227	247	220	228	221	240
Tokushima	1,940	193	148	166	171	139	140	144	157	170	171	160	181
Tokyo	8,636	716	712	698	694	697	656	722	721	774	729	760	757
Tottori	1,238	128	117	111	100	95	83	94	88	108	104	95	115
Toyama	1,450	140	107	139	96	110	104	109	102	138	133	128	144
Wakayama	1,572	128	111	118	118	134	114	126	138	145	147	136	155
Yamagata	2,123	204	174	213	162	186	152	169	162	175	175	202	202
Yamaguchi	2,650	199	243	225	188	224	182	189	256	210	222	200	312
Yamanashi	1,490	153	138	133	91	117	104	123	117	126	124	111	153

Data refer to vital events of Japanese nationals in Japan Proper.

Sources were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 80. - STILLBIRTH RATES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	53.2	39.0	46.7	48.3	50.4	56.6	55.4	54.2	55.1	58.0	59.2	55.9	70.6
All "Shi"	67.0	44.5	57.1	59.6	63.2	72.7	68.5	66.2	69.1	77.0	79.9	73.5	88.6
All "Gun"	46.3	36.4	41.9	43.0	44.4	48.8	46.5	47.7	47.7	48.4	49.1	47.3	61.6
Aichi	49.9	32.3	41.5	44.0	44.5	61.9	56.7	50.4	49.8	50.9	58.3	52.2	74.1
Akita	57.9	52.3	51.3	51.1	51.4	55.4	65.4	60.6	63.9	55.3	61.1	63.8	73.4
Aomori	44.7	39.0	40.7	45.0	42.7	48.1	48.9	43.8	43.7	39.4	40.2	47.6	61.5
Chiba	51.8	38.2	45.3	44.5	51.4	56.2	57.6	55.2	55.2	53.2	61.3	52.6	64.5
Ehime	48.7	34.2	39.2	48.2	46.8	49.7	53.3	57.0	50.2	61.7	48.2	42.6	62.9
Fukui	50.0	39.0	46.1	44.5	44.8	46.2	52.6	47.7	48.0	54.1	62.4	58.1	72.0
Fukuoka	54.7	36.1	48.0	48.9	49.9	59.9	50.0	54.3	53.8	65.3	69.2	57.1	68.4
Fukushima	51.2	37.9	46.0	47.8	51.8	51.5	43.9	47.2	47.2	53.2	46.0	64.2	77.3
Gifu	45.6	32.3	36.0	40.0	47.7	51.9	49.1	44.9	46.8	52.3	45.8	52.8	61.3
Gumma	60.4	40.1	50.9	57.3	54.2	68.1	57.3	57.9	64.5	64.0	77.1	70.6	85.6
Hiroshima	52.9	37.4	48.2	49.8	57.2	55.4	57.1	53.7	55.7	63.1	53.2	46.0	71.7
Hokkaido	44.8	30.8	43.3	39.9	42.7	41.4	47.6	45.9	47.9	45.5	50.0	48.9	66.5
Hyogo	58.1	46.6	50.7	47.6	56.0	58.8	59.4	55.9	52.4	70.1	68.2	63.0	83.3
Ibaraki	56.3	44.6	53.8	53.9	58.1	57.7	52.2	62.1	56.6	70.9	60.0	64.2	71.1
Ishikawa	43.1	32.3	40.3	36.4	36.2	39.4	44.9	36.8	45.2	44.6	45.6	65.1	67.1
Iwate	55.5	53.1	49.5	55.9	49.6	60.7	59.8	53.2	61.7	53.4	53.7	50.3	70.5
Kagawa	57.5	46.4	46.3	56.9	53.3	60.5	54.8	52.8	55.9	66.7	72.5	54.6	81.1
Kagoshima	48.2	38.5	45.2	45.6	42.4	46.1	48.1	53.6	50.1	53.6	51.0	45.4	64.8
Kanagawa	52.0	33.2	41.8	51.2	50.2	56.6	57.0	57.0	59.2	57.7	52.5	57.9	71.3
Kochi	46.9	35.2	43.0	44.4	41.9	71.6	52.8	58.0	49.4	46.7	46.0	38.7	47.2

TABLE 80. - STILLBIRTH RATES BY MONTH BY PREFECTURE:
JAPAN, 1948
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	52.3	38.2	42.2	49.3	49.6	55.6	54.8	56.1	54.1	63.8	63.4	50.5	60.0
Kyoto	53.4	38.7	47.8	47.6	50.7	55.6	51.9	49.4	52.9	57.7	70.8	62.4	64.8
Mie	49.0	37.9	41.1	45.4	50.8	48.5	51.1	46.8	49.7	53.4	58.6	51.4	60.2
Miyagi	58.0	42.3	50.7	53.2	47.9	58.2	58.0	63.4	57.6	65.0	67.6	65.2	79.3
Miyazaki	50.6	42.9	43.9	47.8	48.5	51.1	49.4	44.7	57.1	58.9	54.6	51.8	59.6
Nagano	64.0	50.1	60.2	58.5	56.6	65.7	64.1	68.6	75.0	70.0	66.5	57.5	88.0
Nagasaki	50.1	42.7	44.9	45.4	44.3	56.3	57.9	49.2	49.4	53.3	59.2	49.1	54.3
Nara	54.1	36.3	42.2	48.0	66.7	61.7	66.2	50.6	66.0	57.0	54.6	45.7	64.8
Niigata	55.4	40.2	52.4	49.9	54.6	53.2	52.6	55.7	52.9	49.2	61.1	73.8	88.3
Oita	57.6	39.3	57.1	52.0	50.4	64.3	59.5	58.6	57.6	63.3	64.2	55.8	81.4
Okayama	64.7	41.7	52.7	58.8	56.8	65.8	67.5	66.8	72.8	76.0	80.5	65.8	95.9
Osaka	58.0	44.7	53.6	48.0	52.8	65.9	63.3	58.1	62.4	64.5	68.7	62.5	59.3
Saga	46.0	29.4	38.7	37.0	44.7	52.9	47.5	34.5	53.2	58.3	58.4	51.4	55.8
Saitama	55.3	46.4	49.6	46.6	67.8	63.4	57.6	59.8	53.9	52.0	58.6	60.1	66.1
Shiga	52.2	38.2	39.8	50.4	53.9	48.8	59.3	45.7	60.9	65.3	57.0	50.9	67.3
Shimane	65.0	47.1	52.5	64.8	57.6	61.7	71.7	68.0	74.3	84.2	65.7	61.1	87.9
Shizuoka	54.0	33.1	50.6	49.4	53.4	69.5	53.8	53.0	57.9	60.5	65.2	54.2	64.8
Tochigi	51.2	41.9	45.1	48.8	46.9	45.2	58.4	56.8	56.4	55.8	54.7	51.3	63.3
Tokushima	60.2	53.1	45.8	52.5	63.2	57.2	66.2	63.1	64.8	65.8	64.5	58.8	78.7
Tokyo	52.4	34.4	43.8	45.0	52.9	57.9	57.4	55.9	54.6	60.8	55.7	58.6	70.5
Tottori	61.9	49.0	57.0	57.3	54.3	64.2	63.4	65.6	61.2	71.9	66.6	61.1	89.1
Toyama	40.3	36.9	28.9	40.5	30.7	41.8	40.4	39.3	33.8	43.6	47.4	49.0	61.7
Wakayama	52.2	34.8	40.0	41.8	49.1	64.4	52.9	57.3	58.8	61.6	58.8	54.2	69.5
Yamagata	50.2	43.0	39.8	50.1	46.2	63.0	55.4	48.9	47.2	47.5	49.5	51.1	74.3
Yamaguchi	55.0	35.3	56.8	52.5	48.8	63.8	54.0	49.2	61.9	51.6	57.0	49.8	93.8
Yamanashi	59.3	47.9	56.2	57.4	40.6	60.3	63.5	67.0	62.5	64.0	59.1	54.1	100.3

Data refer to vital events of Japanese nationals in Japan Proper.

Sources: Rates were computed by Public Health and Welfare Section, CHQ, SOAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 81. - MARRIAGES BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Total Marriages	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	966,275	70,909	94,967	106,775	102,887	95,167	71,542	68,821	69,784	64,634	64,933	69,730	86,126
All "Shis"	311,193	22,596	28,076	30,524	30,525	30,175	26,408	23,490	21,946	21,489	22,419	25,333	28,212
All "Guns"	649,082	48,313	66,891	76,251	72,362	64,992	45,134	45,331	41,838	43,145	42,514	44,397	57,914
Aichi	37,244	2,991	3,395	3,832	3,645	3,596	2,715	2,814	2,661	2,693	2,941	2,903	3,058
Akita	14,983	972	1,197	1,691	1,450	1,435	1,217	1,219	971	972	925	1,178	1,756
Aomori	14,565	1,141	1,323	1,653	1,387	1,166	1,096	1,076	906	1,118	1,011	1,157	1,531
Chiba	22,615	1,389	2,370	2,689	2,601	2,081	1,525	1,844	1,369	1,508	1,528	1,533	2,178
Ehime	19,048	1,568	1,822	2,125	1,894	1,766	1,318	1,376	1,340	1,330	1,396	1,419	1,694
Fukui	9,468	548	936	1,198	1,194	1,005	782	543	557	613	656	613	823
Fukuoka	42,808	3,230	4,249	4,499	4,201	4,046	3,312	3,167	3,038	3,345	3,116	3,069	3,536
Fukushima	25,331	1,873	2,341	3,038	3,099	2,693	1,807	1,704	1,480	1,570	1,536	1,709	2,481
Gifu	19,036	1,009	2,011	2,202	1,944	2,011	1,350	1,423	1,359	1,377	1,363	1,426	1,561
Gunma	18,004	1,197	2,016	2,079	2,580	2,281	1,253	1,072	1,069	973	975	1,039	1,470
Hiroshima	26,266	2,081	2,571	2,718	2,585	2,480	1,882	2,063	1,944	1,966	1,815	1,992	2,169
Hokkaido	45,793	3,527	4,351	4,667	4,696	3,918	3,688	3,425	3,122	3,046	3,158	3,691	4,504
Hyogo	36,731	3,064	3,450	3,976	3,558	3,541	2,590	2,767	2,491	2,626	2,697	2,811	3,160
Ibaraki	23,413	1,773	2,305	2,706	2,557	2,576	1,596	1,560	1,498	1,627	1,551	1,689	2,175
Ishikawa	11,670	808	1,306	1,348	1,225	997	862	779	865	789	761	837	1,093
Iwate	15,188	1,229	1,569	1,726	1,659	1,991	1,207	1,134	933	925	835	1,132	1,448
Kagawa	13,549	1,209	1,356	1,567	1,357	1,228	945	984	972	971	910	939	1,091
Kagoshima	22,786	2,074	2,408	2,511	2,430	1,918	1,548	1,583	1,578	1,647	1,559	1,543	1,967
Kanagawa	24,190	1,706	2,424	2,487	2,687	2,696	1,908	1,659	1,463	1,378	1,582	1,893	2,907
Kochi	11,220	906	1,205	1,253	1,139	933	760	840	844	847	762	814	917

TABLE 81. - MARRIAGES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Area	Total Marriages	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	22,860	1,482	2,287	2,805	2,681	2,401	1,731	1,643	1,606	1,549	1,404	1,439	1,832
Kyoto	19,766	1,357	2,145	2,221	1,973	1,938	1,567	1,451	1,266	1,360	1,344	1,507	1,637
Mie	17,478	1,121	1,805	2,212	1,853	1,678	1,194	1,217	1,217	1,235	1,279	1,234	1,394
Miyagi	19,691	1,655	1,651	2,227	2,068	1,908	1,551	1,378	1,248	1,237	1,439	1,339	1,970
Miyazaki	14,251	1,306	1,412	1,609	1,488	1,208	950	1,100	951	1,066	1,013	966	1,182
Nagano	23,351	1,486	2,357	2,594	3,057	2,988	1,876	1,360	1,273	1,099	1,357	1,361	2,543
Nagasaki	21,058	1,710	1,875	2,239	2,107	2,107	1,614	1,614	1,496	1,563	1,478	1,414	1,754
Nara	10,210	764	981	1,154	1,046	980	702	782	673	776	753	766	893
Niigata	29,340	2,523	2,941	3,236	3,734	3,311	2,143	1,912	1,651	1,615	1,422	1,746	3,106
Oita	16,395	1,023	1,611	2,054	1,807	1,651	1,137	1,175	1,172	1,228	1,165	1,006	1,366
Okayama	21,463	1,647	2,078	2,409	2,059	1,978	1,496	1,627	1,626	1,563	1,520	1,764	1,696
Osaka	41,248	2,833	3,870	4,502	3,974	3,778	3,334	3,204	2,964	2,958	3,164	3,268	3,399
Saga	12,662	1,036	1,270	1,446	1,404	1,207	884	980	836	866	816	867	1,050
Saitama	23,220	1,687	2,892	2,704	2,664	2,681	1,522	1,537	1,261	1,390	1,454	1,460	1,968
Shiga	10,571	767	1,220	1,388	1,268	1,108	555	668	642	667	711	649	828
Shimane	11,407	813	1,068	1,378	1,138	1,119	782	841	776	802	781	880	1,029
Shizuoka	27,592	1,832	3,157	3,274	3,216	2,932	2,027	1,713	1,700	1,426	1,968	2,101	2,246
Tochigi	18,672	1,555	1,913	2,160	1,950	1,849	1,257	1,244	1,145	1,312	1,225	1,373	1,689
Tokushima	11,983	1,028	1,288	1,436	1,299	1,127	753	790	793	899	792	846	992
Tokyo	56,810	3,881	5,227	5,015	5,860	5,997	5,259	4,426	3,986	3,678	3,859	4,788	5,134
Tottori	7,711	614	795	1,020	842	800	507	535	501	463	486	509	639
Toyama	11,654	957	1,189	1,290	1,228	1,022	858	775	800	858	763	767	1,147
Wakayama	12,371	887	1,173	1,384	1,286	1,157	897	938	830	934	1,016	1,014	1,055
Yamagata	16,665	875	1,313	1,688	1,990	1,810	1,375	1,207	993	933	938	1,328	2,215
Yamaguchi	18,962	1,162	1,963	2,180	1,900	1,857	1,413	1,463	1,374	1,385	1,270	1,310	1,685
Yamanashi	8,776	613	841	1,165	1,078	1,017	639	510	544	511	519	541	798

Data refer to marriages in Japan Proper and include all marriages in which either husband or wife was a Japanese national.
Sources were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 82. - MARRIAGE RATES BY MONTH BY PREFECTURE; JAPAN, 1948
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	12.0	10.4	14.9	15.7	15.7	14.0	10.9	10.1	9.4	9.8	9.6	10.6	12.7
All "Shi"	11.2	9.6	12.8	13.0	13.4	12.9	11.6	10.0	9.4	9.5	9.6	11.2	12.0
All "Gns"	12.4	10.9	16.1	17.2	16.8	14.6	10.5	10.2	9.4	10.0	9.6	10.3	13.0
Aichi	11.5	10.9	13.3	14.0	13.8	13.2	10.3	10.3	9.7	10.2	10.8	11.0	11.2
Akita	11.7	8.9	11.8	15.6	13.8	13.2	11.6	11.2	8.9	9.2	8.5	11.2	16.2
Asanori	12.0	11.1	13.7	16.0	13.9	11.3	11.0	10.4	8.8	11.2	9.8	11.6	14.8
Chiba	10.6	7.7	14.0	14.8	14.8	11.5	8.7	10.2	7.6	8.6	8.4	8.7	12.0
Ehime	12.9	12.5	15.5	16.9	15.6	14.1	10.9	11.0	10.7	11.0	11.1	11.7	13.5
Fuku	12.9	8.4	16.1	19.3	19.9	16.2	13.0	8.7	9.0	10.2	10.6	10.2	13.3
Fukuoka	12.9	11.5	16.2	16.0	15.5	14.4	12.2	11.3	10.8	12.3	11.1	11.3	12.6
Fukushima	12.5	10.9	14.6	17.7	18.7	15.7	10.9	9.9	8.6	9.5	9.0	10.3	14.5
Gifu	12.5	7.8	16.7	17.1	15.6	15.6	10.8	11.0	10.5	11.0	10.6	11.4	12.1
Gumma	11.2	8.8	15.8	15.3	19.6	16.7	9.5	7.9	7.8	7.4	7.2	7.9	10.8
Hiroshima	12.8	12.0	15.9	15.7	15.4	14.3	11.2	11.9	11.2	11.7	10.5	11.9	12.5
Hokkaido	11.4	10.3	13.7	13.7	14.3	11.5	11.2	10.1	9.2	9.2	9.3	11.2	13.2
Iyogo	11.6	11.4	13.8	14.9	13.8	13.2	10.0	10.4	9.3	10.2	10.1	10.9	11.8
Ibaraki	11.5	10.2	14.2	15.6	15.3	13.7	9.5	9.0	8.7	9.7	9.0	10.1	12.6
Ishikawa	12.4	10.1	17.5	16.9	15.9	12.5	11.2	9.8	10.8	10.2	9.5	10.8	13.7
Iwate	11.7	11.2	15.3	15.7	15.6	12.7	11.4	10.3	8.5	8.7	7.6	10.7	13.2
Kagawa	14.5	15.3	18.3	20.1	17.7	15.5	12.3	12.4	12.3	12.7	11.5	12.3	13.8
Kagoshima	12.9	13.9	17.2	16.8	16.8	12.8	10.7	10.6	10.5	11.4	10.4	10.7	13.3
Kanagawa	10.4	8.6	13.2	12.7	14.1	13.7	10.0	8.5	7.5	7.3	8.1	10.0	11.8
Kochi	13.0	12.4	17.6	17.1	16.0	12.7	10.7	11.5	11.5	11.9	10.4	11.5	12.5

TABLE 82. - MARRIAGE RATES BY MONTH BY PREFECTURE, JAPAN, 1948
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kanamoto	12.8	9.8	16.2	18.5	18.3	15.9	11.8	10.9	10.6	10.6	9.3	9.8	12.1
Kyoto	11.1	9.0	15.2	14.7	13.5	12.8	10.7	9.6	8.4	9.3	8.9	10.3	10.8
Mie	12.0	9.1	16.0	18.0	15.6	13.7	10.0	9.9	9.9	10.4	10.4	10.4	11.3
Miyagi	12.3	12.2	13.1	16.5	15.8	14.1	11.9	10.2	9.2	9.5	10.1	11.0	14.6
Miyazaki	13.5	14.6	16.9	18.1	17.3	13.6	11.0	12.3	10.7	12.4	11.4	11.2	13.3
Nagano	11.2	8.4	14.3	14.7	17.9	17.0	11.0	7.7	7.2	6.4	7.7	8.0	14.4
Nagasaki	13.5	12.8	15.1	16.9	16.7	15.9	13.0	12.2	11.3	12.2	11.2	11.0	13.2
Nara	15.1	11.6	15.9	17.5	16.4	14.9	11.0	11.9	10.2	12.2	11.4	12.0	12.6
Niigata	12.0	12.2	15.2	15.7	18.7	16.1	10.7	9.3	8.0	8.1	6.9	8.7	15.1
Oita	13.2	9.7	16.3	19.5	17.7	15.7	11.1	11.1	11.1	12.0	11.0	9.9	13.0
Okayama	13.0	11.8	15.9	17.2	15.2	14.2	11.1	11.6	11.6	11.6	10.9	13.0	12.1
Osaka	11.7	9.5	13.9	15.1	13.8	12.7	11.6	10.8	10.0	10.3	10.6	11.3	11.4
Saga	13.6	13.1	17.2	18.3	16.4	15.3	11.6	12.4	10.6	11.3	10.3	11.4	13.3
Saitama	10.9	9.3	17.1	15.0	15.2	14.8	8.7	8.5	7.0	8.0	8.1	8.4	10.9
Shiga	12.1	10.4	17.6	18.8	17.7	15.0	9.2	9.0	8.7	9.3	9.6	9.1	11.2
Shimane	12.6	10.6	14.9	18.0	15.4	14.6	10.6	11.0	10.1	10.8	10.2	11.9	13.5
Shizuoka	11.5	9.0	16.6	16.1	16.3	14.4	10.3	8.4	8.3	7.2	9.7	10.6	11.0
Tochigi	12.0	11.8	15.5	16.4	15.3	14.0	9.8	9.4	8.7	10.3	9.3	10.8	12.8
Tokushima	13.8	14.0	18.7	19.5	18.2	15.3	10.6	10.7	10.8	11.8	10.8	11.9	13.5
Tokyo	10.5	8.4	12.2	10.9	13.2	13.1	11.8	9.0	8.7	8.3	8.4	10.8	11.2
Tottori	13.0	12.2	16.9	20.3	17.3	15.9	10.4	10.7	10.0	9.5	9.7	10.5	12.7
Toyama	11.7	11.3	15.0	15.3	15.0	12.1	10.5	9.2	9.5	10.5	9.0	9.4	13.6
Wakayama	12.8	10.7	15.1	16.7	16.0	13.9	11.2	11.3	10.0	11.6	12.2	12.6	12.7
Yamagata	12.4	7.7	12.3	14.8	18.0	15.9	12.5	10.6	8.7	8.5	8.2	12.0	19.4
Yamaguchi	12.6	9.1	16.5	17.1	15.4	14.6	11.5	10.8	10.8	11.2	10.0	10.6	13.2
Yamashiro	10.8	8.9	13.0	16.9	16.1	14.7	9.6	7.4	7.9	7.6	7.5	8.1	11.6

Data refer to marriages in Japan Proper and include all marriages in which either the husband or wife was a Japanese national.
Sources: Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 83. - DIVORCES BY MONTH BY PREFECTURE, JAPAN, 1948

Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	79,415	3,801	6,265	7,612	7,311	7,449	6,057	6,415	6,780	7,410	6,724	6,552	7,329
All "Shi"	28,755	1,415	2,172	2,530	2,531	2,794	2,419	2,327	2,410	2,523	2,538	2,405	2,591
All "Guns"	50,660	2,386	4,093	5,082	4,780	4,655	3,638	4,088	4,370	4,787	4,186	3,847	4,738
Aichi	2,436	117	177	234	239	242	177	186	191	235	229	212	197
Akita	2,028	97	129	200	204	178	175	181	169	182	161	163	189
Aomori	1,403	61	105	132	112	124	138	121	111	137	112	132	118
Chiba	1,598	69	130	167	158	138	111	134	125	136	133	128	169
Ehime	1,780	77	119	171	184	177	137	137	144	176	148	134	156
Fukui	891	37	86	118	96	81	72	42	54	85	58	68	94
Fukuoka	3,653	208	318	302	337	382	279	287	284	324	337	286	309
Fukushima	2,614	109	129	245	198	241	169	162	161	206	190	177	227
Gifu	1,317	29	119	140	114	122	93	114	109	139	120	101	128
Gumma	1,375	56	136	130	134	141	95	86	113	118	117	102	147
Hiroshima	2,503	169	201	226	215	211	201	216	210	244	225	164	221
Hokkaido	3,603	140	284	347	325	329	273	328	310	280	311	327	349
Hyogo	2,977	166	232	293	263	291	245	247	258	278	273	195	236
Ibureki	1,329	44	104	119	134	136	106	103	102	130	115	94	142
Ishikawa	1,224	53	117	122	122	90	94	113	110	111	81	100	111
Iwate	1,590	81	119	163	151	140	121	137	129	133	120	151	145
Kagawa	1,090	78	86	112	71	86	73	93	115	100	105	72	99
Kanagawa	1,771	120	151	152	170	121	132	136	200	155	150	129	155
Kanagawa	1,874	78	141	164	168	205	147	152	167	174	157	150	171
Kochi	1,175	61	92	92	108	94	98	89	114	122	108	73	124

TABLE 83. - DIVORCES BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	1,906	75	190	207	191	175	125	155	163	204	134	118	169
Kyoto	1,629	64	141	174	137	132	128	118	141	155	159	124	156
Mie	1,248	43	94	132	107	120	99	88	114	132	114	94	106
Miyagi	1,417	81	96	135	115	162	91	113	119	127	112	128	138
Miyazaki	1,101	60	104	116	93	108	72	84	97	103	86	82	96
Nagano	1,596	68	129	167	149	152	123	136	136	128	126	128	150
Nagasaki	1,989	128	177	198	173	190	144	167	166	186	146	149	165
Nara	774	48	63	72	68	69	47	60	52	88	61	61	85
Niigata	2,929	118	198	274	274	246	234	298	271	296	253	239	268
Oita	1,267	43	89	157	122	124	89	100	109	126	99	88	121
Okayama	1,684	83	132	189	146	146	121	127	136	164	158	130	152
Osaka	3,456	143	242	319	334	367	298	286	274	353	268	266	266
Saga	1,020	62	86	92	90	73	79	81	94	91	86	71	115
Saitama	1,491	58	111	125	140	157	96	111	130	136	125	137	163
Shiga	729	34	70	72	69	83	45	75	61	58	49	51	62
Shimane	1,019	53	105	104	101	95	60	87	95	86	68	85	80
Shizuoka	2,339	103	206	203	220	207	164	192	236	192	223	185	208
Tochigi	1,261	81	86	132	106	116	80	90	115	144	94	85	132
Tokushima	867	55	84	84	84	82	51	68	63	77	86	75	72
Tokyo	4,733	222	335	320	435	476	443	369	379	410	462	441	441
Tottori	705	40	46	64	68	60	52	55	72	58	64	56	70
Toynaa	1,392	71	116	149	140	115	100	98	131	123	100	124	125
Wakayama	1,091	49	70	103	101	111	82	100	95	124	72	71	113
Yamagata	1,642	69	135	168	149	130	135	139	145	162	116	127	173
Yamaguchi	1,694	74	160	174	134	156	137	125	145	168	138	120	163
Yamanashi	605	26	39	53	62	68	36	62	58	52	55	39	55

FOOTNOTES: Data refer to divorces in Japan Proper and include all divorces in which either the husband or wife was a Japanese national.

SOURCES: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 84. - DIVORCE RATES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.0	0.6	1.0	1.1	1.1	1.1	0.9	0.9	1.0	1.1	1.0	1.0	1.1
All "Shi"	1.0	0.6	1.0	1.1	1.1	1.2	1.1	1.0	1.0	1.2	1.1	1.1	1.1
All "Gun"	1.0	0.5	1.0	1.1	1.1	1.0	0.8	0.9	1.0	1.1	0.9	0.9	1.1
Aichi	0.8	0.4	0.7	0.9	0.9	0.9	0.7	0.7	0.7	0.9	0.8	0.8	0.7
Akita	1.6	0.9	1.3	1.8	1.9	1.6	1.7	1.7	1.6	1.7	1.5	1.5	1.7
Aomori	1.2	0.6	1.1	1.3	1.1	1.2	1.4	1.2	1.1	1.4	1.1	1.3	1.1
Chiba	0.7	0.4	0.8	0.9	0.9	0.8	0.6	0.7	0.7	0.8	0.7	0.7	0.9
Ehime	1.2	0.6	1.0	1.4	1.5	1.4	1.1	1.3	1.1	1.4	1.2	1.1	1.2
Fukui	1.2	0.6	1.5	1.9	1.6	1.3	1.2	0.7	0.9	1.4	0.9	1.1	1.5
Fukuoka	1.1	0.7	1.2	1.1	1.2	1.4	1.0	1.0	1.0	1.2	1.2	1.1	1.1
Fukushima	1.1	0.6	0.8	1.4	1.2	1.4	1.0	0.9	0.9	1.2	1.1	1.1	1.3
Gifu	0.9	0.2	1.0	1.1	0.9	0.9	0.7	0.8	0.8	1.1	0.9	0.8	1.0
Gunma	0.9	0.4	1.1	1.0	1.0	1.0	0.7	0.6	0.8	0.9	0.9	0.8	1.1
Hiroshima	1.2	1.0	1.2	1.3	1.3	1.2	1.2	1.2	1.2	1.5	1.3	1.0	1.3
Hokkaido	0.9	0.4	0.9	1.0	1.0	1.0	0.8	1.0	0.9	0.8	0.9	1.0	1.0
Hyogo	0.9	0.6	0.9	1.1	1.0	1.1	0.9	0.9	1.0	1.1	1.0	0.8	0.9
Ibaraki	0.7	0.3	0.6	0.7	0.8	0.8	0.6	0.6	0.6	0.8	0.7	0.6	0.8
Ishikawa	1.3	0.7	1.6	1.5	1.6	1.1	1.2	1.4	1.4	1.4	1.0	1.3	1.4
Iwate	1.2	0.7	1.2	1.5	1.4	1.3	1.1	1.2	1.2	1.3	1.1	1.4	1.3
Kagawa	1.2	1.0	1.2	1.4	0.9	1.1	1.0	1.2	1.5	1.3	1.3	0.9	1.3
Kagoshima	1.0	0.8	1.1	1.0	1.2	0.8	0.9	0.9	1.3	1.1	1.0	0.9	1.0
Kanagawa	0.8	0.4	0.8	0.8	0.9	1.0	0.8	0.8	0.9	0.8	0.8	0.8	0.9
Kochi	1.4	0.8	1.3	1.3	1.5	1.3	1.4	1.2	1.6	1.7	1.5	1.0	1.7

TABLE 84. - DIVORCE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	1.1	0.5	1.3	1.4	1.3	1.2	0.9	1.0	1.1	1.4	0.9	0.8	1.1
Kyoto	0.9	0.4	1.0	1.2	0.9	0.9	0.9	0.8	0.9	1.1	1.1	0.8	1.0
Mie	0.9	0.3	0.8	1.1	0.9	1.0	0.8	0.7	1.0	1.1	0.9	0.8	0.9
Miyagi	0.9	0.6	0.8	1.0	0.9	1.2	0.7	0.8	0.9	1.0	0.8	1.0	1.0
Miyazaki	1.0	0.7	1.2	1.3	1.1	1.2	0.8	0.9	1.1	1.2	1.0	1.0	1.1
Nagano	0.8	0.4	0.8	0.9	0.9	0.9	0.7	0.8	0.8	0.8	0.7	0.8	0.9
Nagasaki	1.3	1.0	1.4	1.5	1.3	1.4	1.1	1.3	1.3	1.4	1.1	1.2	1.2
Nara	1.0	0.7	1.0	1.1	1.1	1.0	0.7	0.9	0.8	1.4	0.9	1.0	1.3
Niigata	1.2	0.6	1.0	1.3	1.4	1.2	1.2	1.3	1.3	1.5	1.2	1.2	1.3
Oita	1.0	0.4	0.9	1.5	1.2	1.2	0.9	0.9	1.0	1.2	0.9	0.9	1.1
Okayama	1.0	0.6	1.0	1.4	1.1	1.0	0.9	0.9	1.0	1.2	1.1	1.0	1.1
Oosaka	1.0	0.5	0.9	1.1	1.2	1.2	1.0	1.0	0.9	1.2	1.0	1.0	0.9
Osaka	1.1	0.8	1.2	1.2	1.2	0.9	1.0	1.0	1.2	1.2	1.1	0.9	1.5
Saitama	0.7	0.3	0.7	0.7	0.8	0.9	0.5	0.6	0.7	0.8	0.7	0.8	0.9
Shiga	0.8	0.5	1.0	1.0	1.0	1.1	0.6	1.0	0.8	0.8	0.7	0.7	0.8
Shimane	1.1	0.7	1.5	1.4	1.4	1.2	0.8	1.1	1.2	1.2	0.9	1.1	1.0
Shizuoka	1.0	0.5	1.1	1.0	1.1	1.0	0.8	0.9	1.2	1.0	1.1	0.9	1.0
Tochigi	0.8	0.6	0.7	1.0	0.8	0.9	0.6	0.7	0.9	1.1	0.7	0.7	1.0
Tokushima	1.0	0.7	1.0	1.1	1.2	1.1	0.7	0.9	0.9	1.1	1.2	1.1	1.0
Tokyo	0.9	0.5	0.8	0.7	1.0	1.0	1.0	0.8	0.8	0.9	1.0	1.0	1.0
Tottori	1.2	0.8	1.0	1.3	1.4	1.2	1.1	1.1	1.4	1.2	1.3	1.2	1.4
Toyama	1.4	0.8	1.5	1.8	1.7	1.4	1.2	1.2	1.5	1.5	1.2	1.5	1.5
Wakayama	1.1	0.6	0.9	1.2	1.3	1.3	1.0	1.2	1.1	1.5	0.9	0.9	1.4
Yamagata	1.2	0.6	1.3	1.5	1.3	1.1	1.2	1.2	1.3	1.5	1.0	1.2	1.5
Yamaguchi	1.1	0.6	1.3	1.4	1.1	1.2	1.1	1.0	1.1	1.4	1.1	1.0	1.3
Yamanashi	0.7	0.4	0.6	0.8	0.9	1.0	0.5	0.9	0.8	0.8	0.8	0.6	0.8

Data refer to divorces in Japan Proper and include all divorces in which either the husband or wife was a Japanese National.

Sources: Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 85. - LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS, MARRIAGES AND DIVORCES
OF NON-JAPANESE NATIONALS IN JAPAN BY MONTH: 1947 - 1948

Month	Live Births		Deaths		1/Infant Deaths		Stillbirths		Marriages		Divorces	
	1948	1947	1948	1947	1948	1947	1948	1947	2/1948	3/1947	2/1948	3/1947
Total	20,549	13,301	4,432	4,184	1,196	1,142	1,037	789	748	2,838	34	138
Jan	1,965	897	393	278	140	100	87	60	52	131	4	3
Feb	1,802	650	345	366	125	119	85	54	60	150	-	5
Mar	1,941	734	435	414	135	131	89	48	66	207	2	10
Apr	1,643	516	374	369	109	48	101	64	70	177	5	9
May	1,586	606	368	404	98	90	79	53	67	191	2	12
Jun	1,539	841	344	328	76	87	90	67	63	195	9	9
Jul	1,794	1,521	397	392	98	123	89	64	66	190	-	11
Aug	1,729	1,589	402	389	68	93	78	74	49	958	4	21
Sep	1,557	1,438	344	343	67	90	83	82	65	174	3	9
Oct	1,631	1,484	325	291	71	76	88	60	68	172	2	14
Nov	1,705	1,502	328	245	91	55	83	77	50	119	3	13
Dec	1,657	1,523	377	365	118	130	85	86	70	174	-	22

FOOTNOTES:

1/ Deaths under 1 year of age.

2/ Data refer to marriages and divorces in which both husband and wife were not Japanese nationals.

3/ Data refer to marriages and divorces in which either husband or wife was not a Japanese national.

SOURCES:

1947, January - June: Monthly Vital Statistics Schedule Reports, Cabinet Bureau of Statistics.

1947, July - December; 1948: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 86. - LIVE BIRTHS, DEATHS AND INFANT DEATHS OF JAPANESE NATIONALS
OUTSIDE JAPAN BY MONTH: 1947 - 1948

Month	Live Births		Deaths		1/Infant deaths	
	1948	1947	1948	1947	1948	1947
Total	8,896	24,633	142,062	470,268	966	3,435
Jan	505	2,886	13,137	31,082	73	490
Feb	700	3,002	17,225	32,107	89	401
Mar	802	3,772	15,164	34,266	104	534
Apr	586	2,797	14,731	39,962	77	337
May	550	2,328	14,332	51,549	77	297
Jun	724	1,701	12,765	49,767	66	329
Jul	834	1,831	14,793	47,120	95	247
Aug	951	1,622	11,388	46,493	87	172
Sep	934	1,298	8,690	40,758	82	191
Oct	739	1,129	9,378	42,369	59	177
Nov	753	1,177	5,629	31,311	65	123
Dec	818	1,090	4,830	23,484	92	137

FOOTNOTES:

1/ Deaths under 1 year of age.

SOURCES:

1947, January - June: Monthly Vital Statistics Schedule Reports, Cabinet Bureau of Statistics.
1947, July - December; 1948: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

more

